

## DAFTAR PUSTAKA

- Aarts, M.A., Okrainec, A., Wood, T., Pearsall, E.A., McLeod, R.S. (2013). *Enhanced recovery after surgery guideline*. Retrieved from: [http://anesthesiology.queensu.ca/assets/iERAS\\_GUIDELINE\\_April\\_2013.pdf](http://anesthesiology.queensu.ca/assets/iERAS_GUIDELINE_April_2013.pdf)
- Abola, R.E., Gan, T.J.(2017). Preoperative fasting guidelines: why are we not following them?: the time to act is now. *Anesthesia & Analgesia*,124 (4):1041-1043. doi: 10.1213/ANE.0000000000001964
- Adamina, M., Kehlet, H., Tomilson, G.A., Senagore, AJ., Delaney, C.P. (2011). Enhanced recovery pathways optimize health outcomes and resource utilization: a meta-analysis of randomized controlled trials in colorectal surgery. *Surgery*, 149(6): 830-40. doi: 10.1016/j.surg.2010.11.003
- Ahn, K.Y., Hur, H., Kim, D.H., Min, J., Jeong, D.H., Chu, S.H., ... Kim, N.K. (2013). The effect of inpatient exercise therapy on the length of hospital stay in stages I-III colon cancer patient: randomized controlled trial. *International Journal of Colorectal Disease*, 28: 643-651. doi: 10.1007/s00384-013-1665-1
- Aiken, L.R.(1980). Content validity and reliability of single items or questionnaires. *Educational and Psychological Measurement*, 40(4): 955-959.doi:10.1177/001316448004000419
- Aiken, L.R. (1985). Three coefficients for analyzing the reliability and validity of ratings. *Educational and Psychological Measurement*, 45(1): 131-142. doi: 10.1177/001316448541012
- Alsen, M., Sihombing, R. (2014). Infeksi luka operasi. *Majalah Kedokteran Sriwijaya*,46(3): 229-235. Retrieved from: <https://media.neliti.com/media/publications/181800-ID-infeksi-luka-operasi.pdf>
- American Association of Nurse Anesthetists (AANA). (2017). *Enhanced recovery after surgery: considerations for pathway development and implementation*. Retrieved from: [https://www.aana.com/docs/default-source/practice-aana-com-web-documents-\(all\)/enhanced-recovery-after-surgery.pdf?sfvrsn=6d184ab1\\_6](https://www.aana.com/docs/default-source/practice-aana-com-web-documents-(all)/enhanced-recovery-after-surgery.pdf?sfvrsn=6d184ab1_6)
- American Cancer Society. (2019). *Cancer facts & figures*. Retrieved from: <https://www.cancer.org/content/dam/cancer-org/research/cancer-facts-and-statistics/annual-cancer-facts-and-figures/2019/cancer-facts-and-figures-2019.pdf>
- American College of Surgeons. (2013). Advanced trauma life support (ATLS®): the ninth edition. *Journal of Trauma Acute Care Surgery*, 74(5): 1363-6. doi: 10.1097/TA.0b013e31828b82f5
- Ansari, P. (2017). *Intra-abdominal abscess*. Retrieved from: <https://www.msdmanuals.com/professional/gastrointestinal-disorders/acute-abdomen-and-surgical-gastroenterology/intra-abdominal-abscesses>
- Aragonese Institute of Health Sciences. (2014). *Enhanced recovery for abdominal surgery clinical pathway*. Retrieved from: [http://portal.guiasalud.es/contenidos/iframes/documentos/opbe/2015-07/ViaClinica-RICA\\_English.pdf](http://portal.guiasalud.es/contenidos/iframes/documentos/opbe/2015-07/ViaClinica-RICA_English.pdf)

- Arifin, D. (2010). *Pengaruh mobilisasi dini terhadap lama hari rawat pasien post opERASi laparatomi di RSU Haji Makassar* (Universitas Islam Negeri Alauddin Makassar, Indonesia). Retrieved from: <http://repository.uin-alauddin.ac.id/3428/1/DAHLIA%20ARIFIN.pdf>
- Arnold, M., Sierra, M.S., Laversanne, M., Soerjomataram, I., Jemal, A., Bray, F. (2017). Global patterns and trends in colorectal cancer incidence and mortality. *Gut*, 66(4): 683-691. doi: 10.1136/gutjnl-2015-310912
- Asao, T., Kuwano, H., Nakamura, J, Morinaga, N., Hirayama, I., Ide, M. (2002). Gum chewing enhances early recovery from postoperative ileus after laparoscopic colectomy. *Journal of the American College of Surgeons*, 195(1): 30-2. Retrieved from: <https://www.ncbi.nlm.nih.gov/pubmed/12113542>
- Azwar, Saifuddin. (2017). *Reliabilitas dan validitas* (4<sup>nd</sup> ed.). Yogyakarta: Pustaka Pelajar.
- Barletta, J. F., & Senagore, A. J. (2014). Reducing the burden of postoperative ileus: evaluating and implementing an evidence-based strategy. *World Journal of Surgery*, 38(8): 1966–1977. doi:10.1007/s00268-014-2506-2
- Boltz, M., Resnick, B., Capezuti, E., Shuluk, J., Secic, M. (2012). Functional decline in hospitalized older adults: can nursing make a difference?. *Geriatric Nurse*, 33(4): 272-9. doi: 10.1016/j.gerinurse.2012.01.008
- Boulind, C.E., Yeo, M., Burkill, C., Witt, A., James, E., Ewings, P., Kennedy, R.H., Francis, N.K. (2012). Factors predicting deviation from an enhanced recovery programme and delayed discharge after laparoscopic colorectal surgery. *Colorectal Disease*, 14(3): 103-110. doi: :10.1111/j.1463-1318.2011.02799.x
- Brady, K.M., Keller, D.S., Delaney, C.P. (2015). Succesful implementation of an enhanced recovery pathway: the nurse's role. *AORN Journal*, 102(5):469-481. doi: 10.1016/j.aorn.2015.08.015.
- Brandstrup, B., Tønnesen, H., Beier-Holgersen, R., Hjortsø, E., Ørding, H., Lindorff-Larsen, K., . . . Pott, F. (2003). Danish study group on perioperative fluid therapy. Effects of intravenous fluid restriction on postoperative complications: comparison of two perioperative fluid regimens: a randomized assessor-blinded multicenter trial. *Annals of Surgery*, 238(5):641–648. doi:10.1097/01.sla.0000094387.50865.23
- Browning, L., Denehy, L., Scholes, R.L. (2007). The quality of early upright mobilisation performed following upper abdominal surgery is low observational study. *Australian Journal of Physiotherapy*, 53(1): 47-53. doi: 10.1016/S0004-9514(07)70061-12
- Brunner & Suddarth. (2002). *Buku ajar keperawatan medikal bedah*, edisi 8 volume 2. Jakarta: EGC.
- Bundgaard-Nielsen, M., Secher, N.H., & Kehlet, H. (2009). 'Liberal' vs. 'restrictive' perioperative fluid therapy – a critical assessment of the evidence. *Acta Anaesthesiologica Scandinavica*, 53(7):843–851. doi:10.1111/j.1399-6576.2009.02029.x
- Cagir, B. (2017). *Postoperative ileus*. Retrieved from: <https://emedicine.medscape.com/article/2242141-overview#>
- Carpenito, L.J. (2000). *Rencana asuhan dan pendokumentasian keperawatan (Edisi 1)*. Alih Bahasa Monica Ester. Jakarta: EGC.

- Castelino, T., Fiore, J.F., Niculiseanu, P., Landry, T., Augustin, B., Feldman, L.S. (2016). The effect of early mobilization protocols on postoperative outcomes following abdominal and thoracic surgery: a systematic review. *Surgery*, 159(4):991-1003. doi:10.1016/j.surg.2015.11.029
- Castro, E. (2015). Early mobilization: changing the mindset. *CriticalCareNurse*, 36(4): e1-e6. doi: 10.4037/ccn2015512
- CDC (Centers of Disease Control and Prevention). (2012). *Surgical site infection (SSI)*. Retrieved from: <https://www.cdc.gov/hai/ssi/ssi.html>
- Clark, D.E., Lowman, J.D., Griffin, R.L., Matthews, H.M., Reiff, D.A. (2013). Effectiveness of an early mobilization protocol in trauma and burns intensive care unit: a retrospective cohort study. *Journal of the American Physical Therapy Association*, 93: 186-196. doi: 10.2522/ptj.20110417
- Contant, C.M.E., Hop, W.C.J., van't Sant, H.P., Oostvogel, H.J.M., Smeets, H.J., Stassen, L.P.S., . . . Weidema, W.F. (2007). Mechanical bowel preparation for elective colorectal surgery: a multicenter randomized trial. *The Lancet*, 370(9605): 2112-2117. doi:10.1016/S0140-6736(07)61905-9
- Crosson, J.A. (2018). Enhanced recovery after surgery-the importance of the perianesthesia nurse on program success. *Journal of PeriAnesthesia Nursing*, 33(4): 366-374. doi: 10.1016/j.jopan.2016.09.010
- Currier, D., TeKolste, D., Wheatley, M.A. (2018). *Why day zero matters in early ambulation for postoperative patients: an evidence-based project*. (Thesis, Nebraska Methodist College, Nebraska). Retrieved from: [https://sigma.nursingrepository.org/bitstream/handle/10755/624140/TeKolste\\_EarlyAmbulation.pdf?sequence=1&isAllowed=y](https://sigma.nursingrepository.org/bitstream/handle/10755/624140/TeKolste_EarlyAmbulation.pdf?sequence=1&isAllowed=y)
- Daabis, M. (2011). American society of anaesthesiologist physical status classification. *Indian Journal of Anaesthesia*, 55(2): 111-115.
- Dean, E. (2006). Mobilization and exercise. In Frownfelter D and Dean E (Eds) *Cardiovascular and Pulmonary Physical Therapy: Evidence Practice* (4th edn). St Louis: Mosby Elsevier, pp. 263-306.
- Departemen Kesehatan RI (Depkes). (2009). *Profil Kesehatan Indonesia Tahun 2009*. Kementerian Kesehatan RI.
- Dictara, A.A., Angraini, D.I., Musyabiq, S. (2018). Efektivitas pemberian nutrisi adekuat dalam penyembuhan luka laparatomi. *Medical Journal of Lampung University*, 7(2): 249-256. Retrieved from: <https://juke.kedokteran.unila.ac.id/index.php/majority/article/view/1885/1853>
- Dolgun, E., Giersbergen, M.V., Aslan, A., YaseminAltinbas. (2017). The investigation of mobilization times of patients after surgery. *Asian Pacific Journal of Health Sciences*, 4(1): 71-75. doi: 10.21276/apjhs.2017.4.1.13
- Dorland, W.N. (2015). *Kamus saku kedokteran dorland* (29 ed.). Jakarta: Elsevier.
- Dubb, R., Nydahl, P., Hermes, C., Schwabbauer, N., Toonstra, A., Parker, A.M., Kaltwasser, A., Needhan, D. (2016). Barriers and strategies for early mobilization of patients in intensive care units. *Annals of The American Thoracic Society*, 13(5): 724-730. doi: 10.1513/AnnalsATS.201509-586CME
- Fakhrul (2011). *Pengaruh faktor internal dan eksternal perawat terhadap pencegahan terjadinya infeksi nosokomial di Ruang Rawat Bedah RSUD Kota Langsa Tahun 2011* (Master's thesis, Universitas Sumatera Utara).

- Fernandez-Ortega, J.F., Herrero, M.J.I., Martinez, G.P. (2011). Guidelines for specialized nutritional and metabolic support in the critically-ill patients. *Medica Intensiva*, 35(1): 7-11. doi: 10.1016/S0210-5691(11)70002-X
- Fiore, J.F., Castelino, F., Pecorelli, N., niculiseanu, P., Balvardi, S., Hershorn, O., Liberman, S., Charlebois, P., Stein, B., Carli, F., Mayo, N., Feldman, L.S. (2016). Ensuring early mobilization within an enhanced recovery program for colorectal surgery a randomized controlled trial. *Annals of Surgery*, 266(2): 223-231. doi: 10.1097/SLA.0000000000002114
- Foss, M., & Bernard, H. (2012). Enhanced recovery after surgery: Implications for nurses. *British Journal of Nursing*, 21: 221-223. doi:10.12968/bjon.2012.21.4.221
- Freid, V.M., Benstein, A.B., Bush, M.A. (2012). Multiple chronic condition among adults aged 45 and over: trends over the past 10 years. *NCHS Data Brief*, 100: 1-8. PMID: 23101759
- Garrison, S.J. (2004). *Dasar-dasar terapi dan latihan fisik*. Jakarta: Hypocrates.
- Gorecki, P., Martone, C., D'Ayala, M. (2008) Immediate postoperative ambulation minimizes thomboembolic complications following a laparoscopic gastric bypass: a prospective analysis of 461 patients. Retrieved from [https://www.sages.org/meetings/annual-meeting/abstracts-archive/immediate-postoperati-Ve-ambulation-minimizes-thomboembolic-complications-following-a-laparoscopic-gastri c-bypass-a-prospective-analysis-of-461-patients/](https://www.sages.org/meetings/annual-meeting/abstracts-archive/immediate-postoperati-Ve-ambulation-minimizes-thomboembolic-complications-following-a-laparoscopic-gastri-c-bypass-a-prospective-analysis-of-461-patients/)
- Grass, F., Pache, B., Martin, D., Addor, V., Hahnloser, D., Demartines, N., Hubner, M. (2018). Feasibility of early postoperative mobilisation after colorectal surgery: A retrospective cohort study. *International Journal of Surgery*, 56: 161-166. doi: 10.1016/j.ijso.2018.06.024
- Greco, M., Capretti, G., Beretta, L., Gemma, M., Pecorelli, N., Braga. (2013). Enhanced recovery program in colorectal surgery: a meta-analysis of randomized controlled trials. *World Journal of Surgery*, 38(6): 1531-41. doi: 10.1007/s00268-013-2416-8
- Gustafsson, U.O., Scott, M.J., Hubner, M., Nygren, J., Demartines, N., Francis, N., Rockall, T. A., ... Ljungqvist, O. (2019). Guidelines for perioperative care in elective colorectal surgery: enhanced recovery after surgery (ERAS®) society recommendations: 2018. *World Journal of Surgery*, 43: 659-695. doi: 10.1007/s00268-018-4844-y
- Gustafsson, U.O., Scott, M.J., Schwenk, W., Demartines, N., Roulin, D., Francis, N., ... Ljungqvist, O. (2013). Guidelines for perioperative care in elective colonic surgery: enhanced recovery after surgery (ERAS®) society recommendations. *World Journal of Surgery*, 37: 259-284. doi:10.1007/s00268-012-1772-0
- Gusty, R.P. (2011). Pengaruh mobilisasi dini pasien pasca operasi abdomen terhadap penyembuhan luka dan fungsi pernafasan. *Ners jurnal keperawatan*, 7(2): 106-113. doi: 10.25077/njk.7.2.106-113.2011
- Havey, R., Herriman, E., O'Brien, D. (2013). Guarding the gut early mobility after abdominal surgery. *Critical Care Nursing Quarterly*, 36(1): 63-72. doi: 10.1097/CNQ0b013e3182753237
- Hendren, S. (2013). Urinary catheter management. *Clinics in Colon and Rectal Surgery*, 26(3): 178-181. doi: 10.1055/s-0033-1351135

- Henriksen, M.G., Jensen, M.B., Hansen, H.V., Jespersen, T.W., & Hesselov, I. (2002). Enforced mobilization, early oral feeding, and balanced analgesia improve convalescence after colorectal surgery. *Nutrition*, 18, 147-152. doi:10.1016/S0899-9007(01)00748-1
- Hitesh, P.K., Pratik, H.V., Nilesh, J.P., Jovin, G.M. (2015). Factors affecting post-operative laparotomy wound complications. *International Archives of Integrated Medicine*, 2(1): 71-75. Retrieved from: <http://iaimjournal.com/wp-content/uploads/2015/01/10-Factors-affecting-postoperative-laparotomy.pdf>
- Hu, Y., McArthur, A., Yu, Z. (2019). Early postoperative mobilization in patients undergoing abdominal surgery: a best practice implementation project. *Database of Systematic Reviews and Implementation Report*, 17(0): 1-21. doi: 10.11124/JBISRIR-D-19-00063
- Hughes, M.J., McNally, S., Wigmore, S.J. (2014). Enhanced recovery following liver surgery: a systematic review and meta-analysis. *Hepato-Pancreato-Biliary*, 16(8): 699-706. doi: 10.1111/hpb.12245.
- Imbalo, S. (2007). *Jaminan mutu pelayanan kesehatan*. Jakarta: EGC.
- Imron, M.T.A. (2014). *Metodologi penelitian bidang kesehatan*. Jakarta: Sagung Seto.
- Israfi, J. (2010). *Pengaruh mobilisasi dini latihan duduk terhadap peningkatan motilitas usus pada pasien pasca bedah dengan general anestesi di RSI Jemusari*. (Skripsi, Universitas Airlangga, Indonesia).
- Iyer, S., Saunders, W.B., & Stemkowski, S. (2009). Economic burden of postoperative ileus associated with colectomy in the United States. *Journal Managed Care Pharmacy*, 15(6): 485-494. doi: 10.18553/jmcp.2009.15.6.485
- Jitowiyono, S., & Kristiyanasari. (2010). *Asuhan keperawatan post opERASi pendekatan NANDA, NIC, NOC*. Yogyakarta: Nuha Medika.
- Kalisch, B., Lee, S., Dabney, B. (2013). Outcomes of inpatient mobilization: A literature review. *Journal of Clinical Nursing*, 23(11-12): 1486-1501. doi: 10.1111/jocn.12315
- Kaneda, H., Saito, Y., Okamoto, M., Maniwa, T., Minami, K., Imamura, H. (2007). Early postoperative mobilization with walking at 4 hours after lobectomy in lung cancer patients. *General Thoracic and Cardiovascular Surgery*, 55: 493-498. doi: 10.1007/s11748-007-0169-8
- Kate, V. (2017). *Exploratory laparotomy technique: open exploration of abdomen, complications*. Retrieved from: <https://emedicine.medscape.com/article/1829835-technique>
- Kemenkes RI. (2013). Standar pelayanan minimal rumah sakit. Jakarta: Kemenkes.
- Kemenkes RI. (2013). Standar pelayanan minimal rumah sakit. Jakarta: Kemenkes.
- Kibler, V.A., Hayes, R.M., Johnson, D.E., Anderson, L.W., Just, S.L., Wells, N.L. (2012). Early postoperative ambulation: back to basics a quality improvement project increases postoperative ambulation and decreases patient complications. *American Journal of Nursing*, 112(4):63-69. doi: 10.1097/01.naj.0000413460.45487.ea
- Kiefer, R.A. (2011). The effect of social support on functional recovery and wellbeing in older adults following joint arthroplasty. *Rehabilitation Nursing Journal*, 36(3): 120-6. doi: 10.1002/j.2048-7940.2011.tb00077.x

- Kiik, S.M. (2012). Pengaruh mobilisasi dini terhadap waktu pemulihan peristaltic usus pada pasien pasca operasi abdomen di ruang icu BPRSUD Labuang Baji Makassar. *Jurnal Kesehatan*, 1(1): 7-14. Retrieved from: [https://www.researchgate.net/publication/326390385\\_Pengaruh\\_Mobilisasi\\_Dini\\_Terhadap\\_Waktu\\_Pemulihan\\_Peristaltik\\_Usus\\_Pada\\_Pasien\\_Pasca\\_Operasi\\_Abdomen\\_di\\_Ruang\\_Icu\\_BPRSUD\\_Labuang\\_Baji\\_Makassar/citation/download](https://www.researchgate.net/publication/326390385_Pengaruh_Mobilisasi_Dini_Terhadap_Waktu_Pemulihan_Peristaltik_Usus_Pada_Pasien_Pasca_Operasi_Abdomen_di_Ruang_Icu_BPRSUD_Labuang_Baji_Makassar/citation/download)
- Killewich, L.A. (2006). Strategies to minimize postoperative deconditioning in elderly surgical patients. *Journal of the American College of Surgeons*, 203(5): 735-45. doi: 10.1016/j.amcollsurg.2006.07.012
- Kozier., Erb., Blais., Wilkinson. (1995). *Fundamental of nursing concept proses and practise*. California: Addison- Wesley Publishing Company. Inc.
- Lagoe, R.J., Johnson, P.E., & Murphy, M.P. (2011). Inpatient hospital complication and lengths of stay: a short report. *BMC Research Notes*, 4(135): 1-5. Retrieved from: <http://www.biomedcentral.com/1756-0500/4/135>
- Langford, C.P., Bowsher, J., Maloney, J.P., Lilis, P.P. (1997). Social support: a conceptual analysis. *Journal of Advanced Nursing*, 25(1): 95-100. doi: 10.1046/j.1365-2648.1997.1997025095.x
- Larjani, S., Spivak, I., Hao Guo, M., Aliarzadeh, B., Wang, W., Robinson, S., Sockalingam, S., Aarts, M.A. (2016). Preoperative predictors of adherence to multidisciplinary follow-up care postbariatric surgery. *Surgery for Obesity and Related Diseases*, 12(2): 350-6. doi: 10.1016/j.soard.2015.11.007
- Lassen, K., Soop, M., Nygren, J., Cox, P.B., Hendry, P.O., Spies, C., von Meyenfeldt, M.F., Fearon, K.C., Revhaug, A., Norderval, S., Ljungqvist, O., Lobo, D.N., Dejong, C.H. (2009). Enhanced Recovery After Surgery (ERAS) Group. Consensus review of optimal perioperative care in colorectal surgery: enhanced recovery after surgery (ERAS) group recommendations. *Archives of Surgery*, 144(10): 961-9. doi: 10.1001/archsurg.2009.170
- Lee, T.G., Kang, S.B., Kim, D.W., Hong, S., Heo, S.C. (2011). Comparison of early mobilization and diet rehabilitation program with conventional care after laparoscopic colon surgery: a prospective randomized controlled trial. *Diseases of the Colon & Rectum*, 54: 21-28. doi: 10.1007/DCR.0b013e3181fcd3e.
- Lone, N.A. (2018). Pulmonary atelectasis. Retrieved from: <https://emedicine.medscape.com/article/1001160-overview#a6>
- Maharani, T.D., Waluyo, A. (2013). *Gambaran implementasi mobilisasi dini oleh perawat pada klien post op ERAS ifraktur ekstremitas bawah di RSUP Fatmawati* (Universitas Indonesia, Indonesia). Retrieved from: <http://lib.ui.ac.id/naskahringkas/2016-03/S52386-Tita%20Dewi%20Maharani>
- Massey, R.L. (2010). A randomized trial of rocking chair motion on the effect of postoperative ileus duration in patients with cancer recovering from abdominal surgery. *Applied Nursing Research*, 23: 59-64. doi: 10.1016/j.apnr.2008.06.001
- Meilany, T.A., Alexandra, Arianto, A., Bausat, Q., Endang, Prihartono, J., & Sjarif, D.R.. (2012). Pengaruh malnutrisi dan faktor lainnya terhadap kejadian wound dehiscence pada pembedahan abdominal anak pada periode

- perioperatif. *Sari Pediatri*, 14(2). Retrieved from: <https://saripediatri.org/index.php/sari-pediatri/article/view/370>
- Melnyk, M., Casey, R.G., Black, P., Koupparis, A.J. (2011). Enhanced recovery after surgery (ERAS) protocols: time to change practice?. *Canadian Urological Association Journal*, 5(5):342-348. doi: 10.5489/cuaj.11002
- Mitchell, M. (2011). The future of surgical nursing and enhanced recovery programmes. *British Journal of Nursing*, 20(10):978-984. doi: 10.12968/bjon.2011.20.16.978
- National Health Service. (2016). Early mobilisation in hospital in hospital a guide to help you recovery information for patient. Retrieved from: <https://www.ouh.nhs.uk/patient-guide/leaflets/files/13413Pmobilisation.pdf>
- NICE (National Institute for Health and Care Excellence). (2008). *Surgical site infections: prevention and treatment*. Retrieved from: <https://www.nice.org.uk/guidance/cg74/chapter/Introduction>
- Ningrum, T.P., Mediani, H.S., Isabella, C. H.P. (2017). Faktor-Faktor yang berhubungan dengan kejadian wound dehiscence pada pasien post laparatomi. *Jurnal Keperawatan Padjadjaran*, 5:2. Retrieved from: <https://media.neliti.com/media/publications/178594-ID-faktor-faktor-yang-berhubungan-dengan-ke.pdf>
- Notoatmodjo, S. (2007). *Promosi Kesehatan dan Ilmu Perilaku*. Jakarta: Rineka Cipta.
- Notoatmodjo, S. (2010). *Ilmu Perilaku Kesehatan*. Jakarta: Rineka Cipta
- Notoatmodjo, S. (2012). *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Nygren, J., Thacker, J., Carli, F., Fearon, K.C.H., Norderval, S., Lobo, D.N., Ljungqvist, O., Soop, M., Ramirez, J. (2013). Guidelines for perioperative care in elective rectal/pelvic surgery : enhanced recovery after surgery (ERAS®) society recommendation. *World Journal of Surgery*, 37: 285-305. doi: 10.1007/s00268-012-1787-6
- Oken, M.M., Creech, R.H., Tormey, D.C., Horton, J., Davis, T.E., McFadden, E.T., Carbone, P.P. Toxicity and response criteria of the eastern cooperative oncology group. *American Journal of Clinical Oncology*, 5(6): 649-655. PMID: 7165009
- Okuboyejo, S. (2014). Non-adherence to medication in outpatient setting in Nigeria: the effect of employment status. *Global Journal of Health Science*, 6(3): 37-44. doi: 10.5539/gjhs.v6n3p37
- Padula, C.A., Hughes, C., Baumhover, L. (2009). Impact of a nurse-driven mobility protocol on functional decline in hospitalized older adult. *Journal of Nursing Care Quality*, 24(4): 325-31. doi: 10.1097/NCQ.0b013e3181a4f79b.
- Pampel, F.C., Krueger, P.M., & Denny, J.T. (2013). Socioeconomic disparities in health behaviors. *The Annual Review of Sociology*, 36: 349-370. doi: 10.1146/annurev.soc.012809.102529
- Park, J., Kim, D., Kim., B., Kim., Y. (2018). The American society of anesthesiologist score influences on postoperative complications and total hospital charges after laparoscopic colorectal cancer surgery. *Medicine (Baltimore)*, 97(18): e0653. doi: 10.1097/MD.00000000000010653
- Parrish, C.R. (2016). Enhanced recovery after surgery: if you are not implementing it, why not?. *Practical Gastroenterology*, 46-56. Retrieved from:

- <https://med.virginia.edu/ginutrition/wp-content/uploads/sites/199/2014/06/Parrish-April-2016.pdf>
- Pashikanti, L., Voh Ah, D. (2012). Impact of early mobilization protocol on the medical-surgical inpatient population. *Clinical Nurse Specialist*, 87-94. doi: 10.1097/NUR.0b013e3182459e6.
- Pearsall, E., McCluskey, S., Aarts, M.A., McLeod, R. (2017). *Enhanced recovery after surgery: ERASs for all*. Retrieved from: [http://bestpracticeinsurgery.ca/wp-content/uploads/2017/11/ERAS\\_BPS\\_FINAL\\_Nov2017.pdf](http://bestpracticeinsurgery.ca/wp-content/uploads/2017/11/ERAS_BPS_FINAL_Nov2017.pdf)
- Permatasari, Z.P. (2017). *Pengaruh edukasi tentang perawatan perioperative terhadap kecemasan pasien post laparatomi di RSUP Dr. Sardjito Yogyakarta*. (Skripsi, Universitas Gadjah Mada, Indonesia).
- Petrowsky, H., Demartines, N., Rousson, V., Clavien, P. (2004). Evidence-based value of prophylactic drainage in gastrointestinal surgery. *Annals of Surgery*, 240(6): 1074-1085. doi: 10.1097/01.sla.0000146149.17411.c5
- Potter, P.A., & Perry, A.G. (2009). *Fundamental keperawatan*, (7<sup>th</sup> ed) Buku 3. Indonesia: Elsevier.
- Pradomo, J., & Sulistyowati. (2013). Hubungan antara tingkat pendidikan, pengetahuan tentang kesehatan lingkungan, perilaku hidup sehat dengan status kesehatan. *Buletin Penelitian Sistem Kesehatan*, 17(1): 89-95. Retrieved from: <https://media.neliti.com/media/publications/20885-ID-correlation-between-education-level-knowledge-of-environmental-health-healthy-be.pdf>
- Prawtiwi, I.C. (2019). *Gambaran kecemasan dan kebutuhan informasi pasien pra opERASi laparatomi di bangsal bedah RSUP Dr. Sardjito*. (Skripsi, Universitas Gadjah Mada, Indonesia).
- Puluhulawa, I. (2013). Pengaruh faktor sosial ekonomi terhadap status kesehatan masyarakat di kecamatan Palu Selatan. *e-Journal Katalogis*, 1(3): 15-25. Retrieved from: <https://media.neliti.com/media/publications/152348-ID-pengaruh-faktor-sosial-ekonomi-terhadap.pdf>
- Rajaretnam, N., & Burns, B. (2019). *Laparotomy (celiotomy)*. Retrieved from: <https://www.ncbi.nlm.nih.gov/books/NBK525961/>
- Ramshorst, G.H., Nieuwenhuizen., Hop, W.C.J., Arends, P., Boom, J., Jeekel, J., Lange, J.F. (2010). Abdominal wound dehiscence in adults: development and validation of a risk model. *World Journal of Surgery*, 34: 20-27. doi: 10.1007/s00268-009-0277-y
- Rivai, F., Koentjoro, T., Utarini, A. (2013). Determinan infeksi luka operasi pasca bedah sesar. *Jurnak Kesehatan Masyarakat*, 8(5): 235-240. doi: 10.21109/kesmas.v8i5.390.
- Robert, J., & Fenech, T. (2010). Optimising patient management before and after surgery: Janine Roberts and Teresa Fenech explain the principles of the enhanced recovery progrsmme and cost and care benefits in taking this approach. *Nursing Management*, 17(6): 22-24. doi: 10.7748/nm2010.10.17.6.22.c8005
- Rossi, G., Vaccarezza, H., Vaccaro, C.A., Mentz, R.E., Im, V., Alvarez, A., Quintana, G.O. (2013). Two-day hospital stay after laparoscopic colorectal surgery under an enhanced recovery after surgery (ERAS) pathway. *World Journal of Surgery*, 37: 2483-2489. doi: 10.1007/s00268-013-2155-x

- Saepudin, Padmasari, S., Hidayanti, P., Ningsih, E.S. (2013). Pengaruh penggunaan obat pada pasien hipertensi di puskesmas. *Jurnal Farmasi Indonesia*, 6(4): 246-253. Retrieved from: <http://www.jfionline.org/index.php/jurnal/article/view/148/121>
- Samnani, S.S., Umer, M.F., Mehdi, S.H., Farid, F.N. (2014). Impact of preoperative counselling on early postoperative mobilization and its role in smooth recovery. *International Scholarly Research Notices*, 2014: 1-5. doi: 10.1155/2014/250536
- Santosa, I.B. (2010). *Nasihat hidup orang jawa*. Yogyakarta: Diva Press.
- Schram, A., Ferreira, V., Minnella, E.M., Awasthi, R., Carli, F., Scheede-Bergdahl. (2019). In-hospital resistance training to encourage early mobilization fr enhanced recovery programas after colorectal cancer surgery: a feasibility study. *European Journal of Surgical Oncology*, 30(40): 1-6. doi: 10.1016/j.esjo.2019.04.015
- Shrikhande, S.V., Barreto, S.G., Shetty, G., Suradkar, K., Bodhankar, Y.D., Shah, S.B., Mahesh G. (2013). Post-operative abdominal drainage following major upper gastrointestinal surgery: single drain versus two drains. *Journal of Cancer Research and Therapeutics*, 9(2): 267-271. doi: 10.4103/0973-1482.113380
- Siegel, R.L., Miller, K.D., Jemal, A. (2017). Cancer statistic, 2017. *CA: A Cancer Journal for Clinicians*, 67(1): 7-30. doi: 10.3322/caac.21387
- Sjamsuhidajat, R., & Jong, W.D. (2017). *Buku ajar ilmu bedah* (4th ed). Jakarta:EGC.
- Smart, N.J., White, P., Allison, A.S., Ockrim, J.B., Kennedy, R.H., Francis, N.K. (2012). Deviation and failure of enhanced recovery after surgery following laparoscopic colorectal surgery: early prediction model. *Colorectal Disease*, 14: e727-e734 doi: 10.1111/j.1463-1318.2012.03096.x
- Smith, P.R., Baig, M.A., Brito, V., Bader, F., Bergman, M.I., Alfonso, A. (2010). Postoperative pulmonary complications after laparatomy. *Respiration*, 80: 269-274. doi: 10.1159/000253881
- Spiliotis, J., Tsiveriotis, K., Datsis, A.D., Vaxevanidou, A., Zacharis, G., Konstantinos, G.,... Rogdakis, A. (2009). Wound dehiscence : is still a problem in the 21th century: a restropective study. *World Journal of Emergency Surgery*, 4(12): 1-5. doi:10.1186/1749-7922-4-12.
- Story, S.K., Chamberlain, R.S. (2009). A comprehensive review of evidence-based strategies to prevent and treat postoperative ileus. *Digestive Surgery*, 26: 265-275. doi: 10.1159/000227765
- Suddrajat. (2002). *Faktor-faktor yang mempengaruhi mobilisasi dini pada klien pasca opERASi laparatomi* (Universitas Indonesia, Indonesia). Retrieved from: [http://lib.ui.ac.id/file?file=pdf/abstrak/id\\_abstrak-20362706.pdf](http://lib.ui.ac.id/file?file=pdf/abstrak/id_abstrak-20362706.pdf)
- Sugiyono. (2012). *Metode penelitian administrasi*. Bandung: CV Alfabeta.
- Sulistyaningsih. (2011). *Metodologi penelitian kebidanan: Kuantitatif-kualitatif*. Yogyakarta: Graha Ilmu.
- Sveikata, T., Porvaneckas, N., Kanopa, P., Molyte, A., Klimas, D., Uvarovas, V., Venalis. (2017). Age, sex, body mass index, education, and social support influence functional results after total knee artheoplasty. *Geriatric Orthopaedic Surgery and Rehabilitation*, 8(2): 71-77. doi: 10.1177/2151458416687809

- Tan, M., Law, L.S., & Gan, T.J. (2015). Optimizing pain management to facilitate enhanced recovery after surgery pathways. *Canadian Journal of Anesthesia*, 62(2): 203-218. doi:10.1007/s12630-014-0275-x
- Tarmidzi, D.S. (2013). *Analisis praktik klinik keperawatan kesehatan masyarakat perkotaan pada pasien post laparotomi yang diberikan mobilisasi dini untuk merpercepat penyembuhan luka opERASi di RSUPN Cipto Mangunkusumo* (Karya Ilmiah Akhir, Universitas Indonesia, Indonesia). Retrieved from: [www.lib.ui.ac.id/abstrakpdf?id=20351551&lokasi=lokal](http://www.lib.ui.ac.id/abstrakpdf?id=20351551&lokasi=lokal)
- Teeuwen, P.H.E., Bleichrodt, R.P., Strik, C., Gronewoud, J.J.M., Brinker, W., van Laarhoven, C.J.H.M., van Goor, H., Bremers, A.J.A. (2010). Enhanced recovery after surgery (ERAS) versus conventional postoperative care in colorectal surgery. *Journal of Gastrointestinal Surgery*, 14: 88-95. doi: 10.1007/s11605-009-1037-x
- Undang-Undang Republik Indonesia No 20 Tahun 2003 Tentang Sistem Pendidikan Nasional. Retrieved from: [https://kelembagaan.ristekdikti.go.id/wp-content/uploads/2016/08/UU\\_no\\_20\\_th\\_2003.pdf](https://kelembagaan.ristekdikti.go.id/wp-content/uploads/2016/08/UU_no_20_th_2003.pdf)
- Usui, N. (2016). Thoracotomy and laparotomy. *Springer Japan*, 13-20. doi: 10.1007/978-4-431-55876-7\_2
- Vlug, M.S., Bartels, S.A.L., Wind, J., Ubbink, D.T., Hollmann, M.W., ... LAFA study group. (2011). Which fast tract elements predict early recovery after colon cancer surgery?. *Colorectal Disease*, 14(8):1001-8. doi: 10.1111/j.1463-1318.2011.02854.x.
- Wardani, N.P. (2016). Gambaran tingkat health literacy pasien rawat jalan rumah sakit Universitas Udayana Kabupaten Badung. Retrieved from: [https://simdos.unud.ac.id/uploads/file\\_penelitian\\_1\\_dir/d74336c8daaa337a33f6b835489ca935.pdf](https://simdos.unud.ac.id/uploads/file_penelitian_1_dir/d74336c8daaa337a33f6b835489ca935.pdf)
- Weimann, A., Braga, M., Carli, F., Harsanyi, A., Laviano, A., Ljungqvist, O., Soeters, P., DGEM (German Society for Nutritional Medicine), Jauch K.W., Kemen, M., Hiesmayr J.M., Horbach, T., Kuse, E.R., Vestweber K.H. (2013). Epsen guidelines on enteral nutrition: Surgery including organ transplantation *Clinical Nutrition*, 25: 224-244. doi: 10.1016/j.clnu.2006.01.015.
- Weiser, T.G., Haynes, A.B., Molina, G., Lipsitz, S.R., Esquivel, M.M., Uribe-Leitz, T., Fu, R., Azad, T., Chao, T.E., Berry, W.R., Gawade, A.A. (2015). *Estimate of the global volume of surgery in 2012: an assesment supporting improved health outcomes*. Retrieved from: [https://www.thelancet.com/pdfs/journals/lancet/PIIS0140-6736\(15\)60806-6.pdf](https://www.thelancet.com/pdfs/journals/lancet/PIIS0140-6736(15)60806-6.pdf)
- Winarsih, K. (2013). Pelaksanaan mobilisasi dini pada klien pasca seksio sesarea. *Jurnal Ilmiah Keperawatan*, 1(1): 77-88. Rertrieved from: [ejurnal.poltekkesjakarta3.ac.id](http://ejurnal.poltekkesjakarta3.ac.id)
- Wind, J., Hofland, J., Preckel, B., Hollmann, M. W., Bossuyt, P. M., Gouma, D. J., ... Bemelman, W. A. (2006). Perioperative strategy in colonic surgery; laparoscopy and/or fast track multimodal management versus standard care (LAFA trial). *BMC Surgery*, 29(6): 16. doi: 10.1186/1471-2482-6-16
- World Health Organization. (2008). *The burden of surgical conditions and access to surgical care in low- and middle-income countries*. Retrieved from: <http://www.who.int/bulletin/volumes/86/8/07-050435/en/>

- Wu, K., Lee, P., Chou, W., Chen, S., Huang, Y. (2018). Relationship between the social support and self-efficacy for function ability in pastients undergoing primary hip replacement. *Journal of Orthopaedic Surgery and Research*, 13(150): 1-8. doi: 10.1186/s13018-018-0857-3
- Young, J., Badgery-Parker, T., Dobbins, T., Jorgensen, M., Gibbs, P., Faragher, I., Jones, I., Currow, D. (2015). Comparison of ECOG/WHO performance status and ASA score as a measure of functional status. *Journal of Pain and Symptom Management*, 49(2): 258-264. doi: 10.1016/j.painsymman.2014.06.006
- Yuwono, Yuwono. (2016). Pengaruh beberapa faktor risiko terhadap kejadian surgical site infection pada pasien laparotomi emergensi. *JMJ*, 1(1): 16-25. Retrieved from: [http://eprints.unsri.ac.id/3161/1/JMI\\_SSI.pdf](http://eprints.unsri.ac.id/3161/1/JMI_SSI.pdf)
- Zaouter, C., Kaneva, P., & Carli, F. (2009). Less urinary tract infection by earlier removal of bladder catheter in surgical patients receiving thoracic epidural analgesia. *Regional Anesthesia and Pain Medicine*, 34(6):542-548. doi:10.1097/AAP.0b013e3181ae9fac