

## DAFTAR PUSTAKA

- Alatoom, A., Cavuoti, D., Southern, P. dan Gander R., 2008, Fasciola hepatica infection in the United States, *Labmedicine*, 39:1 – 4.
- Allen, T. J., Hall, A., Dhillon, A., Owen, J. S. dan Beard, P. C., 2010, Photoacoustic imaging of lipid rich plaques in human aorta, *Proc.SPIE*, 7564-75640C, doi:10.1117/12.842205.
- Antara, M. dan Sweken, P., 2012, Kelayakan Usaha Pembibitan Sapi Bali di Desa Gerokgak Kecamatan Gerokgak Kabupaten Buleleng Bali, *Proceeding Seminar Nasional Peningkatan Produksi dan Kualitas Daging Sapi Bali Nasional*, 74 – 105.
- Arisman., 2007, *Gizi dalam Daur Ulang Kehidupan*, Buku Ajar Ilmu Gizi, EGC: Jakarta.
- Bageshwar, D. V., Pawar, A. S., Khanvilkar, V. V. dan Kadam, V. J., 2010, Photoacoustic Spectroscopy and Its Applications – A Tutorial Review, *Eurasian Journal of Analytical Chemistry*, 187–203.
- Boré, G. dan Peus, S., 1999, *Microphones: Methods of Operation and Type Examples*, 4 ed, Druck-Centrum Fürst GmbH: Berlin.
- Coldren, L. A., Corzine, S. W. dan Mashanovitch, Mi. L., 2012, *Diode Lasers and Photonic Integrated Circuits*, 2 ed, John Wiley & Sons: New Jersey.
- Cook, G. C., 1988, Neurocysticercosis: Parasitology, Clinical Presentation, Diagnosis And Recent Advances In Management, *Q. J. Med*, 68, 575-583.
- Diosi, A. dan Kleeman, L., 2005, Laser scan matching in polar coordinates with application to SLAM, *IEEE/RSJ International Conference on Intelligent Robots and Systems*, 1439–1444, doi:10.1109/IROS.2005.1545181.
- Direktorat Kesmavet, 2004, *Keamanan Pangan Dalam Penyediaan Pangan Asal Unggas*, Dirjen Bina Produksi Peternakan, Departemen Pertanian: Jakarta.
- Dwinata, I. M., Apsari I. A. P., Suratma, N. A. dan Oka, I. B. M., 2017, *Modul Identifikasi Parasit Cacing*, Fakultas Kedokteran Hewan, Universitas Udayana.
- Elrom, K., 2001, Review: Handling and transportation of broilers: welfare, stress, fear and meat quality. Part VI: The consequences of handling and

transportation of chickens (*Gallus gallus domesticus*), *Israel J. Vet. Med.*, 56(2):41-44.

El-Sharkawy, Y. H. dan El-Sherif, A. F., 2011, Laser ultrasound characterization of normal and decayed teeth by measuring elastic properties of surface layers, *Proc. of SPIE*, 78971K-1.

El-Sharkawy, Y. H. dan El Sherif, A. F., 2012, Photoacoustic diagnosis of human teeth using interferometric detection scheme, *Optics & Laser Technology. Elsevier*, 44(5), 1501–1506, doi: 10.1016/j.optlastec.2011.12.009.

Fadilah, R., 2005, *Panduan Mengelola Peternakan Ayam Broiler Komersial*, Agromedia Pustaka: Jakarta.

Fowles, G. R. dan Cassiday, G. L., 1999, *Analytical mechanics*, Saunders college.

García-Noval, J., Allan, J. C., Fletes, C., Moreno, E., DeMata, F., Torres-A´lvarez, R., Soto de Alfaro, H., Yurrita, P., Higueros-Morales, H., Mencos, F., Craig, 1996, P.S. Epidemiology of *Taenia solium* Taeniasis And Cysticercosis In Two Rural Guatemalan Communities. *Am. J. Trop. Med. Hyg.*, 55(3); 282-289.

Guy Rousseau, Alain Blouin dan Jean-Pierre Monchalin, 2012, Non-contact photoacoustic tomography and ultrasonography for tissue imaging. *Biomed Opt Express*, 3(1):16–25, Industrial Materials Institute, National Research Council of Canada.

Hadi, U. K. dan Soviana, S., 2000, *Ektoparasit: Pengenalan, Diagnosis, dan Pengendaliannya*, Laboratorium Entomologi Fakultas Kedokteran Hewan, Institut Pertanian Bogor.

Hariri, A., Fatima, A., Mohammadian, N., Bely, N. dan Nasiriavanaki, M., 2016, Towards low cost photoacoustic Microscopy system for evaluation of skin health, *Proc. of SPIE*, 9976, 1-7, doi: 10.1117/12.2238423.

Ito, A., T. R. Wandra, A. Subahar, H. Hamid, Yamasaki, W. Mamuti, M. Okamoto, K. Nakaya, M. Nakao, Y. Ishikawa, T. Suroso, P.S. Craig dan S.S. Margono., 2002, *Recent advances in basic and applied science for the control of taeniasis/ cysticercosis in Asia*, *J. Trop Southeast Asian. Med, Public Health*.

Kardena, I. M., Winaya, I. B. O., Elyda., Adhiwinata, I. D. M. A., Adi, A. A. A. M. dan Berata, I. K., 2016, Gambaran Histopatologi Selaput Lendir Kantung Empedu, *Jurnal Veteriner*, Vol. 17 No. 1 : 16-21.

- Kementerian Perdagangan Republik Indonesia, 2014, *Analisis Outlook Pangan 2015-2019*, Pusat Kebijakan Perdagangan Dalam Negeri: Badan Pengkajian dan Pengembangan Kebijakan Perdagangan.
- Kementerian Pertanian Republik Indonesia, 2015, *Rencana Strategis Kementerian Pertanian Tahun 2015-2019*, Biro Perencanaan, Sekretariat Jenderal: Jakarta Selatan.
- Keyyu, J. D., Kassuku, A. A., Msalilwa, L. P., Monrad, J. dan Kyvsgaard, N. C., 2006, Cross-sectional prevalence of helminthes infections in cattle on traditional, small-scale and large-scale dairy farms in Iringa district, Tanzania, *Vet. Res. Commun*, 30:45–55.
- Kim, G. R., Kang, J., Kwak, J. Y., Chang, J. H., Kim, S. I., Youk, J. H., Moon, H. J., Kim, M. J., Kim, E. K., 2014, Photoacoustic imaging of breast microcalcifications: A preliminary study with 8-gauge core-biopsied breast specimens, *PLoS ONE*, 9(8), 8–10, doi: 10.1371/journal.pone.0105878.
- Kolkman, R. G. M., Steenbergen, W. dan Van Leeuwen, T. G., 2006, In vivo photoacoustic imaging of blood vessels with a pulsed laser diode, *Lasers in Medical Science*, 21(3), 134–139, doi: 10.1007/s10103-006-0384-z.
- Kouris, K., N.M. Spyrou dan D.F. Jackson, 1982, *Imaging with ionizing radiations*, Surrey University Press, Guildford: UK.
- Kristanto, W. B., 2018, Karakterisasi Sistem Citra Tomografi Fotoakustik dan Aplikasinya untuk Deteksi Daging Ayam Berformalin, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.
- Kurniawan, E., 2017, Sistem Fotoakustik Sederhana Berbasis Laser Dioda dan Mikrofon *Condenser* untuk Pengukuran Konsentrasi Darah, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.
- LabView, U. M. N., 2015, National Instruments (2003), *The above two manuals are available from the lab manager*.
- Lao, Y., 2008, Noninvasive photoacoustic imaging of the developing vasculature during early tumor growth, *Physics in medicine and biology*, IOP Publishing, 53(15), 4203.
- Mahato, S. N. dan Harrison, L. J. S., 2005, Control of fasciolosis in stall-fed buffaloes by managing the feeding of rice straw. *Trop. Anim. Health Prod*,

37: 285 – 291.

McRoberts, M., 2010, *Beginning Arduino*, Apress: New York.

Mehrmohammadi, M., Yoon, S. J., Yeager, D. dan Emelianov, S. Y., 2013, Photoacoustic Imaging for Cancer Detection and Staging, *Current molecular imaging*, 2(1), 89–105, doi:10.2174/2211555211302010010.

Miklós, A. dan Hess, P., 2000, Peer Reviewed: Modulated and Pulsed Photoacoustics in Trace Gas Analysis, *Analytical Chemistry*, 72(1), 30A-37A, doi:10.1021/ac002681m.

Mitrayana, Wasono, A. J., dan Ikhsan, M. R., 2017, *Spektroskopi Fotoakustik Laser dan Aplikasinya*, Edisi Pertama, Gadjah Mada University Press: Yogyakarta.

Montigny, E. D., 2011, Photoacoustic Tomography: Principles and Applications, 77IF-45(2007):41101.

Morgan, C.L., 1983, *Basic Principles of Computed Tomography*, University Park Press: Baltimore.

Murtidjo, B. A., 1992, *Pengendalian Hama dan Penyakit Ayam*, Kanisius. Yogyakarta.

Niederhauser, J. J., Jaeger, M., Lemor, R., Weber, P. dan Frenz, M., 2005, Combined ultrasound and optoacoustic system for real-time high-contrast vascular imaging in vivo. *IEEE Trans. Med. Imag.* 24, 436–440, doi:10.1109/TMI.2004.843199.

Pospiech, M. dan Liu, S., 2004, Laser diodes.

Rajshekar, V., Joshi, D. D., Doanh, N.Q., Nguyen, van De. dan Xiaonong, Z., 2003, Taenia solium taeniosis/cysticercosis in Asia: epidemiology, impact and issues. *Acta Tropica*, (87), 53-60.

Ryan, S. J., Schachar, A. P., Wilkinson, C. P., Hinton, D. R. dan Wiedemann, P., 2012, *Retina 5th Edition*, Elsevier Health Sciences.

Sayuti, L., 2007, Kejadian Infeksi Cacing Hati (*Fasciola* sp.) Pada Sapi Bali Di Kabupaten Karangasem Bali, *Skripsi*, Fakultas Kedokteran Hewan, Institut Pertanian Bogor.

Schena, E., Saccomandi, P. dan Fong, Y., 2017, Laser Ablation for Cancer: Past, Present and Future, *J Funct Biomater*, 8(2): 19.

- Schwartz, Marco dan Manickum, O., 2015, *Programming Arduino with LabVIEW*, Birmingham, UK: Packt Publishing Ltd.
- Silalahi, H. M., 2017, Sistem Citra Fotoakustik Sederhana Berbasis Laser Dioda dan Mikrofon *Condenser*, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.
- Singh, S. C., Zeng, H., Guo, C. dan Cai, W., 2012, *Lasers : Fundamentals, Types and Operations*.
- Soekardono, S. dan Soetijono, P., 1986, *Parasit-Parasit Ayam*, PT Gramedia: Jakarta.
- Suparta, G. B., 1999, Focussing Computed Tomography, *Ph.D. Thesis*, Monash University, Victoria Australia.
- United State Department of Agriculture (USDA), 2014, National Nutrient Database for Standard Reference Releases, Basic Report: 05027.
- Wakerly, J. F., 2006, Digital Design Principles and Practices, John Wiley & Sons, Inc. doi: 10.1017/CBO9781107415324.004.
- Wang, L. V. dan Hsin, I. W., 2007, *Bio-Medical Optics*, Canada: John Wiley & Sons, Inc.
- Wang, X., Pang, Y., Ku, G., Xie, X., Stoica, G. dan Wang, L. V., 2003, Noninvasive laser-induced photoacoustic tomography for structural and functional *in vivo* imaging of the brain. *Nat. Biotechnol.* 21, 803–806, doi:10.1038/nbt839.
- Warsito, 2005, Review: Komputasi Tomografi dan Aplikasinya dalam Proses Industri, *Prosiding Semiloka Teknologi Simulasi dan Komputasi serta Aplikasi*.
- Widyani, R., Hermawan, M. H., Perwitasari, F. D., Herawati, I., 2016, Effectiveness of Energizer Supplement Organic (OSE) to Helminthyasis Disease on Cattle, *Jurnal Ilmu Ternak*, Vol.16, No.2.
- Widyaningrum, R., Agustina, D., Mudjosemedi, M., dan Mitrayana, 2018, Photoacoustic for Oral Soft Tissue Imaging Based on Intensity Modulated Continuous-Wave Diode Laser, *International Journal on Advanced Science Engineering Information Technology*, 8(2), 622–27.
- Winarsih, W., Estuningsih, S., Setiyono, A. dan Harlina, E., 1996, Fasciolasis pada Domba dan Kambing di Rumah Potong Hewan Kotamadya Bogor, *Media*

*Veteriner*, Vol (III) 1.

- Wong, Y. H., Thomas, R. L. dan Pouch, J. J., 1979, Subsurface structures of solids by scanning photoacoustic microscopy, *Applied Physics Letters*. AIP, 35(5), 368–369.
- Xin, H., Li, H., dan Gates, R. S., 2009, Use of CO<sub>2</sub> concentration difference or CO<sub>2</sub> balance to assess ventilation rate of broiler houses, *Transactions of the ASABE*, 52(4), 1353-1361.
- Xu, M. dan Wang, L. V., 2006, Photoacoustic imaging in biomedicine, *Review of Scientific Instruments*, 77(4), 1–22, doi: 10.1063/1.2195024.
- Yanagida, T., Sako, Y., Nakao, M., Nakaya, K. dan Ito, A., 2012, Taeniasis And Cysticercosis Due To Taenia Solium In Japan. *Parasites & Vectors* 2012, 5:18.
- Zarianis, 2006, Efek Suplementasi Besi-Vitamin C dan Vitamin C terhadap Kadar Hemoglobin Anak Sekolah Dasar yang Anemia di Kecamatan Sayung Kabupaten Demak, *Thesis*, Pascasarjana Universitas Diponegoro.