

DAFTAR PUSTAKA

- Anonim. 2018. Badan Pusat Statistik: Tanaman Kacang Kedelai per Provinsi. <https://data.go.id/dataset/tanaman-kacang-kedelai-per-provinsi-2>. Diakses tanggal 13 Januari 2019.
- Adachi, Y., Sousa-Coelho, A.L.D., Harata, I., Aoun, C., Weimer, S., Shi, X., Herrera, K.N.G., Takahashi, H., Doherty, C., Noguchi, Y., Goodyear, L.J., Haigis, M.C., Gerszten, R.E, dan Patti, M.E. 2018. L-alanine activates hepatic AMP-activated protein kinase and modulates systemic glucose metabolism. *Molecular Metabolism*, 17:61-70.
- Adhirawan, A. 2001. Pengaruh Minuman Kesehatan Cinna-Ale terhadap Penurunan Kadar Kolesterol Darah pada Tikus *Sprague Dawley*. *Skripsi*. Fakultas Teknologi Pertanian, Institut Pertanian Bogor, Bogor.
- Almatsier, S. 2001. *Prinsip Dasar Ilmu Gizi*. Gramedia Pustaka Utama. Jakarta.
- Alvarado-Vásquez, N., Lascurain, R., Cerón, E., Vanda, B., dan Carvajal-Sandoval, G. 2006. Oral glycine administration attenuates diabetic complications in streptozotocin-induced diabetic rats. *Life Sciences*, 79:225-232.
- Anglemier, A.E. dan Montgomery, M.W. 1976. *Amino acids peptides and protein*. Mercil Decker Inc. New York.
- Astawan, M., Wresdiyati, T., Widowati, S., Bintari, S.H., dan Ichsani, N. 2013. Karakteristik Fisikokimia dan Sifat Fungsional Tempe yang Dihasilkan dari Berbagai Varietas Kedelai. *Jurnal Pangan*, 22(3):241–252.
- Baker, H.J., Lindsey, J.R., dan Weisbroth, S.H. 1979. *The Laboratory Rat: Biology and Diseases, Volume 1*. Academic Press. New York.
- Banaszkiewicz, T. 2011. Nutritional Value of Soybean Meal. *Dalam* Hany A. El-Shemy. *Soybean and Nutrition*, 1-20. InTech. Croatia.
- Barnard, R.J., Faria, D.J., Menges, J.E., dan Martin, D.A. 1993. Effects of high-fat, sucrose diet on serum insulin and related atherosclerotic risk factors in rats. *Atherosclerosis*, 100:229-236.
- Becker, K.L., Bilezikian, J.P., Bremner, W.J., Hung, W., Kahn, R., Loriaux, L., Nylén, E.S., Rebar, R.W., Robertson, G.L., Snider, R.H., dan Wartofsky, L. 2002. *Principles and practice of endocrinology and metabolism, third edition*. Lippincott Williams & Wilkins Publishers. London.
- Bowen, J., Noakes, M., dan Clifton, P.M. 2006. Appetite regulatory hormone responses to various dietary proteins differ by body mass index status despite similar reductions in ad libitum energy intake. *The Journal of Clinical Endocrinology & Metabolism*, 91(8):2913-2919.

- Burchfield, J.G. Kebede, M.A., Meoli, C.C., Stöckli, J., Whitwirth, P.T., Wright, A.L., Hoffman, N.J., Minard, A.Y., Ma, X., Krycer, J.R., Nelson, M.E., Tan, S.X., Yau, B., Thomas, K.C., Wee, N.K.Y., Khor, E.C., Enriquez, R.F., Vissel, B., Biden, T.J., Baldock, P.A., Hoehn, K.L., Cantley, J., Cooney, G.J., James, D.E., Fazakerley, J. 2018. High dietary fat and sucrose results in an extensive and time-dependent deterioration in health of multiple physiological systems in mice. *The Journal of Biological Chemistry*, 293(15):5731-5745.
- Campbell, N.A. 2004. *Biologi, jilid 3 edisi 5*. Erlangga. Jakarta.
- Carere, C. dan Maestriperi, D. 2013. *Animal Personalities: Behavior, Physiology, and Evolution*. The University of Chicago Press. Chicago.
- Chatterjee, C., Gleddie, S., dan Xiao, C.W. 2018. Soybean bioactive peptides and their functional properties. *Nutrients*, 10:1211.
- Clemmensen, C., Smajilovic, S., Smith, E.P., Woods, S.C., Bräuner-Osborne, H., Seeley, R.J., D'Alessio, D.A., dan Ryan, K.K. 2013. Oral L-arginine stimulates GLP-1 secretion to improve glucose tolerance in male mice. *Endocrinology*, 154(11):3978-3983.
- Dey, A., Prasad, R., Kaur, S., Singh, J., dan Luwang, M.D. 2017. Tofu: technological and nutritional potential. *Indian Food Industry Mag*, 36(3):8-24.
- Duane, W.C. 1999. Effects of soybean protein and very low dietary cholesterol on serum lipids, biliary lipids, and fecal sterols in humans. *Metabolism*, 48(4):489-494.
- Ginting, E., Antarlina, S.S., dan Widowati, S. 2009. Varietas unggul kedelai untuk bahan baku industri pangan. *Jurnal Litbang Pertanian*, 28(3):79-87.
- Graha, C.K. 2010. *100 questions & answers: kolesterol*. Gramedia. Jakarta.
- Gu, C., Pan, H., Sun, Z., dan Qin, G. 2010. Effect of soybean variety on anti-nutritional factors content, and growth performance, and nutrients metabolism in rat. *International Journal of Molecular Sciences*, 11:1048-1056.
- Gunawan, L. 2007. *Hipertensi, Tekanan Darah Tinggi*. Kanisius. Yogyakarta.
- Handajani, A., Roosihermiatie, B., dan Maryani, H. 2010. Faktor-faktor yang berhubungan dengan pola kematian pada penyakit degeneratif di Indonesia. *Buletin Penelitian Sistem Kesehatan*, 13(1):42-53.
- Handayani, W., Rudijanto, A., dan Indra, M.R. 2009. Susu kedelai menurunkan resistensi insulin pada *Rattus norvegicus* model diabetes melitus tipe 2. *Jurnal Kedokteran Brawijaya*, XXV(2):60-66.
- Hartoyo, Y., Sumartono, Wadjdi, M.F. 2019. Pengaruh pemberian complete feed terfermentasi berbahan jerami kedelai edamami terhadap konsumsi pakan, penambahan bobot badan dan efisiensi pakan pada domba sapudi jantan. *Jurnal Rekasatwa Peternakan*, 2(1):184-189.

- Hassan, A.A., Rasmy, N.M., El-Gharably, A.M.A., Abdel-Megied, A.A., dan Gadalla, S.M.M. 2014. Hypocholesterolemic Effects of Soybean and Sweet Lupine Tempeh in Hypercholesterolemic Rats. *International Journal of Fermented Foods*, 3(1):11-43.
- Høie, L.H., Morgenstern, E.C.A., Gruenwald, J., Graubaum, H.J., Busch, R., Lüder, W., dan Zunft, H.J.F. 2004. A double-blind placebo-controlled clinical trial compares the cholesterol lowering effects of two different soy protein preparations in hypercholesterolemic subjects. *European Journal of Nutrition*, 44:65-71.
- Holst, J.J. 2007. The physiology of glucagon-like peptide 1. *Physiological Reviews*, 87:1409-1439.
- Indah, I. S. 2018. Konsumsi Makanan Penduduk Indonesia. InfoDATIN: Pusat Data dan Informasi Kementerian Kesehatan RI. ISSN 2442-7659. <http://www.pusdatin.kemkes.go.id/article/view/18071000002/infodatin-makanan-2018.html>. Diakses tanggal 16 Desember 2019.
- Iskandar, R. dan Elrifadah. 2015. Pertumbuhan dan efisiensi pakan ikan nila (*Oreochromis niloticus*) yang diberi pakan buatan berbasis kiambang. *Ziraa'ah Majalah Ilmiah Pertanian*, 40(1):18-24.
- Jahan-mihan, A., Smith, C.E., Anderson, G.H. 2011. Soy protein- and casein-based weaning diets differ in effects on food intake and blood glucose regulation in male Wistar rats. *Nutrition Research*, 31:237-245.
- Kaushik, S.J., Cravedi, J.P., Lalles, J.P., Sumpter, J., Fauconneau, B., dan Laroche, M. 1995. Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*. *Aquaculture*, 133(3-4):257-274.
- Khayrani, A.C. 2008. Pengaruh Konsentrat Protein Kacang Komak (*Lablab purpureus* (L) Sweet) terhadap Kadar Glukosa Darah, Profil Lipid, dan Peroksidasi Lipis Tikus Diabetes. *Skripsi*. Departemen Ilmu dan Teknologi Pangan, Fakultas Teknologi Pertanian, Institut Pertanian Bogor, Bogor.
- King, A.J.F. 2012. The use of animal models in diabetes research. *British Journal of Pharmacology*, 166:877-894.
- Klein, M., Schadereit, R., dan Küchenmeister, U. 2000. Energy metabolism and thyroid hormone levels of growing rats in response to different dietary proteins – soy protein or casein. *Archives of Animal Nutrition*, 53(2):99-125.
- Kobayashi, M., Egusa, S., dan Fukuda, M. 2014. Isoflavone and protein constituents of lactic acid-fermented soy milk combine to prevent dyslipidemia in rats fed a high cholesterol diet. *Nutrients*, 6:5704-5723.
- Krause, M.V. dan Mahan, L.K. 1984. *Food Nutrition and Diet Therapy*. Sanders Company. Kanada.

- Krisdiana, R. 2015. Preferensi Industri Tahu dan Tempe terhadap Ukuran dan Warna Biji Kedelai. *Iptek Tanaman Pangan*, 2(1):123–130.
- Lauer, M. 2012. Understanding Cholesterol and Heart Health. *NIH Medline Plus, the magazine*, 7(2):4-9.
- Lavigne, C., Marette, A., dan Jacques, H. 2000. Cod and soy proteins compared with casein improve glucose tolerance and insulin sensitivity in rats. *American Journal of Physiology-Endocrinology and Metabolism*, 278:E491-E500.
- Lee, J.S., Pinnamaneni, S.K., Eo, S.J., Cho, I.H., Pyo, J.H., Kim, C.K., Sinclair, A.J., Febbraio, M.A., dan Watt, M.J. 2006. Saturated, but not n-6 polyunsaturated, fatty acids induce insulin resistance: role of intramuscular accumulation of lipid metabolites. *Journal of Applied Physiology*, 100:1467-1474.
- Listiyana, A.D., Mardiana, dan Prameswari, G.N. 2013. Obesitas sentral dan kadar kolesterol darah tubuh. *Jurnal Kesehatan Masyarakat*, 9(1):37-43.
- Lucotti, P., Setola, E., Monti, L.D., Galluccio, E., Costa, S., Sandoli, E.P., Fermo, I., Rabaiotti, G., Gatti, R., dan Piatti, P.M. 2006. Beneficial effects of long-term oral L-arginine treatment added to a hypocaloric diet and exercise training program in obese, insulin-resistant type 2 diabetic patients. *American Journal of Physiology-Endocrinology and Metabolism*, 291:E906-E912.
- Malafaia, A.B., Nassid, P.A.N., Ribas, C.A.P.M., Ariede, B.L., Sue, K.N., Cruz, M.A. 2013, Obesity induction with high fat sucrose in rats. *Arquivos Brasileiros de Cirurgia Digestiva*, 26(1):17-21.
- Martin, D.W., Mayes, P.A., dan Rodwell, V.W. 1981. *Harper's Review of Biochemistry*. Lange Medical Publications. California.
- Mateos-Aparicio, I., Cuenca, A.R., Villanueva-Suárez, M.J., dan Zapata-Revilla, M.A. 2008. Soybean, a promising health source. *Nutricion Hospitalaria*, 23(4):305–312.
- McIntosh, C.H.S., Widenmaier, S., dan Kim, S.J. 2009. Glucose-dependent insulinotropic polypeptide (Gastric inhibitory polypeptide; GIP). *Vitamins and Hormones*, 80:409-471.
- Mietlicki-Baase, E.G., Koch-Laskowski, K., McGrath, L.E., Krawczyk, J., Pham, T., Lhamo, R., Reiner, D.J., dan Hayes, M.R. 2017. Daily supplementation of dietary protein improves the metabolic effects of GLP-1-based pharmacotherapy in lean and obese rats. *Physiology & Behavior*, doi: 10.1016/j.physbeh.2017.04.017
- Misnadiarly. 2006. *Diabetes melitus: gangren, ulcer, infeksi. Mengenal gejala, menanggulangi, dan mencegah komplikasi*. Pustaka Populer Obor. Jakarta.
- Mourad, A.M., de Carvalho Pincinato, E., Mazzola, P.G., Sabha, M., dan Moriel, P. 2010. Influence of Soy Lechitin Administration on Hypercholesterolemia.

Hindawi Publishing Corporation, 2010:1-4.

- Murray, C.J.L. 2019. Health effects of dietary risk in 195 countries, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet*, 393(10184):1958-1972.
- Mustikaningrum, S. 2010. Perbedaan Kadar Trigliserida Darah pada Perokok dan Bukan Perokok. *Skripsi*. Fakultas Kedokteran, Universitas Sebelas Maret, Surakarta.
- Nilawati, S., Krisnatuti, D., Mahendra, B., dan Djing, O.G. 2008. *Care yourself, kolesterol*. Penebar Plus. Jakarta.
- Nirmagustina, D.E. 2003. Pengaruh minuman fungsional mengandung isoflavon kedelai dan serat pangan larut terhadap kadar kolesterol dan trigliserida serum tikus percobaan. *Thesis*, Institut Pertanian Bogor, Bogor.
- Obara, A., Sato, T., Fugane, A., Yachi, E., dan Kawasaki, M. 2015. Effects of the feeding soybeans on serum and liver lipid levels in rats: comparison of effects between yellow and black soybeans. *Bulletin of Morioka Junior College Iwate Prefectural University*, 17:15-21.
- Olivier, R. 2009. Amino acids, blood sugar balance and muscle protein maintenance. Dari *The Original Internist*, September 2009. <https://pdfs.semanticscholar.org/f126/c252a2e702bcb9b0832d7ce2694744c76c37.pdf>. Diakses tanggal 28 Desember 2019.
- Onyeneke, E.C., Oluba, O.M., Ojeaburu, S.I., Adeyemi, O., Erimyamremu, G.E., Adebisi, K.E., dan Adeyemi, O. 2007. Effect of soy protein on serum lipid profile and some lipid-metabolizing enzymes in cholesterol fed rats. *African Journal of Biotechnology*, 6(19):2267-2273.
- Parhofer, K.G. 2015. Interaction between glucose and lipid metabolism: more than diabetic dyslipidemia. *Diabetes & Metabolism Journal*, 39:35362.
- Pawiroharsono, S. 2008. Prospek dan Manfaat Isoflavon untuk Kesehatan. Direktorat Teknologi Bioindustri, Badan Pengkajian dan Penerapan Teknologi. <https://www.scribd.com/doc/117479146/Prospek-Dan-Manfaat-Isoflavon-Untuk-Kesehatan>. Diakses tanggal 21 Februari 2019.
- Piatti, P.M., Monti, L.D., Valsecchi, G., Magni, F., Setola, E., Marchesi, F., Galli-Kienle, M., Pozza, G., dan Alberti, K.G.M.M. 2001. Long-term oral L-arginine administration improves peripheral and hepatic insulin sensitivity in type 2 diabetic patients. *Diabetes Care*, 24(5):875-880.
- Purawisastra, S., Slamet, D.S., dan Soetrisno, U.S.S. 1993. Perubahan Kandungan Protein dan Komposisi Asam Amino Kedelai pada Waktu Pembuatan Tempe dan Tahu. *Penelitian Gizi dan Makanan*, 16(6):117-124.
- Rahadiyanti, A. 2011. Pengaruh tempe kedelai terhadap kadar glukosa darah pada prediabetes. *Skripsi*. Fakultas Kedokteran Program studi Ilmu Gizi,

Universitas Diponegoro, Semarang.

- Reeves, P.G., Nielsen, F.H., dan Fahey, G.C. 1993. AIN-93 Purified Diets for Laboratory Rodents: Final Report of the American Institute of Nutrition Ad Hoc Writing Committee on the Reformulation of the AIN-76A Rodent Diet. *The Journal of Nutrition*, 123(11):1939–1951.
- Rukmana, R. dan Yuniarsih, Y. 1996. *Kedelai: Budidaya dan Pasca Panen*. Kanisius. Yogyakarta.
- Said, N.I. dan Wahjono, H.D. 1999. Teknologi Pengolahan Air Limbah Tahu-Tempe dengan Proses Biofilter Anaerob dan Aerob. <http://www.kelair.bppt.go.id/Publikasi/Buku10Patek/10LIMTT.pdf>. Diakses tanggal 15 Januari 2019.
- Sartika, R.A.D. 2011. Faktor risiko obesitas pada anak 5-15 tahun di Indonesia. *Jurnal Kesehatan*, 15(1):37-43.
- Sarwono, B. dan Saragih, Y.P. 2001. *Membuat Aneka Tahu*. Niaga Swadaya. Yogyakarta.
- Seftiono, H. 2016. Perubahan sifat fisiko kimia protein selama proses pembuatan tahu sebagai rujukan bagi posdaya. *Jurnal Kesejahteraan Sosial*, 3(1):85-92.
- Sigit, S., Enggar, P., Narumi, H.E., dan Utama, S. 2010. Potensi sari kedelai hitam dan sari kedelai kuning terhadap kadar trigliserida tikus (*Rattus norvegicus*) dengan diet tinggi lemak. *Veterinaria Medika*, 3(1):57-60.
- Sihotang, H.T. 2014. Sistem pakar mendiagnosa penyakit koelsterol pada remaja dengan metode certainty factor (CF) berbasis web. *Jurnal Mantik Penusa*, 15(1):16-23.
- Sinaga, E. dan Wirawanni, Y. 2012. Pengaruh Pemberian Susu Kedelai terhadap Kadar Glukosa Darah Puasa pada Wanita Prediabetes. *Journal of Nutrition College*, 1(1):312-321.
- Smith, A.G. dan Singleton, J.R. 2013. Obesity and hyperlipidemia are risk factors for early diabetic neuropathy. *Journal of Diabetes Complications*, 27(5):436-442.
- Smith, C., Lieberman, M., dan Marks, A. 2004. *Marks' Basic Medical Biochemistry: A Clinical Approach, 2nd ed.* Lippincott Williams and Wilkins. New York.
- Smith, J.B. dan Mangkoewidjojo, S. 1988. *Pemeliharaan, Pembiakan, dan Penggunaan Hewan Percobaan di Daerah Tropis*. UI-Press. Jakarta.
- Suckow, M.A., Hankenson, F.C., Wilson, R.P., dan Foley, P.L. 2020. *The Laboratory Rat: third edition*. Andre G. Wolff. Amsterdam.
- Sudarmadji, S., Haryono, B., dan Suhardi. 1989. *Analisa Bahan Makanan dan Pertanian*. Penerbit Liberty. Yogyakarta.

- Sun, L., Tan, K.W.J., Siow, P.C., dan Henry, C.J. 2016. Soya milk exerts different effects on plasma amino acid responses and incretin hormone secretion compared with cows' milk in healthy, young men. *British Journal of Nutrition*, 116:1216-1221.
- Sunarti. 2018. *Serat pangan dalam penanganan sindrom metabolik*. Gadjah Mada University Press. Yogyakarta.
- Sundari, D., Almasyhuri, dan Lamid, A. 2015. Pengaruh Proses Pemasakan Terhadap Komposisi Zat Gizi Bahan Pangan Sumber Protein. *Media Litbangkes*, 25(4):235-242.
- Tandra, H. 2017. *Segala sesuatu yang harus anda ketahui tentang Diabetes: Panduan lengkap mengenal dan mengatasi diabetes dengan cepat dan mudah, ed 2*. Gramedia Pustaka Utama. Jakarta.
- Torres, N., Torre-Villalvazo, I., dan Tovar, A.R. 2006. Regulation of lipid metabolism by soy protein and its implication in diseases mediated by lipid disorders. *Journal of Nutritional Biochemistry*, 17:365-373.
- Utama, Z., Okazaki, Y., Tomotake, H., dan Kato, N. 2013. Tempe consumption modulates fecal secondary bile acids, mucins, immunoglobulin A, enzyme activities, and cecal microflora and organic acids in rats. *Plant Foods for Human Nutrition*, 68:177-183.
- Velasquez, M.T. dan Bhathena, S.J. 2007. Role of dietary soy protein in obesity. *International Journal of Medical Sciences*, 4(2):72-82.
- Veldhorst, M.A.B., Nieuwenhuizen, A.G., Hochstenbach-Waelen, A., van Vught, A.J.A.H., Westerterp, K.R., Engelen, M.P.K.J., Brummer, R.J.M., Deutz, N.E.P., Westerterp-Plantenga, M.S. 2009. Dose-dependent satiating effect of whey relative to casein or soy. *Physiology & Behaviour*, 96:675-682.
- Wibowo, T. 2009. Pengaruh pemberian seduhan kelopak rosela (*hibiscus SABDARIFFA*) terhadap kadar trigliserida darah Tikus putih (*rattus NORVEGICUS*). *Skripsi*. Fakultas Kedokteran, Universitas Sebelas Maret, Surakarta.
- Winarsi, H. 2007. *Antioksidan Alami dan Radikal Bebas: Potensi dan Aplikasinya dalam Kesehatan*. Kanisius. Yogyakarta.
- Winarsi, H. 2010. *Protein Kedelai dan Kecambah: Manfaatnya bagi Kesehatan*. Kanisius. Yogyakarta.
- Xiao, C.W., Wood, C.M., Weber, D., Aziz, S.A., Mehta, R., Griffin, P., dan Cockell, K.A. 2013. Dietary supplementation with soy isoflavones or replacement with soy proteins prevents hepatic lipid droplet accumulation and alters expression of genes involved in lipid metabolism in rats. *Genes & Nutrition*, 9:373.
- Yang, Z.H., Miyahara, H., Takeo, J., dan Katayama, M. 2012. Diet high in fat and

sucrose induces rapid onset of obesity-related metabolic syndrom partly through rapid response of genes involved in lipogenesis, insulin signalling and inflammation in mice. *Diabetology & Metabolic Syndrome*, 4:32.

Yussac, M.A.A., Cahyadi, A., Putri, A.C., Dewi, A.S., Khomaini, A., Bardosono, S., Suarthana, E. 2007. Prevalensi obesitas pada anak usia 4-6 tahun dan hubungannya dengan asupan serta pola makan. *Majalah Kedokteran Indonesia*, 57(2):47-53.

Zang, J., Li, D., Piao, X., dan Tang, S. 2006. Effects of soybean agglutinin on body composition and organ weights in rats. *Archives of Animal Nutrition*, 60(3):245-253.