

## DAFTAR PUSTAKA

- Ahmad-Kamil, E. I., Ramli, R., Jaaman, S. A., Bali, J., & Al-Obaidi, J. R. (2013). The effects of water parameters on monthly seagrass percentage cover in lawas, East Malaysia. *The Scientific World Journal*, 2013. <https://doi.org/10.1155/2013/892746>
- Alongi, D. M., Murdiyarso, D., Fourqurean, J. W., Kauffman, J. B., Hutahaean, A., Crooks, S., ... Wagey, T. (2015). Indonesia's blue carbon: a globally significant and vulnerable sink for seagrass and mangrove carbon. *Wetlands Ecology and Management*, 24(1), 3–13. <https://doi.org/10.1007/s11273-015-9446-y>
- Anggoro, A., Siregar, V. P., & Agus, S. B. (2015). Pemetaan Zona Geomorfologi Ekosistem Terumbu Karang Menggunakan Metode Obia, Studi Kasus Di Pulau Pari. *Jurnal Penginderaan Jauh*, 12(1), 1–12. <https://doi.org/10.13140/RG.2.1.4969.3529>
- Aunillah, H. N., & Sugianto, D. N. (2014). Pola Arus di Perairan Pulau Pari Kepulauan Seribu DKI Jakarta Abstrak Pengukuran Arus Laut. *Jurnal Oseanografi*, 3(4), 642–650.
- Azkab, M. H. (1999). Pedoman Inventarisasi Lamun. *Oseana*, XXIV(1), 1–16. <https://doi.org/10.1111/j.1365-2311.2009.01107.x>
- Azkab, M. H. (2006). Ada Apa Dengan Lamun. *Oseana*, 21(3), 45–55.
- Badan Pusat Statistik (BPS). (2018). *Kepulauan Seribu Selatan dalam Angka 2018*. Jakarta: BPS Kabupaten Administrasi Kepulauan Seribu.
- Badan Pusat Statistik (BPS). (2019). *Kepulauan Seribu Selatan dalam Angka 2019*. Jakarta: BPS Kabupaten Administrasi Kepulauan Seribu.
- Bang, G., Hovi, J., & Skodvin, T. (2016). The Paris Agreement: Short-Term and Long-Term Effectiveness. *Politics and Governance*, 4(3), 209. <https://doi.org/10.17645/pag.v4i3.640>
- Bassam, N. El, & Maegaard, P. (2004). *Integrated Renewable Energy for Rural Communities: Planning Guidelines, Technologies and Applications* (First). <https://doi.org/https://doi.org/10.1016/B978-0-444-51014-3.X5026-1>
- Breathe Easy Jakarta. (2013). *Jakarta emissions inventory*. Jakarta.
- Campbell, J. E., Lacey, E. A., Decker, R. A., Crooks, S., & Fourqurean, J. W. (2014). Carbon Storage in Seagrass Beds of Abu Dhabi, United Arab Emirates. *Estuaries and Coasts*, 38(1), 242–251. <https://doi.org/10.1007/s12237-014-9802-9>
- Chiu, S. H., Huang, Y. H., & Lin, H. J. (2013). Carbon budget of leaves of the tropical intertidal seagrass *Thalassia hemprichii*. *Estuarine, Coastal and Shelf Science*, 125, 27–35. <https://doi.org/10.1016/j.ecss.2013.03.026>

- Climate Watch. (2019). Historical GHG Emission. Retrieved from <https://www.climatewatchdata.org/ghg-emissions?breakBy=location&filter=IDN&source=31&version=1>
- Copertino, M. da S. (2011, May). World View Add coastal vegetation to the climate critical list. *Nature*, 255.
- Corvianawatie, C., & Abrar, M. (2018). Kesesuaian Kondisi Oseanografi Dalam Mendukung Ekosistem Terumbu Karang Di Pulau Pari. *Jurnal Kelautan Nasional*, 13(3), 155–162. <https://doi.org/10.15578/jkn.v13i3.6322>
- Costanza, R., D'Arge, R., Groot, R. de, Farberll, S., Grassot, M., Hannon, B., ... Belt, M. van den. (1997). The Value of The World's Ecosystem Services and Natural Capital. *Nature TA - TT -*, 387(6630), 253–260. Retrieved from <https://www-nature-com.ezproxy.royalroads.ca/articles/387253a0.pdf>
- Crooks, S., Herr, D., Tamelander, J., Laffoley, D., & Vandever, J. (2011). Mitigating climate change through restoration and management of coastal wetlands and near-shore marine ecosystems - challenges and opportunities. In *Environment*. <https://doi.org/10.1093/ejo/cjp151>
- Cullen-Unsworth, L., & Unsworth, R. (2013). Seagrass Meadows, Ecosystem Services, and Sustainability. *Environment*, 55(3), 14–28. <https://doi.org/10.1080/00139157.2013.785864>
- Dahuri, R. (2003). *Keanekaragaman Hayati Laut*. Jakarta: Gramedia Pustaka.
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Penerbit Andi.
- Dewsbury, B. M., Bhat, M., & Fourquran, J. W. (2016). A review of seagrass economic valuations: Gaps and progress in valuation approaches. *Ecosystem Services*, 18, 68–77. <https://doi.org/10.1016/j.ecoser.2016.02.010>
- Duarte, C. M., & Kirkman, H. (2001). Global Seagrass Research Methods. In F. T. Short, R. G. Coles, & C. A. Short (Eds.), *Global Seagrass Research Methods*. Amsterdam: Elsevier B.V.
- Duarte, Carlos M., Kennedy, H., Marbà, N., & Hendriks, I. (2013). Assessing the capacity of seagrass meadows for carbon burial: Current limitations and future strategies. *Ocean and Coastal Management*, 83, 32–38. <https://doi.org/10.1016/j.ocecoaman.2011.09.001>
- Etikan, I., Musa, S. A., & Alkassim, R. S. (2016). Comparison of Convenience Sampling and Purposive Sampling. *American Journal of Theoretical and Applied Statistics*, 5(1), 1–4. <https://doi.org/10.11648/j.ajtas.20160501.11>

- Fachrul, F. M. (2007). *Metode Sampling Bioekologi*. Jakarta: Bumi Aksara.
- Farhan, A. R., & Lim, S. (2012). Vulnerability assessment of ecological conditions in Seribu Islands, Indonesia. *Ocean and Coastal Management*, 65, 1–14. <https://doi.org/10.1016/j.ocecoaman.2012.04.015>
- Fortes, M. D., Ooi, J. L. S., Tan, Y. M., Prathep, A., Bujang, J. S., & Yaakub, S. M. (2018). Seagrass in Southeast Asia: A review of status and knowledge gaps, and a road map for conservation. *Botanica Marina*, 61(3), 269–288. <https://doi.org/10.1515/bot-2018-0008>
- Fourqurean, J., Johnson, B., Kauffman, J. B., Kennedy, H., Lovelock, C., Megonigal, J. P., ... Simard, M. (2014). Coastal Blue Carbon methods for Assessing Carbon Stocks and Emissions Factors in Mangroves, Tidal Salt Marshes, and Seagrass Meadows. In J. Howard, S. Hoyt, K. Isensee, E. Pidgeon, & M. Telszewski (Eds.), *Conservation International, Intergovernmental Oceanographic Commission of UNESCO, International Union for Conservation of Nature* (Jennifer h). <https://doi.org/http://dx.doi.org/10.2305/IUCN.CH.2015.10.en>
- Fourqurean, J. W., Duarte, C. M., Kennedy, H., Marbà, N., Holmer, M., Mateo, M. A., ... Serrano, O. (2012). Seagrass ecosystems as a globally significant carbon stock. *Nature Geoscience*, 5(7), 505–509. <https://doi.org/10.1038/ngeo1477>
- Gandapradana, M. T., N, M. I. P., Tryastono, T., & Chaidar, A. (2016). Excursion Report : Kepulauan Seribu Field Trip - Modern Carbonate Depositional Environment in the Outline of Jakarta. *The Indonesian Sedimentologists Forum (FOSI)*, (34), 40–43.
- Githaiga, M. N., Gilpin, L., Kairo, J. G., & Huxham, M. (2016). Biomass and productivity of seagrasses in Africa. *Botanica Marina*, 59(2–3), 173–186. <https://doi.org/10.1515/bot-2015-0075>
- Githaiga, M. N., Kairo, J. G., Gilpin, L., & Huxham, M. (2017). Carbon storage in the seagrass meadows of Gazi Bay, Kenya. *PLoS ONE*, 12(5), 1–13. <https://doi.org/https://doi.org/10.1371/journal.pone.0177001>
- Goodman, J. ., Lee, Z., & Ustin, S. . (2008). Influence of Atmospheric and Sea-Surface Corrections on Retrieval of Bottom Depth and Reflectance Using a Semi-Analytical Model: A Case Study in Kaneohe Bay, Hawaii. *Applied Optics*, 47(28), F1–F11.
- Graha, Y. I., Arthana, I. W., & Astawa Karang, I. W. G. (2016). Simpanan Karbon Padang Lamun Di Kawasan Pantai Sanur, Kota Denpasar. *ECOTROPHIC: Jurnal Ilmu Lingkungan (Journal of Environmental Science)*, 10(1), 46. <https://doi.org/10.24843/ejes.2016.v10.i01.p08>

- Green, E. P., Mumby, P. J., Edwards, A. J., & Clark, C. D. (2000). Remote Sensing Handbook for Tropical Coastal Management. In *Coastal Management Sourcebooks* 3.
- Green, E. P., & Short, F. T. (2003). *World Atlas of Seagrasses*. Berkeley: UNEP World Conservation Monitoring Centre.
- Greiner, J. T., McGlathery, K. J., Gunnell, J., & McKee, B. A. (2013). Seagrass Restoration Enhances “Blue Carbon” Sequestration in Coastal Waters. *PLoS ONE*, 8(8), 1–8. <https://doi.org/10.1371/journal.pone.0072469>
- Hamilton, S. E., & Casey, D. (2016). Creation of a high spatio-temporal resolution global database of continuous mangrove forest cover for the 21st century ( CGMFC-21 ). *Global Ecology and Biogeography*, 25, 729–738. <https://doi.org/10.1111/geb.12449>
- Hartati, R., Pratikto, I., & Pratiwi, T. N. (2017). Biomassa dan Estimasi Simpanan Karbon pada Ekosistem Padang Lamun di Pulau Menjangan Kecil dan Pulau Sintok , Kepulauan Karimunjawa. *Buletin Oseanografi Marina*, 6(1), 74–81.
- Hartog, C. den H., & Kuo, J. (2006). Taxonomy and Biogeography of Seagrasses. In A. W. D. Larkum, R. J. Orth, & C. M. Duarte (Eds.), *Seagrass Biology Ecology and Conservation* (1st ed., pp. 1–22). Dordrecht: Springer.
- Hartog, C. den, & Kuo, J. (2006). Seagrasses: Biology, Ecology, and Conservation. In A. W. D. Larkum, R. J. Orth, & C. M. Duarte (Eds.), *Seagrasses: Biology, Ecology, and Conservation*. Dordrecht: Springer.
- Haryono, Noor, M., Syahbuddin, H., & Sarwani, M. (2012). *Lahan Rawa Penelitian dan Pengembangan*. Jakarta: Badan Penelitian dan Pengembangan Pertanian.
- Hedley, J. D., Harborne, A. R., & Mumby, P. J. (2005). Simple and robust removal of sun glint for mapping shallow-water benthos. *International Journal of Remote Sensing*, 26(10), 2107–2112. <https://doi.org/10.1080/01431160500034086>
- Helrich, K. (1990). *Official Method of Analysis Association of Official Analytical Chemist* (15th ed.; K. Helrich, Ed.). Washington, DC: Association of Official Analytical Chemists.
- Hemminga, M. A., & Duarte, C. M. (2001). *Seagrass Ecology* (1st ed.). [https://doi.org/10.1016/s0304-3770\(01\)00171-1](https://doi.org/10.1016/s0304-3770(01)00171-1)
- Hernawan, U. E., NDM, S., IH, S., Suyarso, MY, I., K, A., & Rahmat. (2017). COREMAP-CTI Pusat Penelitian Oseanografi – LIPI. In *COREMAP-CTI Pusat Penelitian Oseanografi – LIPI*.
- Hidayati, N., Karuniasa, M., Patria, M. P., & Suparmoko, M. (2018). Developing Payment

- for Ecosystem Services Scheme on Pari Island Kepulauan Seribu. *E3S Web of Conferences*, 68, 1–5. <https://doi.org/10.1051/e3sconf/20186802010>
- Hopkinson, C. S., Wolanski, E., Brinsony, M. M., Cahoon, D. R., & Perillo, G. M. . (2009). *Coastal wetlands : an integrated ecosystem approach* (Second; G. M. E. Perillo, E. Wolanski, D. R. Cahoon, & C. S. Hopkinson, Eds.). Cambridge: Elsevier.
- Howard, J., Sutton-Grier, A., Herr, D., Kleypas, J., Landis, E., Mcleod, E., ... Simpson, S. (2017). Clarifying the role of coastal and marine systems in climate mitigation. *Frontiers in Ecology and the Environment*, 15(1), 42–50. <https://doi.org/10.1002/fee.1451>
- Jafriati, J., Hatta, M., Yuniar, N., Rifka Junita, A., Dwiyantri, R., Sabir, M., ... Author, C. (2019). *Thalassia hemprichii* Seagrass Extract as Antimicrobial and Antioxidant Potential on Human: A Mini Review of the Benefits of Seagrass *Thalassia hemprichii* seagrass extract as antimicrobial and antioxidant potential on human: A mini review of the benefits o. *J. Biol. Sci*, 19(5), 364–371. <https://doi.org/10.3923/jbs.2019>
- Jagalingam, P., Akshaya, B. J., & Hegde, A. V. (2015). Bathymetry mapping using landsat 8 satellite imagery. *Procedia Engineering*, 116(1), 560–566. <https://doi.org/10.1016/j.proeng.2015.08.326>
- Kalam, N. H. (2016). *Pemanfaatan Citra Multispektral Worldview-2 Untuk Estimasi Stok Karbon Padang Lamun (Kajian Di Perairan Pulau Pari, Taman Nasional Kepulauan Seribu, D.K.I. Jakarta)*. Universitas Gadjah Mada.
- Kelley Hamrick, & Gallant, M. (2018). *Voluntary Carbon Markets Insights : 2018 Outlook and First-Quarter Trends*. Washington, DC.
- Kiswara, W., Behnke, N., van Avesaath, P., Huiskes, A. H. L., Erftemeijer, P. L. A., & Bouma, T. J. (2009). Root architecture of six tropical seagrass species, growing in three contrasting habitats in Indonesian waters. *Aquatic Botany*, 90(3), 235–245. <https://doi.org/10.1016/j.aquabot.2008.10.005>
- Koedsin, W., Intararuang, W., Ritchie, R. J., & Huete, A. (2016). An integrated field and remote sensing method for mapping seagrass species, cover, and biomass in Southern Thailand. *Remote Sensing*, 8(4), 1–18. <https://doi.org/10.3390/rs8040292>
- Lavery, P. S., Mateo, M. Á., Serrano, O., & Rozaimi, M. (2013). Variability in the Carbon Storage of Seagrass Habitats and Its Implications for Global Estimates of Blue Carbon Ecosystem Service. *PLoS ONE*, 8(9), 1–12. <https://doi.org/10.1371/journal.pone.0073748>
- Lyimo, L. D. (2016). *Carbon sequestration processes in tropical seagrass beds*. Retrieved

- from <http://su.diva-portal.org/smash/record.jsf?pid=diva2:913477&dswid=-3098>
- Lyons, M., Roelfsema, C., Kovacs, E., Samper-Villarreal, J., Saunders, M., Maxwell, P., & Phinn, S. (2015). Rapid monitoring of seagrass biomass using a simple linear modelling approach, in the field and from space. *Marine Ecology Progress Series*, 530, 1–14. <https://doi.org/10.3354/meps11321>
- Manessa, M. D. M., Kanno, A., Sekine, M., Ampou, E. E., Widagti, N., & As-Syakur, A. R. (2014). Shallow-water benthic identification using multispectral satellite imagery: Investigation on the effects of improving noise correction method and spectral cover. *Remote Sensing*, 6(5), 4454–4472. <https://doi.org/10.3390/rs6054454>
- Mateo, M. A., Cebri'an, J., Dunton, K., & Mutchler, T. (2006). Carbon flux in seagrass ecosystems. In A. W. D. Larkum, R. J. Orth, & C. M. Duarte (Eds.), *Seagrasses: Biology, Ecology and Conservation* (1st ed., pp. 1–691). <https://doi.org/10.1007/978-1-4020-2983-7>
- Mazarrasa, I., Samper-Villarreal, J., Serrano, O., Lavery, P. S., Lovelock, C. E., Marbà, N., ... Cortés, J. (2018). Habitat characteristics provide insights of carbon storage in seagrass meadows. *Marine Pollution Bulletin*, 134(April), 106–117. <https://doi.org/10.1016/j.marpolbul.2018.01.059>
- McKenzie, L., Yoshida, R., & Mellors, J. (2006). *Seagrass-Watch: Manual for Mapping and monitoring seagrass Resources by community Volunteers*. (2nd ed.). Retrieved from [http://seagrasswatch.org/Training/proceedings/Cairns\\_Cooktown\\_Mar09.pdf](http://seagrasswatch.org/Training/proceedings/Cairns_Cooktown_Mar09.pdf)
- McLean, R. (2011). Encyclopedia of Modern Coral Reefs. In D. Hopley (Ed.), *Encyclopedia of Modern Coral Reefs: Structure, Form and Process* (pp. 47–51). Springer, Dordrecht.
- McLeod, E., Chmura, G. L., Bouillon, S., Salm, R., Björk, M., Duarte, C. M., ... Silliman, B. R. (2011). A blueprint for blue carbon: Toward an improved understanding of the role of vegetated coastal habitats in sequestering CO<sub>2</sub>. *Frontiers in Ecology and the Environment*, 9(10), 552–560. <https://doi.org/10.1890/110004>
- Mishra, A. K. (2019). India South Andaman. Retrieved January 12, 2020, from <https://seagrassspotter.org/sighting/2353>
- Mohammad, S. H., & Yusuf, M. S. (2011). Distribution and Zonation of Seagrasses in the Palk Bay, Southeastern India. *Journal of Fisheries and Aquatic Science*, 11(1), 12–27. <https://doi.org/10.3923/jfas.2016.12.27>
- Murray, B., Pendleton, L., Jenkins, W., & Sifleet, S. (2011). Green payments for blue carbon: Economic incentives for protecting threatened coastal habitats. In *Nicholas*



- Institute for Environmental Policy Solutions Report*. Retrieved from <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Green+Payments+for+Blue+Carbon+Economic+Incentives+for+Protecting+Threatened+Coastal+Habitats#0%5Cnhttp://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Green+payments+for+blue+carbon:+>
- Musthag, A. (2018). Maldives Gaafu Dhaalu Atoll. Retrieved January 12, 2020, from <https://seagrassspotter.org/sighting/1656>
- Nellemann, C., Corcoran, E., Duarte, C. M., Valdés, L., De Young, C., Fonseca, L., & Grimsditch, G. (2009). *Blue Carbon The Role Of Healthy Oceans In Binding Carbon*. Retrieved from [www.grida.no](http://www.grida.no)
- Notodarmojo, S. (2005). *Pencemaran Tanah dan Air Tanah*. Bandung: Penerbit ITB.
- Nugraha, A. H., Kawaroe, M., Srimariana, E. S., Jaya, I., Apdillah, D., & Deswati, S. R. (2019). Carbon storage in seagrass meadow of Teluk Bakau - Bintan Island. *IOP Conference Series: Earth and Environmental Science*, 278(1). <https://doi.org/10.1088/1755-1315/278/1/012051>
- Nurfitri, S., Raihan, M., Putri, M. R., Setiawan, A., Gade, M., & Pohlmann, T. (2018). Environmental assessment of Pari Island towards oil spill using Geographic Information System (GIS): A preliminary study. *IOP Conference Series: Earth and Environmental Science*, 162(1). <https://doi.org/10.1088/1755-1315/162/1/012008>
- Oreska, M. P. J., McGlathery, K. J., & Porter, J. H. (2017). Seagrass blue carbon spatial patterns at the meadow-scale. *PLoS ONE*, 12(4), 1–18. <https://doi.org/10.1371/journal.pone.0176630>
- Paramasivam, K., Venkataraman, K., Venkatraman, C., Rajkumar, R., & Shrinivaasu, S. (2015). Diversity and Distribution of Sea Grass Associated Macrofauna in Gulf of Mannar Biosphere Reserve, Southern India. In K. Venkataraman & C. Sivaperuman (Eds.), *Marine Faunal Diversity in India*. <https://doi.org/10.1016/B978-0-12-801948-1/00010-0>
- Paul Blanchon. (2011). Gomorphic Zonation. In D. Hopley (Ed.), *Encyclopedia of Modern Coral Reefs: Structure, Form and Process* (pp. 469–486). Springer, Dordrecht.
- Paz-Alberto, A., Hechanova, M., & Sigua, G. C. (2015). Assessing Diversity and Phytoremediation Potential of Seagrass in Tropical Region. *International Journal of Plant, Animal and Environmental Sciences*, (4), 24–36.
- Pendleton, L., Donato, D. C., Murray, B. C., Crooks, S., Jenkins, W. A., Sifleet, S., ... Baldera, A. (2012). Estimating Global “Blue Carbon” Emissions from Conversion

- and Degradation of Vegetated Coastal Ecosystems. *PLoS ONE*, 7(9), 1–7.  
<https://doi.org/10.1371/journal.pone.0043542>
- Philibert, C. (2004). Lessons from the Kyoto protocol: Implications for the future. *International Review for Environmental Strategies*, 5(1), 311–322. Retrieved from [http://philibert.cedric.free.fr/Downloads/Transforming Kyoto.pdf](http://philibert.cedric.free.fr/Downloads/Transforming%20Kyoto.pdf)
- Rahman, F. A., Qayim, I., & Wardiatno, Y. (2018). Carbon Storage Variability in Seagrass Meadows of Marine Poton Bako, East Lombok, West Nusa Tenggara, Indonesia. *Biodiversitas*, 19(5), 1626–1631. <https://doi.org/10.13057/biodiv/d190505>
- Rahmawati, S. (2011). Estimasi Cadangan Karbon pada Komunitas Lamun di Pulau Pari, Taman Nasional Kepulauan Seribu, Jakarta. *Jurnal Segara*, 7(1), 1–12.
- Rahmawati, S., Irawan, A., Supriyadi, I. H., & Azkab, M. H. (2014). *Panduan Monitoring Padang Lamun* (M. Hutomo & A. Nontji, Eds.). Jakarta: Pusat Penelitian Oseanografi Lembaga Ilmu Pengetahuan Indonesia.
- Rajamani, L., & Marsh, H. (2015). Mapping seagrass cost-effectively in the Coral Triangle: Sabah, Malaysia as a case study. *Pacific Conservation Biology*, 21(2), 113–121. <https://doi.org/10.1071/PC14908>
- Ramili, Y., Bengen, D. G., Madduppa, H. H., & Kwaroo, M. (2018). Morphometric characteristics of two seagrass species (*Enhalus acoroides* and *Cymodocea rotundata*) in four small islands in North Maluku, Indonesia. *Biodiversitas*, 19(6), 2035–2043. <https://doi.org/10.13057/biodiv/d190608>
- Rositasari, R., Puspitasari, R., Nurhati, I. S., Purbonegoro, T., & Yogaswara, D. (2017). *Penelitian Oseanografi Di Teluk Jakarta 1970-2015* (R. Rositasari, R. Puspitasari, I. S. Nurhati, T. Purbonegoro, & D. Yogaswara, Eds.). Jakarta: Puslit Oseanografi - LIPI.
- Sachomar, S. I. (2008). Karakteristik Lingkungan Perairan Kepulauan Seribu. *JAI*, 4(2), 109–114.
- Sakey, W. F., Wagey, B. T., & Gerung, G. S. (2015). Variasi morfometrik pada beberapa lamun di perairan semenanjung minahasa (Morphometric Variation of the Different Seagrass in Minahasa Peninsula Waters). *Jurnal Pesisir Dan Laut Tropis*, 1(1), 1–7.
- Serrano, O., Lavery, P. S., Rozaimi, M., & Mateo, M. Á. (2014). Influence of water depth on the carbon sequestration capacity of seagrasses. *Global Biogeochemical Cycles*, 28, 950–961. <https://doi.org/10.1002/2014GB004872>. Received
- Short, F., Carruthers, T., Dennison, W., & Waycott, M. (2007). Global seagrass distribution and diversity: A bioregional model. *Journal of Experimental Marine Biology and*



- Ecology*, 350(1–2), 3–20. <https://doi.org/10.1016/j.jembe.2007.06.012>
- Silvestrum Climate Associates, L. (2017). *Understanding Strategic Coastal Blue Carbon Opportunities in the Seas of East Asia*. [https://doi.org/ISBN 978-971-812-040-8](https://doi.org/ISBN%20978-971-812-040-8)
- Stankovic, M., Panyawai, J., Jansanit, K., Upanoi, T., & Prathep, A. (2017). Carbon content in different seagrass species in andaman coast of Thailand. *Sains Malaysiana*, 46(9), 1441–1447. <https://doi.org/10.17576/jsm-2017-4609-12>
- Stevens, A. W., & Lacy, J. R. (2012). The Influence of Wave Energy and Sediment Transport on Seagrass Distribution. *Estuaries and Coasts*, 35(1), 92–108. <https://doi.org/10.1007/s12237-011-9435-1>
- Susilo, S. B. (2000). *Penginderaan Jauh Kelautan Terapan*. Bogor: Penerbit Institut Pertanian Bogor.
- Sutari, T. (2018). Ikhtisar Pulau Pari: Konflik Lahan sampai Tumpahan Minyak. Retrieved April 3, 2019, from CNN Indonesia website: <https://www.cnnindonesia.com/nasional/20180411160912-20-290121/ikhtisar-pulau-pari-konflik-lahan-sampai-tumpahan-minyak>
- Tangke, U. (2010). Ekosistem Padang Lamun (Manfaat, Fungsi, dan Rehabilitasi). *Jurnal Ilmiah Agribisnis*, 3(1), 9–29.
- Tasabaramo, I., Kawaroe, M., & Rappe, R. (2015). Laju Pertumbuhan, Penutupan dan Tingkat Kelangsungan Hidup *Enhalus acoroides* yang Ditransplantasi Secara Monospecies dan Multispecies. 7(2), 757–770.
- Thalib, M. S., Nurdin, N., & Aris, A. (2018). The Ability of Lyzenga's Algorithm for Seagrass Mapping using Sentinel-2A Imagery on Small Island, Spermonde Archipelago, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 165(1), 0–13. <https://doi.org/10.1088/1755-1315/165/1/012028>
- Tupan, C. I., & Azrianingsih, R. (2016). Accumulation and deposition of lead heavy metal in the tissues of roots, rhizomes and leaves of seagrass *Thalassia hemprichii* (Monocotyledoneae, Hydrocharitaceae). *AACL Bioflux*, 9(3), 580–589.
- Tuwo, A. (2011). *Pengelolaan Ekowisata Pesisir dan Laut*. Surabaya: Brilian Internasional.
- Umbgrove, J. H. F. (1947). Coral reefs of the East Indies. *Bulletin of the Geological Society of America*, 58(8), 729–778. [https://doi.org/10.1130/0016-7606\(1947\)58\[729:CROTEI\]2.0.CO;2](https://doi.org/10.1130/0016-7606(1947)58[729:CROTEI]2.0.CO;2)
- UNFCCC. (2016). *Kyoto Protocol Reference Manual*. <https://doi.org/10.5213/jkcs.1998.2.2.62>

- Valero, S., Morin, D., Inglada, J., Sepulcre, G., Arias, M., Hagolle, O., ... Koetz, B. (2016). Production of a dynamic cropland mask by processing remote sensing image series at high temporal and spatial resolutions. *Remote Sensing*, 8(1), 1–21. <https://doi.org/10.3390/rs8010055>
- Wahab, I., Madduppa, H., & Kawaroe, M. (2017). Seagrass species distribution , density and coverage at Panggang Island , Jakarta Seagrass species distribution , density and coverage at Panggang Island , Jakarta. *IOP Conf. Series: Earth and Environmental Science*, 54(012084), 1–7. <https://doi.org/10.1088/1742-6596/755/1/011001>
- Wahyudi, A. J., Arifin, Z., Lubis, R. F., Syukri, A. F., Abimanyu, H., Afdal, ... Yuniarti, P. I. (2017). *Menyerap Karbon Layanan Ekosistem Pesisir untuk Mitigasi Perubahan Iklim* (2nd ed.; Dewi, Ed.). Yogyakarta: Gadjah Mada University Press.
- Wawo, M., Wardiatno, Y., Adrianto, L., & Bengen, D. G. (2014). Carbon Stored on Seagrass Community in Marine Nature Tourism Park of Kotania Bay, Western Seram, Indonesia. *Jurnal Manajemen Hutan Tropika (Journal of Tropical Forest Management)*, 20(1), 51–57. <https://doi.org/10.7226/jtfm.20.1.51>
- Wicaksono, P. (2015). *Remote Sensing Model Development for Seagrass and Mangroves Carbon Stock Mapping*. Universitas Gadjah Mada.
- Wirawan, A. A. (2014). *Tingkat Kelangsungan Hidup Lamun yang ditransplantasi Secara Multispesies di Pulau Barranglompo*. Universitas Hasanuddin.
- Wylie, L., Sutton-grier, A. E., & Moore, A. (2016). Keys to successful blue carbon projects : Lessons learned from global case studies. *Marine Policy*, 65, 76–84. <https://doi.org/10.1016/j.marpol.2015.12.020>
- Xu, M., & Wei, C. (2012). Remotely sensed image classification by complex network eigenvalue and connected degree. *Computational and Mathematical Methods in Medicine*, 2012. <https://doi.org/10.1155/2012/632703>