UNIVERSITAS GADJAH MADA
KETAHANAN Phytopythium vexans ISOLAT KENTANG ASAL MAGELANG TERHADAP BEBERAPA FUNGISIDA SECARA IN VITRO
ISLAMINATI ANNA S, Dr. Ir. Arif Wibowo, M. Agr. Sc ; Ani Widiastuti, S.P., M.P., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Afandi, A., E. Murayama, Yin-Ling, Ayaka Hieno and H. Suga. 2018. Population structures of the water-borne plant pathogen *Phytopythium helicoides* reveal its possible origins and transmission modes in Japan. <https://doi.org/10.1371/journal.pone.0209667>diakses pada 30 Oktober 2019.

Anonim. 2008. International year of the potato. <http:// www.potato2008.org/en/potato/index.html>Diakses pada 18 April 2019.

Anonim. 2009. WHO: Guidelines for Efficacy Testing of Insecticides for Indoor and Outdoor Ground-Applied Space Spray Applications. <https://www.who.int/whopes/resources/who_htm_ntd_whopes_2009.2/en/>diakses pada 28 Oktober 2019.

Anonim. 2017 *Phytophthora* diseases – Problematic in The Nursery and Beyond. <https://www.greenlifeindustry.com.au/Attachment?Action=Download&Attachment_id=1833> diakses pada 10 November 2019.

Anonim. 2017. Produksi kentang Menurut Provinsi di Seluruh Indonesia. <http://www.pertanian.go.id/Data5tahun/HortiATAP2017(.pdf)/Produksi%20Kentang.pdf> Diakses pada 18 April 2019.

Anonim. 2018. Kentang Varietas Granola. <http://balitsa.litbang.pertanian.go.id/ind/index.php/varietas/cabai/36-halaman/634-kentang-varietas-granola-l> diakses 10 Oktober 2019.

Anonim. 2018. FRAC Code List: Fungicides sorted by mode of action. 1-14.

Anonim. 2018. Luas Panen dan Produksi Tanaman Sayur-sayuran menurut Kecamatan di Kabupaten Magelang.<https://magelangkab.bps.go.id/statictable/2016/10/27/173/luas-panen-dan-produksi-tanaman-sayur-sayuran-menurut-kecamatan-2015.html> Diakses pada 4 Mei 2019.

Anonim. 2019. *Pythium vexans* . <http://www.cabi.org/isc/datasheet/46174#39E96248-57FF-4966-B558-A8639528B2B8> diakses pada 10 November 2019.

Anugrah, F.M. dan F. Widiantini. 2018. Pengaruh fungisida berbahan aktif metalaksil, fenamidone dan dimethomorph terhadap konidia *Peronosclerospora* spp. Isolat Klaten.Jurnal Penelitian Saintek Vol 32 (1): 21-31.

Ayres, P.G. 2004. Alexis Millardet: France's forgotten mycologist. Journal of Mycology 18(1): 23-26.

Bhuyan, M.H.M.B., S.M.L. Rahman and J.C. Sarker. 2015. Screening of seed treating chemicals against damping off disease of mandarin in nursery. App. Sci. Report. Vol 12 (1) : 46-49

UNIVERSITAS GADJAH MADA
KETAHANAN Phytopythium vexans ISOLAT KENTANG ASAL MAGELANG TERHADAP BEBERAPA FUNGISIDA SECARA IN VITRO
ISLAMINATI ANNA S, Dr. Ir. Arif Wibowo, M. Agr. Sc ; Ani Widiastuti, S.P., M.P., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Blum, M., Boehler, M., Randall, E., Young, V., Csukai, M., Kraus, S. 2010. Mandipropamid targetsmthe cellulose synthase-like PiCesA3 to inhibit cell wall biosynthesis in the oomycete plant pathogen, *Phytophthora infestans.* Journal of Molecular Plant Pathology(11): 227–243.

Boughalleb, N., A. Moulahi dan M. El-Mahjoub. 2006. Effect of four fungicides on development and control of *Phytophthora* on apple tree *in vitro* and *in vivo.* International Journal of Agricultural Research Vol 1(6): 582-589.

Cohen, Y., A.E. Rubin and M Galperin. 2018. Oxathiapiprolin-based fungicides provide enhanced control of tomato late blight induced by mefenoxam-insensitive P*ythopthora infestans.* PLoS ONE 13(9): e0204523. <https://doi.org/10.1371/journal.pone.0204523> Diakses pada 4 Mei 2019.

Corio-Costet, M.F. 2011. Fungicide Resistance in Crop Protection Risk and Management : Chapter 3 Fungicide resistance in *Plasmopara viticola* in France and anti-resistance measures: 157-171. <https://www.cabdirect.org/cabdirect/abstract/20113397636> diakses pada 20 Oktober 2019.

De Cock, A.W.A.M. , A.M. Lodhi, T.L. Rintoul, K. Bala, G.P. Robideau, Z. Gloria Abad, M.D. Coffey5, S. Shahzad6 dan C.A. Lévesque3**.** *Phytopythium*: molecular phylogeny and systematics. Journal of Persoonia 34: 25–39.

Demott II, ME. 2008. Identification and Mefenoxam Sensitivity of Oomycete Root Pathogens Recovered From Ornamental Plants In Georgia.. Master of Science.. University of Georgia. Thesis.

Elliot, M., S.F. Shamoun and G. Sumampong. 2014. Effects of systemic and contact fungicides on life stages and symptom expression *of Phytophthora ramorumin vitro* and *in planta*. Journal of Crop Protection (67):136-144.

Febrianto, Y.W. Ketahanan Phytophthora palmivora Isolat Kakao Asan Samigaluh, Kulon Progo Terhadap Beberapa Fungisida. Fakultas Pertanian, Universitas Gadjah Mada, Yogyakarta: Skripsi.

Gisi, U. and H. Sierotzki. 2008. Fungicide modes of action and resistance in downy mildew. Europian Journal Plant pathology (!22):157-166

Gullino. 2010. Mancozeb Past, present and future. <https://apsjournals.apsnet.org/doi/abs/10.1094/PDIS-94-9-1076> diakses pada 28 Oktober 2019.

Hudayya, A., dan Jayanti, H. 2013. Pengelompokan Pestisida Berdasarkan Cara Kerja (Mode Of Action). Balai Penelitian Tanaman Sayuran. Pusat Penelitian dan Pengembangan Hortikultura. Badan Penelitian dan Pengembangan Pertanian. Kemetrian Pertanian Republik Indonesia.

Hollomon, D.W. 2015. Fungicide Resistance: facing the challenge. Journal of Plant Protection Science 51(4):170-176.

Hu, J.H., C.X. Hong, E.L. Stromberg and G.W. Moorman. 2008. Mefenoxam sensitivity and fitness analysis of Phytopthora nicotianae isolates from nurseries in Virginia, USA. Journal of Plant Pathology 57(4).

UNIVERSITAS GADJAH MADA
KETAHANAN Phytopythium vexans ISOLAT KENTANG ASAL MAGELANG TERHADAP BEBERAPA FUNGISIDA SECARA IN VITRO
ISLAMINATI ANNA S, Dr. Ir. Arif Wibowo, M. Agr. Sc ; Ani Widiastuti, S.P., M.P., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Kilany,C.M., E. H. Ibrahim, S. Al Amry, S. Al Roman, and S. Siddiq . 2015. Organic Amandements and Soil Suppressiveness in Plant Disease Management, Chapter 9:Microbial suppresiveness of *Phythium* damping-off diseases. <https://www.researchgate.net/publication/300246328_Microbial_Suppressiveness_of_Pythium_Damping-Off_Diseases> diakses pada 10 november 2019.

Kuai, X., C. Barraco and C. Despres. 2017. Combining fungicides prospective NPR1-based "Just in Time" immunomodulating chemistries for crop protection. Frontiers in Plant Science 8(1715):1-8.

Kuhn, P.J., P. Dennis, S.A.L.G Wakley & A.N. Sheppard. 1991. Effects of dimethomorph on the morphology and ultrastructure of *Phytophthora.Mycot Res.* 95 (3): 333-340.

Levesque, C.A and W. A. M. De Cock. 2004. Molecular phylogeny and taxonomy of the genus *Pythium*. Mycology Research 108 (12): 1363–1383.

Levesque, C.A. and W.A.M. De Cock. 2008. Separation of *Pythium* taxa using nuclear and mitochondrial DNA markers: Proposal of a new genus, *Phytopythium* gen. nov.<https://www.isppweb.org › 3rd_International Oomycetes workshop 2008> diakses pada 28 Oktober 2019.

Ma, D., Jiang J., He L., Cui K., Mu W. and Liu F. 2018. Detection and characterization of QoI-resistant *Phytophthora capsici* causing *Phytophthora* blight in China. Journal of Plant Disease Vol 102 (9):1725-1732.

Malandakris, A.A., Z.A. Apostolidou, A. Markoglou dan F Flouri. 2015. Fitness and cross-resistance of Alternaria alternata field isolates with specific or multiple resistance to single site inhibitors and mancozeb. Euoropian Journal Plant Pathology Vol 142(3): 480-499.

Male, M.F. and L.L Vawdrey. 2010. Efficacy of fungicides against damping-off in papaya seedlings caused by *Pythium aphanidermatum.* Australasian Plant Disease Notes (5): 103-104.

Mazáková, J. M. Zouhar, P. Ryšánek, V. Táborský, E. H. ater and Petr Doležal. 2011. Sensitivity to fungicides in the isolates of *Phytophthora infestans* (Mont.) de Bary in the Czech Republic from 2003 to 2008. Journal of Plant Protection Science Vol 47 (1): 5-12.

Miao, J.Q., Meng C., Xue D., Li L., Dong L., Can Z., Zhili P. and Xili L. 2016. Resistance assesment for oxathiapripolin in *Phytophthora capsici* and the detection of a point mutation (G769W) in PcORP1 that confers resistance. Frontiers in Microbiology Vol 7 (615): 1-14.

Muchiri, F.N., R.D. Narla, O.M. Olanya, R.O. Nyankanga dan E.S. Ariga. 2009. Efficacy of ungicide mixtures for the management of *Phytopthora infestans* (US-1). Journal of Phytoprotection 90:19-29.

Nam B. dan Choi Y.J. 2019. *Phytopythium* and *Pythium* species (Oomycota) isolated from freshwater environments of Korea. Journal of Mycobiology Vol 47(2):261-272

UNIVERSITAS GADJAH MADA
KETAHANAN Phytopythium vexans ISOLAT KENTANG ASAL MAGELANG TERHADAP BEBERAPA FUNGISIDA SECARA IN VITRO
ISLAMINATI ANNA S, Dr. Ir. Arif Wibowo, M. Agr. Sc ; Ani Widiastuti, S.P., M.P., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Nathasia, A.A.V. A.L. Abadi dan T. Wardiyati. 2014. Uji ketahanan 7 klon tanaman kentang terhadap penyakit hawar daun kentang. Jurnal Produksi Tanaman Vol 1 (6):540-549.

Polat, Z., Q. N. Awan, M. Hussain and D.S. Akgul. 2017. First report of Phytopythium vexans causing root and collar rot of Kiwifruit in Turkey. <https://apsjournals.apsnet.org/doi/10.1094/PDIS-11-16-1554-PDN> diakses pada 28Oktober 2019.

Purwantisari, S., A. Priyatmojo, R.P. Sancayaningsih dan R.S. Kasiamdari. 2016. Masa inubasi gejala penyakit hawar daun tanaman kentang yang diinduksi ketahanannya oleh jamur antagonis *Trichoderma viride*. Jurnal BIOMA, 18(1): 41-47.

Purwantisari, S., R.S. Ferniah dan B. Raharjo. 2008. Pengendalian hayati penyakit lodoh (busuk umbi kentang) dengan agens hayati jamur-jamur antagonis isolat lokal. Jurnal BIOMA, 10(2): 13-19.

Rujirawat, T., P. Patumcharoenpol, T. Lohnoo, W. Yingyong, Y. Kumsang, P. Payattikul, S. Tangphatsornruang, P. Suriyaphol, O. Reamtong, G. Garg, W. Kittichotirat & T. Krajaejun. 2018.Probing the phylogenomics and putative pathogenicity genes of *Pythium insidiosum* by oomycete genome analyses.<https://www.nature.com/articles/s41598-018-22540-1> diakses pada 28 oktober 2019.

Santoso, P.J. 2016. Karakteristik Empat Cendawan Patogen pada Durian: *Phytophthora palmivora,Phytopythium vexans, Pythiumcucurbitacearum,* dan *Pythium* sp. D37. IPTEK Hortikultura (12): 59-64.

Soesanto, L ., E. Mugiastuti, dan R. F. Rahayuniati. 2011. Inventarisasi dan identifikasi patogen tular tanah pada pertanaman kentang di Kabupaten Purbalingga. Jurnal Hortikultura Vol 21 (3):254-264

Sugiharyanto.2009. Prospek Pengembangan Budidaya Tanaman Kentang di Indonesia.GEOMEDIA 6(2): 43-52. <https://journal.uny.ac.id/index.php/geomedia/article/download/15388/9651> diakses pada 17 April 2019 .

Sumardiyono, C. 2008. Ketahanan jamur terhadap fungisida di Indonesia. Jurnal Perlindungan Tanaman Indonesia 14(1): 1-5.

Sumardiyono, C. 2015. Pengantar Toksikologi Fungisida cetakan kedua. UGM Press, Yogyakarta

Vawdrey, L.L., P. Langdon and T. Martin. 2005. Incidence and pathogenecity of *Phytophthora palmivora* and *Pythiumvexans* associated with durian decline in far northern Queensland.Journal of Australian Plant Pathology (34):127-128

Yu, Y.T., Chen J., Gao C.S Zeng L.B., Li Z.M., Zhu T.T., Sun K., Cheng Y., Sun X.P., Yan L., Yan Z. dan Zhu A. 2016. First report of brown root rot caused by *Pythium*

UNIVERSITAS
GADJAH MADA
KETAHANAN Phytopythium vexans ISOLAT KENTANG ASAL MAGELANG TERHADAP BEBERAPA FUNGISIDA SECARA IN VITRO
ISLAMINATI ANNA S, Dr. Ir. Arif Wibowo, M. Agr. Sc ; Ani Widiastuti, S.P., M.P., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

vexans on ramie in Hunan, China. Canadian Journal of Plant Pathology Vol 38 (3):405-410.