

DAFTAR PUSTAKA

- [1] A. Das and R. Parekh, "Iris recognition using a scalar based template in eigen-space," *Int. J. Comput. Sci. Telecommun.*, vol. 3, no. 5, pp. 74–79, 2012.
- [2] A. Das and R. Parekh, "Iris recognition in 2D eigen-space," *Int. J. Comput. Appl.*, vol. 52, no. 19, pp. 1–6, 2012.
- [3] A. Das, "Face recognition in reduced eigen plane," in *International Conference on Communications, Devices and Intelligent Systems*, 2012, pp. 620–623.
- [4] D. Maltoni, *Handbook of Fingerprint Recognition*. New York: Springer, 2003.
- [5] A. Das, U. Pal, M. A. F. Ballester, and M. Blumenstein, "A new wrist vein biometric system," in *IEEE Symposium on Computational Intelligence in Biometrics and Identity Management*, 2015, pp. 68–75.
- [6] F. Tagkalakis, D. Vlachakis, V. Megalooikonomou, and A. Skodras, "A novel approach to finger vein authentication," in *IEEE 14th International Symposium on Biomedical Imaging (ISBI)*, 2017, pp. 659–662.
- [7] L. Yu, W. Shiqian, F. Zhijun, X. Naixue, Y. Sook, and P. . Dong, "Exploring finger vein based personal authentication for secure IoT," *Elsevier J. Futur. Gener. Comput. Syst.*, vol. 77, no. 1, pp. 149–160, 2017.
- [8] K. Shaheed, H. Liu, G. Yang, I. Qureshi, J. Gou, and Y. Yin, "A systematic review of finger vein recognition techniques," *Inf. J.*, vol. 9, pp. 1–29, 2018.
- [9] K. Syazana-Itqan, A. R. Syafeeza, N. M. Saad, and H. Wira, "A review of finger-vein biometrics identification approaches," *Indian J. Sci. Technol.*, vol. 9, no. 32, pp. 1–8, 2016.
- [10] A. Eichmann, L. Yual, D. Moyon, F. Lenoble, L. Pardanaud, and C. Breant, "Vascular development: from precursor cells to branched arterial and venous networks," *Int. J. Dev. Biol.*, vol. 49, no. 1, pp. 259–267, 2005.
- [11] P. Claire, D. Marion, M. G. Niels, and J. N. Sebastian, *Biometric Identification using Hand Vein Patterns*. 2011.
- [12] A. M. Nadort, "The Hand Vein Pattern Used as A Biometric Feature," Free University, 2007.
- [13] J. Yang, Y. Shi, and G. Jia, "Finger-vein image matching based on adaptive



- curve transformation,” *Elsevier J. Pattern Recognit.*, vol. 66, pp. 34–43, 2017.
- [14] R. Raghavendra and C. Busch, “A low cost wrist vein sensor for biometric authentication,” in *IEEE International Conference on Imaging Systems and Techniques (IST)*, 2016, pp. 201–205.
- [15] O. Nikisins, T. Eglitis, A. Anjos, and S. Marcel, “Fast cross-correlation based wrist vein recognition algorithm with rotation and translation compensation,” in *International Workshop on Biometrics and Forensics (IWBF)*, 2018, pp. 1–7.
- [16] C. Nandini, C. Ashwini, M. Aparna, N. Ramani, P. Kini, and K. Sheeba, “Biometric authentication by dorsal hand vein Pattern,” *Int. J. Eng. Technol.*, vol. 2, no. 5, pp. 837–840, 2012.
- [17] O. C. Kurban, O. Niyaz, and T. Yildirim, “Neural network based wrist vein identification using ordinary camera,” in *International Symposium on Inovations in Intelligent Systems and Applications (INISTA)*, 2016, pp. 1–4.
- [18] Y. Lu, S. J. Xie, S. Yoon, and D. S. Park, “Finger vein identification using polydirectional Local Line Binary Pattern,” in *International Conference on ICT Convergence (ICTC)*, 2013, pp. 61–65.
- [19] M. Watanabe, *Palm Vein Authentication*, Advances i. London: Springer, 2008.
- [20] S. Wray, M. Cope, T. D. Delpy, S. J. Wyatt, and O. E. Reynolds, “Characterization of the near infrared absorption spectra of cytochrome aa3 and haemoglobin for the non-invasive monitoring of cerebral oxygenation,” in *Biochimica et Biophysica Acta (BBA)-Bioenergetics*, 1988, pp. 184–192.
- [21] D. Hartung, M. A. Olsen, and C. Busch, “Spectral minutiae for vein pattern recognition,” in *International Joint Conference on Biometrics (IJCB)*, 2011, pp. 1–7.
- [22] A. Yuksel, L. Akarun, and B. Sankur, “Hand vein biometry based on geometry and appearance methods,” *IET Comput. Vis.*, vol. 5, no. 6, pp. 398–406, 2011.
- [23] L. Wang, G. Leedham, and S. Cho, “Infrared imaging of hand vein patterns for biometric purposes,” *IET Comput. Vis.*, vol. 13, no. 3–4, pp. 113–122, 2007.
- [24] L. Xueyan and G. Shuxu, *The Fourth Biometric - Vein Recognition*, Pattern Re. China: In Tech, 2008.
- [25] Z. Akhtar, A. Rattani, A. Hadid, and M. Tistarelli, “Face Recognition under



- Ageing Effect: A Comparative Analysis,” in *International Conference on Image Analysis and Processing*, 2013, pp. 309–318.
- [26] P. Gupta and P. Gupta, “Knowledge-Based Systems Multi-modal fusion of palm-dorsa vein pattern for accurate personal authentication,” *Knowledge-Based Syst.*, vol. 81, pp. 117–130, 2015.
- [27] M. Shahin, A. Badawi, and M. Kamel, “Biometric Authentication Using Fast Correlation of Near Infrared Hand Vein Patterns,” *Int. J. Biomed. Sci.*, vol. 2, no. 3, pp. 141–148, 2007.
- [28] R. Raghavendra and C. Busch, “New low cost wrist vein sensor for biometric authentication,” in *IEEE International Conference on Imaging Systems and Techniques*, 2018, pp. 211–215.
- [29] J. Uriarte-Antonio, J. E. Suarez-Pascual, M. Garcia-Lorenz, and R. Sanchez-Reillo, “Parametrical study of a vascular biometric system,” in *International Conference on Hand-Based Biometrics*, 2011, pp. 1–6.
- [30] J. Lee, “A novel biometric system based on palm vein image,” *Pattern Recognit. Lett.*, vol. 33, no. 12, pp. 1520–1528, 2012.
- [31] Z. Akhtar, “Security of Multimodal Biometric Systems against Spoof Attacks,” University of Cagliari, Italy, 2012.
- [32] J. E. Suarez-Pascual, J. Uriarte-Antonio, R. Sanchez-Reillo, and M. Garcia-Lorenz, “Capturing Hand or Wrist Vein Images for Biometric Authentication Using Low- Cost Devices,” in *International Conference on Intelligent Information Hiding and Multimedia Signal Processing (IIH-MSP)*, 2010, pp. 318–322.
- [33] C. Mohamed, Z. Akhtar, B. N. Eddine, and T. H. Falk, “Combining Left and Right Wrist Vein Images for Personal Verification,” in *7th International Conference on Image Processing Theory, Tools and Applications (IPTA)*, 2017.
- [34] Y. Suhaimi, A. R. Ramli, J. H. Shaiful, and Z. R. Fakhrol, “Review on vein enhancement methods for biometric system,” *Int. J. Res. Eng. Technol.*, vol. 4, no. 4, pp. 833–841, 2015.
- [35] J. M. Keller, R. M. Gray, and A. J. Givens, “A Fuzzy k-nearest neighbor algorithm,” *Syst. Man Cybern. IEEE Trans.*, vol. 15, no. 4, pp. 580–585, 1985.
- [36] J. Y. Sari, S. Chastine, and S. Nanik, “Local Line Binary Pattern for feature extraction on palm vein recognition,” *J. Comput. Sci. Inf.*, vol. 8, no. 2, pp. 111–118, 2015.



- [37] A. S. Sohail, P. Bhattacharya, S. P. Mudur, and S. Krishnamurthy, "Local Relative GLRLM-Based texture feature Extraction For Classifying Ultrasound Medical Images," in *2011 24th Canadian Conference on Electrical and Computer Engineering (CCECE)*, 2011, pp. 1092–1095.
- [38] A. Kadir and A. Susanto, *Teori dan Aplikasi Pengolahan Citra*. Yogyakarta: Andi, 2013.
- [39] F. Baselice, G. Ferraioli, A. C. Johnsny, V. Pascazio, and G. Schirinzi, "Speckle Reduction Based on Wiener Filter in Ultrasound Images," in *37th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*, 2015, pp. 3065–3068.
- [40] J. M. Blackledge, *Quantitative Coherent Imaging*. London: Academic Press, 1989.
- [41] P. Perona and J. Malik, "Scale space and edge detection using anisotropic diffusion," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 12, no. 7, pp. 629–639, 1990.
- [42] S. Ravi and K. Am, "Morphological operations for image processing," in *National Conference on VLSI, Signal processing & Communications*, 2013, pp. 17–19.
- [43] T. Ojala, M. Pietikainen, and T. Maenpaa, "Multiresolution gray-scale and rotation invariant texture classification with local binary Patterns," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 24, no. 7, pp. 971–987, 2002.
- [44] A. Petpon and S. Srikus, "Face recognition with Local Line Binary Pattern," in *5th International Conference on Image and Graphics*, 2009, pp. 533–539.
- [45] B. A. Rosdi, C. W. Shing, and S. A. Suandi, "Finger vein recognition using Local Line Binary Pattern," *Sensors (Basel)*, vol. 11, no. 12, pp. 11357–11371, 2011.