



UNIVERSITAS  
GADJAH MADA

Respons Biokimiawi dan Ekspresi Gen OsSOS1, OsNHX1 dan OsHKT1;1 Terhadap Cekaman Salinitas pada Padi (*Oryza sativa L. 'Merah'*) Kalimantan Selatan  
RIZKA ROHMATIN NISAK, Dr. Yekti Asih Purwestri, S.Si., M.Si  
Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

## DAFTAR PUSTAKA

- Abeynayake, S.W., Panter, S., Chapman, R., Webster, T., Rochfort, S., Mouradov, A. and Spangenberg, G. 2012. Biosynthesis of proanthocyanidins in white clover flowers: cross talk within the flavonoid pathway. *Plant Physiol.* 158: 666-678f
- Almeida, D. M., Margarida Oliveira, M., & Saibo, N. J. M. (2017). Regulation of Na<sup>+</sup> and K<sup>+</sup> homeostasis in plants: Towards improved salt stress tolerance in crop plants. *Genetics and Molecular Biology*, 40(1), 326–345.
- Assaha, D. V. M., Ueda, A., Saneoka, H., Al-Yahyai, R., & Yaish, M. W. (2017). The role of Na<sup>+</sup> and K<sup>+</sup> transporters in salt stress adaptation in glycophytes. *Frontiers in Physiology*, 8:509
- Baisakh, N., Ramanarao, M. V., Rajasekaran, K., Subudhi, P., Janda, J., Galbraith, D., ... Pereira, A. (2012). Enhanced salt stress tolerance of rice plants expressing a vacuolar H<sup>+</sup>-ATPase subunit c1 (SaVHAc1) gene from the halophyte grass *Spartina alterniflora* Löisel. *Plant Biotechnology Journal*, 10(4), 453–464.
- Barragán, V., Leidi, E. O., Andrés, Z., Rubio, L., de Luca, A., Fernández, J. A., ... Pardo, J. M. (2012). Ion exchangers NHX1 and NHX2 mediate active potassium uptake into vacuoles to regulate cell turgor and stomatal function in arabidopsis. *Plant Cell*, 24(3), 1127–1142.
- Bassil,Elias., Ardian Coku, Eduardo Blumwald (2012) Cellular ion homeostasis: emerging roles of intracellular NHX Na<sup>+</sup>/H<sup>+</sup> antiporters in plant growth and development, *Journal of Experimental Botany*, 63 (16),5727–5740
- Bhagavan, N. V., & Ha, C.-E. (2015). DNA Replication, Repair, and Mutagenesis. *Essentials of Medical Biochemistry*, 401–417.
- Campbell, M. T., Bandillo, N., Al Shibliwi, F. R. A., Sharma, S., Liu, K., Du, Q., ... Walia, H. (2017). Allelic variants of OsHKT1;1 underlie the divergence between indica and japonica subspecies of rice (*Oryza sativa*) for root sodium content. *PLoS Genetics*, 13
- Chalker-Scott, L. (1999). Environmental significance of anthocyanins in plant stress responses. *Photochem. Photobiol.* 70: 1-9.Chalker-Scott, L. 1999. Environmental significance of anthocyanins in plant stress responses. *Photochem. Photobiol.* 70: 1-9.



- Cheng, Z., Liu, M., Zhang, M., Hang, X., Lei, C., & Sun, Y. (2007). Transcriptomic analyses of space-induced rice mutants with enhanced susceptibility to rice blast. *Advances in Space Research*, 40(4), 540–549.
- Chinnusamy, V., Jagendorf, a, & Zhu, J. K. (2005). Understanding and improving salt tolerance in plants. *Crop Science*, 45(2), 437–448.
- Chunthaburee, S., Sanitchon, J., Pattanagul, W., & Theerakulpisut, P. (2015). Effects of Salt Stress after Late Booting Stage on Yield and Antioxidant Capacity in Pigmented Rice Grains and Alleviation of the Salt-Induced Yield Reduction by Exogenous Spermidine. *Plant Production Science*, 18(1), 32–42.
- Chutipaijit, S. (2016). Changes in physiological and antioxidant activity of Indica rice seedlings in response to mannitol-induced osmotic stress. *Chilean Journal of Agricultural Research*, 76(4), 455–462.
- Conde, A., Chaves, M. M., & Gerós, H. (2011). Membrane transport, sensing and signaling in plant adaptation to environmental stress. *Plant and Cell Physiology*, 52(9), 1583–1602.
- Deng, G. F., Xu, X. R., Zhang, Y., Li, D., Gan, R. Y., & Li, H. Bin. (2013). Phenolic Compounds and Bioactivities of Pigmented Rice. *Critical Reviews in Food Science and Nutrition*, 53(3), 296–306.
- Desjardins, P., & Conklin, D. (2010). NanoDrop microvolume quantitation of nucleic acids. *Journal of Visualized Experiments*, (45), 1–5.
- Diedhiou CJ, Golldack D (2006) Salt-dependent regulation of chloride channel transcripts in rice. *Plant Sci* 170:793–800
- Enstone D E, Peterson C A, Ma F S. 2002. Root endodermis and exodermis: Structure, function, and responses to the environment. *J Plant Growth Regul*, 21(4): 335–351.
- FAO. (2009). How to Feed the World in 2050. *Insights from an Expert Meeting at FAO*, 2050(1), 1–35.
- Fujimaki, S., Maruyama, T., Suzui, N., Kawachi, N., Miwa, E., & Higuchi, K. (2015). Base to tip and long-distance transport of sodium in the root of common reed [Phragmites australis (Cav.) Trin. ex Steud.] at steady state under constant high-salt conditions. *Plant and Cell Physiology*, 56(5), 943–950.



- Fukuda A, Nakamura A, Tagiri A, Tanaka H, Miyao A, Hirochika H, Tanaka Y. (2004). Function, intracellular localization and the importance in salt tolerance of a vacuolar  $\text{Na}^+/\text{H}^+$  antiporter from rice. *Plant Cell Physiol*, 45(2): 146–159.
- Hamaji, K., Nagira, M., Yoshida, K., Ohnishi, M., Oda, Y., Uemura, T., ... Mimura, T. (2009). Dynamic aspects of ion accumulation by vesicle traffic under salt stress in arabidopsis. *Plant and Cell Physiology*, 50(12), 2023–2033. <https://doi.org/10.1093/pcp/pcp143>
- Hemalatha, G., Renugadevi, J., & Evera, T. (2017). Seed priming to alleviate the effect of salinity stress in rice Seed priming to alleviate the effect of salinity stress in rice. *International Journal of Chemical Studies*, 5(6), 1140–1143.
- Herald TJ, Gadgil P, Tilley M (2012) High-throughput micro plate assays for screening flavonoid content and DPPH-scaveng- ing activity in sorghum bran and flour. *J Sci Food Agric* 92:2,326–2,331
- Hernández, J. A., & Almansa, M. S. (2002). Short-term effects of salt stress on antioxidant systems and leaf water relations of pea leaves. *Physiologia Plantarum*, 115(2), 251–257.
- Horie T, Costa A, Kim TH, Han MJ, Horie R, Leung HY, Miyao A, Hirochika H, An G, Schroeder JI (2007) Rice OsHKT2;1 transporter mediates large  $\text{Na}^+$  influx component into  $\text{K}^+$ -starved roots for growth. *EMBO J* 26:3003–3014
- Hussain, M., Ahmad, S., Hussain, S., Lal, R., Ul-Allah, S., & Nawaz, A. (2017). Rice in Saline Soils: Physiology, Biochemistry, Genetics, and Management. In *Advances in Agronomy* 148 (231–287)
- Hussain, S., Zhang, J., Zhong, C., Zhu, L. Feng, Cao, X. Chuang, Yu, S. miao, (2017). Effects of salt stress on rice growth, development characteristics, and the regulating ways: A review. In *Journal of Integrative Agriculture* 16 (2357–2374).
- Ijaz, B., Formentin, E., Ronci, B., Locato, V., Barizza, E., Hyder, M. Z., ... Yasmin, T. (2019). Salt tolerance in indica rice cell cultures depends on a fine tuning of ROS signalling and homeostasis. *PLoS ONE*, 14(4), 1–27.
- Ishak N K, Sulaiman Z, Tennakoon K U. (2015). Comparative study on growth performance of transgenic (over-expressed OsNHX1) and wild-type



Nipponbare under different salinity regimes. *Rice Sci*, 22(6): 275–282.

Islam, F., Wang, J., Farooq, M. A., Yang, C., Jan, M., Mwamba, T. M., Zhou, W. (2018). *Rice Responses and Tolerance to Salt Stress. Advances in Rice Research for Abiotic Stress Tolerance*. Elsevier Inc.

Ji, H., Pardo, J. M., Batelli, G., Van Oosten, M. J., Bressan, R. A., & Li, X. (2013). The salt overly sensitive (SOS) pathway: Established and emerging roles. *Molecular Plant*, 6(2), 275–286.

Kawasaki, S., Borchert, C., Deyholos, M., Wang, H., Brazille, S., Kawai, K., Bohnert, H. J. (2001). Gene Expression Profiles during the Initial Phase of Salt Stress in Rice. *The Plant Cell*, 13(4), 889.

Krishnamurthy, P., Ranathunge, K., Franke, R., Prakash, H. S., Schreiber, L., & Mathew, M. K. (2009). The role of root apoplastic transport barriers in salt tolerance of rice (*Oryza sativa L.*). *Planta*, 230(1), 119–134.

Kristamtini, K., Taryono, T., Basunanda, P., & Murti, R. H. (2016). Keragaman Genetik Kultivar Padi Beras Hitam Lokal Berdasarkan Penanda Mikrosatelit. *Jurnal AgroBiogen*, 10(2), 69.

Kumar, K., Kumar, M., Kim, S.-R., Ryu, H., & Cho, Y. (2013). Insights into genomics of salt stress response in rice. *Rice*, 6(1), 27.

Lee, J.C., J.D. Kim, F.H. Hsieh, and J.B. Eun. (2008). Production of black rice cake using ground black rice and medium-grain brown rice. *Int. J. Food Sci. Tech.* 43(6):1078-1082.

Livak KJ, Schmittgen TD: Analysis of relative gene expression data using real-time quantitative PCR and the 2( $-\Delta\Delta C(T)$ ) Method. *Methods* 2001, 25(4):402–408

Mekawy, A. M. M., Assaha, D. V. M., Yahagi, H., Tada, Y., Ueda, A., & Saneoka, H. (2015). Growth, physiological adaptation, and gene expression analysis of two Egyptian rice cultivars under salt stress. *Plant Physiology and Biochemistry*, 87, 17–25.

Monks, J. F., Vanier, N. L., Casaril, J., Berto, R. M., Oliveira, M. de, Gomes, C. B., Carvalho, M. P. de, Dias, A. R. G., Elias, M. C. (2013). Effects of milling on proximate composition, folic acid, fatty acids and technological properties of rice. *Journal of Food Composition and Analysis*, 30 (73 – 79).



Munns R, Tester M (2008) Mechanisms of salinity tolerance. *Annu Rev Plant Biol* 59:651–681

Munns, R. (2005). Genes and Salt Tolerance. *New Phytologist*, 167(3), 645–663.

Nagata T, Iizumi S, Satoh K, Kikuchi S (2008) Comparative molecular biological analysis of membrane transport genes in organisms *Plant Mol Biol* 66:565–585

Nieves-Cordones, M., Martínez, V., Benito, B., & Rubio, F. (2016). Comparison between Arabidopsis and rice for main pathways of K<sup>+</sup> and Na<sup>+</sup> uptake by roots. *Frontiers in Plant Science*, 7 (1–14).

Nirmala, K., & Umarani, R. (2008). Evaluation of seed priming methods to improve seed vigour of okra (*Abelmoschus esculentus*) and beetroot ( *Beta vulgaris* ). *Seed Sci. & Technol.*, 36, 56–65.

Pang, C.-H., & Wang, B.-S. (2008). Oxidative Stress and Salt Tolerance in Plants, 231–245.

Platten JD, Cotsaftis O. (2006) Nomenclature for HKT transporters, key determinants of plant salinity tolerance. *Trends Plant Sci* 11:372–374

Prusty, M. R., Kim, S. R., Vinarao, R., Entila, F., Egudane, J., Diaz, M. G. Q., & Jena, K. K. (2018). Newly identified wild rice accessions conferring high salt tolerance might use a tissue tolerance mechanism in leaf. *Frontiers in Plant Science*, 9 (1–15).

Quan, R., Lin, H., Mendoza, I., Zhang, Y., Cao, W., Yang, Y., ... Guo, Y. (2007). SCABP8/CBL10, a putative calcium sensor, interacts with the protein kinase SOS2 to protect Arabidopsis shoots from salt stress. *Plant Cell*, 19(4), 1415–1431.

Reddy, I. N. B. L., Kim, B. K., Yoon, I. S., Kim, K. H., & Kwon, T. R. (2017). Salt Tolerance in Rice: Focus on Mechanisms and Approaches. *Rice Science*, 24(3), 123–144.

Reza Amirjani, M. (2011). Effect of Salinity Stress on Growth, Sugar Content, Pigments and Enzyme Activity of Rice. *International Journal of Botany*, 7(1), 73–81.



UNIVERSITAS  
GADJAH MADA

Respons Biokimiawi dan Ekspresi Gen OsSOS1, OsNHX1 dan OsHKT1;1 Terhadap Cekaman Salinitas pada Padi (*Oryza sativa L. 'Merah'*) Kalimantan Selatan  
RIZKA ROHMATIN NISAK, Dr. Yekti Asih Purwestri, S.Si., M.Si  
Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Roy, S. J., Negrão, S., & Tester, M. (2014). Salt resistant crop plants. *Current Opinion in Biotechnology*, 26, 115–124.
- Samyor, D., Das, A. B., & Deka, S. C. (2017). Pigmented rice a potential source of bioactive compounds: a review. *International Journal of Food Science and Technology*, 52(5), 1073–1081.
- Shabala, S., & Mackay, A. (2011). *Ion Transport in Halophytes. Advances in Botanical Research* 57.
- Shabala, S., Shabala, S., Cuin, T. A., Pang, J., Percey, W., Chen, Z., ... Wegner, L. H. (2010). Xylem ionic relations and salinity tolerance in barley. *Plant Journal*, 61(5), 839–853.
- Shi, H., Ishitani, M., Kim, C., & Zhu, J. K. (2000). The *Arabidopsis thaliana* salt tolerance gene SOS1 encodes a putative  $\text{Na}^+/\text{H}^+$  antiporter. *Proceedings of the National Academy of Sciences of the United States of America*, 97(12), 6896–6901.
- Shi, H., Quintero, F. J., Pardo, J. M., & Zhu, J. K. (2002). The putative plasma membrane  $\text{Na}^+/\text{H}^+$  antiporter SOS1 controls long-distance  $\text{Na}^+$  transport in plants. *Plant Cell*, 14(2), 465–477.
- Siddique, A.B., Islam, M.R., Hoque, M.A., Hasan, M.M. (2015). Mitigation of salt stress by foliar application of proline in rice. *Univ. J. Agriculture. Res* 3, 81-88.
- Singleton, V. L., & Rossi Jr., J. A. (1965). Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *American Journal of Enology and Viticulture*, 16 (1), 144-158.
- Siringam, K., Juntawong, N., Cha-um, S., Kirdmanee, C. (2011) Salt stress induced ion accumulation, ion homeostasis, membrane injury and sugar content in salt-sensitive rice (*Oryza sativa* L. spp indica) roots under isosmotic condition. *Afr. J. Biotechnol* 10, 1340-1246.
- Smart RE, Bingham GE (1974) Rapid estimates of relative water content. *Plant Physiol* 53:258–260
- Suhartini, T., Suhartini, T., & Zulchi, T. (2018). Toleransi Plasma Nutfah Padi Lokal terhadap Salinitas. *Buletin Plasma Nutfah*, 23(1), 51–58.



- Sutrisno, S., Susanto, A., Wijayanti, P., & Dewi, M. (2018). Screening of resistant Indonesian black rice cultivars against bacterial leaf blight Screening of resistant Indonesian black rice cultivars against bacterial leaf blight. *Euphytica*, 214(November), 199.
- Suzuki, K., Yamaji, N., Costa, A., Okuma, E., Kobayashi, N. I., Kashiwagi, T., Horie, T. (2016). OsHKT1;4-mediated Na<sup>+</sup>transport in stems contributes to Na<sup>+</sup>exclusion from leaf blades of rice at the reproductive growth stage upon salt stress. *BMC Plant Biology*, 16(1), 1–15.
- Taiz, L., Zeiger, E., 2010. Responses and adaptations to abiotic stress. In: Plant Physiology Sunderland: Sinauer Associates Inc., 755-788
- Vaidyanathan, H., Sivakumar, P., Chakrabarty, R., & Thomas, G. (2003). Scavenging of reactive oxygen species in NaCl-stressed rice (*Oryza sativa* L.) - Differential response in salt-tolerant and sensitive varieties. *Plant Science*, 165(6), 1411–1418.
- Valasek, M. A., & Repa, J. J. (2005). The power of real-time PCR. *American Journal of Physiology - Advances in Physiology Education*, 29(3), 151–159.
- Vaughan, D. A., Lu, B. R., & Tomooka, N. (2008). The evolving story of rice evolution. *Plant Science*, 174(4), 394–408.
- Wang, R., Jing, W., Xiao, L., Jin, Y., Shen, L., & Zhang, W. (2015). The Rice High-Affinity Potassium Transporter1;1 Is Involved in Salt Tolerance and Regulated by an MYB-Type Transcription Factor. *Plant Physiology*, 168(3), 1076–1090.
- Wu SJ, Ding L, Zhu JK (1996) *SOS1*, a genetic locus essential for salt tolerance and potassium acquisition. *Plant Cell* 8:617–627
- Yasmin F, Biswas S, Jewel G M N A, Elias S M, Seraj Z I. (2015). Constitutive overexpression of the plasma membrane Na<sup>+</sup>/H<sup>+</sup> antiporter for conferring salinity tolerance in rice. *Plant Tiss Cult Biotechnol*, 25(2): 257–272
- Yeo, B. P. H., Bhave, M., & Hwang, S. S. (2018). Effects of acute salt stress on modulation of gene expression in a Malaysian salt-tolerant indigenous rice variety, Bajong. *Journal of Plant Research*, 131(1), 191–202.
- Yoshida, S., Forno, D. A., Cock, J. H., & Gomez, K. A. (1976). Laboratory



UNIVERSITAS  
GADJAH MADA

**Respons Biokimiawi dan Ekspresi Gen OsSOS1, OsNHX1 dan OsHKT1;1 Terhadap Cekaman Salinitas pada Padi (*Oryza sativa L. 'Merah'*) Kalimantan Selatan**  
RIZKA ROHMATIN NISAK, Dr. Yekti Asih Purwestri, S.Si., M.Si  
Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Manual for Physiological Studies of Rice. *Dspaceirriorg*, 69–72.

Zhang, Z., Mao, B., Li, H., Zhou, W., Takeuchi, Y., & Yoneyama, K. (2005). Effect of salinity on physiological characteristics, yield and quality of microtubers in vitro in potato. *Acta Physiologiae Plantarum*, 27(4 A), 481–489.

Zhu, J. K. (2003). Regulation of ion homeostasis under salt stress. *Current Opinion in Plant Biology*, 6(5), 441–445.