

DAFTAR PUSTAKA

Albuquerque, A.F.M., Fonteles, C.S.R., do Val, D.R., Chaves, H.V., Bezerra, M.M., Pereira, K.M.A., de Barros Silva, P.G., de Lima, B.B., Soares, E.C.S., Ribeiro, T.R., Costa, F.W.G., 2017. Effect of Preemptive Analgesia on Clinical Parameters and Tissue Levels Of TNF- α and IL-1 β In Third Molar Surgery: A Triple-Blind, Randomized, Placebo controlled Study, *Int. J. Oral Maxillofac. Surg.*, 32:177-185.

Alcantara, C.E.P., Falci, S.G.M., Oliveira-Ferreira, F., Santos, C.R.R., and Pinheiro, M.L.P., 2014, Pre-emptive effect of dexamethasone and methylprednisolone on pain, swelling, and trismus after third molar surgery : a split-mouth randomized triple-blindclinical trial, *Int. J. Oral Maxillofac. Surg.*,43: 93–98.

Amerongen, A.V.N., 1991, *Ludah dan Kelenjar Ludah, Arti Bagi Kesehatan Gigi*, Gadjah Mada University Pres, Yogyakarta, pp. 65-70

Araujo, R.Z., Pintor Junior, A.A.C., Sigua-Rodriguez, E.A, Olate, S., Alves, L.C.F., De Castro, W.H., 2016, Pain Control in Third Molar Surgery, *Int. J. Odontostomat.*, 10(3): 385-391.

Archer, H., 1966, *Oral Surgery, A step by Step Atlas of Operative Techniques*, 4th ed, W.B. Saunders Company, Philadelphia, London, pp. 122-327.

Artuc, M., Hermes, B., Steckelings, K.M., Grutzkau, A., Henz, B.M., 1999, Mast cells and their mediators in cutaneous wound healing – active participants or innocent bystanders, *Exp Dermatol.*, 8(1):1-16.

Aznar-Arasa, L., Harutunin, K., Figueiredo, R., Valmaseda-Castellon, E., Gay-Escoda, C., 2012, Effect of Preoperative Ibuprofen on Pain and Swelling after Lower Third Molar Removal: a randomized controlled trial, *Int J Oral Maxillofac Surg.*, 41: 1005-1009.

Bagheri, S.C., Bell, R.B., Khan, H.A., 2012, *Current Therapy In Oral and Maxillofacial Surgery*, 1st ed.,Elsevier Inc.Missouri, pp. 121-128.

Balaji, S.M., 2014, *Textbook of Oral & Maxillofacial Surgery*, 2nd ed., RR Donneley Publishing India, Pvt, Ltd, India, pp.154-163, 345-382.

Bamgbose, B.O., Akinwande, J.A., Adeyemo, W.L., Ladeinde, A.L., Arotiba, G.T., and Ogunlewe, M.O., 2005, Effects of co-administered dexamethasone and diclofenacpotassium on pain, swelling and trismus following third molarsurgery, *Head & Face Medicine* 1:11.

Baratawidjaja, K.G., Rengganis, I., 2010, *Imunologi Dasar*, 9th ed., Fakultas Kedokteran Universitas Indonesia, pp. 226-229.

- Benzon, H., Raja, S.N., Molloy, R., Liu, S., Fishman, S., 2005, *The Assesment of Pain, In Essential of Pain Medicine and Regional Anaesthesia, 2nd ed.*, Churchill Livingstone, Philadelphia, pp. 67-75.
- Bertolini, A, Ferarri A., Alessandra O., 2006 Paracetamol: New Vitas of Old Drug. *CNS Drug Rev.*12:1-7
- Bradley, J.R., 2008, TNF- α Mediated Inflammatory Disease, *Journal of Pathology*, 214:149–160.
- Brancato, S.K., Albina, J.E., 2011, Wound Macrophages as Key Regulators of Repair: Origin, Phenotype, and Function, *the American Journal of Pathology*, 178:19-25.
- Breivik, H., Brochgrevink, P.C, 2008, Assesment of Pain, *Br J Anaesth*, pp. 17-24.
- Brooks, G.F., Carroll, K.C., Butel, J.S., Morse, S.A., Mietzner, T.A., 2010, *Jawetz, Melnick, & Adelberg's Medical Microbiology, 26th ed.*, McGraw-Hill Publishing Company, New York, pp. 126-127.
- Burke, A., Smyth, E., Fitzgerald, G.A., 2006, Analgetic-Antipyretic Agents; Pharmacotherapy Of Gout In Brunton, L.L., Lazo, J.S., Parker, K.L., (eds.): *Goodman and Gilman's: The pharmacological basis of therapeutics, 11th ed.*, McGraw-Hill, New York, pp. 671-715.
- Calvo, A.M., Sakai, V.T., Giglio, F.P.M., Modena, K.C.S., Colombini, B.L., Benetello, V., Sakamoto, F.C., Freire, T.M.S., Dionísio, T.J., Lauris, J.R.P., Trindade Jr, A.S., Faria, F.A.C., Santos, C.F., 2007, Analgesic and Anti-Inflammatory Dose–Response Relationship of 7.5 and 15 mg Meloxicam After Lower Third Molar Removal: A Double-Blind, Randomized, Crossover Study, *Int. J. Oral Maxillofac. Surg.*, 36: 26– 31.
- Carriches, C.L., Gonzalez, J.M.M., and Rodrigues. M.D., 2006, The use of methylprednisolon versus diklofenac in the treatment of inflammation and trismus after surgical removal of lower third molars, *Med Oral Cir Bucal* 11: E440-5.
- Chaurand-Lara, J., and Facio-Umafia, J.A., 2013, Methylprednisolone injection following the surgical extraction of impacted lower third molars: asplit-mouth study, *Open Journal of Stomatology*, 3, 192-196.
- Chegini, S., and Dhariwal, D.K., 2012, Review of evidence for the use of steroid in orthognathic surgery, *British Journal of Oral and Maxillofacial Surgery* 50: 97-101.
- Childs, D.R., Murthi, A.S., 2017, Overview of Wound Healing and Management, *Surg Clin N Am*, 97:189-207.

- Chukwuneke, F.N., Saheeb, B.D., 2010, Evaluation of Postoperative Facial Swelling Following the Surgical Removal of Impacted Third Molars Using the Tape Measuring Technique, *Ebonyi Medical Journal*, 9(2).
- Chandrasoma, P dan Taylor, C.R., 2005, *Ringkasan Patologi Anatomi*,(terj.), E.G.C., Jakarta, 2nd ed, pp. 34-66.
- Corwin, E. 2009, *Buku Saku Patofisiologi*, EGC: Jakarta, pp. 122-35
- Costa, F.W.G., Esses, D.F.S., de Barros Silva, P.G., Carvalho, F.S.R., Sa', C.D.L., Albuquerque, A.F.M., Bezerra, T.P., Ribeiro, T.R.R., Fonteles, C.S.R., Soares, E.C.S., 2015, Does the Preemptive Use of Oral Nonsteroidal Anti-inflammatory Drugs Reduce Postoperative Pain in Surgical Removal of Third Molars? A Meta-analysis of Randomized, *Clinical Trials Anesth Prog*, 62:57–63.
- Crowther, J.R., 2000, *The ELISA Guidebook*, Springer Science & Business Media, London, pp. 11-3.
- Dahlan, M.S., 2009, *Besar Sampel dan cara Pengambilan Sampel dalam penelitian kedokteran dan kesehatan*, Penerbit Selemba Medica, Jakarta 2th ed., pp. 66-75.
- Darawade, D.A., Kumar, S., Mehta, R., Sharma, A.R., and Reddy, G.S., 2014, In search of a better option, dexamethasone versus methylprednisolon in third molar impaction surgery, *Journal of International Oral Health*; 6(6): 1-4.
- Davie, E.W., Kulman, J.D., 2006, An overview of the structure and function of thrombin, *Semin Thromb Hemost*, 32:3–15.
- De Almeida, P.D.V., Grégio, A.M.T., Machado, M.A.N., de Lima, A.A.S., Azevedo, L.R., 2008, Saliva Composition and Functions: A Comprehensive Review, *J Contemp Dent Pract*, (9)3: 072-080.
- De Menezes, S.A., Cury, P.R., 2010, Efficacy Of Nimesulide Versus Meloxicam In The Control of Pain, Swelling And Trismus Following Extraction Of Impacted Lower Third Molar, *Int J Oral Maxillofac Surg*, 39:580-4.
- Devillier, P, 2001, The Role of Adenosine Receptors In Regulating Production of Tumour Necrosis Factor- α and Chemokines by Human Lung Macrophages, *Brithish Journal of Pharmacology*, 12: 265-76.
- Dhingra, A.K., Chopra, B., Dua, J.S., and Parsad, D.N., 2017, New Insight on Inflammation and Its Management: A Review, *Journal of Innovations in Pharmaceutical and Biological Sciences*, 4(4): 117-126.
- Dutta, S.R., Passi, D., Singh, P., Sharma, S., Singh, M., Srivastava, D., 2016, A randomized comparative prospective study of platelet-rich plasma, platelet-rich fibrin, and

- hydroxyapatite as a graft material for mandibular third molar extraction socket healing, *Natl J Maxillofac Surg*, 7:45-51.
- Dwipayanti, A., Adriatmoko, W., Rochim, A., 2009, Komplikasi Post Odontektomi Gigi Molar Ketiga Rahang Bawah Impaksi, *Jurnal PDGI*, 58 (2): 20-24.
- Edgar, W.M., 1992, Saliva: Its Secretion, Composition And Function, *Br. Dent J.*, 172: 3055-312.
- Engelhardt, G., 1996, Pharmacology of Meloxicam, A New Non-Steroidal Anti-Inflammatory Drug with An Improved Safety Profile Through Preferential Inhibition Of COX-2, *British Journal of Rheumatology*, 35(suppl.1): 4-12.
- Euller-Ziegler, L., Velicitat, P., Bluhmki, E., Türck, D., Scheuerer, S., Combe, B., 2001, Meloxicam: A Review of Its Pharmacokinetics, Efficacy and Tolerability Following Intramuscular Administration, *Inflamm. res.*, 50(1): S5 – S9.
- Farish, S.E., Bouloux, G.F., 2007, General Technique of Third Molar Removal, *Oral Maxillofac Surg Clin N Am*, 19: 23-43.
- Fehrenbach, MJ., and Phelan, J.A., 2014, Inflammation and Repair, in Ibsen, OAC and Phelan, J.A: *Oral Pathology for The Dental Hygienist*, 6th ed, Elsevier Saunders, New York, pp. 34-43.
- Florez, J., 2000, *Farmacología Humana*, Barcelona, Masson, p. 435.
- Fonseca, R.J., Fros, D.E., Hersh, E.V., and Levin, L.M., 2000, *Oral and Maxilifacial Sugery*, Volume 1., WB Saunders Company, Pennsylvania, pp. 299-280.
- Fragiskos, F.D., 2007, *Oral Surgery*, Springer Verlag, Berlin, pp. 31-41, 95-200.
- Franco-Molina, M.A., Mendoza-Gamboa, E., Coronado-Cerda, E.E., Zarate-Trivino, D., Arizpe-Coronado, J.E., Zapata-Benavides, P., Zayas, Y.R., Tamez-Guerra, R., Rodriguez-Padilla, C., 2017, Clinical Trial Evaluating The Effectiveness Of Biocompound IMMUNEPOTENT CRP In The Third-Molar Extraction, *Biotechnology & Biotechnological Equipment*, 31(1):182–186. <http://dx.doi.org/10.1080/13102818.2016.1249408>
- Ghaeminia, H., Perry, J., Nienhuijs, M.E.L., Toedtling, V., Tummers, M., Hoppenreijts, T.J.M., Van der Sanden, W.J.M., Mettes, T.G., 2016, Surgical removal versus retention for the management of asymptomatic disease-free impacted wisdom teeth. *Cochrane Database of Systematic Reviews*, Issue 8. Art. No.: CD003879.
- Gokul, K., 2012, Estimation of the Level of Tumor Necrosis Factor-Ain Gingival Crevicular Fluid and Serum in Periodontal Health and Disease: A Biochemical Study, *Indian Journal of Dental Research*, 23(3): 348-352.

- Goldberg, S.R., Diegelmann, R.F., 2010, Wound healing primer, *Surg Clin N Am*, 90:1133–1146.
- Gornowicz, A., Bielawska, A., Bielawski, K., Grabowska, S.Z., Wójcicka, A., Zalewska, M., Maciorkowska, E., 2012, Pro-Inflammatory Cytokines In Saliva Of Adolescents With Dental Caries Disease, *Ann Agric Environ Med*, 19(4): 711-716.
- Gottschalk, A., 2001, New Concepts in Acute Pain Therapy: preemptive analgesia, *American Family Physician*; 63(10).
- Gutierrez-Corrales, A., Campano-Cuevas, E., Castillo-Dali, G., SerreraFigallo, M.-A., Torres-Lagares, D., and Gutierrez-Perez, J.L., 2017, Relationship Between Salivary Biomarkers And Postoperative Swelling After The Extraction Of Impacted Lower Third Molars, *Int. J. Oral Maxillofac. Surg.* (vol.4, pp.108-118).
- Harrison, J.A., Nixon, M.A., Fright, W.R., Snape, L., 2004, Use of hand-held laser scanning in the assessment of facial swelling: a preliminary study, *Br J Oral and Maxillofac Surg*, 42:8-17.
- Harvey, R.A., Clark, M.A., Finkel, R., Rey, J.A., Whalen, K., 2012, *Lippincott's Illustrated Reviews; Pharmacology*, 5th ed, Lippincott Williams & Wilkins, Philadelphia, p.535.
- Herrera-Briones, F.J., Sanchez, E.P., Botella, C.R. and Capilla, M.V., 2013, Update on the use of corticosteroids in third molar surgery: systematic review of the literature, *Oral Surg Oral Med Oral Pathol Oral Radiol*, 116: e342 - e351.
- Hinz, B., Cheremina O., 2008, Achetaminophen (paracetamol) is a selective cyclooxygenase-2 in man, *FASEB J*; 12:384-93.
- Houlton, J.J., Hom, D.B., 2013, Approaching delayed-healing wounds on the face and neck, *Facial Plast Surg Clin N Am*, 21:81–93.
- Hupp, J.R., Ellis III, E., Tucker, M.R., 2014, *Contemporary Oral And Maxillofacial Surgery*, 6th ed., Mosby Co., St. Louis, pp. 43-64, 144-173.
- Isiordia-Espinoza, M.A., Pozos-guillen, A.J., Martinez-Rider, R., Herrera-Abarca, J.E. and Perez-Urizar, J., 2011, Preemptive analgesic effectiveness of Oral Ketorolac plus Local Tramadol After Impacted Mandibular Third Molar Surgery, *Med Oral Patol Oral Cir Bukal*, 16(6) : e776-80.
- Jianda, Xu, Yuxing, Qu, Yi, G, Hong, Z, Libo, P, Jianing, Z., 2016, Impact of Preemptive Analgesia on inflammatory responses and rehabilitation after Primary Total Knee Arthroplasty: A controlled Clinical Study, *Scientific report*, 10(6): 1038.

- Kaban, K., Rahajoe, Rahardjo, 2017, Pengaruh Pemberian Peroral Metilprednisolon Dibandingkan Ketorolac Tromethamine Praodontektomi Terhadap Nyeri, Edema dan Trismus Pascaodontektomi Impaksi Molar Tiga Mandibula, *Majalah Kedokteran Gigi*, 20(3): 1325-1332.
- Katzung, G.B., 1998, *Farmakologi Dasar dan Klinik*, (terj), 6th ed, E.G.C., pp. 616-632.
- Kaufman, E., Lamster, I.B., 2008, the Diagnostic Applications of Saliva-A Review, *Crit Rev Oral Biol Med*, 13(2):197-212.
- Kaur, N., Misurya, R., Narula, R., Kumar, M., Neelkamal, and Neeraj, 2014, Comparison of the clinical efficacy of methylprednisolone with Iibuprofen and ibuprofen alone on the postoperative sequelae of surgical removal of impacted third molar, *Indian Journal of Pain*, 28: 105-110.
- Kelly, Dj; Ahmad, M; Sorin, J; Brull, MD, 2001, Preemitive analgesia II: recent advances and current trends, *Can J Anes*, 48(11):1091-1101.
- Keystone E.C., Ware C.F., 2010, Tumor necrosis factor and anti-tumor necrosis factor therapies, *J Rheumatol Suppl.*;85:27-39.
- Kim, K., Brar, P., Jakubowski, J., Kaltman, S., and Lopez, E., 2009, The use of corticosteroids and nonsteroidal anti-inflammatory medication for the management of pain and inflammation after third molar surgery, a review of the literature, *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 107: 630-640.
- Kirk, D.G., Liston, P.N., Tong, D.C., Love, R.M., 2007, Influence of two different flap designs on incidence of pain, swelling, trismus, and alveolar osteitis in the week following third molar surgery, *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 104:1-6.
- Kissin, I, 2005, Pain medicine preemitive analgesia at the crossroad, *Anesthesia analgesia*; 100:754-6
- Kocer, G., Yuce, E., Oncu, I A.T., Dereci, O., and Koskan, O., 2014, Effect of the route of administration of methylprednisolone on oedema and trismus in impacted lower third molar surgery, *Int.J. Oral Maxillofac. Surg.*, 43: 639-643.
- Kresno, S.B., 2001, *Diagnosis dan Prosedur Laboratorium Imunologi*, 4th ed. Fakultas Kedokteran Universitas Indonesia, Jakarta, pp. 314-317.
- Kumar, V., Cotran, R.S., and Robbins, S.L., 2014, Robbins, *Buku Ajar Patologi*, (terj), EGC, pp. 35-64.
- Larjava, H., 2012, *Oral Wound Healing, Cell Biology and Clinical Management*, John Wiley & Sons, UK. pp. 56-69.

- Laskin D.M., and Abubaker O., 2007 :*Decision Making in Oral and Maxillofacial Surgery*, Quintessence Publishing, Co., Inc., Canada :125-127.
- Lee, Y., Wong, D.T., 2011, Saliva: An Emerging Biofluid For Early Detection Of Diseases, *Am J Dent*, 22(4): 241–248.
- Lorenz, H.P., Longaker, M.T., 2003, Wounds: Biology, Pathology, and Management, in *Essential Practice Surgery.*, Springer, Verlag New York Inc, pp: 77-86.
- Macintyre, P.E., Schug, S.A., Scott, D.A., Visser, E.J., Walker, S.M., 2010, Working Group of the Australian and New Zealand College of Anaesthetists and Faculty of Pain Medicine, *Acute Pain Management: Scientific Evidence*, 3rd ed, ANZCA & FPM, Melbourne, pp. 1-34.
- Malik, N.A., 2008, *Textbook of Oral and Maxillofacial Surgery*, 2th ed., Jaypee Brothers Medical Publisher. Daryaganj. pp. 122-35.
- Meliala, KRTL., Pinzon, R., 2007, Breakthrough in Management of Acute Pain, *DEXA MEDIA*, 4(20): 151 -155.
- Mitchell, D.A., Kanatas, A.N., 2015, *An Introduction to Oral and Maxillofacial Surgery*, 2nd ed, CRC Press, New York, pp. 87-95.
- Mittal, S., Bansal, V., Garg, S., Atreja, G., Bansal, S., 2011, The Diagnostic Role Of Saliva - A Review.,*J Clin Exp Dent*, 3(4):e314-20.
- Miloro, M., Ghali, G.E., Larsen, P.E., Waite, P.D, 2004, *Peterson's Principle of Oral and Maxillofacial Surgery*. 2nd ed., BC Decker Inc., Ontario, p 132.
- Mohn, C.E., Steimetz, T., Surkin, N.P., Fernandez-Solari, J., Elverdin, J.C., Guglielmotti, M.B., 2015, Effects of Saliva on Early Post-Tooth Extraction Tissue Repair in Rats, *Wound Repair and Regeneration*, 23 (2).
- Murray, P., Rosenthal, K., Pfaller, M., 2013, *Medical Microbiology*. Saunders, pp.76-80.
- Nazar, M.N., and Puthiriraj, V., 2014, Analgesics Following Mandibular Third Molar Surgery, *International Journal of Pharmaceutical and Clinical Research*, 6(1): 13-19.
- Ordulu, M., Aktas, I., Yalcin, S., Azak, A.N., Evlioglu, G., Disci, R., and Emes, Y., 2006, Comparative study of the effect of tube drainase versus methylprednisolon after third molar surgery: *Oral surg Oral Med Oral Pathol Oral Radiol Endod*, 101: e96-e100.

- Osuchowski, M.F., Siddiqui, J., Copeland, S., Remick, D.G., 2005, Protocol Sequential ELISA to Profile Multiple Cytokines from Small Volume, *J Immunol Methodes*, 302:172-81.
- Pedersen, G.W., 2012, *Buku Ajar Praktis Bedah Mulut* (terj.), 2nd ed, Penerbit Buku Kedokteran EGC, Jakarta, pp. 345-65.
- Pell, G.J., Gregory, G.T., 1933, Impacted mandibular third molars: classification and modified technique for removal, *The Dental Digest*, 39 (9): 325-338.
- Peterson, L.J., 2011, *Contemporary Oral and Maxillofacial Surgery*, 4th ed, Mosby Co., St. Louis, pp.156-213.
- Perepa, A., Sinha, R., Agarwal, A., Khan, T.A., 2016, Protocol for Antibiotic Administration in Mandibular Trauma: A prospective Clinical Trial, *J. Maxillofacial. Oral Surg.*, 17(1):19-23.
- Pfizer, Inc., 2016, *Medrol, Methylprednisolone tablets*, Aucland, New Zealand, <http://www.medsafe.govt.nz/profs/Datasheet/m/Medroltab.pdf> (24/4/2016).
- Pochapski, M.T., Santos, F.A., de Andrade, E.D., and Sydney, G.B., 2009, Effect of Pretreatment Dexamethasone on Postendodontic Pain, *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 108:790-795.
- Pogrel, M.A., 2012, Removal of Third Molars. dalam Bagheri, S.C., Bell, R.B., Khan, H.A., *Current Therapy in Oral and Maxillofacial Surgery*, Elsevier, Missouri, pp.105-115.
- Pramono, D., dan Pranoto, A.E., 2014, Faktor Resiko Kejadian Komplikasi Pascaodontektomi Gigi Molar Ketiga Rahang Bawah Impaksi di RSGM Prof. Soedomo Yogyakarta, *Laporan Penelitian Dosen*, Fakultas Kedokteran Gigi Universitas Gadjah Mada Yogyakarta, pp. 37-48.
- Prasad, S., Tyagi, A.K., Aggarwal, B.B., 2016. Detection of Inflammatory Biomarkers in Saliva and Urine: Potential in Diagnosis, Prevention, and Treatment for Chronic Diseases. *Experimental Biology and Medicine*. 241: 783–799. DOI: 10.1177/1535370216638770.
- Rahardjo, 2012, Pengaruh Terapi Panas Terhadap Pengurangan Nyeri dan Pembengkakan Wajah Setelah Operasi Pengambilan Gigi Impaksi Molar Ketiga Bawah, *Majalah Kedokteran Gigi*, 19(2): 110-113.
- Rentont, T., 2010, Surgical Management of Third Molars. In: Andersson, L., Kahnberg, KE., Pogrel, MA., eds. *Oral and Maxillofacial Surgery*, Blackwell Publishing Ltd, Oxford, pp. 219-58.

- Ricciotti, E. and Fitzgerald, G.A., 2011, Prostaglandins and Inflammation, *Arterioscler Thromb Vasc Biol*, 31(5): 986-1000.
- Ritsu, M., Kawakami, K., Kanno, E., Tanno, H., Ishii, K., Imai, Y., Maruyama, R., Tachi, M., 2017, Critical Role Of Tumor Necrosis Factor-A In The Early Process Of Wound Healing In Skin, *Journal of Dermatology & Dermatologic Surgery*, 21: 14–19.
- Robbins, S.L., Kumar, V, 1995, *Buku Ajar Patologi*. Alih bahasa, staff pengajar laboratorium Patologi Anatomi Fakultas Kedokteran universitas Airlangga Surabaya, 4th ed, Penerbit Buku Kedokteran EGC, Jakarta, pp. 29-65.
- Roekema, P.A., 1984, *Ludah dalam Ilmu Kedokteran Gigi Pencegahan* (terj.), Gadjah Mada University Press, Yogyakarta, pp.104-121.
- Rosero, EB dan Joshi, GP, 2014, Preemptive, Preventive, Multimodal Analgesia: What Did They Really Mean?, *Plast. Reconstr. Surg*, 134:85s-93s.
- Sandkuhler, J., Ruscheweyh, R, 2002, Opioid and central sensitisation: I. Preemptive analgesia, *European journal*, 97(2):306-14.
- Sato, H., Takeda, Y., 2007, Proliferative activity, apoptosis, and histogenesis in the early stages of rat tooth extraction wound healing, *Cells Tissues Organs*, 186:104-111.
- Siagian, K.V., 2011, Penatalaksanaan Impaksi Gigi Molar Ketiga Bawah Dengan Komplikasinya Pada Dewasa Muda, *Jurnal Biomedik*, 3(3): 186-194.
- Singh, P., Gupta, N.D., Bey, A., and Khan, S., 2014, Salivary TNF-alpha: Potential Marker of Periodontal Destruction, *J Indian Soc Periodontal*, 18:306-10.
- Simone, J.L., Jorge, W.A., Horliana, A.C.R.T., Canaval, T.G., Tortamano, I.P., 2013, Comparative Analysis Of Preemptive Analgesic Effect Of Dexamethasone And Diclofenac Following Third Molar Surgery, *Braz Oral Res.*, 27(3): 266-71. doi: 10.1590/S1806-83242013005000012.
- Sjamsuhidajat, R, and de Jong, W., 2010, *Buku Ajar Ilmu Bedah*, Edisi Revisi, 3th ed, Penerbit Buku Kedokteran EGC, Jakarta, pp. 72-81.
- Slavish, DC., Graham-Engeland, JE., Smyth, JM., Engeland, CG., 2015, Salivary Markers of Inflammation in Response to Acute Stress, *Brain Behav Immun*, 0: 253–269.
- Smith, J.A., 2005, *Current Protocols in Molecular Biology*, John Willey & Sons Inc, p. 28.
- Solomon, L., Ibric, S., Vajs, V., Vuckovic, I., and Vujic Zorica, 2010, Methylprednisone and its related substances in freeze-dried powder for injections, *J Serb. Chem. Soc*; 75(10): 1441-1442, 2010.

- Sortino, F., Cicciu, M., 2011, Strategies Used To Inhibit Postoperative Swelling Following Removal Of Impacted Lower Third Molar, *Dent Res J* (Isfahan), 8(4): 162–171.
- Suherman, S.K., dan Ascobat, P., Adrenokortikotropin, Adrenokortikosteroid, Analog-sintetik dan Antagonisnya, dalam Gunawan, S.G., 2007, *Farmakologi dan Terapi*, FK-UI, 5th ed, Gaya Baru, Jakarta, pp. 496-516.
- Szpaderska, A.M., DiPietro, L.A., 2005, Inflammation in surgical wound healing: friend or foe, *Surgery*, 137:571-573.
- Tripathi, K.D., 2013, *Essentials of Medical Pharmacology*, 7th ed, Jaypee Brothers, New Delhi, pp 182-209.
- Trombelli, L., Farina, R., Marzola, A., Bozzi, L., Liljenberg, B., Lindhe, J., 2008, Modeling and remodeling of human extraction socket, *J Clin Periodontol*, 35:630-639.
- Vadivelu, N, Mitra, S, Schermer, E, Kodumudi, V, Kaye, AD, Urman, RS, 2014, Preventive Analgesia for postoperative pain control: a broader concept, *Dove Press Journal*, 14(7): 17-22.
- Van Gool, A.V., Ten Bosch, J.J., Boering, G., 1977. Clinical Consequences Of Complaints And Complications Afer Removal Of The Mandibular Third Molar. *International Journal of Oral Surgery*. 6 (1): 29–37.
- Vegas-Bustamante, E., Mico-Lioren, J., Gargallo-Albiol, J., Satorres-Nieto, M., Berini-Aytes, L., Gay Escoda, C., 2008: Efficacy of methylprednisolone injected into the masseter muscle following the surgical extraction of impacted lower third molars, *Int J Oral Maxillofacial, Surg*, 37: 260-263.
- Veleska-Stevkovska, D., 2010, Cytokines (IL-1, TNF- α , IL-6) and Oral Surgery Interventions, *Balk J Stom*, 14:124-132.
- Velnar, T., Bailey, T., Smrkolj, V., 2009, The Wound Healing Process: an Overview of the Cellular and Molecular Mechanisms, *The Journal of International Medical Research*, 37: 1528 – 1542.
- Verri Jr, W.A., Cunha, T.M., Poole, S., Ferreira, S.H., Cunha, F.Q., 2007, Cytokine Inhibitors and Pain Control, *Rev Bras Reumatol*, 47(5): 341-353.
- Villafuerte-Nuñez, A.E., Téllez-Anguiano, A.C., Hernández-Díaz, O., Rodríguez-Vera, R., Gutiérrez-Gnecchi, J.A., Salazar-Martínez, J.L., 2013, Facial Edema Evaluation Using Digital Image Processing. *Discrete Dynamics in Nature and Society*, 1-13. <http://dx.doi.org/10.1155/2013/927843>.

Wall, PD., Melzack, R., 1994. *Textbook of Pain 3th ed.* Edinburgh, Churchill Livingstone, p. 165.

Woolf, CJ, 1989, Recent Advance in the Pathophysiology of Acute Pain, *Br J Anaesth*, 63: 139-146.

Xu, F., Zhang, C., Graves, D.T., 2013, Review Article. Abnormal Cell Responses and Role of TNF- α , *BioMed Research International*, 27: 205-212.

Yamaguchi, A., and Sano, K., 2013, Effectiveness of preemptive analgesia on postoperative pain following third molar surgery, review of literatures, *Japanese Dental Science Reiew*, 49 : 131-138.

Zahn, PK, 2006, From Preemptive Analgesia to Preventive Analgesia, *Curr Opin Anaesth*, 19:551-5.

Zahreni-Hamzah, 2011, Saliva as a Future Potential Predictor for Various Periodontal Diseases, *Dental Journal*, 44(2): 77–81.