



REFERENCES

- Aggarwal, B. B. 2003. Signalling pathways of the TNF superfamily: A double-edged sword. *Nature Reviews Immunology*, 3(9), 745.
- Ai, T. T., & Huong, N. T. 2018. Research on the Production of Black Garlic Juice. *International Journal of Pharmaceutical Science Invention*.
- Aktan, F., 2004. iNOS-mediated nitric oxide production and its regulation. *Life sciences*, 75(6), 639-653.
- Al-Farsi, M. A., & Lee, C. Y. 2008. Optimization of phenolics and dietary fibre extraction from date seeds. *Food Chemistry*, 108(3), 977–985.
- Altemimi, A., Lakhssassi, N., Baharlouei, A., Watson, D., & Lightfoot, D. 2017. Phytochemicals: Extraction, isolation, and identification of bioactive compounds from plant extracts. *Plants*, 6(4), 42.
- Amagase, H., Petesch, B. L., Matsuura, H., Kasuga, S., & Itakura, Y. (2001). Intake of garlic and its bioactive components. *The Journal of Nutrition*, 131(3), 955S-962S.
- Ammerman, N. C., Beier-Sexton, M., & Azad, A. F. 2008. Growth and maintenance of Vero cell lines. *Current Protocols in Microbiology*, 11(1), A. 4E. 1-A. 4E. 7.
- Apel, K., & Hirt, H. 2004. Reactive oxygen species: Metabolism, oxidative stress, and signal transduction. *Annual Review of Plant Biology*., 55, 373–399.
- Arreola, R., Quintero-Fabián, S., López-Roa, R. I., Flores-Gutiérrez, E. O., Reyes-Grajeda, J. P., Carrera-Quintanar, L., & Ortuño-Sahagún, D. (2015). Immunomodulation and anti-inflammatory effects of garlic compounds. *Journal of Immunology Research*, 2015.
- Bae, G.-S., Kim, M.-S., Jung, W.-S., Seo, S.-W., Yun, S.-W., Kim, S. G., Park, R.-K., Kim, E.-C., Song, H.-J., & Park, S.-J. 2010. Inhibition of lipopolysaccharide-induced inflammatory responses by piperine. *European Journal of Pharmacology*, 642(1–3), 154–162.
- Bae, S. E., Cho, S. Y., Won, Y. D., Lee, S. H., & Park, H. J. 2012. A comparative study of the different analytical methods for analysis of S-allyl cysteine in black garlic by HPLC. *LWT-Food Science and Technology*, 46(2), 532–535.
- Bae, S. E., Cho, S. Y., Won, Y. D., Lee, S. H., & Park, H. J. 2014. Changes in S-allyl cysteine contents and physicochemical properties of black garlic during heat treatment. *LWT-Food Science and Technology*, 55(1), 397–402.
- Ban, J. O., Oh, J. H., Kim, T. M., Kim, D. J., Jeong, H.-S., Han, S. B., & Hong, J. T. 2009. Anti-inflammatory and arthritic effects of thiacremonone, a novel



- sulfurcompound isolated from garlic via inhibition of NF- κ B. *Arthritis Research & Therapy*, 11(5), R145.
- Bartee, E., & McFadden, G. 2013. Cytokine synergy: An underappreciated contributor to innate anti-viral immunity. *Cytokine*, 63(3), 237–240.
- Beckman, J. S. 1996. Oxidative damage and tyrosine nitration from peroxynitrite. *Chemical Research in Toxicology*, 9(5), 836–844.
- Beckman, J. S., & Koppenol, W. H. 1996. Nitric oxide, superoxide, and peroxynitrite: The good, the bad, and ugly. *American Journal of Physiology-Cell Physiology*, 271(5), C1424–C1437.
- Biswas, S. K. 2016. Does the interdependence between oxidative stress and inflammation explain the antioxidant paradox? *Oxidative Medicine and Cellular Longevity*, 2016.
- Bradley, J.R., 2008. TNF-mediated inflammatory disease. *The Journal of Pathology: A Journal of the Pathological Society of Great Britain and Ireland*, 214(2), 149-160.
- Brand-Williams, W., Cuvelier, M.E. and Berset, C.L.W.T., 1995. Use of a free radical method to evaluate antioxidant activity. *LWT-Food science and Technology*, 28(1), 25-30.
- Bozin, B., Mimica-Dukic, N., Samojlik, I., Goran, A. and Igetic, R., 2008. Phenolics as antioxidants in garlic (*Allium sativum* L., Alliaceae). *Food chemistry*, 111(4), pp.925-929.
- Buelna-Chontal, M., & Zazueta, C. 2013. Redox activation of Nrf2 & NF- κ B: a double end sword? *Cellular Signalling*, 25(12), 2548–2557.
- Butler, M., 2004. *Animal cell culture and technology*. Taylor & Francis.
- Choi, I., Cha, H., & Lee, Y. (2014). Physicochemical and antioxidant properties of black garlic. *Molecules*, 19(10), 16811–16823.
- Chuah, S. C., Moore, P. K., & Zhu, Y. Z. 2007. S-allylcysteine mediates cardioprotection in an acute myocardial infarction rat model via a hydrogen sulfide-mediated pathway. *American Journal of Physiology-Heart and Circulatory Physiology*, 293(5), H2693–H2701.
- Chun, J., Choi, R. J., Khan, S., Lee, D.-S., Kim, Y.-C., Nam, Y.-J., Lee, D.-U., & Kim, Y. S. 2012. Alantolactone suppresses inducible nitric oxide synthase and cyclooxygenase-2 expression by down-regulating NF- κ B, MAPK and AP-1 via the MyD88 signaling pathway in LPS-activated RAW 264.7 cells. *International Immunopharmacology*, 14(4), 375–383.
- Clancy, R. M., Amin, A. R., & Abramson, S. B. 1998. The role of nitric oxide in inflammation and immunity. *Arthritis & Rheumatism*, 41(7), 1141–1151.



- Colín-González, A. L., Santana, R. A., Silva-Islas, C. A., Chánez-Cárdenas, M. E., Santamaría, A., & Maldonado, P. D. 2012. The antioxidant mechanisms underlying the aged garlic extract-and S-allylcysteine-induced protection. *Oxidative Medicine and Cellular Longevity*, 2012.
- Corzo-Martínez, M., Corzo, N., & Villamiel, M. 2007. Biological properties of onions and garlic. *Trends in Food Science & Technology*, 18(12), 609–625.
- Coward, W. R., Okayama, Y., Sagara, H., Wilson, S. J., Holgate, S. T., & Church, M. K. 2002. NF- κ B and TNF- α : A positive autocrine loop in human lung mast cells? *The Journal of Immunology*, 169(9), 5287–5293.
- Ćujić, N., Šavikin, K., Janković, T., Pljevljakušić, D., Zdunić, G., & Ibrić, S. (2016). Optimization of polyphenols extraction from dried chokeberry using maceration as traditional technique. *Food Chemistry*, 194, 135–142.
- Cuzzocrea, S., & Salvemini, D. 2007. Molecular mechanisms involved in the reciprocal regulation of cyclooxygenase and nitric oxide synthase enzymes. *Kidney International*, 71(4), 290–297.
- Daliri, E. B.-M., Ofosu, F. K., Chelliah, R., Park, M. H., Kim, J.-H., & Oh, D.-H. 2019. Development of a soy protein hydrolysate with an antihypertensive effect. *International Journal of Molecular Sciences*, 20(6), 1496.
- Del Rio, D., Borges, G., & Crozier, A. 2010. Berry flavonoids and phenolics: Bioavailability and evidence of protective effects. *British Journal of Nutrition*, 104(S3), S67–S90.
- Deore S. L., K.S., Baviskar, B.A., Khangenbam, R.A., Koli, U.S., Daga, N.P., Gadail, P.A. and Jain, P.A., 2009. In vitro antioxidant activity and phenolic content of *Croton caudatum*. *vitro*, 1(2), pp.174-6.
- Esmon, C. T. 2004. The impact of the inflammatory response on coagulation. *Thrombosis Research*, 114(5–6), 321–327.
- Farnsworth, N. R., Akerele, O., Bingel, A. S., Soejarto, D. D., & Guo, Z. 1985. Medicinal plants in therapy. *Bulletin of the World Health Organization*, 63(6), 965.
- Ferrero-Miliani, L., Nielsen, O. H., Andersen, P. S., & Girardin, S. E. 2007. Chronic inflammation: Importance of NOD2 and NALP3 in interleukin-1 β generation. *Clinical & Experimental Immunology*, 147(2), 227–235.
- Freshney, R. I. 2015. *Culture of animal cells: A manual of basic technique and specialized applications*. John Wiley & Sons.
- Fridovich, I. 1978. The biology of oxygen radicals. *Science*, 201(4359), 875–880.
- Funk, C. D., Funk, L. B., Kennedy, M. E., Pong, A. S., & Fitzgerald, G. A. (1991). Human platelet/erythroleukemia cell prostaglandin G/H synthase: CDNA



cloning, expression, and gene chromosomal assignment. *The FASEB Journal*, 5(9), 2304–2312.

- Gangwar, M., Gautam, M. K., Sharma, A. K., Tripathi, Y. B., Goel, R. K., & Nath, G. 2014. Antioxidant capacity and radical scavenging effect of polyphenol rich *Mallotus philippenensis* fruit extract on human erythrocytes: An in vitro study. *The Scientific World Journal*, 2014.
- Grinberg-Bleyer, Y., & Ghosh, S. 2016). A novel link between inflammation and cancer. *Cancer Cell*, 30(6), 829–830.
- Guha, M., & Mackman, N. 2001. LPS induction of gene expression in human monocytes. *Cellular Signalling*, 13(2), 85–94.
- Gupta, S. C., Sundaram, C., Reuter, S., & Aggarwal, B. B. 2010. Inhibiting NF- κ B activation by small molecules as a therapeutic strategy. *Biochimica et Biophysica Acta (BBA)-Gene Regulatory Mechanisms*, 1799(10–12), 775–787.
- Haddad, John J. 2002. Antioxidant and prooxidant mechanisms in the regulation of redox (γ)-sensitive transcription factors. *Cellular Signalling*, 14(11), 879–897.
- Haddad, John JE, Safieh-Garabedian, B., Saadé, N. E., Kanaan, S. A., & Land, S. C. 2001. CHEMIOXYEXCITATION (Δp O₂/ROS)-DEPENDENT RELEASE OF IL-1 β , IL-6 AND TNF- α : EVIDENCE OF CYTOKINES AS OXYGEN-SENSITIVE MEDIATORS IN THE ALVEOLAR EPITHELIUM. *Cytokine*, 13(3), 138–147.
- Hajjar, D. P., Lander, H. M., Pearce, S. F. A., Upmacis, R., & Pomerantz, K. B. 1995. Nitric oxide enhances prostaglandin-H synthase-1 activity by a heme-independent mechanism: Evidence implicating nitrosothiols. *Journal of the American Chemical Society*, 117(12), 3340–3346.
- Hancock, J. T., Desikan, R., & Neill, S. J. 2001. Role of reactive oxygen species in cell signalling pathways. Portland Press Limited.
- Heidland, A., Klassen, A., Rutkowski, P., & Bahner, U. 2006. The contribution of Rudolf Virchow to the concept of inflammation: What is still of importance?
- Herodež, Š. S., Hadolin, M., Škerget, M., & Knez, Ž. 2003. Solvent extraction study of antioxidants from Balm (*Melissa officinalis* L.) leaves. *Food Chemistry*, 80(2), 275–282.
- Herrera-Mundo, M. N., Silva-Adaya, D., Maldonado, P. D., Galván-Arzate, S., Andrés-Martínez, L., Pérez-De La Cruz, V., Pedraza-Chaverrí, J., & Santamaría, A. 2006. S-Allylcysteine prevents the rat from 3-nitropropionic acid-induced hyperactivity, early markers of oxidative stress and mitochondrial dysfunction. *Neuroscience Research*, 56(1), 39–44.



- Hickey, E. J., Raje, R. R., Reid, V. E., Gross, S. M., & Ray, S. D. 2001. Diclofenac induced in vivo nephrotoxicity may involve oxidative stress-mediated massive genomic DNA fragmentation and apoptotic cell death. *Free Radical Biology and Medicine*, 31(2), 139–152.
- Himalayan “lazy garlic” comprising one big single clove now in Lidl. (2013, October 7). Mail Online. <https://www.dailymail.co.uk/femail/article-2448515/No-fiddly-peeling-Himalayan-lazy-garlic-comprising-ENORMOUS-single-clove-sold-Lidl.html>
- Hinz, B., & Brune, K. 2002. Cyclooxygenase-2—10 years later. *Journal of Pharmacology and Experimental Therapeutics*, 300(2), 367–375.
- Hussain, S. P., Hofseth, L. J., & Harris, C. C. 2003. Radical causes of cancer. *Nature Reviews Cancer*, 3(4), 276.
- Hussain, T., Tan, B., Yin, Y., Blachier, F., Tossou, M.C. and Rahu, N., 2016. Oxidative stress and inflammation: what polyphenols can do for us?. *Oxidative medicine and cellular longevity*, 2016.
- Ichikawa, M., Ryu, K., Yoshida, J., Ide, N., Yoshida, S., Sasaoka, T. and Sumi, S.I., 2002. Antioxidant effects of tetrahydro- β -carboline derivatives identified in aged garlic extract. *Biofactors*, 16(3-4), pp.57-72.
- Ide, N. and LAU, B.H., 1997. Garlic compounds protect vascular endothelial cells from oxidized low-density lipoprotein-induced injury. *Journal of pharmacy and pharmacology*, 49(9), pp.908-911.
- Ide, N., Matsuura, H. and Itakura, Y., 1996. Scavenging effect of aged garlic extract and its constituents on active oxygen species. *Phytotherapy Research*, 10(4), pp.340-341. Ide, N., Lau, B.H., Ryu, K., Matsuura, H. and Itakura, Y., 1999. Antioxidant effects of fructosyl arginine, a Maillard reaction product in aged garlic extract. *The Journal of nutritional biochemistry*, 10(6), pp.372-376
- Ighodaro, O.M. and Akinloye, O.A., 2016. Sapium ellipticum (Hochst.) Pax Leaf Extract: In-vitro Antioxidant Activities and Lethal Dose (LD50) Determination in Wistar Rats. *Journal of Advances in Medicine and Medical Research*, 1-7.
- Imai, M., Naito, H., Okuda, M. and Sugimura, A., 1994. Method for determination of rotational viscosity in nematic liquid crystals. *Japanese journal of applied physics*, 33(1B), p.L119.
- Invitrogen. 2010. Cell Culture Basics Handbook. ThermoFisher Scientific Inc., 1–61. <https://doi.org/10.1093/chemse/bjt099>
- Ishiyama, M., Tominaga, H., Shiga, M., Sasamoto, K., Ohkura, Y. and Ueno, K., 1996. A combined assay of cell viability and in vitro cytotoxicity with a highly



water-soluble tetrazolium salt, neutral red and crystal violet. *Biological and Pharmaceutical Bulletin*, 19(11), 1518-1520.

- Jabs, Thorsten. "Reactive oxygen intermediates as mediators of programmed cell death in plants and animals." *Biochemical pharmacology* 57, no. 3 (1999): 231-245.
- Jang, E.K., Seo, J.H. and Lee, S.P., 2008. Physiological activity and antioxidative effects of aged black garlic (*Allium sativum* L.) extract. *Korean Journal of Food Science and Technology*, 40(4), 443-448.
- Jeong, Y.Y., Ryu, J.H., Shin, J.H., Kang, M.J., Kang, J.R., Han, J. and Kang, D., 2016. Comparison of anti-oxidant and anti-inflammatory effects between fresh and aged black garlic extracts. *Molecules*, 21(4), 430.
- Karadag, A., Ozcelik, B. and Saner, S., 2009. Review of methods to determine antioxidant capacities. *Food analytical methods*, 2(1), 41-60.
- Katsiki, N. and Manes, C., 2009. Is there a role for supplemented antioxidants in the prevention of atherosclerosis?. *Clinical nutrition*, 28(1), 3-9.
- Kedare, S.B. and Singh, R.P., 2011. Genesis and development of DPPH method of antioxidant assay. *Journal of food science and technology*, 48(4), 412-422.
- Khoddami, A., Wilkes, M.A. and Roberts, T.H., 2013. Techniques for analysis of plant phenolic compounds. *Molecules*, 18(2), 2328-2375.
- Kim, J.M., Chang, N., Kim, W.K. and Chun, H.S., 2006. Dietary S-allyl-L-cysteine reduces mortality with decreased incidence of stroke and behavioral changes in stroke-prone spontaneously hypertensive rats. *Bioscience, biotechnology, and biochemistry*, 70(8), 1969-1971.
- Kim, K.M., Chun, S.B., Koo, M.S., Choi, W.J., Kim, T.W., Kwon, Y.G., Chung, H.T., Billiar, T.R. and Kim, Y.M., 2001. Differential regulation of NO availability from macrophages and endothelial cells by the garlic component S-allyl cysteine. *Free Radical Biology and Medicine*, 30(7), 747-756.
- Kim, M.J., Yoo, Y.C., Kim, H.J., Shin, S.K., Sohn, E.J., Min, A.Y., Sung, N.Y. and Kim, M.R., 2014. Aged black garlic exerts anti-inflammatory effects by decreasing no and proinflammatory cytokine production with less cytotoxicity in LPS-stimulated raw 264.7 macrophages and LPS-induced septicemia mice. *Journal of medicinal food*, 17(10), 1057-1063.
- Kleinert, H., Wallerath, T., Euchenhofer, C., Ihrig-Biedert, I., Li, H. and Förstermann, U., 1998. Estrogens increase transcription of the human endothelial NO synthase gene: analysis of the transcription factors involved. *Hypertension*, 31(2), 582-588.



- Knowles, R.G. and Moncada, S., 1994. Nitric oxide synthases in mammals. *Biochemical Journal*, 298(Pt 2), 249.
- Kodera, Y., Suzuki, A., Imada, O., Kasuga, S., Sumioka, I., Kanezawa, A., Taru, N., Fujikawa, M., Nagae, S., Masamoto, K. and Maeshige, K., 2002. Physical, chemical, and biological properties of S-allylcysteine, an amino acid derived from garlic. *Journal of Agricultural and Food Chemistry*, 50(3), 622-632.
- Korhonen, R., Lahti, A., Kankaanranta, H. and Moilanen, E., 2005. Nitric oxide production and signaling in inflammation. *Current Drug Targets-Inflammation & Allergy*, 4(4), 471-479.
- Kumar, R., Chhatwal, S., Arora, S., Sharma, S., Singh, J., Singh, N., Bhandari, V. and Khurana, A., 2013. Antihyperglycemic, antihyperlipidemic, anti-inflammatory and adenosine deaminase-lowering effects of garlic in patients with type 2 diabetes mellitus with obesity. *Diabetes, metabolic syndrome and obesity: targets and therapy*, 6, 49.
- Kurutas, E.B., 2015. The importance of antioxidants which play the role in cellular response against oxidative/nitrosative stress: current state. *Nutrition journal*, 15(1), 71.
- Lechner, M., Lirk, P. and Rieder, J., 2005, August. Inducible nitric oxide synthase (iNOS) in tumor biology: the two sides of the same coin. In *Seminars in cancer biology*, 15(4), 277-289).
- Lee, E.N., Choi, Y.W., Kim, H.K., Park, J.K., Kim, H.J., Kim, M.J., Lee, H.W., Kim, K.H., Bae, S.S., Kim, B.S. and Yoon, S., 2011. Chloroform extract of aged black garlic attenuates TNF- α -induced ROS generation, VCAM-1 expression, NF- κ B activation and adhesiveness for monocytes in human umbilical vein endothelial cells. *Phytotherapy Research*, 25(1), 92-100.
- Lee, K.M., Kang, B.S., Lee, H.L., Son, S.J., Hwang, S.H., Kim, D.S., Park, J.S. and Cho, H.J., 2004. Spinal NF- κ B activation induces COX-2 upregulation and contributes to inflammatory pain hypersensitivity. *European Journal of Neuroscience*, 19(12), 3375-3381.
- Lee, Y.M., Gweon, O.C., Seo, Y.J., Im, J., Kang, M.J., Kim, M.J. and Kim, J.I., 2009. Antioxidant effect of garlic and aged black garlic in animal model of type 2 diabetes mellitus. *Nutrition research and practice*, 3(2), 156-161.
- Locksley, R.M., Killeen, N. and Lenardo, M.J., 2001. The TNF and TNF receptor superfamilies: integrating mammalian biology. *Cell*, 104(4), 487-501.
- Lu, X., Li, N., Qiao, X., Qiu, Z. and Liu, P., 2017. Composition analysis and antioxidant properties of black garlic extract. *Journal of food and drug analysis*, 25(2), 340-349.



- MacMicking, J., Xie, Q.W. and Nathan, C., 1997. Nitric oxide and macrophage function. *Annual review of immunology*, 15(1), 323-350..
- Mahmood, T. and Yang, P.C., 2012. Western blot: technique, theory, and trouble shooting. *North American journal of medical sciences*, 4(9), 429. Mahmood, T. and Yang, P.C., 2012. Western blot: technique, theory, and trouble shooting. *North American journal of medical sciences*, 4(9), 429.
- Mahmoodzadeh, Y., Mazani, M. and Rezagholizadeh, L., 2017. Hepatoprotective effect of methanolic Tanacetum parthenium extract on CCl₄-induced liver damage in rats. *Toxicology reports*, 4, 455-462.
- Mardini, I.A. and FitzGerald, G.A., 2001. Selective inhibitors of cyclooxygenase-2. *Molecular interventions*, 1(1), 30.
- Medina-Campos, O.N., Barrera, D., Segoviano-Murillo, S., Rocha, D., Maldonado, P.D., Mendoza-Patiño, N. and Pedraza-Chaverri, J., 2007. S-allylcysteine scavenges singlet oxygen and hypochlorous acid and protects LLC-PK1 cells of potassium dichromate-induced toxicity. *Food and chemical toxicology*, 45(10), 2030-2039.
- Medzhitov, R., 2001. Toll-like receptors and innate immunity. *Nature Reviews Immunology*, 1(2), 135-145.
- Moncada, S. and Higgs, E.A., 2006. The discovery of nitric oxide and its role in vascular biology. *British journal of pharmacology*, 147(S1), S193-S201..
- Montagnon, B.J. and Vincent-Falquet, J.C., 1998. Experience with the Vero cell line. *Developments in biological standardization*, 93, 119-123.
- Mukaida, N., 2000. The roles of cytokine receptors in diseases. *Rinsho byori. The Japanese journal of clinical pathology*, 48(5), 409-415.
- Nencini, C., Menchiari, A., Franchi, G.G. and Micheli, L., 2011. In vitro antioxidant activity of aged extracts of some Italian Allium species. *Plant foods for human nutrition*, 66(1), 11-16.
- Jewkes, R., Sikweyiya, Y., Morrell, R. and Dunkle, K., 2011. Gender inequitable masculinity and sexual entitlement in rape perpetration South Africa: findings of a cross-sectional study. *PloS one*, 6(12).
- Nicholas, C., Batra, S., Vargo, M.A., Voss, O.H., Gavrilin, M.A., Wewers, M.D., Guttridge, D.C., Grotewold, E. and Doseff, A.I., 2007. Apigenin blocks lipopolysaccharide-induced lethality in vivo and proinflammatory cytokines expression by inactivating NF- κ B through the suppression of p65 phosphorylation. *The Journal of Immunology*, 179(10), 7121-7127.
- Nimse, S.B. and Pal, D., 2015. Free radicals, natural antioxidants, and their reaction mechanisms. *Rsc Advances*, 5(35), 27986-28006.



- Ohnishi, S., Ma, N., Thanan, R., Pinlaor, S., Hammam, O., Murata, M. and Kawanishi, S., 2013. DNA damage in inflammation-related carcinogenesis and cancer stem cells. *Oxidative medicine and cellular longevity*, 2013.
- Ohshima, H. and Bartsch, H., 1994. Chronic infections and inflammatory processes as cancer risk factors: possible role of nitric oxide in carcinogenesis. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, 305(2), 253-264.
- Handa, S.S., Khanuja, S.P.S., Longo, G. and Rakesh, D.D., 2008. Extraction technologies for medicinal and aromatic plants: Earth. *Environmental and Marine Sciences and Technologies*.
- Oh, H.L., Ahn, M.H., Kim, N.Y., Song, J.E., Lee, S.Y., Song, M.R., Park, J.Y. and Kim, M.R., 2012. Quality characteristics and antioxidant activities of yanggeng with added Rehmanniae radix Preparata concentrate. *Korean journal of food and cookery science*, 28(1), 1-8.
- Osada, N., Kohara, A., Yamaji, T., Hirayama, N., Kasai, F., Sekizuka, T., Kuroda, M., & Hanada, K. 2014. The genome landscape of the african green monkey kidney-derived vero cell line. *DNA Research*, 21(6), 673–683.
- O'Shea, J.J. and Murray, P.J., 2008. Cytokine signaling modules in inflammatory responses. *Immunity*, 28(4), 477-487.
- Park, E.J., Bae, E., Yi, J., Kim, Y., Choi, K., Lee, S.H., Yoon, J., Lee, B.C. and Park, K., 2010. Repeated-dose toxicity and inflammatory responses in mice by oral administration of silver nanoparticles. *Environmental toxicology and pharmacology*, 30(2), 162-168.
- Park, J.M., Han, Y.M., Kangwan, N., Lee, S.Y., Jung, M.K., Kim, E.H. and Hahm, K.B., 2014. S-allyl cysteine alleviates nonsteroidal anti-inflammatory drug-induced gastric mucosal damages by increasing cyclooxygenase-2 inhibition, heme oxygenase-1 induction, and histone deacetylation inhibition. *Journal of gastroenterology and hepatology*, 29, 80-92.
- Phelan, K. and May, K.M., 2015. Basic techniques in mammalian cell tissue culture. *Current protocols in cell biology*, 66(1), 1-1.
- Poyton, R.O., Ball, K.A. and Castello, P.R., 2009. Mitochondrial generation of free radicals and hypoxic signaling. *Trends in Endocrinology & Metabolism*, 20(7), 332-340.
- Prior, R.L., Wu, X. and Schaich, K., 2005. Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of agricultural and food chemistry*, 53(10), 4290-4302.
- PUTRI, L.S.E., DASUMIATI, D., KRISTIYANTO, K., MARDIANSYAH, M., MALIK, C., LEUVINADRIE, L.P. and MULYONO, E.A., 2016.



Ethnobotanical study of herbal medicine in Ranggawulung urban forest, Subang District, West Java, Indonesia. *Biodiversitas Journal of Biological Diversity*, 17(1).

RAMNATH1a, S. and VENKATARAMEGOWDA, S., 2016. Antioxidant activity of indian propolis-an in vitro evaluation. *International Journal of Pharmacology, Phytochemistry and Ethnomedicine*, 79.

Reeh, P.W. and Steen, K.H., 1996. Tissue acidosis in nociception and pain. In *Progress in brain research* ,13, 143-151.

Rhim, J.S., Schell, K., Creasy, B. and Case, W., 1969. Biological characteristics and viral susceptibility of an African green monkey kidney cell line (Vero). *Proceedings of the Society for Experimental Biology and Medicine*, 132(2), 670-678.

Ruch, R.J., Cheng, S.J. and Klaunig, J.E., 1989. Prevention of cytotoxicity and inhibition of intercellular communication by antioxidant catechins isolated from Chinese green tea. *Carcinogenesis*, 10(6), 1003-1008.

Ryu, J.H. and Kang, D., 2017. Physicochemical properties, biological activity, health benefits, and general limitations of aged black garlic: A review. *Molecules*, 22(6), 919.

Salman, H., Bergman, M., Bessler, H., Punsky, I. and Djaldetti, M., 1999. Effect of a garlic derivative (alliin) on peripheral blood cell immune responses. *International journal of immunopharmacology*, 21(9), 589-597.

Salvemini, D., Misko, T.P., Masferrer, J.L., Seibert, K., Currie, M.G. and Needleman, P., 1993. Nitric oxide activates cyclooxygenase enzymes. *Proceedings of the National Academy of Sciences*, 90(15), 7240-7244.

Santhosha, S.G., Jamuna, P. and Prabhavathi, S.N., 2013. Bioactive components of garlic and their physiological role in health maintenance: A review. *Food Bioscience*, 3, 59-74.

Saryono, P., 2019, April. The potency of black garlic as anti-atherosclerotic: Mechanisms of action and the prospectively. In *American Institute of Physics Conference Series* , 2094(2).

Sato, E., Kohno, M. and Niwano, Y., 2006. Increased level of tetrahydro- β -carboline derivatives in short-term fermented garlic. *Plant Foods for Human Nutrition*, 61(4), 175-178.

Satti, N.M.E., A-Elbasit, I.E.M., Ahmed, I.E.M. and Eltahir, F.A.M., 2018. Comparative analysis on the levels of some bioactive constituents of Asian and African garlic types. *Bioscience Biotechnology Research Communications*, 11(4), 556-562.



- Schraufstatter, I., Hyslop, P.A., Jackson, J.H. and Cochrane, C.G., 1988. Oxidant-induced DNA damage of target cells. *The Journal of clinical investigation*, 82(3), 1040-1050.
- Schwab, J.M., Schluesener, H.J., Meyermann, R. and Serhan, C.N., 2003. COX-3 the enzyme and the concept: steps towards highly specialized pathways and precision therapeutics?. *Prostaglandins, leukotrienes and Essential fatty acids*, 69(5), 339-343.
- Seki, M., Narusaka, M., Ishida, J., Nanjo, T., Fujita, M., Oono, Y., Kamiya, A., Nakajima, M., Enju, A., Sakurai, T. and Satou, M., 2002. Monitoring the expression profiles of 7000 Arabidopsis genes under drought, cold and high-salinity stresses using a full-length cDNA microarray. *The Plant Journal*, 31(3), 279-292.
- Shi, H., Jing, X., Wei, X., Perez, R.G., Ren, M., Zhang, X. and Lou, H., 2015. S-allyl cysteine activates the Nrf2-dependent antioxidant response and protects neurons against ischemic injury in vitro and in vivo. *Journal of neurochemistry*, 133(2), 298-308.
- Shimoda, L.M., Park, C., Stokes, A.J., Gomes, H.H. and Turner, H., 2012. Pacific island'Awa (Kava) extracts, but not isolated kavalactones, promote proinflammatory responses in model mast cells. *Phytotherapy research*, 26(12), 1934-1941.
- Smith, W.L. and Dewitt, D.L., 1996. Prostaglandin endoperoxide H synthases-1 and-2. In *Advances in immunology* , 62, 167-215.
- Soto-Hernandez, M., Tenango, M.P. and Garcıa-Mateos, R. eds., 2017. *Phenolic Compounds: Biological Activity*. BoD–Books on Demand.
- Spigno, G., Tramelli, L. and De Faveri, D.M., 2007. Effects of extraction time, temperature and solvent on concentration and antioxidant activity of grape marc phenolics. *Journal of food engineering*, 81(1), 200-208.
- Sreelatha, S. and Padma, P.R., 2009. Antioxidant activity and total phenolic content of Moringa oleifera leaves in two stages of maturity. *Plant foods for human nutrition*, 64(4), 303.
- Subbaramaiah, K. and Dannenberg, A.J., 2003. Cyclooxygenase 2: a molecular target for cancer prevention and treatment. *Trends in pharmacological sciences*, 24(2), 96-102.
- SUHARNO, S. (2016). Wati (Piper methysticum) medicinal plant: The ethnobiological and ethnomedicinal values of the Marind tribe in Merauke, Papua, Indonesia. *Biodiversitas Journal of Biological Diversity*, 17(2), 814–822.



- Sultana, B., Anwar, F. and Ashraf, M., 2009. Effect of extraction solvent/technique on the antioxidant activity of selected medicinal plant extracts. *Molecules*, 14(6), 2167-2180.
- Suschek, C.V., Schnorr, O. and Kolb-Bachofen, V., 2004. The role of iNOS in chronic inflammatory processes in vivo: is it damage-promoting, protective, or active at all?. *Current molecular medicine*, 4(7), 763-775.
- Szabó, C. and Ohshima, H., 1997. DNA damage induced by peroxynitrite: subsequent biological effects. *Nitric oxide*, 1(5), 373-385.
- Szliszka, E., Czuba, Z.P., Jernas, K. and Król, W., 2008. Dietary flavonoids sensitize HeLa cells to tumor necrosis factor-related apoptosis-inducing ligand (TRAIL). *International Journal of Molecular Sciences*, 9(1), 56-64.
- Teferedegne, B., Macauley, J., Foseh, G., Dragunsky, E., Chumakov, K., Murata, H., Peden, K. and Lewis Jr, A.M., 2014. MicroRNAs as potential biomarkers for VERO cell tumorigenicity. *Vaccine*, 32(37), 4799-4805.
- Toledano-Medina, M.A., Pérez-Aparicio, J., Moreno-Rojas, R. and Merinas-Amo, T., 2016. Evolution of some physicochemical and antioxidant properties of black garlic whole bulbs and peeled cloves. *Food chemistry*, 199, 135-139.
- Tran, G.B., Dam, S.M. and Le, N.T.T., 2018. Amelioration of Single Clove Black Garlic Aqueous Extract on Dyslipidemia and Hepatitis in Chronic Carbon Tetrachloride Intoxicated Swiss Albino Mice. *International journal of hepatology*, 2018.
- Tran, G.B., Pham, T.V. and Trinh, N.N., 2019. Black Garlic and Its Therapeutic Benefits. In *Studies on Garlic*. IntechOpen.
- van den Bosch, M.W., Palsson-Mcdermott, E., Johnson, D.S. and O'Neill, L.A., 2014. LPS induces the degradation of programmed cell death protein 4 (PDCD4) to release Twist2, activating c-Maf transcription to promote interleukin-10 production. *Journal of Biological Chemistry*, 289(33), 22980-22990.
- Vane, J., 1994. Towards a better aspirin. *Nature*, 367(6460), 215-216.
- Vincent, H.K. and Taylor, A.G., 2006. Biomarkers and potential mechanisms of obesity-induced oxidant stress in humans. *International journal of obesity*, 30(3), 400-418.
- Von Knethen, A. and Brüne, B., 1997. Cyclooxygenase-2: an essential regulator of NO-mediated apoptosis. *The FASEB Journal*, 11(11), 887-895.
- Wang, D., Feng, Y., Liu, J., Yan, J., Wang, M., Sasaki, J.I. and Lu, C., 2010. Black garlic (*Allium sativum*) extracts enhance the immune system. *Medicinal and Aromatic Plant Science and Biotechnology*, 4(1), 37-40.



- Siddiquee, S., Rovina, K., Azad, S.A., Naher, L., Suryani, S. and Chaikaew, P., 2015. Heavy metal contaminants removal from wastewater using the potential filamentous fungi biomass: a review. *J Microb Biochem Technol*, 7(6), 384-395.
- Willmer, E.N. ed., 2015. *Cells and tissues in culture: methods, biology and physiology*. Elsevier.
- Williams, C.S., Luongo, C., Radhika, A., Zhang, T., Lamps, L.W., Nanney, L.B., Beauchamp, R.D. and DuBois, R.N., 1996. Elevated cyclooxygenase-2 levels in Min mouse adenomas. *Gastroenterology*, 111(4), 1134-1140.
- Winer, J., Jung, C.K.S., Shackel, I. and Williams, P.M., 1999. Development and validation of real-time quantitative reverse transcriptase-polymerase chain reaction for monitoring gene expression in cardiac myocytes in vitro. *Analytical biochemistry*, 270(1), 41-49.
- Yadav, U. and Ramana, K.V., 2013. Regulation of NF-B-induced inflammatory signaling by lipid peroxidation-derived aldehydes. *Oxidative medicine and cellular longevity*, 2013.
- Yasumura, Y., 1963. The research for the SV40 by means of tissue culture technique. *Nippon Rinsho*, 21(6), 1201-1219.
- Yoon, W.J., Kim, S.S., Oh, T.H., Lee, N.H. and Hyun, C.G., 2009. Abies koreana essential oil inhibits drug-resistant skin pathogen growth and LPS-induced inflammatory effects of murine macrophage. *Lipids*, 44(5), 471-476.
- Yoshimura, R., Matsuyama, M., Tsuchida, K., Takemoto, Y. and Nakatani, T., 2005. Relationship between cyclooxygenase (COX)-2 and malignant tumors. *Nihon rinsho. Japanese journal of clinical medicine*, 63(10), 1839-1848.
- Yuan, H., Sun, L., Chen, M. and Wang, J., 2016. The comparison of the contents of sugar, Amadori, and Heyns compounds in fresh and black garlic. *Journal of food science*, 81(7), C1662-C1668.
- Yun, H.Y., Dawson, V.L. and Dawson, T.M., 1996. Neurobiology of nitric oxide. *Critical Reviews™ in Neurobiology*, 10(3-4), 291-316.
- Zhang, X., Li, N., Lu, X., Liu, P. and Qiao, X., 2016. Effects of temperature on the quality of black garlic. *Journal of the Science of Food and Agriculture*, 96(7), 2366-2372.