

DAFTAR PUSTAKA

- Abney, T.D., and V.M.,Russo. 1997. Factors Affecting Plant Height and Yield of Eggplant. *Journal of Sustainable Agriculture* 10 (4): 37-48.
- Adhikari, P. B., and Kang, W.H. 2017. Association of Floral Bud and Anther Size with Microspore Developmental Stage in Campari Tomato. *Horticultural Science and Technology*. 35(5):608-617.
- Almoguera, C., and Jordano, J. 1992. Developmental and environmental concurrent expression of sunflower dry seed stored low molecular weight heat shock protein and Lea mRNAs. *Plant Mol Biol* 19: 781–792.
- Ashari, S. 1995. *Hortikultura Aspek Budidaya*. Jakarta (ID): Universitas Indonesia Press.
- Bal, U., Ellialtioglu, S., Abak, K. 2009. Induction of symmetrical nucleus division and multi-nucleate structures in microspores of eggplant (*Solanum melongena* L.) cultured in vitro. *Sci Agric*. 66:535–539.
- Bhojwani, S.S., and Bhatnagar, S.P. 1999. *The Embryology of Angiosperm, 4th Revised and Enlarged Edition*. Vika's Publishing House PVT LTD.New Delhi: P16-28.
- Bohs, L., and Weese, T. 2010. Eggplant origins: Out of Africa, into the Orient. *Taxon*. 59:49-56.
- Bonet, F.J., and Olmedilla, A. 2000. Structural changes during early embryogenesis in wheat pollen. *Protoplasma (Springer-Verlag)*.211:94-102.
- Borg, M., Brownfield, L., and Twell, D. 2008. Review Paper: Male Gametophyte Development: a Molecular Perspective. *Journal of Experimental Botany*. 60 (5):1465-1478.
- Browne, R.G., Lacuone, S., Li, F.S., Dolferus, R., and Parish, R.W. 2018. Anther Morphological Development and Stage Determination in *Triticum aestivum* *Front. Plant Sci*. 9:228.
- CABI. 2017. *Solanum melongena* L. (Aubergine). <https://www.cabi.org/isc/data-sheet/50536>. Diakses tanggal 30 Juni 2018.
- Carlos, J., and Dias, S. 2001. Effect of incubation temperature regimes and culture medium on broccoli microspore culture embryogenesis. *Euphytica*. 119:389–394.
- Chapman, G. P. 1987. *The Tapetum, in International Review of Cytology*, eds K. W. Jeon, G. H. Bourne, and F. Martin (Orlando FL: Academic Press).111–125.
- Chen, C.C., Howarth, M.J., Peterson, R.L., Kasha, K.J. 1984. Ultrastructure of androgenic microspores of barley during the early stages of anther culture. *Can J Genet Cytol* .26:484–491.
- Chiancone, B., and Maria, A.G. 2016. Microspore Embryogenesis Through Anther Culture in *Citrus clementina* Hort. ex Tan. In: Maria Antonietta Germanà and Maurizio Lambardi (eds.), *In Vitro Embryogenesis in*

- Higher Plants, *Methods in Molecular Biology*. Springer Science+Business Media: New York. 1359.
- Corral-Martinez P, Nuez F, Seguí-Simarro JM (2008) Recent advances in eggplant microspore cultures for production of androgenic doubled haploids. In: Prohens J, Badenes ML (eds) Modern variety breeding for present and future needs UPV Press. *Proceeding of the 18th EUCARPIA general congress*. Valencia, Spain:104–108.
- Corral-Martinez, P., Seguí-Simarro, J.M. 2012. Efficient production of callus-derived doubled haploids through isolated microspore culture in eggplant (*Solanum melongena* L.). *Euphytica*. 187: 47–61
- Daunay, M., Lester, R., Ano, G. 2001. *Cultivated eggplants*. In: Tropical Plant Breeding, Charrier, A., Jacquot, M., Hamon, S., Nicholas, D. (eds.). Oxford University Press, Oxford, U.K.200–225.
- Dubas, E., Custers, J., Kieft, H., Maria, W., and Andre, A.M.van Lammeren. 2014. Characterization of polarity development through 2- and 3-D imaging during the initial phase of microspore embryogenesis in *Brassica napus* L. *Protoplasma*. 251(1): 103–113.
- Eckey-Kaltenbach, H., Kiefer, E., Grosskopf, E., Ernst, D., and Sandermann, H. 1997, Differential transcript induction of parsley pathogenesis related proteins and of a small heat shock protein by ozone and heat shock. *Plant Mol Biol* 33: 343–350.
- FAOSTAT. 2017. *FAOSTAT Production Databases*. Available online at: <http://faostat.fao.org>. Diakses 25 Januari 2019.
- Ferrie, A.M.R., and Caswell, K.L. 2011. Isolated Microspore Culture Techniques and Recent Progress for Haploid and Doubled Haploid Plant Production. *Plant Cell Tissue and Organ Culture*. 104 (3):301-309.
- Ferrie, A.M.R., and Keller, W.A. 1995. Microspore Culture for Haploid Plant Production. O. L. Gamborg et al. (eds.). *Plant Cell, Tissue and Organ Culture*. 155-164.
- Firdaus dan Susilawati, E. 2012. Syarat Tumbuh Pembibitan, Penanaman dan Pemeliharaan Tanaman Terong. Balai Pengkajian Teknologi Pertanian (BPTP) Jambi. <http://jambi.litbang.pertanian.go.id>. Diakses tanggal 04 Juli 2018.
- Flaya, M. 2009. *Parts of Plant: Morphology of Eggplant with Fruits, Green Leaves, Flower and Root*. Available online at: <https://sp.depositphotos.com/240790070/stock-illustration-parts-plant-morphology-eggplant-fruits.html>. Diakses tanggal 05 November 2019.
- Gajewski, M.,Katarzyna, K., and Bajer, M. 2009. The influence of postharvest storage on quality characteristics of fruit of eggplant cultivars. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 37(2):200-205.
- George, R. A. T., 1985. *Vegetable seed production*. London New York.223–229.
- Gu, S.R. 1979. Plantlets from isolated pollen culture of eggplant (*Solanum melongena* L.). *Acta Bot Sin* 21:30–36.
- Gurbuz, N., S. Uluisik, A. Frary, A. Frary, and S. Doganlar. 2017. A-review “Health Benefits and Bioactive Compounds of Eggplant. *Food Chemistry*. 268:602-610.

- Heberle-Bors, E. 1999. Microspore Culture, Totipotency and Double Haploids in Plant Breeding. *In vitro cell Dev.J.Biol-Plant*. 35:157-181.
- Horner, H.T., and Palmer, R.G. 1995. Mechanisms of genic male sterility. *Crop Sci*. 35:1527-1535.
- Iga dan Kurnia, M. 2019. Budidaya Terong (*Solanum melongena* L.). PP Madya pada Dinas Pertanian Kabupaten Buleleng. [https://alamtani.com / budidaya-terong/](https://alamtani.com/budidaya-terong/). Diakses 31 Desember 2019.
- Indrianto, A., Barinova, I., Touraev, A., and Heberle-Bors, E. 2001. Tracking individual wheat microspores *in vitro*: identification of embryogenic microspores and body axis formation in the embryo. *Planta*. 212:163–174.
- Indrianto, A., Heberle-Bors,E., and Touraev, A. 1999. Assesment of Various Stresses and Carbohydrates for their effect on the induction of Embryogenesis in Isolated Wheat Microspores. *Plant Science*. 143 (1):71-79.
- Indrianto, A., Totik, S.M., and Dini, S.A. 2014. Induction of embryogenic microspore in oil palm (*Elaeis guineensis* Jacq) by starvation and temperature stress. *Asian Journal of Applied Sciences*: 5(2).
- Irikova, P., Kintzios, S., S. Grozeva, and Rodeva, V. 2016. Pepper (*Capsicum annuum* L.) anther culture: fundamental research and practical applications Teodora. *Turk J Biol* 40: 719-726 .
- Khatun, F., Bahadur, M., and Nasiruddin, K.M. 2006. Regeneration of Eggplant through Anther Culture. *Pakistan Journal of Biosciences*. 9(1):48-53.
- Kirby, E. 2002. Botany of the Wheat Plant. Bread Wheat. Improvement and Production. Rome: *Food and Agriculture Organization of the United Nation*.19–37.
- Lester, R.N., and Daunay, M.C. 2003. Diversity of African Vegetable Solanum species and its Implications for a better Understanding of Plant Domestication. In: H.Knupffer and J.Ochsmann (Eds.):*Rudolf Mansfeld and Plant Genetic Resources. Schriften Genet.Ressourcen*.22.
- Magioli, C., and Mansur, E. 2005. Eggplant (*Solanum melongena* L.): Tissue culture, genetic transformation and use as an alternative model plant. *Acta. Bot. Bras*. 19(1):139-148.
- Maluszynski M, Kasha, K.J., and Szarejko, I. 2003. Published doubled haploid protocols in plant species. In Maluszynski,M., Kasha, K.J., Forster,B.P., and Szarejko, I. eds, *Doubled haploid production in crop plants: A manual*. Springer, Dordrecht, The Netherlands:309-335.
- Mc Gregor, S. E. 1976. *Insect pollination of cultivated crop plant*. Agric. Res. Serv. U.S. Dep. Of Agric., Washington D. C.
- Megan, W., RDN., and LD. 2017. *Eggplant Health Benefits and Tasty Tips*. <https://www.medicalnewstoday.com/articles/279359.php>.Diakses tanggal 28 Juni 2018.
- Meyer, R. S., Bamshad, M., Fuller, D. Q., and Litt, A. 2014. Comparing medicinal uses of eggplant and related Solanaceae in China, India, and the Philippines suggests the independent development of uses, cultural diffusion, and recent species substitutions. *Economic Botany*.P1- 16.

- Miyoshi, K. 1996. Callus induction and plantlet formation through culture of isolated microspores of eggplant (*Solanum melongena* L). *Plant Cell Rep* 15:391–395.
- Moraes, A.P.de., Bonadese-Zanettini, M.H., Callegari-Jacques, S.M., and Kaltchuk-Santos, E. 2004. Effect of Temperature Shock on Soybean Microspore Embryogenesis. *J.Brazilia Archieves of Biol and Tech.* 47 (4):537-544.
- Munoz-Amatriain,M., Svensson, J.T., Castillo, A.M., Close, T.J., and Valles, M.P. 2009. Microspore embryogenesis: assignment of genes to embryo formation and green vs. albino plant production. *Funct Integr Genomics.* 9:311–323.
- Nino-Medina, G., Orona, V. U., Rangel, M. D., and Heredia, J. B. 2017. Structure and content of phenolics in eggplant (*Solanum melongena*) - a review. *South African Journal of Botany*, 111:161–169.
- Nitsch, C. 1977. Culture of isolated microspores. In: Reinert J, Bajaj YPS (eds) Applied and fundamental aspects of plants, cell, tissue and organ culture. *Springer-Verlag, Berlin.* 268–278.
- Nomizu, T., Yoshiji, N., and Dong-Sheng, H. 2004. Haploid plant regeneration via embryogenesis from anther cultures of *Hepatica nobilis*. *Plant Cell Tissue and Organ Culture* .79(3):307-313.
- Ochatt, S., Pech, C., Grewal, R., Conreux,C., Lulsdorf,M., and Jacas,L. 2009. Abiotic stress enhances androgenesis from isolated microspores of some legume species (Fabaceae). *J.Of Plant Physiol.* 166:1314-1328.
- Ohnoutkova, L., Tomas,V., and Mentewab, A. 2018. Barley Anther Culture. *Methods in Molecular Biology.* Vol.1900: 37-52.
- Olmedilla, A. 2010. *Plant developmental biology-biotechnical perspective: volume 2.* Chapter 2 Microspore embryogenesis. Springer-Verlag Berlin Heidelberg.
- Parra-Vega, V., and Segui-Simarro, J.M. 2016. Anther Culture in Pepper (*Capsicum annuum* L.) In: Maria Antonietta Germanà and Maurizio Lambardi (eds.), In Vitro Embryogenesis in Higher Plants, Methods in Molecular Biology, *Springer Science+Business Media* New York: Vol. 1359.
- Pechan, P.M. 1991. Heat shock proteins and cell proliferation. *FEBS Lett* 280: 1–4.
- Pechan, P.M., and Smykal, P. 2001. Androgenesis: Affecting the fate of the male gametophyte. *Physiologia Plantarum.*111:1-8
- Pratama, S.Y., 2015. Responsivitas dan Kapasitas Androgenesis beberapa Genotipe Cabai dan Terong dalam Kultur Antera pada Media Dua-Lapis. Institut Pertanian Bogor.
- Premvaranon, P., Vearasilp, S., Thanapornpoong, S., Karladee, D., and Gorinstein, S. 2011. In vitro studies to produce double haploid in Indica hybrid rice. *Biologia.* 66:1074–1081.
- Pretova, A., De Ruijter, N.C.A., Van Lammeren, A.A.M., Schel, J.H.N.1993. Structural observations during androgenic microspore culture of 4C1 genotype of *Zea mays* L. *Euphytica.* 65:61–69

- Rahman, M., and de Jimenez, M.M. 2016. Behind the Scenes of Microspore Based Double Haploid Development in *Brassica napus*: A Review. *Journal of Plant Science and Molecul Breeding*. 5:1-9.
- Research Group of Haploid Breeding. 1978. Induction of haploid plants of *Solanum melongena* L. Proceedings of the “symposium on plant tissue culture”. *Sci. Press, Peking*: 227–232.
- Reynolds, T.L.1997. Pollen embryogenesis. *Plant Mol Biol*. 33:1–10
- Rihova,L., and Tupy, J. 1999. Manipulation of division symmetry and developmental fate in cultures of potato microspores. *Plant Cell, Tissue and Organ Culture*. 59:135-145.
- Rotino, L.G. 2016. Anther Culture in Eggplant (*Solanum melongena* L.). In *Vitro Embryogenesis in Higher Plants. Methods in Molecular Biology, Springer Science+Business Media New York*:Vol.1359:453-466
- Salas P., Prohens, J., and Seguí-Simarro, J.M. .2011. Evaluation of androgenic competence through anther culture in common eggplant and related species. *Euphytica*. 182:261–274.
- Salas,P., Rivas-Sendra, A., Prohens, J., and Seguí-Simarro, J.M. 2012. Influence of the stage for anther excision and heterostyly in embryogenesis induction from eggplant anther cultures. *Euphytica*. 184:235–250.
- Scott, R.J., Spielman, M., and Dickinson, H.G. 2004. Stamen Structure and Function. *The Plant Cell*. 16:S46-S60.
- Seguí-Simarro, J.M. 2016. Chapter 9: Androgenesis in Solanaceae. *In Vitro Embryogenesis in Higher Plants, Methods in Molecular Biology*. 1359:209-244.
- Seguí-Simarro, J.M., and Nuez, F. 2005. Meiotic metaphase I to telophase II as the most responsive stage during microspore development for callus induction in tomato (*Solanum lycopersicum*) anther cultures. *Acta Physiologiae Plantarum* Vol.27: 675-685.
- Seguí-Simarro, J.M., and Nuez, F. 2007. Embryogenesis induction, callogenesis, and plant regeneration by in vitro culture of tomato isolated microspores and whole anthers. *J Exp Bot* 58:1119-1132.
- Seguí-Simarro, J.M., and Nuez, F. 2008. How microspores transform into haploid embryos: changes associated with embryogenesis induction and microspore-derived embryogenesis. *Physiol Plant*. 134 (1):1-12.
- Sekara, A., Cebula, S., Kunicki, E. 2007. Cultivated eggplants—Origin, breeding objectives and genetic resources, a review. *Folia Horti*. 19:97–114.
- Shah, J.J., and Patel J.D.1970. Morpho-histogenic Studies in Vegetative and Floral buds of Brinjal and Chily. *Phytomorphology*. 20: 209-221.
- Shariatpanahi, M.E.,Bal,U., Heberle-Bors, E., and Touraev,A. 2006. Stresses applied for the re-programming of plant microspores towards in vitro embryogenesis. Review. *Physiologia Plantarum*. 127:519-534.
- Shim, Y.S., Kasha, K.J., Simion, E., and Letarte, J. 2006. The relationship between induction of embryogenesis and chromosome doubling in microspore culture. *Protoplasma Printed in Austria*. 228:79-86.

- Sidhu, M.K., A.S.Dhatt, and G.S.Sidhu. 2014. Plant Regeneration in Eggplant (*Solanum melongena* L.) A review. *African Journal of Biotechnology*. 13 (6):714-722.
- Silva, T.D. 2012. *Microspore Embryogenesis*. University of Colombo. Sri Lanka.573-596.
- Smykal, P., and Pechan, P.M. 2000. Stress, as assessed by the appearance of sHsp transcripts, is required but not sufficient to initiate androgenesis. *Physiol Plant* 110: 135–143.
- Snape, J. 1989. Doubled haploid breeding: theoretical basis and practical applications. In Review of advances in plant biotechnology. 2nd Int. Symposium Genetic Manipulation in Crops. International Maize and Wheat Improvement Center and International Rice Research Institute (CIMMYT and IRRI), Manila, The Philippines:19-30.
- Soriano, M.,Li, H., and Boutilier, K. 2013. Microspore embryogenesis: establishment of embryo identity and pattern in culture. *Plant Reprod*. 26 :181–196.
- Sumarmi, Daryono, B.S., Rachmawati,D., and Indrianto, A. 2014. Determination of Soybean (*Glycine max* L. Merrill) Microspores Development Stage Based on The Length of Flower Buds. *Journal of Biological Researches* 20: 6-11.
- Summers, W.L., J.Jaramillo, T.Bailey. 1992. Microspore Developmental Stage and Anther Length Influence the Induction of Tomato Anther Callus. *Hortscience*. 27(7):838-840.
- Sunderland, N. 1974. Anther culture as a means of haploid production. University of Guelph. *Guelph.Ont*.91–122.
- Taher, D., Svein,S., Jaime, P., Yu-yu, C., Mohammed, R., and Tien-hor, W., 2017. World Vegetable Center Eggplant Collection: Origin, Composition,Seed Dissemination and Utilization inBreeding. *Frontiers in Plant Science*. 8:1484.
- Touraev, A., Ilham, A., Vincente,O., and Heberle-Bors,E. 1996. Stress-Induce microspore embryogenesis in Tobacco: An optimized system for molecular studies. *Plant Cell Reports*.15:561-565.
- Touraev, A., O.Vicente, and E.Heberle-Bors. 1997. Initiation of Microspore Embryogenesis by Stress. *Trends Plant Sci*. 2 (8):297-302.
- Tuberosa, R., Sanguineti, M.C., and Conti, S. 1987. Anther culture of egg-plant (*Solanum melongena* L.) lines and hybrids. *Genet Agr* 41:267–274.
- Twell, D. 2014. *Pollen Development*. University of Leicester. <https://www2.le.ac.uk/departments/genetics/people/twell/lab/pollenis/development>. Diakses tanggal 29 April 2019.
- Wang, M., Sandra, V.B., and Bert, V.D. 2000. Insights into a Key Developmental Switch and ItsImportance for Efficient Plant Breeding. *Plant Physiol*. 124:523-530.
- Warmke, H. E., and Lee, S. L. 1978. Pollen abortion in T cytoplasmic malesterile corn (*Zea mays*): a suggested mechanism. *Science*. 200:61–563.

- Yin, G.C., Li, X.Z., Xu, Z., Chen, L., Zhu, Z.Y., and Bi, F.Y. 1982. Studies on Induction of Pollen Plant and their Adrogenesis in *Glycine Max* (L.)Merr. *Soybean Science*. 1(1):69-76.
- Zarsky, V., Garrido, D., Rihova, L., Tupy, J., Vicente, O., and Heberle-Bors, E. 1992. Derepression of the cell cycle by starvation is involved in induction of tobacco pollen embryogenesis. *Sex. Plant Reprod*. 5:189–194.
- Zhang, C., Tsukuni, T., Ikeda, M., Sato, M., Okada, H., Ohashi, Y., Matsuno, H., Yamamoto, T., Wada, M., *et al.* 2013. Effects of the microspore development stage and cold pre-treatment of flower buds on embryo induction in apple (*Malus domestica* Borkh.) anther culture. *J Jpn Soc Hortic Sci* 82:114-124.
- Zhang, DB.,and Wilson, Z.A. 2009. Stamen specification and anther development in rice. *Chinese Sci Bull*. 54:2342–2353.
- Zheng, M.Y. 2003. Microspore Culture in Wheat (*Triticum aestivum*) Double Haploid Production via Induced Embryogenesis. Review of Plant Biotechnology and Applied Genetics. *Plant Cell Tissue and Organ Culture* 73:213-230.