

DAFTAR PUSTAKA

- Abdulkadir, M. and Waliyu, S. 2012. Screening and isolation of the soil bacteria for ability to produce antibiotics. *EJAS*. 4(5): 211-215.
- Abdullah, Q.Y.M., Al-Maqtari, M.A., Ola, Al-Awadhi, A. and Al-Mahdi, A.Y. 2016. New records of *Streptomyces* and non *Streptomyces* Actinomycetes isolated from soils surrounding Sana'a high mountain. *IJRPB*. 3(3):19-31.
- Abo-Shadi, M.A.A., Sidkey, N.M. and Al-Mutrafa, A.M. 2010. Antimicrobial agent producing microbes from some soils rhizosphere in Al-Madinah Al- Munawwarah, KSA. *Am. J. Sci*. 6(10):915-925.
- Adegboye, M.F. and Babalola, O.O. 2013. Phylogenetic characterization of culturable antibiotic producing *Streptomyces* from rhizospheric soils. *J. Mol. Biol*. 13:1-7.
- Alimuddin, Asmara, W., Mustofa, J.W. and Nurjasmi, R. 2010. An Actinomycetes producing anticandida isolated from Cajuput rhizosphere: Partial identification of isolates and amplification of pks-I genes. *IJBioTech*. 15(1): 1-8
- Altschul, S.F., Gish, W., Miller, W., Myers, E.W. and Lipman, D.J. 1990. Basic local alignment search tool. *J. Mol. Biol*. 215: 403–10.
- Ambarwati, 2007. Kajian Actinomycetes yang berpotensi menghasilkan antibiotika dari rhizosfer Putri Malu (*Mimosa pudica* L) dan Kucing Kucingan (*Acalypha Indica* L). *J. SAINTEK*. 8(1): 1-14.
- Ambarwati dan Trisnawati, A.G. 2009. Isolasi Actinomycetes dari tanah sawah sebagai penghasil antibiotik. *J. SAINTEK*. 2(2): 101-111.
- Ambarwati, Sintowati, R. dan Darnoto, S. 2009. Uji aktivitas isolat Actinomycetes dari tanah pekarangan terhadap *Escherichia coli* dan *Bacillus subtilis*. *J. Motorik*. 4(8):45-58
- Ambarwati, Soegihardjo, C.J. dan Sembiring, L. 2010. Isolasi dan identifikasi Streptomyces dari rhizosfer jagung (*Zea mays* L.) yang berpotensi sebagai penghasil antibiotik. *J. Biota*. 15(1):1-7. Terakreditasi Dikti No. 43/DIKTI/Kep/2008.
- _____. 2012. Antibiotic produced by Streptomyces associated with rhizosphere of purple nut sedge (*Cyperus rotundus* L.) in Surakarta, Indonesia. *Afr. J. Microbiol. Res*. 6 (1): 54-57
- Ambarwati, Sujono, T.A., Sembiring, L. dan Wahyuono, S. 2012a. Keanekaragaman isolat *Streptomyces* penghasil zat antibakteri dari rhizosfer padi (*Oriza sativa*). *Pros. Semnas Biodiv. FMIPA UNS*. 1:42-45. Tanggal 10 November 2012.
- _____. 2012b. Uji aktivitas antifungi isolat Actinomycetes yang berasosiasi dengan rhizosfer padi (*Oriza sativa*). *Jurkes*. 5(2): 139-148.

- _____. 2013. Uji aktivitas antibakteri isolat *Actinomycetes* dari rhizosfer Padi (*Oriza sativa*) terhadap *Salmonella typhosa* dan *Staphylococcus aureus*. *Pros. Semnas. X Pendidikan Biologi FKIP UNS*. 2:35-40. Tanggal 06 Juli 2013.
- _____. 2015. Aktivitas antifungi *Streptomyces* yang diisolasi dari rhizosfer rumput belulang (*Eleusine indica*). *Jifi*. 13(2): 221-228.
- Ameena, M., Geethakumari, V.L., and George, S. 2015. Allelopathic effect of root exudates of purple nutsedge (*Cyperus rotundus* L.) on growth of field crops. *J. Crop Weed*. 11:142-145.
- Aminah, S. dan Huda, M. 2012. Gambaran peningkatan resistensi bakteri (invitro) penyebab infeksi nosokomial pada sampel luka pasca operasi terhadap beberapa antibiotik. *Jurnal Penelitian Resistensi Bakteri*. 4:8-12.
- Anderson, A.S. and Wellington, E.M.H. 2001. The taxonomy of *Streptomyces* and related genera. *Int. J. Syst. Evol. Microbiol*. 51:797-814.
- Antonova-Nikolova, S., Tzekova, N. and Yocheva, L. 2005, Taxonomy of *Streptomyces* sp. Strain 3B. *J. Cult. Collect*. 4 : 36-42.
- Antony-Babu, S., Stien, D., Eparvier, V., Parrot, D., Tomasi, S. and Suzuki, M.T. 2017. Multiple *Streptomyces* species with distinct secondary metabolomes have identical 16S rRNA gene sequences. *Sci. Rep*. 7:1-8.
- Aoyagi, T., Suda, H., Uotani, K., Kojima, F., Aoyama, T., Horjiguchi, K., Hamada, M. and Takeuchi, T. 1992. Nagstatin, a new inhibitor of N-acetyl-beta-D-glucosaminidase, produced by *Streptomyces amakusaensis* MG846-fF3. Taxonomy, production, isolation, physico-chemical properties and biological activities. *J. Antibiot*. 45(9):1404-1408.
- Arifuzzaman, M., Khatun, M.R. and Rahman, H. 2010. Isolation and screening of *Actinomycetes* from Sundarbans soil for antibacterial activity. *Afr. J. Biotechnol*. 9(29): 4615-4619.
- Aspa, J., Rajas, O., de Castro, F.R., and Torres, A. 2005. Risk factors for multidrug resistant. *Clin. Pulm. Med*. 12(4): 210-219. doi: 10.1097/01.cpm.0000171507.28715.67.
- Ayuso-Sacido, A. and Genilloud, O. 2005. New PCR primers for the screening of NRPS and PKS-I systems in actinomycetes: detection and distribution of these biosynthetic gene sequences in major taxonomic groups. *Microb. Ecol*. 49(1):10-24

- Aziz, R.K., Bartels, D., Best, A.A., DeJongh, M., Disz, T., Edwards, R.A., Formsma, K., Gerdes, S., Glass, E.M., Kubal, M., Meyer, F., Olsen, G.J., Olson, R., Osterman, A.L., Overbeek, R.A., McNeil, L.K., Paarmann, D., Paczian, T., Parrello, B., Pusch, G.D., Reich, C., Stevens, R., Vassieva, O., Vonstein, V., Wilke, A. and Zagnitko, O. 2008. The RAST Server: rapid annotations using subsystems technology. *BMC Genomics*. 9:75. doi:10.1186/1471-2164-9-75
- Bacillio-Jimenez, M., Aguilar-Flores, S., Ventura-Zapata, E., Perez-Campos, E., Bouquelet, S. and Zenteno, E. 2003. Chemical characterization of root exudates from rice (*Oriza sativa*) and their effects on the chemotactic response of endophytic bacteria. *Plant Soil*. 249(2): 271-277.
- Balkar, N., Korcan, S.E., Malkoc, S., Guven, K. and Erdogmus, F. 2014. Screening for antimicrobial activities of *Actinomycetes* sp. isolated from Afyonkarahisar, Turkey . *J. Appl. Biol. Sci*. 8(2): 2014-2.
- Barreto, T.R., da Silva, A.C., Soares, A.C. and de Souza, J.T. 2008. Population densities and genetic diversity of actinomycetes associated to the rhizosphere of *Theobroma cacao*. *Braz. J. Microbiol*. 39(3):464–470. doi:10.1590/S1517-838220080003000010
- Basil, A.J., Strap, J.L., Knotek-Smith, H.M. and Crawford, D.L. 2004. Studies on the microbial population of the rizosphere of Big Sagebrush (*Artemisia tridentata*). *J. Ind. Microbiol. Biotechnol*. 31:278-288.
- Beyer, S., Kunze, B., Silakowski, B. and Müller, R. 1999. Metabolic diversity in myxobacteria: identification of the myxalamid and the stigmatellin biosynthetic gene cluster of *Stigmatella aurantiaca* Sg a15 and a combined polyketide–(poly)peptide gene cluster from the epothilone producing strain *Sorangium cellulosum* So ce90. *Biochim. Biophys. Acta*. 1445(2):185-195.
- Beiranvand, M., Amin, M., Hashemi-Shahraki, A., Romani, B., Yaghoubi, S., and Sadeghi, P. Antimicrobial activity of endophytic bacterial populations isolated from medical plants of Iran. *Iran J. Microbiol*. 2017 Feb;9(1):11-18. PMID: 28775818; PMCID: PMC5533999.
- Bhardwaj, A., Chaman, S., and Verma, S. 2017. Production of antibacterial agent from fungi isolated from pharmaceutical soil sample by fermentation under optimized conditions. *Asian J. Pharm. Clin. Res*. 10(7): 110-115.
- Blin, K., Shaw, S., Steinke, K., Villebro, R., Ziemert, N., Lee, S.Y, Medema, M.H., and Weber, T. 2019. AntiSMASH 5.0: updates to the secondary metabolite genome mining pipeline. *Nucleic Acids Res*. 47 (W1): W81–W87.
- Bolton, H.Jr., Fredrickson, J.K. and Elliott, L.F. 1992. Microbial ecology of the rhizosphere. In, *Soil Microbial. Ecology*. Metting, F.B.Jr. Marcel Dekker, Inc. New York.
- Bonaldi, M., Chen, X., Kunova, A., Saracchi, M. and Cortesi, P. 2015. Colonization of lettuce rhizosphere and roots by tagged *Streptomyces*. *Front. Microbiol*. 6(25): 1-10.

- Bouizgame, B., Lanoot, B., Loqman, S., Sproer, C., Klenk, H.P., Swings, J. and Ouhdouch, Y. 2009. *Streptomyces marokkonensis* sp. nov., isolated from rhizosphere soil of *Argania spinosa* L. *Int. J. Syst. Evol. Microbiol.* 59: 2857-2863.
- Budiyanto, M.A.K. 2004. *Mikrobiologi Terapan*. UMM Press, Malang.
- Campbell, N.A., Reece, J.B., Urry, L.A., Cain, M.L, Wasserman, S.A., Minorsky, P.V. and Jackson, P.B. 2008. *Biology*, Eighth Edition. Pearson Benjamin Cummings, San Francisco.
- Carvalhais, L.C., Dennis, P.G., Fedoseyenko, D., Hajirezaei, M., Borriss, R. and Wiren, N.V. 2010. Root exudation of sugars, amino acids, and organic acids by maize as affected by nitrogen, phosphorus, potassium, and iron deficiency. *J. Soil Sci. Plant Nutr.* 174(1): 3-11.
- CDC. 2019. Antibiotic resistance threats in the United States 2019. Atlanta, GA: U.S. Department of Health and Human Services, CDC; 2019. Diakses : 06 Januari 2020. <https://www.cdc.gov/drugresistance/pdf/threats-report/2019-ar-threats-report-508.pdf>
- Ceylan, O., Okmen, G. and Ugur, A. 2008. Isolation of soil *Streptomyces* as source antibiotics active against antibiotic-resistant bacteria. *Eur. Asian J. Bio. Sci.* 2: 73-82
- Charousová, I., Javoreková, S. and Wink, J. 2015. Isolation and Characterization of *Streptomyces rishiriensis* (VY31) with antibiotic activity against various pathogenic microorganisms. *J. Microbiol. Biotechnol. Food Sci.* 4:23-27.
- Christiansen, G., Dittmann, E., Ordorika, L.V., Rippka, R., Herdman, M. and Börner, T. 2001. Nonribosomal peptide synthase genes occur in most cyanobacterial genera as evidenced by their distribution in axenic strains of the PCC. *Arch. Microbiol.* 176(6):452-458.
- Chen, L., Ying-MiLai, Yang, Y., and Zhao, X. 2016. Genome mining reveals the biosynthetic potential of the marine-derived strain *Streptomyces marokkonensis* M10. *Synth. Syst. Biotechnol.* 1(1):56-65.
- Das, A., Bhattacharya, S., Mohammed, A.Y.H. and Rajan, S.S. 2014. In vitro antimicrobial activity and characterization of mangrove isolates of Streptomycetes effective against bacteria and fungi of nosocomial origin. *Braz. Arch. Biol. Technol.* 57(3):349-356.
- de Araújo, J.M., da Silva, A.C. and Azevedo, J.L. 2000. Isolation of endophytic Actinomycetes from roots and leaves of Maize (*Zea mays* L.) *Braz. Arch. Biol. Technol.* 43(4): 52-58.
- El-Sayed, M.H., El-Aziz, Z.K.A. and Abouzaid, A.M. 2014. Efficacy of extracellular metabolite produced by *Streptomyces levis* strain LX-65 as a potential herbicidal agent. *Am. J. Sci.* 10(11):169-180.
- Espersen, F. 1998. Resistance to antibiotics used in dermatological practice. *Br. J. Dermatol.* 139 (53):4-8. DOI: 10.1046/j.1365-2133.1998.1390s3004.x.

- Farnet, C.M. and Zazopoulos, E. 2005. Improving drug discovery from microorganisms. In: Zhang, L., Demain, A.L. (eds). *Natural Products*. Humana Press. Springer : 95-106.
- Fathy, S.A., Mohamed, M.R., Elhady, M.M. and Al-habal, M.H. 2016. Isolation and biochemical characterization of a novel antimicrobial agent produced by *Streptomyces violaceusniger* isolated from Yemeni soil. *Int. J. Res. Med. Sci.* 4(1):22-32.
- Foxlee, N.D., Townell, N., McIver, L., and Lau, C.L. 2019. Antibiotic resistance in pacific island countries and territories: A Systematic Scoping Review. *Antibiotics*. 8(1):29.
- Gislin, D., Sudarsanam, D., Raj, G.A., and Baskar, K. 2018. Antibacterial activity of soil bacteria isolated from Kochi, India and their molecular identification. *J. Genet. Eng. Biotechnol.* 16(2):287-294. doi: 10.1016/j.jgeb.2018.05.010.
- Gohain A, Gogoi A, Debnath R, Yadav A, Singh BP, Gupta VK, Sharma R, and Saikia R. 2015. Antimicrobial biosynthetic potential and genetic diversity of endophytic actinomycetes associated with medicinal plants. *FEMS Microbiol. Lett.* 362(19): 1-10.
- Goodfellow, M., Kämpfer, P., Busse, H., Martha, E. Trujillo, M.E., Suzuki, K., Ludwig, W., William, B. and Whitman, W.B. 2012. *Bergey's Manual® of Systematic Bacteriology 2nd Ed. Vol. 5*. Springer, New York, USA.
- Gurung, T.D., Sherpa, C., Agrawal, V. and Lekhak, B., 2009. Isolation and characterization of antibacterial Actinomycetes from soil samples of Kalapatthar, Mount Everest Region. *Nepal J. Sci. Technol.* 10:173-182.
- Gulve, R.M. and Deshmukh, A.M. 2012. Antimicrobial activity of the marine Actinomycetes. *Int. Multidiscip. Res. J.* 2(3):16-22.
- Hall, V., Collins, M.D., Hutson, R., Inganas, E., Falsen, E. and Duerden, B.I. 2003. *Actinomyces vaccimaxillae* sp. nov., from the jaw of a cow. *Int. J. Syst. Evol. Microbiol.* 53:603-606.
- Hamayun, M., Hussain, F., Afzal, S. and Ahmad, N. 2005. Allelopathic effect of *Cyperus rotundus* and *Echinochloa crus-galli* on seed germination, and plumule and radicle growth in maize (*Zea mays* L.). *Pak. J. Weed Sci. Res.* 11 (1-2): 81-84.
- Hasani, A., Kariminik, A. and Issazadeh, K. 2014. Streptomycetes: characteristics and their antimicrobial activities. *IJABBR*. 2(1):63-75.
- Harwani, D. 2012. The great plate count anomaly and the unculturable bacteria. *Int. J. Sci. Res.* 2(9):350-351
- Haque M.A., Sarker A.K., Islam M.S., and Anwar-Ul-Islam M. 2015. Antibacterial potential of ethyl-acetate extracts of marine *Streptomyces* spp. AIAH-10 against drug resistant *Escherichia coli*. *Br. Microbiol. Res. J.* 7(3): 143-150.
- Heng, J.L.S. 2008. Isolation, characterization and identification of Actinomycetes from agriculture soils at Semongok, Sarawak. *Afr. J. Biotechnol.* 7(20):3700-3705

- Herdini, C., Hartanto, S., Mubarika, S., Hariwiyanto, B., Wijayanti, N., Hosoyama, A., Yamazoe, A., Nojiri, H. and Widada, J. 2015. Diversity of nonribosomal peptide synthetase genes in the anticancer producing Actinomycetes isolated from marine sediment in Indonesia. *IJBiotech.* 20(1): 34-41.
- Herdini, H., Mubarika, S., Hariwiyanto, B., Wijayanti, N., Hosoyama, A., Yamazoe, A., Nojiri, H. and Widada, J. 2017. Secondary bioactive metabolite gene clusters identification of anticandida-producing *Streptomyces* sp. GMR22 isolated from Wanagama forest as revealed by genome mining approach. *Indonesian J. Pharm.* 28(1): 26-33.
- Hernández-Macedo, M.L., Barreto, E.N., Cavalcanti, A.C.S. da Silva, R.S., Brandão, E.C.T.A., Fernandes, R.P.M., Viviane Talamini, V., Diniz, L.E.C. and Fernandes, M.F. 2014. Antimicrobial potential of Actinomycetes by NRPS and PKS-I pathways. *BMC Proc.* 8(4):175. doi:10.1186/1753-6561-8-S4-P175.
- Hikida, T., Shimizu, K., Umetsu, T., Utsumi, M. and Sugiura, N. 2011. Influence of environmental factor on musty odor production by *Streptomyces coelicolor* A3(2). *14th World Lake Conference Lakes, Rivers, Groundwater & Coastal area: understanding Linkages Austin.* 31 October-4 November 2011. Austin Convention Center, Austin, Texas USA.
- Himesh, S., Singhai, A.K. and Sarvesh, S. 2011. Quantitative estimation of DNA isolated from various parts of *Annona squamosa*. *Int. Res. J. Pharm.* 2(12): 169-171.
- Holt, J.G., Krieg, N.R., Sneath, P.H.A., Staley, J.T. and Williams, S.T. 1994. *Bergey's manual of determinative bacteriology*. Ninth Edition. Lippincott Williams & Wilkins. USA.
- Hoorman, J.J. 2019. *Role of soil bacteria*. (<https://ohioline.osu.edu/factsheet/anr-36>). Diakses 06 Oktober 2019.
- Hong, Y., Ma, Y., Zhou, Y., Gao, F., Liu, H., and Chen, S. 2009. *Paenibacillus sonchi* sp. Nov., a nitrogen-fixing species isolated from the rhizosphere of *Sonchus oleraceus*. *Int. J. Syst. Evol. Microbiol.* 59: 2656-2661.
- Hossain, M.N. and Rahman, M.M. 2014. Antagonistic activity of antibiotic producing *Streptomyces* sp. against fish and human pathogenic bacteria. *Braz. Arch. Biol. Technol.* 57(2):233-237.
- Hover, B.M., Kim, S., Katz, M., Charlop-Powers, Z., Owen, J.G., Ternei, M.A., Maniko, J., Estrela, A.B., Molina, H., Park, S., Perlin, D.S. and Brady, S.F. 2018. Culture-independent discovery of the malacidins as calcium-dependent antibiotics with activity against multidrug-resistant Gram-positive pathogens. *Nat. Microbiol.* 3:415-422. doi:10.1038/s41564-018-0110-1
- Hopwood, D.A. 2006. Soil to Genomics: The *Streptomyces* Chromosome. *Annu. Rev. Genet.* 40:1-23.

- Ignacimuthu, S., Devadass, B.J., Paulraj, M.G., Theoder, A.S. and Dhabi, N.A. 2017. Identification of antimicrobial compounds from *Streptomyces* sp. isolated from western ghats soil in Tamil Nadu. *EC Microbiol.* 8(4): 222-231.
- Jebbar, M., Talibart, R., Gloux, K., Bernard, T. and Blanco, C.1992. Osmoprotection of *Escherichia coli* by ectoine: uptake and accumulation characteristics. *J Bacteriol.* 174:5027–5035.
- Jensen, P.R., Williams, P.G., Oh, D.C., Zeigler, L. and Fenical, W. 2007. Species-specific secondary metabolite production in marine Actinomycetes of the genus *Salinispora*. *Appl. Environ. Microbiol.* 73(4): 1146–1152.
- Jiang, C.L. and Xu, L.H. 1990. Characteristics of the populations of soil Actinomycetes in Yunnan. *J. Actinomycetes.* 1(3): 67-74.
- Jimenez-Esquilin, A.E. and Roane, T.M. 2005. Antifungal activities of Actinomycetes strain associated with high-altitude Sagebrush rhizosphere. *J. Ind. Microbiol. Biotechnol.* 32: 378-381.
- Kanavaki, S., Mantadakis, E., Karabela, S. Anatoliotaki, M., Makarona, M., Moraitou, H., Pefanis, A., and Samonis, G. 2005. Antimicrobial resistance of *Streptococcus pneumoniae* isolates in Athens, Greece. *Eur. J. Clin. Microbiol. Infect. Dis.* 24(10): 693–696. doi:10.1007/s10096-005-0032-8
- Karthikeyan, P., Senthilkumar, G. and Panneerselvam, A.P.G. 2013. Isolation, characterization and identification of actinobacteria of mangrove ecosystem ennoor, east coast of Tamil Nadu, India. *Adv. Appl. Sci. Res.* 4(5):296-301.
- Katili, A.B.S. and Retnowati, Y. 2017. Isolation of Actinomycetes from mangrove ecosystem in Torosiaje, Gorontalo, Indonesia. *Biodiversitas.* 18(2):826-833.
- Khamna, S., Yokota, A., and Lumyong, S. 2009. Actinomycetes isolated from medicinal plant rhizosphere soils: diversity and screening of antifungal compounds, indole-3-acetic acid and siderophore production. *World J. Microbiol. Biotechnol.* 25:649-655.
- Kim, M., Oh, H.S., Park, S.C., and Chun, J. 2014. Towards a taxonomic coherence between average nucleotide identity and 16S rRNA gene sequence similarity for species demarcation of prokaryotes. *Int. J. Syst. Evol. Microbiol.* 64(2):346-351
- Kizito, B.E. and Nwankwo, E.O. 2013. Antibiotic activity of *Streptomyces* isolates collected from soil of Kogi Central, Nigeria. *J. Pharm. Bio. Sci.* 8(4):78-84.
- Kolker, E., Makarova, K.S., Shabalina, S., Picone, A.F., Purvine, S., Holzman, T., Cherny, T., Armbruster, D., Munson, R.S.Jr., Kolesov, G., Frishman, D. and Galperin, M.Y. 2004. Identification and functional analysis of 'hypothetical' genes expressed in *Haemophilus influenzae*. *Nucleic Acids Res.* 32(8):2353–2361.

- Komaki, H., Sakurai, K., Hosoyama, A., Kimura, A., Igarashi, Y. and Tamura, T. 2018. Diversity of nonribosomal peptide synthetase and polyketide synthase gene clusters among taxonomically close *Streptomyces* strains. *Sci. Rep.* 8(1):6888. doi:10.1038/s41598-018-24921-y
- Korn-Wendisch, F. and Kutzner, H.J. 1992. The family *Streptomycetaceae*. In *the prokaryotes, A handbook on the biology of bacteria : ecophysiology, isolation, identification, applications*. Second Edition. (A. Balows, H. G. Truper, M. Dworkin, W. Harder, and Karl-Heinz Schleifer. Eds). Springer-Verlag, New york, Berlin, Heidelberg, London, Paris, Tokyo, Hong Kong, Barcelona, & Budapest.
- Kumala, S., Pasanema, D.A.M. dan Mardiasuti. 2010. Pola resistensi antibiotik terhadap isolat bakteri sputum penderita tersangka infeksi saluran nafas bawah. *Jurnal Farmasi Indonesia*. 5(1):24-32.
- Kumar, V.A., Negi, Y.K., Gusain, O., Pandey, P. and Bisht, G.S. 2012. Screening of Actinomycetes from earthworm casting for their antimicrobial activity and industrial enzymes. *Braz. J. Microbiol.* 43(1):1-12.
- Kumar, P.S, Duraipandiyan, V., and Ignacimuthu, S. 2014. Isolation, screening and partial purification of antimicrobial antibiotics from soil *Streptomyces* sp.. SCA 7. *Kaohsiung J. Med. Sci.* 30(9):435-46.
- Kumar, S., Stecher, G. and Tamura, K. 2016. MEGA7: Molecular Evolutionary Genetics Analysis Version 7.0 for Bigger Datasets. *Mol. Biol. Evol.* 33(7):1870–1874.
- Kumari, M., Myagmarjav, B., Prasad, B. and Choudhary. 2013. Identification and characterization of antibiotic-producing Actinomycetes isolates. *Am. J. Microbiol.* 4(1): 24-31.
- Larsson, M., Kronvall, G., Chuc, N.T.K.C., Karlsson, I., Lager, F., Hanh, H.D., Tomson, G., and Falkenberg, T. 2000. Antibiotic medication and bacterial resistance to antibiotics: a survey of children in a Vietnamese community. *Trop. Med. Int. Health.* 5(10): 711-721.
- Lazzarini, A., Cavaletti, L., Toppo, G. and Marinelli, F. 2000. Rare genera of Actinomycetes as potential producer of new antibiotics. *Anton. Leeuw. Int. J. G.* 78(3-4) :399-405.
- Lee, L.H., Zainal, N., Azman, A.S., Eng, S.K., Goh, B.H., Yin, W.F., Mutalib, N.S.A. and Chan, K.G. 2014. Diversity and antimicrobial activities of actinobacteria isolated from tropical mangrove sediments in Malaysia. *Sci. World J.* 1-14.
- Leonita, S., Bintang, M., and Pasaribu, F.H. 2018. Isolation and identification of endophytic bacteria from *Ficus variegata* Blume as antibacterial compounds producer. *Biosaintifika Journal of Biology & Biology Education*. 10(3): 546-552.
- Lestari, Y. 2006. Identification of indigenous *Streptomyces* spp. producing antibacterial compounds. *Jurnal Mikrobiologi Indonesia*. 11(2):99-101.

- Li, X., Zhang, T., Wang, X., Hua, K., Zhao, L. and Han, Z. 2013. The composition of root exudates from two different resistant peanut cultivar and their effects on the growth of soil-borne pathogen. *Int. J. Biol. Sci.* 9(2):164-173.
- Lo, C.W., Lai, N.S., Cheah, H-Y., Wong, N.K.I. and Ho, C.C. 2002. Actinomycetes isolated from soil samples from the crocker range sabah. *ARBEC*. July-Sept. 2002.
- Loqman, S., Bouizgarne, B., Barka, E.A., Clement, C., Jan, M.V., Sproer, C., Klenk, H.-P. and Ouhdouch, Y. 2009. *Streptomyces thinghirensis* sp. nov., isolated from rhizosphere soil of *Vitis vinifera*. *Int. J. Syst. Evol. Microbiol.* 59:3063-3067.
- Madigan, M.T., Martinko, J.M. and Parker, J. 2003. *Brock biology of microorganisms*. Tent Edition. Prentice Hall, USA.
- Magarvey, N.A., Keller, J.M., Bernan, V., Dworkin, M. and Sherman, D.H. 2004. Isolation and characterization of novel marine-derived Actinomycete taxa rich in bioactive metabolites. *Appl. Environ. Microbiol.* 70(12):7520-7529.
- Maleki, H. and Mashinchian, O. 2011. Characterization of *Streptomyces* isolates with UV, FTIR spectroscopy and HPLC analyses. *BioImpacts*. 1(1): 47-52.
- Maleki, H., Dehnad, A., Hanifian, S. and Khani, S. 2013. Isolation and molecular identification of *Streptomyces* sp.p. with antibacterial activity from northwest of Iran. *BioImpacts*, 3(3): 129-134.
- Mangamuri, U.K. 2014. Exploration of actinobacteria from mangrove ecosystems of nizampatnam and coringa for antimicrobial compounds and industrial enzymes. *Br. Biotechnol. J.* 4(2):173-184.
- Margino, S. 2008. Produksi metabolit sekunder (antibiotik) oleh isolat jamur endofit Indonesia. *Majalah Farmasi Indonesia*. 19(2): 86-94.
- Mathur, N., Paliwal, A., Sharma, P., Kumar, M. and Bhatnagar, P. 2012. Antimicrobial compound from *Streptomyces* isolate characterized using HPLC. *Univers. J. Environ. Res. Technol.* 2(4):242-246.
- Medema, M.H., Blin, K., Cimermancic, P., de Jager, V., Zakrzewski, P., Fischbach, M.A., Weber, T., Takano, E. and Breitling, R. 2011. AntiSMASH: rapid identification, annotation and analysis of secondary metabolite biosynthesis gene clusters in bacterial and fungal genome sequences. *Nucleic. Acids. Res.* 39(Web Server issue), W339–W346. doi:10.1093/nar/gkr466
- Meklat, A., Sabaou, N., Zitouni, A., Mathieu, F. and Lebrihi, A. 2011. Isolation, taxonomy and antagonistic properties of halophilic Actinomycetes in Saharan soils of Algeria. *App. Environ. Microbiol.* 77(18):6710-6714.

- Mohammed, A., Seid, M.E., Gebrecherkos, T., Tiruneh, M., and Moges, F. 2017. Bacterial isolates and their antimicrobial susceptibility patterns of wound infections among inpatients and outpatients attending the university of Gondar Referral Hospital, Northwest Ethiopia. *Int. J. Microbiol.* Article ID 8953829, 10 pages. <https://doi.org/10.1155/2017/8953829>
- Moi, M.Y., Kusdiyantini, E., and Pujiyanto, S. 2018. Endophytic bacteria from Faloak plant seed (*Sterculia comosa*) as antibacterial agent. *J. Pure. Appl. Microbiol.* 12(3):1473-1481.
- Monica, W.S., Mahatmi, H. dan Besung, K. 2013. Pola resistensi *Salmonella typhi* yang diisolasi dari ikan serigala (*Hoplias malabaricus*) terhadap antibiotik. *Jurnal Ilmu dan Kesehatan Hewan.* 1(2): 64-69.
- Mufidah, Rante, H., Rahim, A., Agustina, R., Pakki, E. dan Talbani, A. 2013. Aktivitas antifungi metabolit sekunder fungi endofit yang diisolasi dari *Mezzatia parviflora* Becc. *Majalah Farmasi dan Farmakologi.* 17(3):69-72.
- Mutschler, E. 1991. *Dinamika Obat, Buku Ajar Farmakologi dan Toksikologi*. Edisi Kelima. Alih Bahasa Widiyanto, M. B. & Ranti, A. S. Penerbit ITB, Bandung.
- Naid, T., Kasim, S., Marzuki, A. dan Sumarheni. 2013. Produksi antibiotika secara fermentasi dari biakan mikroorganisme simbiosis rumput laut *Eucheuma cottonii*. *Majalah Farmasi dan Farmakologi.* 17(3): 61-68.
- Naikpatil, S.V. and Rathod, J.L. 2011a. Antimicrobial and cytotoxic activity of Actinomycetes from Karwar coast, west coast of India. *World J. Sci. Technol.* 1(1): 07-10.
- _____. 2011b. Selective isolation and antimicrobial activity of rare Actinomycetes from Mangrove sediment of Karwar. *J. Ecobiotechnol.* 3(10): 48-53.
- Nandhini, S.U. and Selvam, M.M. 2013. Bioactive compounds produced by *Streptomyces* strain. *Int. J. Pharm. Sci.* 5(1):176-178.
- Nedialkova, D. and Naidenova, M. 2005. Screening the antimicrobial activity of Actinomycetes strains isolated from antarctica. *J. Cult. Collect.* 4 : 29-35.
- Nett, M., Ikeda, H. and Moore, B.S. (2009). Genomic basis for natural product biosynthetic diversity in the actinomycetes. *Nat. Prod. Rep.* 26(11):1362–1384. doi:10.1039/b817069j
- Neneng, L. 2008. Isolasi dan karakterisasi bakteri penghasil antibiotik inhibitor β -laktamase tipe tem-1 dari ekosistem air hitam. *Jurnal MIPA dan Pembelajarannya.* 37(1): 86-90.
- Nicholson, T.P., Dawson, M., Lazarus, C.M., Simpson, T.J., Cox, R.J. 2001. Design and utility of oligonucleotide gene probes for fungal polyketide synthases. *Chem. Biol.* 8(2):157-78.

- Nindita, Y., Cao, Z., Fauzi, A.A., Teshima, A., Misaki, Y., Muslimin, R., Yang, Y., Shiwa, Y., Yoshikawa, H., Tagami, M., Lezhava, A., Ishikawa, J., Kuroda, M., Sekizuka, T., Inada, K., Kinashi, H. and Arakawa, K. 2019. The genome sequence of *Streptomyces rochei* 7434AN4, which carries a linear chromosome and three characteristic linear plasmids. *Sci. Rep.* 9(1):10973.
- Noer, S.F. 2012. Pola bakteri dan resistensinya terhadap antibiotik yang ditemukan pada air dan udara ruang instalasi rawat khusus RSUP Dr. Wahidin Sudirohusodo Makassar. *Majalah Farmasi dan Farmakologi.* 16(2):73-78.
- Noverita, Fitria, D. dan Sinaga, E. 2009. Isolasi dan uji aktivitas antibakteri jamur endofit dari daun dan rimpang *Zingiber ottensii* Val. *Jurnal Farmasi Indonesia.* 4(4):171-176.
- Nurkanto, A., Listyaningsih, F., Julistiono, H. dan Agusta, A. 2010. Eksplorasi keanekaragaman Aktinomisetes tanah Ternate sebagai sumber antibiotik. *Jurnal Biologi Indonesia.* 6(3):325-339.
- Okami, Y. and Hotta, K. 1988. Search and discovery of new antibiotics. In *Actinomycetales in Biotechnology.* (M. Goodfellow, S. T. Williams, & M. Mordarski, Eds). Academic Press Limited, London.
- Oki, T., Matsuzawa, Y., Kiyoshima, K., Yoshimoto, A., Naganawa, H., Takeuchi, T. and Umezawa, H. 1981. New anthracyclines, feodomycins, produced by the mutant from *Streptomyces coeruleorubidus* ME130-A4. *J. Antibiot.* 34(7):783-790.
- Oskay, M., Tamer, A. U. and Azeri, C. 2004. Antibacterial activity of some Actinomycetes isolated from farming soil of Turkey. *Afr. J. Biotechnol.* 3(9):441-446.
- Otoguro, M., Ratnakomala, S., Lestari, Y., Hastuti, R.D., Triana, E., Widyastuti, Y. and Ando, K., 2009. *Streptomyces Baliensis* sp. Nov. isolated from Balinese soil. *Int. J. Syst. Evol. Microbiol.* 59:2158-2161.
- Palys, T., Nakamura, L.K. and Cohan, F.M. 1997. Discovery and classification of ecological diversity in the bacterial world: the role of DNA sequence data. *Int. J. Syst. Bacteriol.* 47(4):1145-56.
- Pan, Y., Xu, L., Cao, W., Yin, S., Wang, Z. and Zhou, Q. 2009. Actinomycetes and earthy-musty odorous compounds in brackish fishponds in Tianjin, China. *Water Sci. Technol.* 59(6):1185-1194.
- Panaiyadiyan, P. and Chellaia, S.R. 2011. Biodiversity of microorganisms isolated from rizosphere soils of *Pachamalai hills*, Tamilnadu, India. *Res. J. For.* 5(1): 27-35.
- Pangastuti, A. 2006. Species definition of procaryotes based on 16S rRNA and protein coding genes sequence. *Biodiversitas.* 7(3):292-296.
- Patil, R., Jeyaskaran, G. and Shanmugan, S.A. 2016. Occurrence and antibacterial activity of Actinomycetes isolated from marine samples from Thoothukkudi, Tamil Nadu, on the east coast of India, against fish pathogens. *IJABR.* 6(3): 338-347
- Perlman, D. 1970. *Antibiotiks.* Rand MSNally & Company, Chicago.

- Poosaria, A., Ramana, L.V. and Krishna, R.M., 2013. Isolation of potent antibiotic producing Actinomycetes from marine sediments of Andaman and Nicobar marine islands. *J. Microbiol.* 5(1): 6-12.
- Prescott, L.M., Harley, J. P. and Klein, D.A. 1999. *Microbiology*. Fourth Edition. WCB McGraw-Hill, Boston.
- Priyadarshini, A., Singdevsachan, S.K., Tripathy, S.K., Mohanta, Y.K., Patra, J.K. and Sethi, S. 2016. Isolation and identification of Actinomycetes from mangrove soil and extraction of secondary metabolites for antibacterial activity. *Br. Biotechnol. J.* 12(2):1-13.
- Procopio, R.E., Silva, I.R., Martins, M.K., Azevedo, J.L. and Araujo, J.M., 2012. Antibiotics produced by *Streptomyces*. *Braz. J. Infect. Dis.* 16(5):466-471.
- Rajkumar, J., Swarnakumar, and Sivakumar, K. 2012. Actinobacterial diversity of mangrove environment of the Bhitharkanika mangroves, east coast of Orissa, India. *Int. J. Sci. Res. Publ.* 2(2):1-6
- Rahman, M.A., Islam, M.Z. and Islam, M.A.U.I. 2011. Antibacterial activities of Actinomycete isolates collected from soil of Rajshahi, Bangladesh. *Biotechnol. Res. Int.* 2011:1-6
- Rajput, Y., Biswas, J. and Rai, V. 2012. Potentiality test in antimicrobial activity and antibiotic sensitivity of subterranean *Streptomyces* strain isolated from Kotumsar cave of India. *Int. J. Biol. Chem.* 6(2): 53-60.
- Kekuda, T.R.P., Rakesh, K.N., Junaid, S., and Dileep, N., 2013. Antibacterial and antioxidant activities of *Streptomyces* species SRDP-H03 isolated from soil of Hosudi, Karnataka, India. *J. Drug Deliv. Ther.* 3(4): 47-53.
- Rana, S. and Salam, M.D. 2014. Antimicrobial potential of Actinomycetes isolated from soil samples of Punjab, India. *J. Microbiol. Exp.* 1(2):1-6.
- Rao, N.S.S. 2001. *Soil microbiology*. Fourth edition of soil microorganism and plant growth. Science Publishers, Inc. Enfield (NH), USA
- Rao K.V.R., Rao D.B., Satyanarayana B. and Rao T.R. 2015. Optimization of cultural conditions for production of antibacterial metabolites from *Streptomyces coelicoflavus* BC 01. *Not. Sci. Biol.* 7(2):151-159.
- Riyanti, 'Aziz, S., Sabdono, A. and Radjasa, O.K. 2012. Deteksi gen NRPS Aktonomisetes simbion rumput laut dan karang lunak. Pros. Semnas. "Pengembangan Sumber Daya Pedesaan dan Kearifan Lokal Berkelanjutan II" Purwokerto, 27-28 Nopember 2012 :177-182
- Retnowati, Y., Sembiring, L., Moeljopawiro, S., Djohan, T.S. and Soetarto, E.S. 2017. Diversity of antibiotic-producing Actinomycetes in mangrove forest of Torosiaje, Gorontalo, Indonesia. *Biodiversitas.* 18(3):1453-1461.
- Retnowati, Y., Moeljopawiro, S., Djohan, T.S. and Soetarto, E.S. 2018. Antimicrobial activities of Actinomycetes isolates from rhizospheric soil on different mangrove forests of Torosiaje, Gorontalo, Indonesia. *Biodiversitas.* 19(6): 2196-2203

- Rojas, J.D., Starcevic, A., Baranašić, D., Ferreira-Torres, M.A., Contreras, C.A., Garrido, L.M., Araújo, W.L., de Souza, R.F., Zucko, J., Hranueli, D., Long, P.F., Cullum, J. and Padilla, G. 2014. Genome sequence of *Streptomyces olindensis* DAUFPE 5622, producer of the antitumoral anthracycline cosmomycin D. *Genome Announc.* 2(3) e00541-14.
- Rosselló-Mora, R. 2005. Updating prokaryotic taxonomy. *J. Bacteriol.* 187: 6255–6257.
- Rouessac, F. and Rouessac, A. 2007. *Chemical analysis modern instrumentation methods and techniques*. Second Edition. John Wiley & Sons, Ltd.
- Runmao, H., Lianjun, M. and Guizhen, W. 1994. Distribution of soil Actinomycetes in north-east China. *J. Actinomycetes.* 5(1):12-13.
- Sanghvi, G.V., Ghevariya, D., Gosai, S., Langa, R., Dhaduk, N., Kunjadia, P.D., Vaishnav, D.J. and Dave, G.S. 2014. Isolation and partial purification of erythromycin from alkaliphilic *Streptomyces werraensis* isolated from Rajkot, India. *Biotechnol. Rep.* 1(2):2-7.
- Sahu, M.K., Murugan, M., Sivakumar, K., Thangaradjou, T. and Kannan, L. 2007. Occurrence and distribution of Actinomycetes in marine environs and their antagonistic activity against bacteria that is pathogenic to shrimps. *Isr. J. Aquacult-Bamid.* 59(3):155-161.
- Saitou, N. and Nei, M. 1987. The neighbor-joining method: A new method for reconstructing phylogenetic trees. *Mol. Biol. Evol.* 4(4):406-425.
- Santos, R. and Ochman, H. 2004. Identification and phylogenetic sorting of bacterial lineages with universally conserved genes and proteins. *Environ. Microbiol.* 6(7): 754 – 759.
- Sausser, M., Lu, P., Sangari, R., Kennedy, S., Polishook, J., Bills, G. and An, Z. 2002. Estimating polyketide metabolic potential among nonsporulating fungal endophytes of *Vaccinium macrocarpon*. *Mycol. Res.* 106(4):460-470.
- Schneider, O., Simic, N., Aachmann, F.L., Rückert, C., Kristiansen, K.A., Kalinowski, J. Jiang, Y., Wang, L., Jiang, C.L., Lale, R., and Zotchev, S.B. 2018. Genome Mining of *Streptomyces* sp. YIM 130001 Isolated From Lichen Affords New Thiopeptide Antibiotic. *Front. Microbiol.* 19(9):3139. doi: 10.3389/fmicb.2018.03139.
- Sembiring, L. 2002. *Petunjuk praktikum mikrobiologi untuk mahasiswa S2*. Laboratorium Mikrobiologi. Fakultas Biologi. UGM. Yogyakarta.
- Sembiring, L., Ward A.C. and Goodfellow, M. 2000. Selective isolation and characterisation of members of the *Streptomyces violaceusniger* clade associated with the roots of *Paraserianthes falcataria*. *Anton. Leeuw. Int. J.G.* 78(3-4):353-366.
- Ser, H.L., Tan, L.T., Palanisamy, U.D., Malek, S.N.A., Yin, W.F., Chan, K.G., Goh, B.H. and Lee, L.H. 2016. *Streptomyces antioxidans* sp. nov., a novel mangrove soil actinobacterium with antioxidative and neuroprotective potentials. *Front. Microbiol.* 16(7):899. doi: 10.3389/fmicb.2016.00899.

- Sethi, S., Kumar, R. and Gupta, S. 2013. Antibiotic production by microbes isolated from soil. *IJPSR*, 4(8): 2967-2973.
- Sheikh, H.M.A. 2010. Antimicrobial activity of certain bacteria and fungi isolated from soil mixed with human saliva against pathogenic microbes causing dermatological diseases. *Saudi J Biol Sci*. 17(4):331-339. doi: 10.1016/j.sjbs.2010.06.003.
- Sharma, S.K. and Singh, A.P. 2011. Morphological, microscopical and physico-chemical investigations on the rhizomes of *Cyperus rotundus* Linn. *Res. J. Pharm. Biol. Chem. Sci.* 2(3): 798-806.
- Sherma, J. and Fried, B. 2003. *Handbook of thin-layer chromatography*. Third Edition, *Revised and expanded*. Marcel Dekker, Inc. New York, Basel.
- Shen, B. 2003. Polyketide biosynthesis beyond the type I, II and III polyketide synthase paradigms. *Curr. Opin. Chem. Biol.* 7(2):285-95.
- Shiomi, K., Haneda, K., Tomoda, H., Iwai, Y. and Omura, S. 1994. Cytosaminomycins, new anticoccidial agents produced by *Streptomyces* sp.. KO-8119. *J. Antibiot.* 47(7):782-786.
- Shetty, P.R., Buddana, S.K., Tatipamula, V.B., Naga, Y.V.V. and Ahmad, J. 2014. Production of polypeptide antibiotic from *Streptomyces parvulus* and its antibacterial activity. *Braz. J. Microbiol.* 45(1):303-312.
- Sinaga, E., Noverita. dan Fitria, D. 2009. Daya antibakteri jamur endofit yang diisolasi dari daun dan rimpang lengkuas (*Alpinia galanga* Sw.). *Jurnal Farmasi Indonesia*. 4(4):161-170.
- Singh, V., Praveen, V., Khan, F. and Tripathi, C.K.M. 2009. Phylogenetics of an antibiotic producing *Streptomyces* strain isolated from soil. *Bioinformation*. 4(2):53-58.
- Singh, L.S., Sharma, H. and Talukdar, N.C. 2014. Production of potent antimicrobial agent by Actinomycetes, *Streptomyces sannanensis* strain SU118 isolated from phoomdi in Loktak Lake of Manipur, India. *BioMed. Central Microbiol.* 14:278-291.
- Sivashankari, S. and Shanmughavel, P. 2006. Functional annotation of hypothetical proteins-A review. *Bioinformation*. 1(8), 335–338.
- Soler, J.J., Martin-Vivaldi, M., Peralta-Sanchez, J.M. and Ruiz-Rodriguez, M. 2010. Antibiotic-producing bacteria as a possible defence of birds against pathogenic microorganisms. *Open Ornithol. J.* 3:93-100.
- Sorensen, J. 1997. *The Rhizosfer as a habitat for soil microorganisms*. In Modern soil microbiology. (J. V. D. Dirk, J. T. Trevors, & E. M. H. Wellington, Eds.). Marcel Dekker, Inc. New York.
- Staunton J. and Weissman K.J. 2001. Polyketide biosynthesis: a millennium review *Nat. Prod. Rep.* 18:380–416
- Sudibyo, E.S., Rohmawati, E., Munira, Febriana, S.A., Radiono, S. and Suswanto. 2008. Profil resistensi antibiotik pada *Staphylococcus aureus* dan *Pseudomonas aeruginosa*. *Berkala Kesehatan Klinik*. 14(2): 98-102.

- Suh, J., Yang, Y., Lee, I., Kim, D. and Hyun, C. 2005. Adenosylmethionine synthetase from *Streptomyces* sp., gene sequences coding the same and method for mass production of secondary methabolites including antibiotics thereof. Paten EP 1417313 A4.
- Sujada, N., Sungthong, R. and Lumyong, S. 2014. Termite nests as an abundant source of cultivable Actinobacteria for biotechnological purposes. *Microbes Environ.* 29(2): 211-219.
- Suwandi, U. 1993. Skrining Mikroorganisme Penghasil Antibiotika. *Cermin Dunia Kedokteran* 89(48) : 46-48
- Sweetline, C., Usha, R. and Palaniswamy, M., 2012. Antibacterial activity of Actinomycetes from Pichavaran mangrove of Tamil Nadu. *Appl. J. Hygiene.* 1(2):15-18.
- Syed, C.S., Mounika, P.P.N., Mounika, Y., Kumar, S.S., Bai, V.T., and Audipudi, A.V. 2017. Evaluation of antimicrobial and antibiotic sensitivity of Chilli root endophytic bacteria for eco friendly Biofertilizer. *Int. J. Curr. Microbiol. App. Sci.* Special Issue-5: 45-53
- Taddei, A., Rodriguez, M.J., Marquez-Vilcher, E. and Castelli, C. 2006. Isolation and identification of *Streptomyces* sp.p. from Venezuelan soil: Morphological and biochemical studies. *Microbiol. Res.* 161: 222-231.
- Taechowisan, T., Peberdy, J.F. and Lumyong, S. 2003. Isolation of endophytic actinomycetes from selected plants and their antifungal activity. *World J. Microbiol. Biotechnol.* 19:381-385.
- Takarada, H., Sekine, M., Kosugi, H., Matsuo, Y., Fujisawa, T., Omata, S., Kishi, E., Shimizu, A., Tsukatani, N., Tanikawa, S., Fujita, N. and Harayama, S. 2008. Complete genome sequence of the soil Actinomycete *Kocuria rhizophila*. *J. Bacteriol.* 190(12):4139-46
- Tangjitjaroenkun, J. 2018. Evaluation of antioxidant, antibacterial, and gas chromatography analysis of ethyl acetate extract of *Streptomyces omiyaensis* SCH2. *Asian J. Pharm. Clin. Res.* 11(7):271-6.
- Tjitrosoepomo, G., dan Soeharto. 1981. *Taksonomi Tumbuhan (Spermatophyta)*. Bhratara Karya Aksara, Jakarta.
- Thomashow, L.S., Bonsall, R.F. and Weller, D.M. 2008. *Detection of antibiotic production by soil and rhizosphere microbes in situ*. In, Karlovsky, P. (Ed). Secondary metabolites in soil ecology, soil biology 14. Springer-Verlag Berlin Heidelberg.
- Thompson, J.D., Gibson, T.J., Plewniak, F., Jeanmougin, F. and Higgins, D.G. 1997. The CLUSTAL_X windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Res.* 25(24):4876-82.
- Ullah, I., Arshed, M., Noureen, U., Chuadhry, M.J.I. and Jadoon, M.A. 2012. Isolation of *Streptomyces* from the sediments of selected thermal springs of northern Pakistan and its interinsic susceptibility and resistance. *Records: Zoological Survey of Pakistan.* 21:47-50.

- Van Domselaar, G.H.V., Stothard, P., Shrivastava, S., Cruz, J.A., Guo, A., Dong, X., Lu, P., Szafron, D., Greiner, R. and Wishart, D.S. 2005. BASys: a web server for automated bacterial genome annotation. *Nucleic Acids Res.* 33(Web Server issue) :W455–W459. doi:10.1093/nar/gki593
- Varalakshmi, T., Sekhar, K.M. and Rafi, M.M. 2010. Population studies of Actinomycetes isolated from the rhizosphere of Foxtail millet. *Current Biotica.* 4(3):305-317.
- Varalakshmi, T., Sekhar, K.M., and Charyulu, P.B.B. 2014. Taxonomic studies and phylogenetic characterization of potential and pigmented antibiotic producing actinomycetes isolated from rhizosphere soils. *Int. J. Pharm. Pharm. Sci.* 6(6): 511-519.
- Velho-pereira, S. and Kamal, N.M. 2011. Antimicrobial screening of Actinobacteria using a modified cross-streak method. *Indian J. Pharm. Sci.* 73(2):223-228.
- Ventura, M., Canchaya, C., Tauch, A. and Chandra, G. 2007. Genomics of Actinobacteria: tracing the evolutionary history of an ancient phylum. *Microbiol. Mol. Biol. Rev.* 71(3): 495-548.
- Vicente, C.M., Thibessard, A., Lorenzi, J.N., Benhadj, M., Hôtel, L., Gacemi-Kirane, D., Lespinet, O., Leblond, P., and Aigle, B. 2018. Comparative genomics among closely related *Streptomyces* strains revealed specialized metabolite biosynthetic gene cluster diversity. *Antibiotiks (Basel, Switzerland).* 7(4):86. doi: 10.3390/antibiotics7040086.
- Vieira, F.C.S. and Nahas, E. 2005. Comparison of microbial numbers in soils by using various culture medium and temperatures. *Microbiol. Res.* 160:197-202.
- Vishwanatha, B.T., Babu, K.G., Padmashri, P., Malagi, S.B., Dandin, C.J., and Nayaka, S. 2017. Isolation, identification and characterization of *Streptomyces* Sp.. SN-2. *Biosci. Biotech. Res. Asia.* 14(4): 1401-1407.
- Waksman, S.A. 1967. *The Actinomycetes*. The Ronald Press Company, New York.
- WHO, 2014. *Global Tuberculosis Report 2014*. WHO
- Widayati, W.E. 2005. Bakteri endofit pada tanaman tebu (*Solanum officinarum* L.) identifikasi dan mekanisme asosiasi. *Disertasi Program Bioteknologi*. UGM, Yogyakarta.
- Worang, R.L. 2003. Fungi endofit sebagai penghasil antibiotik. *Tesis S2 Fakultas Biologi UGM*, Yogyakarta.
- Yamamura, H., Ashizawa, H., Hamada, M., Hosoyama, A., Komaki, H., Ootoguro, M., Tamura, T., Hayashi, Y., Nakagawa, Y., Ohtsuki, T., Fujita, N., Ui, S. and Hayakawa, M. 2014. *Streptomyces hokutonensis* sp. Nov., a novel Actinomycetes isolated from the strawberry root rhizosphere. *J. Antibiot.* 67:465-470.
- Yilmaz, E.I., Yavuz, M. and Kizil, M. 2008. Molecular characterization of rhizospheric soil Streptomycetes isolated from indigenous Turkish plants and their antimicrobial activity. *World J. Microbiol. Biotechnol.* 24:1461-1470.

- Yuan, W.M. and Crawford, D.L. 1995. Characterization of *Streptomyces lydicus* WYEC108 as potential biocontrol agent against fungal root and seed rots. *Appl. Environ. Microbiol.* 61(8):3119-3128.
- Yuwantiningsih, S., Margino, S., and Wahyuono, S. 2015. Identification of antibiotic producing endophytic microbe isolates from a national park in Java island. *I. J. Biotech.* 20(2): 169-176.
- Yuwono, T., 2006. *Bioteknologi Pertanian*. UGM Press. Yogyakarta.
- Yuwono, T., 2007. *Biologi Molekular*. Penerbit Erlangga, Jakarta.
- Zong, C., Cheung-Lee, W.L., Elashal, H.E., Raj, M., and Link, A.J. 2018. Albusnodin: an acetylated lasso peptide from *Streptomyces albus*. *Chem Commun (Camb)*. 54(11):1339-1342. doi: 10.1039/c7cc08620b. PMID: 29350227; PMCID: PMC5835390.