DAFTAR PUSTAKA

[1] R. A. Angelova, "Non-Woven Textiles in the Indoor Environment," in *Non-woven Fabrics*, London: INTECHopen, 2016, pp. 187–203.

[2] S. M. Saad, A. R. M. Saad, A. M. Y. Kamarudin, A. Zakaria, and A. Y. M. Shakaff, "Indoor air quality monitoring system using wireless sensor network (WSN) with web interface," in *International Conference on Electrical, Electronics and System Engineering (ICEESE)*, Kuala Lumpur, Malaysia, 2013, pp. 60–64, doi: 10.1109/ICEESE.2013.6895043.

[3] G. Marques and R. Pitarma, "An Indoor Monitoring System for Ambient Assisted Living Based on Internet of Things Architecture," *Int. J. Environ. Res. Public Health*, vol. 13, no. 11, p. 1152, Nov. 2016, doi: 10.3390/ijerph13111152.

[4] Y. Xiang, R. Piedrahita, R. P. Dick, M. Hannigan, Q. Lv, and L. Shang, "A Hybrid Sensor System for Indoor Air Quality Monitoring," in *IEEE International Conference on Distributed Computing in Sensor Systems*, Cambridge, MA, USA, 2013, pp. 96–104, doi: 10.1109/DCOSS.2013.48.

[5] F. Robol, F. Viani, E. Giarola, and A. Massa, "Wireless sensors for distributed monitoring of energy-efficient smart buildings," in *2015 IEEE 15th Mediterranean Microwave Symposium (MMS)*, 2015, pp. 1–4, doi: 10.1109/MMS.2015.7375477.

[6] K. Määttä, J. Rehu, H. Tanner, and K. Känsälä, "Building intelligence -Home operating system for smart monitoring and control," in *IEEE International Conference on Electro Information Technology (EIT)*, Lincoln, NE, USA, 2017, pp. 245–248, doi: 10.1109/EIT.2017.8053363.

[7] H. Shao, H. Sun, and Y. Han, "Design and Implementation of Client for Indoor Air Quality Monitoring System Based on PC and Smartphone," in *6th International Conference on Intelligent Networks and Intelligent Systems (ICINIS)*, henyang, China, 2013, pp. 227–230, doi: 10.1109/ICINIS.2013.65.

[8] G. Stamatescu and V. Sgârciu, "Evaluation of wireless sensor network monitoring for indoor spaces," in *2012 International Symposium on Instrumentation Measurement, Sensor Network and Automation (IMSNA)*, 2012, vol. 1, pp. 107–111, doi: 10.1109/MSNA.2012.6324525.

[9] W. Chen, X. Zhi, D. Peng, and W. Li, "Design and implementation of an intelligent sensor network with cognitive technology," in *International Conference on Circuits, Devices and Systems (ICCDS)*, Chengdu, China, 2017, pp. 231–234, doi: 10.1109/ICCDS.2017.8120484.

[10] S. C. Padwal, M. Kumar, P. Balaramudu, and C. K. Jha, "Analysis of environment changes using WSN for IOT applications," in *2nd International Conference for Convergence in Technology (I2CT)*, Mumbai, India, 2017, pp. 27–32, doi: 10.1109/I2CT.2017.8226088.

[11] G. S. Brager and R. J. de Dear, "Thermal adaptation in the built environment: a literature review," in *Energy and Build*, 27th ed., Elsevier, 1998, pp. 83–96.

[12] S. Habibi, "Smart innovation systems for indoor environmental quality (IEQ)," in *J. Build. Eng*, 8th ed., 2016, pp. 1–13.

[13] J. Lopez, R. Rios, F. Bao, and G. Wang, "Evolving privacy: From sensors to the Internet of Things," *Future Generation Computer Systems*, May 2017, doi: 10.1016/j.future.2017.04.045.
[14] I. Khajenasiri, A. Estebsari, M. Verhelst, and G. Gielen, "A Review on Internet of Things Solutions for Intelligent Energy Control in Buildings for Smart City Applications," *Energy Procedia*, vol. 111, pp. 770–779, Mar. 2017, doi: 10.1016/j.egypro.2017.03.239.
[15] A. Schieweck *et al.*, "Smart homes and the control of indoor air quality," *Renewable and Sustainable Energy Reviews*, vol. 94, pp. 705–718, Oct. 2018, doi: 10.1016/j.rser.2018.05.057.
[16] N. Bhikhoo, A. Hashemi, and H. Cruickshank, "Improving Thermal Comfort of Low-Income Housing in Thailand through Passive Design Strategies," *Sustainability*, vol. 9, no. 8, p. 1440, Aug. 2017, doi: 10.3390/su9081440.
[17] C.-L. Li, X. Zhang, and S.-L. Chung, "Temperature and humidity control for an automobile during heating period," in *2011 Chinese Control and Decision Conference (CCDC)*, Mianyang, China, 2011, pp. 2577–2582, doi: 10.1109/CCDC.2011.5968645.
[18] C. C. Okaeme, S. Mishra, and J. T.-Y. Wen, "Passivity-Based Thermohygrometric Control in Buildings," *IEEE Transactions on Control Systems Technology*, vol. 26, no. 5, pp. 1661–1672, Sep. 2018, doi: 10.1109/TCST.2017.2730164.
[19] M. S. Alwetaishi, "Impact of Building Function on Thermal Comfort: A Review Paper," *American Journal of Engineering and Applied Sciences*, vol. 9, no. 4, pp. 928–945, Apr. 2016, doi: 10.3844/ajeassp.2016.928.945.
[20] W. Zeiler and G. Boxem, "Effects of thermal activated building systems in schools on thermal comfort in winter," *Building and Environment*, vol. 44, no. 11, pp. 2308–2317, Nov. 2009, doi: 10.1016/j.buildenv.2009.05.005.
[21] J. Rilatupa, "Aspek Kenyamanan Termal Pada Pengkondisian Ruang Dalam," *EMAS Jurnal Sains dan Teknologi*, vol. 18, no. 3, p. pp–191, 2008.
[22] Y. Jin, Y. Xiong, L. Wang, Y. X. Liu, and Y. Zhang, "Eco-feedback for thermal comfort and cost efficiency in a nearly zero-energy residence in Guilin, China," in *Energy Build*, 173rd ed., vol. 173, 2018, pp. 1–10.
[23] W. Rattanongphisat, T. Prachaona, A. Harfield, K. Sato, and O. Hanaoka, "Indoor Climate Data Analysis Based a Monitoring Platform for Thermal Comfort Evaluation and Energy Conservation," in *International Conference on Alternative Energy in Developing Countries and Emerging Economies*, Bangkok, Thailand, 2017, vol. 138, pp. 211–216, doi: 10.1016/j.egypro.2017.10.152.
[24] S. Habibi, "Smart innovation systems for indoor environmental quality (IEQ)," *Journal of Building Engineering*, vol. 8, pp. 1–13, Dec. 2016, doi: 10.1016/j.jobe.2016.08.006.
[25] F. Salamone, L. Belussi, L. Danza, M. Ghellere, and I. Meroni, "Integration of a do it yourself Hardware in a Lighting Device for the Management of Thermal Comfort and Energy Use," in *Conference of the Italian Thermal Machines Engineering Association*, Turin, Italy, 2016, vol. 101, pp. 161–168, doi: 10.1016/j.egypro.2016.11.021.

[26] Wen-Tsai Sung, Jui-Ho Chen, and Ming-Han Tsai, "Applications of wireless sensor network for monitoring system based on IOT," in *IEEE International Conference on Systems, Man, and Cybernetics (SMC)*, Budapest, Hungary, 2016, pp. 000613–000617, doi: 10.1109/SMC.2016.7844308.

[27] P. P. Ray, "An Internet of Things based approach to thermal comfort measurement and monitoring," in *3rd International Conference on Advanced Computing and Communication Systems (ICACCS)*, Coimbatore, India, 2016, pp. 1–7, doi: 10.1109/ICACCS.2016.7586398.

[28] P. Zhou, G. Huang, L. Zhang, and K.-F. Tsang, "Wireless sensor network based monitoring system for a large-scale indoor space: data process and supply air allocation optimization," *Energy Build*, vol. 103, pp. 365–374, Sep. 2015, doi: 10.1016/j.enbuild.2015.06.042.

[29] L. D. Pereira, G. Botte, M. Soares, and M. G. da Silva, "Improving Energy Efficiency and Cost Reduction in Airports: Contributions from a Wireless Network Web-Based Monitoring Solution," in *6th International Building Physics Conference, IBPC 2015*, Torino, Italy, 2015, vol. 78, pp. 2178–2183, doi: 10.1016/j.egypro.2015.11.313.

[30] P. Erickson, M. Cline, N. Tirpankar, and T. Henderson, "Gaussian processes for multi-sensor environmental monitoring," in *Multisensor Fusion and Integration for Intelligent Systems (MFI), 2015 IEEE International Conference on*, 2015, pp. 208–213.

[31] S.-K. Kim, Y.-I. Chang, J.-Y. Kang, and S.-H. Han, "Implementation of the Wireless Smart Sensor Network for spatial comfort performance of Hanok residence," in *2013 International Conference on Anti-Counterfeiting, Security and Identification (ASID)*, Shanghai, China, 2013, pp. 1–4, doi: 10.1109/ICASID.2013.6825279.

[32] W. Torresani, N. Battisti, A. Maglione, D. Brunelli, and D. Macii, "A multi-sensor wireless solution for indoor thermal comfort monitoring," in *2013 IEEE Workshop on Environmental Energy and Structural Monitoring Systems*, Trento, Italy, 2013, pp. 1–6, doi: 10.1109/EESMS.2013.6661697.

[33] N. Bouchlaghem, "Optimising the design of building envelopes for thermal performance," *Automation in Construction*, vol. 10, no. 1, pp. 101–112, 2000.

[34] P. M. Bluyssen, *The indoor environment handbook: how to make buildings healthy and comfortable*. London ; Sterling, VA: Earthscan, 2009.

[35] K. Parsons, *Human thermal environments: the effects of hot, moderate, and cold environments on human health, comfort, and performance*. CRC press, 2014.

[36] N. Jamaludin, M. F. Khamidi, S. N. A. Wahab, and M. M. Klufallah, "Indoor thermal environment in tropical climate residential building," in *E3S Web of Conferences*, 2014, vol. 3.

[37] Badan Standar Nasional, "SNI 03- 6389- 2000 Konservasi energi selubung bangunan pada bangunan gedung." 2000.

[38] W. Liping and W. N. Hien, "The impacts of ventilation strategies and facade on indoor thermal environment for naturally ventilated residential buildings in Singapore," *Building and Environment*, vol. 42, no. 12, pp. 4006–4015, Dec. 2007, doi: 10.1016/j.buildenv.2006.06.027.

[39] N. Li, "Comparison between three different CFD software and numerical simulation of an ambulance hall," Master of Science Thesis, KTH School of Industrial Engineering and Management, Sweden, 2015.
[40] H.K Versteeg and M. Malalasekera, *An Introduction to computational fluid dynamics the finie volume method*, vol. 1. New York, US: Longman scientific and technical, 1995.
[41] R. E. Walpole, R. H. Myers, S. L. Myers, and K. Ye, *Probability & statistics for engineers & scientists: MyStatLab update*. 2017.
[42] "Mahalanobis distance," *Wikipedia*. 20-Dec-2018.
[43] D. Duvenaud, J. R. Lloyd, R. Grosse, J. B. Tenenbaum, and Z. Ghahramani, "Structure Discovery in Nonparametric Regression through Compositional Kernel Search," *arXiv:1302.4922 [cs, stat]*, Feb. 2013.
[44] R. D. Yates and D. J. Goodman, *Probability and stochastic processes: a friendly introduction for electrical and computer engineers*, 2. ed. Hoboken, NJ: Wiley, 2005.
[45] American National Standards, *Thermal environmental conditions for human occupancy*, vol. 55. American Society of Heating, Refrigerating and Air-Conditioning Engineers, 2010.
[46] F. Nicol, M. A. Humphreys, and S. Roaf, *Adaptive thermal comfort: principles and practice*. London ; New York: Routledge, 2012.
[47] Badan Standar Nasional, "Pengukuran iklim kerja (panas) dengan parameter indeks suhu basah dan bola." Badan Standar Nasional, 2004.
[48] American National Standards, *Thermal environmental conditions for human occupancy*, vol. 2013. American Society of Heating, Refrigerating and Air-Conditioning Engineers.
[49] Muchlis Alahudin, "Pengaruh Termal Dalam Ruangan Perpustakaan Terhadap Kondisi Buku Dan Kenyamanan Pembaca (Studi Kasus Perpustakaan Universitas Musamus Merauke)," *Jurnal Ilmiah Mustek Anim Ha*, vol. Vol. 3/No.2, 2014.
[50] S. Santi, S. Belinda, and H. Rianty, "Identifikasi iklim mikro dan kenyamanan termal ruang terbuka hijau di kendari," *NALARs*, vol. 18, no. 1, pp. 23–34, Jan. 2019, doi: 10.24853/nalars.18.1.23-34.
[51] F. Pujaningrum, "Karakterisasi Lingkungan Termal Ruang Diskusi Gedung Perpustakaan," Universitas Gadjah Mada, 2018.
[52] kara horikiri, yufeng yao, and jun yao, "Numerical optimisation of thermal comfort improvement for indoorenvironment with occupants and furniture." Energyand Building.