

## REFERENCES

- [1] “An introduction to tobii eyex,” <https://developer.tobii.com/an-introduction-to-the-tobii-eyex-sdk/>, accessed: 2019-09-21.
- [2] J. Pekkanen and O. Lappi, “A new and general approach to signal denoising and eye movement classification based on segmented linear regression,” *Scientific reports*, vol. 7, no. 1, p. 17726, 2017.
- [3] R. Andersson, L. Larsson, K. Holmqvist, M. Stridh, and M. Nyström, “One algorithm to rule them all? an evaluation and discussion of ten eye movement event-detection algorithms,” *Behavior research methods*, vol. 49, no. 2, pp. 616–637, 2017.
- [4] C. Ware and H. H. Mikaelian, “An evaluation of an eye tracker as a device for computer input2,” *Acm sigchi bulletin*, vol. 18, no. 4, pp. 183–188, 1987.
- [5] P. Majaranta and K. J. Räihä, “Twenty years of eye typing: systems and design issues,” in *ETRA*, vol. 2, 2002, pp. 15–22.
- [6] S. Stellmach, S. Stober, A. Nürnberger, and R. Dachsel, “Designing gaze-supported multimodal interactions for the exploration of large image collections,” in *Proceedings of the 1st conference on novel gaze-controlled applications*. ACM, 2011, p. 1.
- [7] K. Holmqvist, M. Nyström, R. Andersson, R. Dewhurst, H. Jarodzka, and J. Van de Weijer, *Eye tracking: A comprehensive guide to methods and measures*. OUP Oxford, 2011.
- [8] A. Hyrskykari, H. Istance, and S. Vickers, “Gaze gestures or dwell-based interaction?” in *Proceedings of the Symposium on Eye Tracking Research and Applications*. ACM, 2012, pp. 229–232.
- [9] H. Drewes and A. Schmidt, “Interacting with the computer using gaze gestures,” in *IFIP Conference on Human-Computer Interaction*. Springer, 2007, pp. 475–488.
- [10] D. D. Salvucci and J. R. Anderson, “Intelligent gaze-added interfaces,” in *Proceedings of the SIGCHI conference on Human Factors in Computing Systems*. ACM, 2000, pp. 273–280.
- [11] M. L. Dybdal, J. S. Agustin, and J. P. Hansen, “Gaze input for mobile devices by dwell and gestures,” in *Proceedings of the Symposium on Eye Tracking Research and Applications*. ACM, 2012, pp. 225–228.
- [12] J. Kangas, D. Akkil, J. Rantala, P. Isokoski, P. Majaranta, and R. Raisamo, “Gaze gestures and haptic feedback in mobile devices,” in *Proceedings of the*

- SIGCHI Conference on Human Factors in Computing Systems.* ACM, 2014, pp. 435–438.
- [13] Y. Zhang, A. Bulling, and H. Gellersen, “Sideways: a gaze interface for spontaneous interaction with situated displays,” in *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems.* ACM, 2013, pp. 851–860.
  - [14] Y. Zhang, J. Müller, M. K. Chong, A. Bulling, and H. Gellersen, “Gazehorizon: enabling passers-by to interact with public displays by gaze,” in *Proceedings of the 2014 ACM International Joint Conference on Pervasive and Ubiquitous Computing.* ACM, 2014, pp. 559–563.
  - [15] Y. Zhang, A. Bulling, and H. Gellersen, “Pupil-canthy-ratio: a calibration-free method for tracking horizontal gaze direction,” in *Proceedings of the 2014 International Working Conference on Advanced Visual Interfaces.* ACM, 2014, pp. 129–132.
  - [16] M. Vidal, A. Bulling, and H. Gellersen, “Pursuits: spontaneous interaction with displays based on smooth pursuit eye movement and moving targets,” in *Proceedings of the 2013 ACM international joint conference on Pervasive and ubiquitous computing.* ACM, 2013, pp. 439–448.
  - [17] M. Vidal, K. Pfeuffer, A. Bulling, and H. W. Gellersen, “Pursuits: eye-based interaction with moving targets,” in *CHI’13 Extended Abstracts on Human Factors in Computing Systems.* ACM, 2013, pp. 3147–3150.
  - [18] M. Vidal, A. Bulling, and H. Gellersen, “Pursuits: spontaneous eye-based interaction for dynamic interfaces,” *GetMobile: Mobile Computing and Communications*, vol. 18, no. 4, pp. 8–10, 2015.
  - [19] M. Khamis, F. Alt, and A. Bulling, “A field study on spontaneous gaze-based interaction with a public display using pursuits,” in *Adjunct Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing and Proceedings of the 2015 ACM International Symposium on Wearable Computers.* ACM, 2015, pp. 863–872.
  - [20] M. Khamis, O. Saltuk, A. Hang, K. Stolz, A. Bulling, and F. Alt, “Textpursuits: using text for pursuits-based interaction and calibration on public displays,” in *Proceedings of the 2016 ACM International Joint Conference on Pervasive and Ubiquitous Computing.* ACM, 2016, pp. 274–285.
  - [21] Herlina, S. Wibirama, and I. Ardiyanto, “Similarity measures of object selection in interactive applications based on smooth pursuit eye movements,” in *2018 International Conference on Information and Communications Technology (ICOIACT).* IEEE, 2018, pp. 639–644.

- [22] D. H. Koh, S. Munikrishne Gowda, and O. V. Komogortsev, "Real time eye movement identification protocol," in *CHI'10 Extended Abstracts on Human Factors in Computing Systems*. ACM, 2010, pp. 3499–3504.
- [23] J. Kangas, J. Rantala, D. Akkil, P. Isokoski, P. Majaranta, and R. Raisamo, "Vibrotactile stimulation of the head enables faster gaze gestures," *International Journal of Human-Computer Studies*, vol. 98, pp. 62–71, 2017.
- [24] D. W. Hansen and Q. Ji, "In the eye of the beholder: A survey of models for eyes and gaze," *IEEE transactions on pattern analysis and machine intelligence*, vol. 32, no. 3, pp. 478–500, 2009.
- [25] C. H. Morimoto and M. R. Mimica, "Eye gaze tracking techniques for interactive applications," *Computer vision and image understanding*, vol. 98, no. 1, pp. 4–24, 2005.
- [26] "How do tobii eye trackers work?" <https://www.tobii.com/learn-and-support/learn/eye-tracking-essentials/how-do-tobii-eye-trackers-work/>, accessed: 2019-09-21.
- [27] A. Gibaldi, M. Vanegas, P. J. Bex, and G. Maiello, "Evaluation of the tobii eyex eye tracking controller and matlab toolkit for research," *Behavior research methods*, vol. 49, no. 3, pp. 923–946, 2017.
- [28] A. Techet, "13.42 design principles for ocean vehicles," 2005. [Online]. Available: <http://web.mit.edu/13.42/www/handouts/reading-randomprocesses.pdf>
- [29] Y. Dodge, *Mahalanobis Distance*. New York, NY: Springer New York, 2008, pp. 325–326.
- [30] B. Sklar and F. J. Harris, *Digital communications: fundamentals and applications*. Prentice-hall Englewood Cliffs, NJ, 1988, vol. 2001.
- [31] F. Jin and F. Sattar, "Enhancement of recorded respiratory sound using signal processing techniques," in *Encyclopedia of Information Communication Technology*. IGI Global, 2009, pp. 291–300.
- [32] S. M. Bozic, *Digital and Kalman filtering*. Courier Dover Publications, 2018.
- [33] S. Smith, *Digital signal processing: a practical guide for engineers and scientists*. Elsevier, 2013.
- [34] S. Shome, S. Vadali, U. Datta, S. Sen, and A. Mukherjee, "Performance evaluation of different averaging based filter designs using digital signal processor and its synthesis on fpga," in *International Journal of signal processing, Image processing and Pattern Recognition*. Citeseer, 2012, vol. 5, no. 3, pp. 75–92.
- [35] J. Pekkanen and O. Lappi, "Supplementary information," December 2017.

- [36] J. D. Hoffman and S. Frankel, *Numerical methods for engineers and scientists*. CRC press, 2001.
- [37] O. V. Komogortsev and J. I. Khan, “Kalman filtering in the design of eye-gaze-guided computer interfaces,” in *International Conference on Human-Computer Interaction*. Springer, 2007, pp. 679–689.
- [38] G. Welch and G. Bishop, “An introduction to the kalman filter,” TR 95-014, Tech. Rep., 2006.
- [39] L. Larsson, “Event detection in eye-tracking data for use in applications with dynamic stimuli,” Ph.D. dissertation, Lund University, 2016.
- [40] T. Santini, W. Fuhl, T. Kübler, and E. Kasneci, “Bayesian identification of fixations, saccades, and smooth pursuits,” in *Proceedings of the Ninth Biennial ACM Symposium on Eye Tracking Research & Applications*. ACM, 2016, pp. 163–170.
- [41] D. Jurafsky and J. H. Martin, “Hidden markov model,” *Speech and Language Processing*, p. 1024, 2016.
- [42] J. Lazar, J. H. Feng, and H. Hochheiser, *Research methods in human-computer interaction*. Morgan Kaufmann, 2017.
- [43] J. Chen, “Z-test,” <https://www.investopedia.com/terms/z/z-test.asp>, accessed: 2020-01-07.
- [44] “Specifications for eyex,” <https://help.tobii.com/hc/en-us/articles/212818309-Specifications-for-EyeX>, accessed: 2019-10-02.
- [45] W. M. Association, “World Medical Association Declaration of Helsinki: Ethical Principles for Medical Research Involving Human Subjects,” *JAMA*, vol. 310, no. 20, pp. 2191–2194, 11 2013.
- [46] P. J. Huber, “Robust estimation of a location parameter,” in *Breakthroughs in statistics*. Springer, 1992, pp. 492–518.
- [47] O. V. Komogortsev and A. Karpov, “Automated classification and scoring of smooth pursuit eye movements in the presence of fixations and saccades,” *Behavior research methods*, vol. 45, no. 1, pp. 203–215, 2013.
- [48] M. Vidal, A. Bulling, and H. Gellersen, “Detection of smooth pursuits using eye movement shape features,” in *Proceedings of the symposium on eye tracking research and applications*. ACM, 2012, pp. 177–180.