

## DAFTAR PUSTAKA

- Aji, W. 2010. Faktor-Faktor Yang Berperan Terhadap Terjadinya Kekambuhan Pada Pasien Skizofrenia. *Tesis*, UGM, Yogyakarta.
- Aji, W. 2011. Peran Pelayanan Kesehatan Dalam Mencegah Terjadinya Kekambuhan Pada Pasien Skizofrenia. *Tesis*, UGM Yogyakarta
- American Psychiatric Association. 2013. *Diagnostic and Statistical Manual of Mental Disorders*. Fifth Edit. American Psychiatric Association. doi: 10.1176/appi.books.9780890425596
- Ashcroft, K., Kim, E., Elefant, E., Benson, C., & Carter, J. A. 2018. Meta-Analysis of Caregiver-Directed Psychosocial Interventions for Schizophrenia. *Community Mental Health Journal*, 54 (7): 983–991. doi: 10.1007/s10597-018-0289-x
- Ayano, G., & Duko, B. 2017. Relapse and hospitalization in patients with schizophrenia and bipolar disorder at the St Amanuel Mental Specialized Hospital, Addis Ababa, Ethiopia: a comparative quantitative cross-sectional study. *Neuropsychiatric Disease and Treatment*, Volume 13: 1527–1531. doi: 10.2147/NDT.S139075
- Chang, L.-R., Lin, Y.-H., Wu Chang, H.-C., Chen, Y.-Z., Huang, W.-L., Liu, C.-M., *et al.* 2013. Psychopathology, rehospitalization and quality of life among patients with schizophrenia under home care case management in Taiwan. *Journal of the Formosan Medical Association*, 112 (4): 208–215. doi: 10.1016/j.jfma.2012.01.018
- Chaurotia, V. K., Verma, K. K., & Baniya, G. C. 2016. A Study of Psychosocial Factor Related with Relapse in Schizophrenia., 9.
- Chien, W. T., Leung, S. F., Yeung, F. K., & Wong, W. K. 2013. Current approaches to treatments for schizophrenia spectrum disorders, part II: psychosocial interventions and patient-focused perspectives in psychiatric care. *Neuropsychiatric Disease and Treatment*, 1463. doi: 10.2147/NDT.S49263
- Crouch, R. B., & Alers, V. M. (Eds.). 2014. *Occupational therapy in psychiatry and mental health*. Fifth edition. Chichester, West Sussex: John Wiley & Sons, Inc.

- Das, S., Punnoose, V. P., Doval, N., & Nair, V. Y. 2018. Spirituality, religiousness and coping in patients with schizophrenia: A cross sectional study in a tertiary care hospital. *Psychiatry Research*, 265: 238–243. doi: 10.1016/j.psychres.2018.04.030
- Dein, S. 2018. Against the Stream: religion and mental health – the case for the inclusion of religion and spirituality into psychiatric care. *BJPsych Bulletin*, 42 (3): 127–129. doi: 10.1192/bjb.2017.13
- DeLuca, J. S., Clement, T., & Yanos, P. T. 2017. Does Individual Stigma Predict Mental Health Funding Attitudes? Toward an Understanding of Resource Allocation and Social Climate, 54: 12.
- Departemen Kesehatan RI. 1993. *Pedoman Penggolongan dan Diagnosis Gangguan Jiwa di Indonesia III*. Jakarta: Direktorat Jenderal Pelayanan Medik Departemen Kesehatan RI.
- Dyga, K., & Stupak, R. 2018. Ways of understanding of religious delusions associated with a change of identity on the example of identification with Jesus Christ. *Psychiatria Polska*, 52 (1): 69–80. doi: 10.12740/PP/64378
- Eklund, M., Tjörnstrand, C., Sandlund, M., & Argentzell, E. 2017. Effectiveness of Balancing Everyday Life ( BEL ) versus standard occupational therapy for activity engagement and functioning among people with mental illness – a cluster RCT study, 1–12. doi: 10.1186/s12888-017-1524-7
- Fond, G., Bulzacka, E., Boucekine, M., Schürhoff, F., Berna, F., Godin, O., *et al.* 2019. Machine learning for predicting psychotic relapse at 2 years in schizophrenia in the national FACE-SZ cohort. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 92: 8–18. doi: 10.1016/j.pnpbp.2018.12.005
- Galderisi, S., Rossi, A., Rocca, P., Bertolino, A., Mucci, A., Bucci, P., *et al.* 2016. Pathways to functional outcome in subjects with schizophrenia living in the community and their unaffected first-degree relatives, 175: 154–160. doi: 10.1016/j.schres.2016.04.043
- Guedes de Pinho, L. M., Pereira, A. M. de S., & Chaves, C. M. C. B. 2018. Quality of life in schizophrenic patients: the influence of sociodemographic and clinical characteristics and satisfaction with social support. *Trends in Psychiatry and Psychotherapy*. doi: 10.1590/2237-6089-2017-0002

- Hakkaart-van Roijen, L., Bouwmans, C., de Sonnevile, C., & Mulder, C. 2015. Employment and the associated impact on quality of life in people diagnosed with schizophrenia. *Neuropsychiatric Disease and Treatment*, 2125. doi: 10.2147/NDT.S83546
- Harrow, M., Jobe, T. H., Faull, R. N., & Yang, J. 2017. A 20-Year multi-followup longitudinal study assessing whether antipsychotic medications contribute to work functioning in schizophrenia. *Psychiatry Research*, 256: 267–274. doi: 10.1016/j.psychres.2017.06.069
- Hasan, A. A., Callaghan, P., & Lymn, J. S. 2014. Evaluation of the impact of a psycho-educational intervention on knowledge levels and psychological outcomes for people diagnosed with Schizophrenia and their caregivers in Jordan: a randomized controlled trial. *BMC Psychiatry*, 14 (1). doi: 10.1186/1471-244X-14-17
- Higuchi, Y., Sumiyoshi, T., Seo, T., Suga, M., & Takahashi, T. 2017. Schizophrenia Research : Cognition Associations between daily living skills , cognition , and real-world functioning across stages of schizophrenia ; a study with the Schizophrenia Cognition Rating Scale Japanese version. *Schizophrenia Research: Cognition*, 7: 13–18. doi: 10.1016/j.scog.2017.01.001
- Ho, R. T. H., Chan, C. K. P., Lo, P. H. Y., Wong, P. H., Chan, C. L. W., Leung, P. P. Y., *et al.* 2016. Understandings of spirituality and its role in illness recovery in persons with schizophrenia and mental-health professionals: a qualitative study. *BMC Psychiatry*, 16 (1). doi: 10.1186/s12888-016-0796-7
- Holder S & Wayhs, A. 2014. Schizophrenia, 90 (11).
- Holubova, M., Prasko, J., Matousek, S., Latalova, K., Marackova, M., Vrbova, K., *et al.* 2016. Comparison of self-stigma and quality of life in patients with depressive disorders and schizophrenia spectrum disorders &ndash; a cross-sectional study. *Neuropsychiatric Disease and Treatment*, Volume 12: 3021–3030. doi: 10.2147/NDT.S121556
- Immonen, J., Jääskeläinen, E., Korpela, H., & Miettunen, J. 2017. Age at onset and the outcomes of schizophrenia: A systematic review and meta-analysis: Age at onset and the outcomes of schizophrenia. *Early Intervention in Psychiatry*, 11 (6): 453–460. doi: 10.1111/eip.12412

- Jaramillo-Gonzalez, L. E., Sanchez-Pedraza, R., & Herazo, M. I. 2014. The frequency of rehospitalization and associated factors in Colombian psychiatric patients: a cohort study. *BMC Psychiatry*, 14 (1). doi: 10.1186/1471-244X-14-161
- Kalseth, J., Lassemo, E., Wahlbeck, K., Haaramo, P., & Magnussen, J. 2016. Psychiatric readmissions and their association with environmental and health system characteristics : a systematic review of the literature. *BMC Psychiatry*, 1–9. doi: 10.1186/s12888-016-1099-8
- Kemenkes RI. 2018. Riset Kesehatan Dasar 2018. Development, 1-220.
- King, R., Lloyd, C., & Meehan, T. 2007. *Handbook of psychosocial rehabilitation*. Oxford ; Malden, MA: Blackwell Pub.
- Klevanger, N. E., Fimland, M. S., Johnsen, R., & Rise, M. B. 2018. Unfolding the values of work – therapists’ experience of addressing the return to work process in occupational rehabilitation based on Acceptance and Commitment Therapy. *BMC Health Services Research*, 18 (1). doi: 10.1186/s12913-018-3035-8
- Lange, C., Deutschenbaur, L., Borgwardt, S., Lang, U. E., Walter, M., & Huber, C. G. 2017. Experimentally induced psychosocial stress in schizophrenia spectrum disorders: A systematic review. *Schizophrenia Research*, 182: 4–12. doi: 10.1016/j.schres.2016.10.008
- Lee, L.-T., Chen, K. C., Chang, W. H., Chen, P. S., Lee, I. H., & Yang, Y. K. 2015. Holistic Consideration of Patients with Schizophrenia to Improve Medication Adherence and Outcomes. *Clinical Psychopharmacology and Neuroscience*, 13 (2): 138–143. doi: 10.9758/cpn.2015.13.2.138
- Lee, S.-H., Choi, T. K., Suh, S., Kim, Y. W., Kim, B., Lee, E., *et al.* 2010. Effectiveness of a psychosocial intervention for relapse prevention in patients with schizophrenia receiving risperidone via long-acting injection. *Psychiatry Research*, 175 (3): 195–199. doi: 10.1016/j.psychres.2008.06.043
- Lo, P. M. T., & Siu, A. M. H. 2018. Assessing Social Cognition of Persons with Schizophrenia in a Chinese Population: A Pilot Study. *Frontiers in Psychiatry*, 8. doi: 10.3389/fpsy.2017.00302

- Luo, H., Mcneil, E. B., Feng, Q., Li, H., Chen, Q., Qin, X., *et al.* 2018. Utilization of psychiatric rehabilitation services and influencing factors among people with psychotic disorders in rural communities of Guangxi , China. *International Journal of Mental Health Systems*, 1–8. doi: 10.1186/s13033-018-0197-z
- Lystad, J. U., Falkum, E., Haaland, V. Ø., Bull, H., Evensen, S., Bell, M. D., *et al.* 2016. Neurocognition and occupational functioning in schizophrenia spectrum disorders: The MATRICS Consensus Cognitive Battery (MCCB) and workplace assessments. *Schizophrenia Research*, 170 (1): 143–149. doi: 10.1016/j.schres.2015.12.002
- Marchira, C. R. 2012. Pengaruh Intervensi Psikoedukasi Interaktif Singkat Tentang Skizofrenia Terhadap Pengetahuan Caregiver, Keteraturan Kontrol, Ketaatan Pengobatan, dan Kekambuhan Pada Penderita Gangguan Psikotik Fase Awal Di Jogjakarta. UGM, Yogyakarta.
- Marchira, C. R., Supriyanto, I., Subandi, S., Good, M. J. D., & Good, B. J. 2017. Brief interactive psychoeducation for caregivers of patients with early phase psychosis in Yogyakarta, Indonesia. *Early Intervention in Psychiatry*, 1–8. doi: 10.1111/eip.12506
- Martini, L. C., Barbosa Neto, J. B., Petreche, B., Fonseca, A. O., Santos, F. V. dos, Magalhães, L., *et al.* 2017. Schizophrenia and work: aspects related to job acquisition in a follow-up study. *Revista Brasileira de Psiquiatria*, 40 (1): 35–40. doi: 10.1590/1516-4446-2016-2128
- Munikanan, T., Midin, M., Daud, T. I. M., Rahim, R. A., Bakar, A. K. A., Jaafar, N. R. N., *et al.* 2017. Association of social support and quality of life among people with schizophrenia receiving community psychiatric service: A cross-sectional study. *Comprehensive Psychiatry*, 9.
- Owen, M. J., Sawa, A., & Mortensen, P. B. 2016. Schizophrenia. *The Lancet*, 388 (10039): 86–97. doi: 10.1016/S0140-6736(15)01121-6
- Patrick W Corrigan. 2008. *Principle and Practice Of Psychiatric Rehabilitation*.
- Pillai, A., Schooler, N. R., Peter, D., Looney, S. W., Goff, D. C., Kopelowicz, A., *et al.* 2018. Predicting relapse in schizophrenia: Is BDNF a plausible biological marker? *Schizophrenia Research*, 193: 263–268. doi: 10.1016/j.schres.2017.06.059

- Randall, J., Chateau, D., Bolton, J. M., Smith, M., Katz, L., Burland, E., *et al.* 2017. Increasing medication adherence and income assistance access for first-episode psychosis patients. *PLOS ONE*, 12 (6): e0179089. doi: 10.1371/journal.pone.0179089
- Sadock, B. J., Sadock, V. A., Ruiz, P., & Kaplan, H. I. (Eds.). 2009. *Kaplan & Sadock's comprehensive textbook of psychiatry*. 9th ed. Philadelphia: Wolters Kluwer Health/Lippincott Williams & Wilkins.
- Santosh, S., Roy, D. D., & Kundu, P. 2013. Psychopathology, Cognitive Function, and Social Functioning of Patients with Schizophrenia, 23: 6.
- Sastroasmoro, S., & Ismael, S. (Eds.). 2016. *Dasar-dasar Metodologi Penelitian Klinis*. Edisi ke-5. Jakarta: Sagung Seto.
- Scheid, T. L. 2005. Stigma as a barrier to employment: Mental disability and the Americans with Disabilities Act. *International Journal of Law and Psychiatry*, 21.
- Smolak, A., Gearing, R. E., Alonzo, D., Baldwin, S., Harmon, S., & McHugh, K. 2013. Social Support and Religion: Mental Health Service Use and Treatment of Schizophrenia. *Community Mental Health Journal*, 49 (4): 444–450. doi: 10.1007/s10597-012-9536-8
- Soewadi. 1999. *Simptomatologi Dalam Psikiatri*. Yogyakarta: Medika FK UGM.
- Soewadi, Soewadi. 2017. *Materi Kuliah PPDS Psikiatri*. (tidak diterbitkan). Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta.
- Su, C.-T., Yang, A.-L., & Lin, C.-Y. 2017. The Construct of the Schizophrenia Quality of Life Scale Revision 4 for the Population of Taiwan. *Occupational Therapy International*, 2017: 1–11. doi: 10.1155/2017/5328101
- Sousa, V. D., & Rojjanasrirat, W. 2011. Translation, adaptation and validation of instruments or scales for use in cross-cultural health care research: a clear and user-friendly guideline: Validation of instruments or scales. *Journal of Evaluation in Clinical Practice*, 17 (2): 268–274. DOI: 10.1111/j.1365-2753.2010.01434.x
- Sutantri, Soemarno WS, & Soemarni DW. 1995. Faktor Psikososial Yang Berhubungan Dengan Kekambuhan Skizofrenia. *Berita Kedokteran Masyarakat*, XI (3).

- Vázquez Morejón, A. J., León Rubio, J. M., & Vázquez-Morejón, R. 2018. Social support and clinical and functional outcome in people with schizophrenia. *International Journal of Social Psychiatry*, 64 (5): 488–496. doi: 10.1177/0020764018778868
- Vita, A., De Peri, L., Barlati, S., Cacciani, P., Cisima, M., Deste, G., *et al.* 2011. Psychopathologic, neuropsychological and functional outcome measures during cognitive rehabilitation in schizophrenia: A prospective controlled study in a real-world setting. *European Psychiatry*, 26 (5): 276–283. doi: 10.1016/j.eurpsy.2010.03.008
- Vrbova, K., Prasko, J., Ociskova, M., Kamaradova, D., Marackova, M., Holubova, M., *et al.* 2017. Quality of life, self-stigma, and hope in schizophrenia spectrum disorders: a cross-sectional study. *Neuropsychiatric Disease and Treatment*, Volume 13: 567–576. doi: 10.2147/NDT.S122483
- Yanagida, N., Uchino, T., & Uchimura, N. 2016. The Effects of Psychoeducation on Long-term Inpatients with Schizophrenia and Schizoaffective Disorder. *The Kurume Medical Journal*, 63 (3.4): 61–67. doi: 10.2739/kurumemedj.MS00011
- Yazici, E., Karabulut, U., Yildiz, M., Baskan Tekes, S., Inan, E., Cakir, U., *et al.* 2016. Burden on Caregivers of Patients with Schizophrenia and Related Factors. *Noro Psikiyatri Arsivi*, 53 (2): 96–101. doi: 10.5152/npa.2015.9963
- Zhang, H., Mi, W., Li, L., Shi, Y., & Xiao, J. 2015. High relapse rate and poor medication adherence in the Chinese population with schizophrenia: results from an observational survey in the People’s Republic of China. *Neuropsychiatric Disease and Treatment*, 1161. doi: 10.2147/NDT.S72367
- Zhao, Y., Kishi, T., Iwata, N., & Ikeda, M. 2013. Combination treatment with risperidone long-acting injection and psychoeducational approaches for preventing relapse in schizophrenia. *Neuropsychiatric Disease and Treatment*, 1655. doi: 10.2147/NDT.S52317