

DAFTAR PUSTAKA

- [1] M. Subhan, A. Sudarsono, and A. Barakbah, "Preprocessing of Radicalism Dataset to Predict Radical Content in Indonesia," *IEEE International Electronics Symposium on Knowledge Creation and Intelligent Computing (IES-KCIC)*, 2017.
- [2] Ferdinandus Setu, "Kominfo Blokir 11.803 Konten Radikalisme dan Terorisme", ___Siaran Pers No. 63/HM/KOMINFO/03/2019, https://kominfo.go.id/content/detail/17274/siaran-pers-no-63hmkominfo-032019-tentang-kominfo-blokir-11803-konten-radikalisme-dan-terorisme/0/siaran_pers, [akses: 26 Maret 2019].
- [3] CNN Indonesia, "Hingga Februari, Mesin Ais Jaring 11 Ribu Konten Terorisme," https://www.kominfo.go.id/content/detail/17296/hingga-februari-mesin-ais-jaring-11-ribu-konten-terorisme/0/sorotan_media, [akses: 26 Maret 2019].
- [4] M. Al-Zewairi and G. Naymat, "Spotting the Islamist Radical within: Religious Extremists Profiling in the United State," *Procedia Comput. Sci.*, vol. 113, pp. 162–169, 2017.
- [5] A. I. Kapitanov, I. I. Kapitanova, V. M. Troyanovskiy, V. F. Shangin, and N. O. Krylikov, "Approach to automatic identification of terrorist and radical content in social networks messages," *Proc. 2018 IEEE Conf. Russ. Young Res. Electr. Electron. Eng. ElConRus 2018*, vol. 2018–January, pp. 1517–1520, 2018.
- [6] R. Scrivens, Ryan ; Frank, "Sentiment-based Classification of Radical Text on the Web," *Eur. Intell. Secur. Informatics Conf.*, pp. 104–107, 2016
- [7] M. Ashcroft, A. Fisher, L. Kaati, E. Omer, and N. Prucha, "Detecting Jihadist Messages on Twitter," *Proc. - 2015 Eur. Intell. Secur. Informatics Conf. EISIC 2015*, pp. 161–164, 2016.
- [8] W. Magdy, K. Darwish, and I. Weber, "#FailedRevolutions: Using Twitter to Study the Antecedents of ISIS support," *Assoc. Adv. Artif. Intell.*, vol. 21, 2015.
- [9] F. Alvianda and P. P. Adikara, "Analisis Sentimen Konten Radikal Di Media Sosial Twitter Menggunakan Metode Support Vector Machine (SVM)," *J. Pengemb. Teknol. Inf. dan Ilmu Komput. Univ. Brawijaya*, vol. 3, no. 1, pp. 241–246, 2019.
- [10] B. Andrianto and S. Adinugroho, "Analisis Sentimen Konten Radikal Melalui Dokumen Twitter Menggunakan Metode Backpropagation," *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 2, no. 12, pp. 7380–7385, 2018.

- [11] C. D. Suhendra and R. Wardoyo, "Penentuan Arsitektur Jaringan Syaraf Tiruan Backpropagation (Bobot Awal dan Bias Awal) Menggunakan Algoritma Genetika," *IJCCS (Indonesian J. Comput. Cybern. Syst.*, vol. 9, no. 1, p. 77, 2015]
- [12] Abdalraouf Hassan, Ausif Mahmood, Deep learning approach for Sentiment Analysis for short text, IEEE 3rdInternational Conference on control Automation and Robotics (2017).
- [13] Jozefowicz, R., Zaremba, W., & Sutskever, I. 2015. An Empirical Exploration of Recurrent Network Architectures.
- [14] T.E. Tallo, "Modifikasi Metode Synthetic Minority Oversampling Technique (SMOTE) Menggunakan Algoritma Genetika Untuk Menangani Masalah Imbalanced Dataset," Universitas Gadjah Mada, Yogyakarta, Indonesia, 2018.
- [15] J. Patihullah, "Deteksi Hate Speech Bahasa Indonesia Menggunakan Word Embedding dan Gated Recurrent Unit," Universitas Gadjah Mada, Yogyakarta, Indonesia, 2018.
- [16] M. Yang, M. Kiang, Y. Ku, C. Chiu, and Y. Li, "Social media analytics for radical opinion mining in hate group web forums," *Journal of homeland security and emergency management*, vol. 8, no. 1, 2011.
- [17] O. Somantri dan M. Khambali, "Feature Selection Klasifikasi Kategori Cerita Pendek Menggunakan Naive Bayes dan Algoritme Genetika," *Jurnal Nasional Teknik Elektro dan Teknologi Informasi*, Vol. 6, No. 3, hal. 301-306, 2017.
- [18] T. Mikolov, I. Sutskever, K. Chen, G. S. Corrado, dan J. Dean, "Distributed Representations of Words and Phrases and Their Compositionality," *Advances in Neural Information Processing Systems*, 2013, hal. 3111–3119.
- [19] J. Santoso *et al.*, "Self-Training Naive Bayes Berbasis Word2Vec untuk Kategorisasi Berita Bahasa Indonesia," *J. Nas. Tek. Elektro dan Teknol. Inf.*, vol. 7, no. 2, pp. 158–166, 2018.
- [20] Suyanto, "Machine Learning Tingkat Dasar dan Lanjut," Informatika, Bandung, Indonesia, 2018.
- [21] Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning," *nature*, vol. 521, no. 7553, p. 436, 2015.

- [22] W. Yin, K. Kann, M. Yu, and H. Schütze, "Comparative study of cnn and rnn for natural language processing," *arXiv preprint arXiv:1702.01923*, 2017.
- [23] J. Pustejovsky and A. Stubbs, *Natural Language Annotation for Machine Learning_ A Guide to Corpus-Building for Applications*, First. O'Reilly, 2013.
- [24] Han, J., Kamber, M. 2006. Data Mining Concept and Tehniques. San Fransisco: Morgan Kauffman.
- [25] R. Feldman, J. Sanger, "The Text Mining Handbook", Cambridge University Press, 2006.
- [26] Kumar, L. & Bhatia, P.K., 2013, Text mining: concepts, process and applications, *Journal of Global Research in Computer Science*, 4, 3, 36–39.
- [27] H. Sahrasad, A. Chaidar, 2017, "Fundamentalisme, Terorisme dan Radikalisme (Perspektif atas Agama, Masyarakat dan Negara)". Freedom Foundation&Centre for Strategic Studies - University of Indonesia (CSS-UI).
- [28] H. Nashir, "Paradoks Radikalisme," <https://www.republika.co.id/berita/kolom/wacana/18/09/23/pfhk0u440-paradoks-radikalisme>, [akses: 10 Juli 2019].
- [29] A. S. Wilner and C. J. Dubouloz, "Transformative radicalization: Applying learning theory to Islamist radicalization," *Stud. Confl. Terror.*, vol. 34, no. 5, pp. 418–438, 2011.
- [30] A. Suryadhi, "Ini 4 Kriteria Situs Radikal Menurut BNPT," <https://inet.detik.com/cyberlife/d-2875010/ini-4-kriteria-situs-radikal-menurut-bnpt>, [akses: 2-nov-18].
- [31] Direktur Deradikalisasi BNPT, "Ideologi dan Pemetaan Kelompok Radikal Terorisme Serta Upaya Penanggulangannya," Seminar Internasional-Wasatiyyah Islam in Southeast Asia, IAIN Antasari, 2015.
- [32] Y. J. Woloeoyo, "Seri Belajar Kilat TWITTER", Elcom dan Andi Yogyakarta. 2010.
- [33] S. Chauhan, N. K. Panda, "Chapter 2 - Open Source Intelligence and Advanced Social Media Search, Hacking Web Intelligence, Open Source Intelligence and Web Reconnaissance Concepts and Techniques, 2015.

- [34] Twitter, “Tentang API Twitter,” <https://help.twitter.com/id/rules-and-policies/twitter-api>, [akses: 18 Maret 2019].
- [35] W. Widayat, “Pengaruh *Word Embedding Dimension Reduction* Terhadap Kinerja LSTM Untuk Analisis Sentimen”, Universitas Gadjah Mada, Yogyakarta, 2018.
- [36] Mikolov, T., Chen, K., Corrado, G. & Dean, J., 2013, Efficient Estimation of Word Representations in Vector Space, , 1–12, <http://arxiv.org/abs/1301.1301.3781>, [akses: 12 Juli 2019].
- [37] A. H. Abdullah, “Word Embedding,” <https://rpubs.com/ahmadhusain/wordembedding>, [akses: 10 Juni 2019].
- [38] V. Bhanawat., “The Architecture of Word2vec”., <https://medium.com/@vishwasbhanawat/the-architecture-of-word2vec-78659ceb6638>., [akses: 28 Juli 2019].
- [39] J. Patterson, A. Gibson. *Deep Learning a Practitioner’s Approach*. United States of America: O’Reilly Media, 2017.
- [40] B. Priyono, “Pengenalan Recurrent Neural Network (RNN) – Bagian 1,” <https://indoml.com/2018/04/04/pengenalan-rnn-bag-1/>, [akses: 25 Juli 2019].
- [41] M. Wildan, P. Aldi, and A. Aditsania, “Analisis dan Implementasi Long Short Term Memory Neural Network untuk Prediksi Harga Bitcoin,” *e-Proceeding Eng.*, vol. 5, no. 2, pp. 3548–3555, 2018.
- [42] B. Priyono, “Pengenalan Long Short Term Memory (LSTM dan Gated Recurrent Unit (GRU) – RNN bagian 2,” <https://indoml.com/2018/04/13/pengenalan-long-short-term-memory-lstm-dan-gated-recurrent-unit-gru-rnn-bagian-2/>, [akses: 25 Juli 2019].
- [43] Olah, C. 2015, August 27. *Understanding LSTM Networks*. Retrieved from <http://colah.github.io/posts/2015-08-Understanding-LSTMs/> [akses: 4 Mei 2019].
- [44] Nitesh V. Chawla, Kevin W. Bowye, W. P. K. r, Lawrence O. Hall, “SMOTE: Synthetic Minority Over-sampling Technique Nitesh,” *J. Artif. Intell. Res.*, vol. 2009, no. Sept. 28, pp. 321–357, 2006.
- [45] J. M. Choi, “A Selective Sampling Method for Imbalanced Data Learning on Support Vector Machines,” Iowa State University, 2010.
- [46] S. T. Jishan, R. I. Rashu, N. Haque, and R. M. Rahman, “Improving accuracy of students’ final grade prediction model using optimal equal width

binning and synthetic minority over-sampling technique,” *Decis. Anal.*, vol. 2, no. 1, pp. 1-25, 2015.

- [47] Kusriani, luthfi taufiq Emha, “ Algoritma Data Mining,” Penerbit Andi, Yogyakarta. 2009.
- [48] E. Prasetyo, E. Data Mining: Konsep dan Aplikasi Menggunakan MATLAB. Yogyakarta: Andi Offset. 2012.
- [49] Dr. Suyanto, S. M. (2017). *DATA MINING UNTUK KLASIFIKASI DAN KLASIFIKASI DATA*. Bandung: Informatika.
- [50] J. dan M. K. Han, *Data Mining: Concept and Techniques*, 3rd ed. Burlington, MA: Elsevier, 2001.
- [51] Anonim, “Classification Algorithms-Random Forest, https://www.tutorialspoint.com/machine_learning_with_python/machine_learning_with_python_classification_algorithms_random_forest.htm, [akses 26 november 2019].
- [52] M. Sokolova dan G. Lapalme, “A systematic analysis of performance measures for classification tasks,” *Inf. Process. Manag.*, vol. 45, no. 4, hal. 427–437, 2009.
- [53] Witten, I. H. and Frank, E, *DATA MINING Practical Machine Learning Tools and Techniques*. Second Edition. California: Morgan Kaufman. 2005.
- [54] I. Taufiq, A. Nur, N. Y. Setiawan, and F. A. Bachtiar, “Perbandingan Performa Metode Klasifikasi Svm , Neural Network , Dan Naïve Bayes Untuk Mendeteksi Kualitas Pengajuan Performance Comparison of Svm , Neural Network and Naïve Bayes Classification Method for Detecting the Quality of Credit,” *J. Teknol. Inf. dan Ilmu Komput.*, vol. 6, no. 4, pp. 445–450, 2019.
- [55] J. Li, H. Xu, X. He, J. Deng, and X. Sun, “Tweet modeling with LSTM recurrent neural networks for hashtag recommendation,” *Proc. Int. Jt. Conf. Neural Networks*, vol. 2016–October, no. 2, pp. 1570–1577, 2016.



UNIVERSITAS
GADJAH MADA

**KLASIFIKASI KONTEN RADIKALISME DI TWITTER DENGAN MODEL DEEP LEARNING
MENGUNAKAN LONG SHORT TERM
MEMORY**

NUR OKTAVIN IDRIS, Widyawan, S.T., M.Sc., Ph.D; Teguh Bharata Adji, S.T., M.T., M.Eng., Ph.D.

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>