

DAFTAR PUSTAKA

- Adham, M., Kurniawan, A.N., Muhtadi, A.I., Roezin, A., Hermani, B., Gondhowiardjo, S., Tan. I.B., and Middeldorp, J.M, 2012, “Nasopharyngeal Carcinoma in Indonesia: Epidemiology, Incidence, Signs, and Symptoms in Presentation”, Chinese Journal of Cancer, Vol. 31 Issue 4.
- Andres, S., McCarthy, D.J., Chen, Y., Okoniewski, M., Smyth, G.K., Huber, W., and Mark, D.R., 2013, “Count-based differential expression analysis of RNA sequencing data using R and Bioconductor”, Nature Protocols, 8(9):1766.
- Arima, K., Ohta, S., Takagi, A., Shiraishi, H., Masuoka, M., Otsuka, K., Suto, H., Suzuki, S., Yamamoto, K., Ogawa, M., Simmons, O., Yamaguchi, Y., Toda, S., Aihara, M., Conway, S.J., Ikeda, S., and Izuhara, K., 2015, “Periostin contributes to epidermal hyperplasia in psoriasis common to atopic dermatitis”, Allergol Int, 64(1):41-48.
- Astrosini, C., Roeefzaad, C., Dai, Y.Y., Dieckgraefe, B.K., Jöns, T., and Kemmner, W., 2008, “REG1A expression is a prognostic marker in colorectal cancer and associated with peritoneal carcinomatosis”, Int J Cancer, 123(2):409-413.
- Baker, S., Ali, I., Silins, I., Pyysalo, S., Guo, Y., Höglberg, J., Stenius, U., and Korhonen, A., 2017, “Cancer Hallmarks Analytics Tool (CHAT): a text mining approach to organize and evaluate scientific literature on cancer”, Bioinformatics, 33(24):3973-3981.
- Brady, G., MacArthur, G.J., and Farrell, P.J., 2007, “Epstein-Barr virus and Burkitt lymphoma”. J Clin Pathol, 60(12):1397-402.
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R.L., Torre, L.A., and Jemal, A., 2018, “Global Cancer Statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. CA Cancer J Clin, in press”, The online GLOBOCAN 2018 database is accessible at <http://gco.iarc.fr/>, as part of IARC’s Global Cancer Observatory.
- Bucca, G.G., Carruba, A., Saetta, P., Muti, L., Castagnetta, and Smith C.P., 2004, “Gene expression profiling of human cancers”, Annals of the New York Academy of Sciences, 1028:28–37.
- Burniston, J.G., and Chen, Y.W., 2019, “Omics Approaches to Understanding Muscle Biology”, American Physiology Society, Springer. Washington. USA.
- Cabras, G., Decaussin, G., Zeng, Y., Djennaoui, D., Melouli, H., and Brouly, P., 2005, “Epstein-Barr virus encoded BALF1 gene is transcribed in Burkitt’s lymphoma cell lines and in nasopharyngeal carcinoma’s biopsies”, J Clin Virol, 34(1):26-34.
- Chang, L.L., Hsu, W.H., Kao, M.C., Chou, C.C., Lin, C.C., Liu, C.J., Weng, B.C., Kuo, F.C., Kuo, C.H., Lin, M.H., Wang, C.J., Lin, C.H., Wu, D.C., and Huang, S.K., 2018, “Stromal C-type lectin receptor COLEC12 integrates H. pylori, PGE2-EP2/4 axis and innate immunity in gastric diseases” Sci Rep, 8(1):3821.



- Chen, L., and Han, X., 2015, "Anti-PD-1/PD-L1 therapy of human cancer: Past, present, and future", *J. Clin. Investig.*, 125:3384–3391.
- Dawson, C.W., Rickinson, A.B., and Young, L.S., 1990, "Epstein-Barr virus latent membrane protein inhibits human epithelial cell differentiation", *Nature*, 344(6268):777-80.
- Drew, Pardoll., 2015, "Cancer and the Immune System: Basic Concepts and Targets for Intervention", *Semin Oncol*, 42(4): 523–538.
- Fahraeus, R., Fu, H.L., Ernberg, I., Finke, J., Rowe, M., and Klein, G., 1988, "Expression of Epstein-Barr virus-encoded proteins in nasopharyngeal carcinoma", *Int J Cancer*, 42(3):329-38.
- Ferlay, J., Shin, H.R., Bray, F., Forman, D., Mathers, C., and Parkin, D.M., 2010, "Estimates of worldwide burden of cancer in 2008: GLOBOCAN 2008", *Int J Cancer*, 127:2893–917.
- Ferlay, J., Soerjomataram, I., Ervik, M., Dikshit, R., Eser, S., Mathers, S., Robelo, M., Parkin, D.M., Forman, D., and Bray, F., 2013, "GLOBOCAN 2012: Estimated Cancer Incidence, Mortality and Prevalence Worldwide in 2012 v1.0, IARC CancerBase", 11.
- Geng, H.T., Cao, R.J., Cheng, L., Liu, C.Y., 2017, "Overexpression of Hepatocyte Cell Adhesion Molecule (hepaCAM) Inhibits the Proliferation, Migration, and Invasion in Colorectal Cancer Cells", *Oncol Res*, 7;25(7):1039-1046.
- Guasparri, I., Bubman, D., and Cesarman, E., 2008, "EBV LMP2A affects LMP1-mediated NF-kappaB signaling and survival of lymphoma cells by regulating TRAF2 expression", *Blood*, 111(7):3813-20.
- Hanahan, D., and Weinberg, R.A., 2011, "Hallmarks of Cancer: The Next Generation", *Cell*, 144(5): 646-674.
- Heather, J.M., Chain, B., 2016, "The sequence of sequencers: the history of sequencing DNA", *Genomics*, 107:1–8.
- Hennig, R., Kehl, T., Noor, S., Ding, X.Z., Rao, S.M., Bergmann, F., Furstenberger, G., Buchler, M.W., Friess, H., Krieg, P., and Adrian, T.E., 2007, "15-Lipoxygenase-1 Production is Lost in Pancreatic Cancer and Overexpression of the Gene Inhibits Tumor Cell Growth", *Neoplasia*, 9(11):917–26.
- Heussinger, N., Buttner, M., Ott, G., Brachtel, E., Pilch, B.Z., and Kremmer, E., 2004, "Expression of the Epstein-Barr virus (EBV)-encoded latent membrane protein 2A (LMP2A) in EBV-associated nasopharyngeal carcinoma", *J Pathol*, 203(2):696-9.
- Hoebe, E.K., Hutajulu, S.H., van Beek, J., Stevens, S.J, Paramita, D.K., and Greijer, A.E., 2011, "Purified hexameric Epstein-Barr virus-encoded BARF1 protein for measuring anti-BARF1 antibody responses in nasopharyngeal carcinoma patients", *Clin Vaccine Immunol*, 18(2):298-304.
- Hu, L.L., Huang, Y., Wang, Q.C., Zou, Q., and Jiang, Y.A., 2012, "Benchmark comparison of ab initio microRNA identification methods and software", *Genet Mol. Res.* 11(4):4525–4538.



- Huang, W., Sherman, B.T., and Lempicki, R.A., 2009, "Systematic and integrative analysis of large gene lists using DAVID bioinformatics resources", *Nat Protoc*, 4(1):44-57.
- Il, L.S., Zuo, X., and Shureiqi, I., 2011, "15-Lipoxygenase-1 as a tumor suppressor gene in colon cancer: is the verdict in?", *Cancer and Metastasis Reviews*, 30(3):481–491.
- Irizarry, R.A., Ladd-Acosta, C., Wen, B., Wu, Z., Montano, C., Onyango, P., Cui, H., Gabo, K., Rongione, M., Webster, M., Ji, H., Potash, J., Sabuncian, S., and Feinberg, A.P., 2009, "The human colon cancer methylome shows similar hypo- and hypermethylation at conserved tissue-specific CpG island shores", *Nat Genet*, 41(2):178-186.
- Izumi, K.M., 2001, "Identification of EBV transforming genes by recombinant EBV technology", *Semin Cancer Biol*, 11(6):407-14.
- Janvilisri, Javan., 2015, *Omics-Based Identification of Biomarkers for Nasopharyngeal Carcinoma*, Department of Biochemistry, Faculty of Science, Mahidol University, Bangkok, Thailand.
- Jiang, W.G., Watkins, G., Douglas-Jones, A., and Mansel, R.E., 2006, "Reduction of isoforms of 15-lipoxygenase (15-LOX)-1 and 15-LOX-2 in human breast cancer, Prostaglandins", *Leukotrienes and Essential Fatty Acids*, 74(4):235–245.
- Kapatai, G., and Murray, P., 2007., "Contribution of the Epstein Barr virus to the molecular pathogenesis of Hodgkin lymphoma", *J Clin Pathol*, 60(12):1342-9.
- Kawakami, K., Fujita, Y., Matsuda, Y., Arai, T., Horie, K., Kameyama, K., Kato, T., Masunaga, K., Kasuya, Y., Tanaka, M., Mizutani, K., Deguchi, T., and Ito, M., 2017, "Gamma-glutamyltransferase activity in exosomes as a potential marker for prostate cancer", *BMC Cancer*, 17(1):316.
- Kim, D., Langmead, B., and Salzberg, S.L, 2015, "HISAT: a fast spliced aligner with low memory requirements", *Nat. Methods*, 12:357–360.
- Kiss, C., Nishikawa, J., Takada, K., Trivedi, P., Klein, G., and Szekely, L., 2003, "T cell leukemia I oncogene expression depends on the presence of Epstein-Barr virus in the virus-carrying Burkitt lymphoma lines", *Proc Natl Acad Sci USA*, 100(8):4813-4818.
- Kutikhin, A.G., and Arseniy, E.Y., 2012, "C-type lectin receptors and RIG-I-like receptors: new points on the oncogenomics map", *Cancer Manag Res*, 4: 39–53.
- Kutok, J.L., and Wang, F., 2006, "Spectrum of Epstein-Barr virus-associated diseases", *Annu Rev Pathol*, 1:375-404.
- Lebrero-Fernández, C., Wenzel, U.A., Akeus, P., Wang, Y., Strid, H., Simrén, M., Gustavsson, B., Börjesson, L.G., Cardell, S.L., Öhman, L., Quiding-Järbrink, M., Bas-Forsberg, A., 2016, "Altered expression of Butyrophilin (BTN) and BTN-like (BTNL) genes in intestinal inflammation and colon cancer", *Immun Inflamm Dis.*, 1;4(2):191-200.
- Liebowitz, D., 1994, "Nasopharyngeal carcinoma: the Epstein-Barr virus association", *Semin Oncol*, 21(3):376-81.



- Li, F., Xiao, H., Zhou, F., Hu, Z., and Yang, B., 2017, "Study of HSPB6: Insights into the Properties of the Multifunctional Protective Agent", *Cell Physiol Biochem.*, 44(1):314-332.
- Li, Y.Y., Chung, G.T., Lui, V.W., To, K.F., Ma, B.B., Chow, C., Woo, J.K., Yip, K.Y., Seo, J., Hui, E.P., Mak, M.K., Rusan, M., Chau, N.G., Or, Y.Y., Law, M.H., Law, P.P., Liu, Z.W., Ngan, H.L., Hau, P.M., Verhoeft, K.R., Poon, P.H., Yoo, S.K., Shin, J.Y., Lee, S.D., Lun, S.W., Jia, L., Chan, A.W., Chan, J.Y., Lai, P.B., Fung, C.Y., Hung, S.T., Wang, L., Chang, A.M., Chiosea, S.I., Hedberg, M.L., Tsao, S.W., van Hasselt, A.C., Chan, A.T., Grandis, J.R., Hammerman, P.S., and Lo, K.W., 2017, "Exome And Genome Sequencing Of Nasopharynx Cancer Identifies NF-Kb Pathway Activating Mutations", *Nat Commun*, 8: 14121.
- Li, Z., Liu, M., Zhang, L., Zhang, W.X., Gao, G., Zhu, Z.Y., Wei, L.P., Fan, Q.C., and Long, M.Y., 2009, "Detection of intergenic non-coding RNAs expressed in the main developmental stages in *Drosophila melanogaster*", *Nucleic Acids Res*, 37(13):4308–4314.
- Liu, M., Guo, S., and Jonathan, K.S., 2011, "The emerging role of CXCL10 in cancer (Review)", *Oncol Lett.*, 2(4): 583–589.
- Liu, Z., Zhang, Y., Xie, J., Li, C., Wang, X., Shen, J., Zhang, Y., Wang, S., Cheng, N., 2015, "Regenerating gene 1B silencing inhibits colon cancer cell HCT116 proliferation and invasion", *Int J Biol Markers*, 30(2):217-25.
- Lo, K.W., To, K.F., and Huang, D.P., 2004, "Focus on nasopharyngeal carcinoma", *Cancer Cell*, 5(5):423-8.
- Love, M.I., Huber, W., Anders, S., 2014, "Moderated estimation of fold change and dispersion for RNA-seq data with DESeq2", *Genome Biol.*, 15(12):550
- Lowe, R., Shirley, N., Bleackley, M., Dolan, S., and Shafee, T., 2017, "Transcriptomics technologies", *PLOS Computational Biology*, 13(5):1-23.
- Mi, H., Muruganujan, A., Huang, X., Ebert, D., Mills, C., Gio, X., and Paul, D.T., 2013, "Protocol Update for large-scale genome and gene function analysis with the PANTHER classification system (v.14.0)", *Nat. Protoc.*, 8:1551–1566.
- Mladenova, I., and Pellicano, R., 2003, "Infectious agents and gastric tumours. An increasing role for Epstein-Barr virus", *Panminerva Med*, 45(3):183-8.
- Morey, M., Fernandez-Marmiesse, A., Castineiras, D., Fraga, J.M., Couce, M.L., Cocho, J.A., 2013, "A glimpse into past, present, and future DNA sequencing", *Mol Genet Metab*, 110:3–24.
- Moussalli, M.J., Wu, Y., Zuo, X., Yang, X.L., Wistuba, Raso, M.G., Morris, J.S., Bowser, J.L., Minna, J.D., Lotan, R., and Shureiqi, I., 2011, "Mechanistic contribution of ubiquitous 15-lipoxygenase-1 expression loss in cancer cells to terminal cell differentiation evasion", *Cancer Prev Res (Phila)*, 4(12):1961–72
- Nakanishi, T., Imaizumi, K., Hasegawa, Y., Kawabe, T., Hashimoto, N., Okamoto, M., and Shimokata, K., 2006, "Expression of macrophage-derived chemokine (MDC)/CCL22 in human lung cancer", *Cancer Immunol. Immunother.*, 55:1320–1329.



- National Cancer Institute (US), 2018, PDQ Cancer Information Summaries, USA (internet), <https://www.ncbi.nlm.nih.gov/books/NBK475822/> diakses pada 21 Oktober 2018, Pkl 13:02 WIB.
- National Institutes of Health, 2015, DNA Sequencing Fact Sheet . National Human Genome Research Institute (internet), <https://www.genome.gov/10001177/dna-sequencing-fact-sheet/> 24 Januari 2019, Pkl 13:50 WIB.
- National Institutes of Health, National Cancer Institute., 2019, <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/signaling-pathway>, diakses pada 16 desember 2019, Pkl 01.21 WIB.
- Pagani, I., Liolios, K., Jansson, J., Chen, I.M., Smirnova, T., Nosrat, B., Markowitz, V.M., and Kyrides, N.C., 2011, “The Genomes OnLine Database (GOLD) v.4: status of genomic and metagenomic projects and their associated metadata”, *Nucleic Acids Res.*, 40:571-579.
- Park, P.J., 2009, “ChIP-seq: advantages and challenges of a maturing technology”, *Nat Rev Genet.*, 10:669-680.
- Park, S.Y., Gupta, D., Hurwich, R., Kim, C.H., and Dziarski, R., 2011, “Peptidoglycan recognition protein Pglyrp2 protects mice from psoriasis-like skin inflammation by promoting regulatory T cells and limiting Th17 responses”, *J Immunol.*, 187(11):5813-5823.
- Pegtel, D.M., Subramanian, A., Sheen, T.S., Tsai, C.H., Golub, T.R., and Thorley-Lawson, D.A., 2005, “Epstein-Barr-virus-encoded LMP2A induces primary epithelial cell migration and invasion: possible role in nasopharyngeal carcinoma metastasis”, *J Virol.*, 79(24):15430-42.
- Pertea M, Kim D, Pertea GO, Leek JT and Salzberg SL. 2016. “Transcript-level expression analysis of RNA-seq experiments with HISAT, StringTie and Ballgown” *Nature Protocol*, 11(9):1652.
- Pérez-Valencia, J.A., Prosdocimi, F., Caesari, I.M., da Costa, I.R., Furtado, C., Agostini, M., and Franklin, D.M., 2018, “Angiogenesis and evading immune destruction are the main related transcriptomic characteristics to the invasive process of oral tongue cancer”, *Sci Rep.*, 9:1-15.
- Philips, B.J., Dhir, R., Hutzley, J., Sen, M., and Kelavkar, U.P., 2008, “Polyunsaturated fatty acid metabolizing 15-Lipoxygenase-1 (15-LO-1) expression in normal and tumorigenic human bladder tissues”, *Appl Immunohistochem Mol Morphol.*, 16(2):59–64.
- Reuter, J.A., Spacek, D.V., and Snyder, MP., 2015, “High-throughput sequencing technologies”, *Mol Cell*, 58:586–597.
- Robinson, M.D., McCarthy, D.J., Smyth, G.K., 2010, “edgeR: a Bioconductor package for differential expression analysis of digital gene expression data”, *Bioinformatics*, 26(1):139-40.
- Sak, M.E., Alanbay, I., Rodriguez, A., Gokaslan, T., Borahay, M., Shureiqi, I., and Kilic, G.S., 2016, “The role of 15-lipoxygenase-1 expression and its potential role in the pathogenesis of endometrial hyperplasia and endometrial adenocarcinomas”, *Eur J Gynaecol Oncol.*, 37(1):36–40.



- Seto, E., Yang, L., Middeldorp, J., Sheen, T.S., Chen, J.Y., Fukayama, M., Eizuru, Y., Ooka, T., Takada, K., 2005, “Epstein-Barr virus (EBV)-encoded BARF1 gene is expressed in nasopharyngeal carcinoma and EBV-associated gastric carcinoma tissues in the absence of lytic gene expression”, *J Med Virol.*, 76(1):82-8.
- Shao, H., Gu, Y., Ding, J., Lu, P., Ruan, T., and Lu, W., 2016, “HEPACAM inhibited the growth and migration of cancer cells in the progression of non-small cell lung cancer”, *Tumour Biol.*, 37(2):2621-2627.
- Shureiqi, I., Xu, X., Chen, D., Lotan, R., Morris, J.S., Fischer, S.M., and Lippman, S.M., 2001, “Nonsteroidal anti-inflammatory drugs induce apoptosis in esophageal cancer cells by restoring 15-lipoxygenase-1 expression”, *Cancer Research*, 61(12):4879-84.
- Song, M.K., Park, B.B., and Uhm, J., 2019, “Understanding Immune Evasion and Therapeutic Targeting Associated with PD-1/PD-L1 Pathway in Diffuse Large B-cell Lymphoma”, *Int J Mol Sci.*, 15(6):20.
- Takada, K., 2011, “Role of EBER and BARF1 in nasopharyngeal carcinoma (NPC) tumorigenesis”, *Semin Cancer Biol.*, 22(2):162-165.
- Tang, L.L., Chen, W.Q., Xue, W.Q., He, Y.Q., Zheng, R.S., Zeng, Y.X., and Jia, W.H., 2016, “Global trends in incidence and mortality of nasopharyngeal carcinoma”, *Cancer Lett.*, 374(1):22-30.
- Tokunaga, R., Zhang, W., Naseem, M., Puccini, A., Berger, M.D., Soni, S., McSkane, M., Baba, H., and Lenz, H.J., 2018, “CXCL9, CXCL10, CXCL11/CXCR3 axis for immune activation - A target for novel cancer therapy”, *Cancer Treat Rev*, 63:40-47.
- Thompson, S.D., Prahalad, S.P., and Colbert, A., 2016, *Integrative Genomics, Chapter 5. Textbook of Pediatric Rheumatology* (Seventh Edition) page 45-53.
- Tian, R., Zuo, X., Jaoude, J., Mao, F., Colby, J., and Shureiqi, I., 2017, “ALOX15 as a suppressor of inflammation and cancer: Lost in the link”, *Prostaglandins Other Lipid Mediat*, 132:77-83.
- Tsao, S.W., Tramoutanis, G., Dawson, C.W., Lo, A.K., and Huang, D.P., 2002, “The significance of LMP1 expression in nasopharyngeal carcinoma”, *Semin Cancer Biol.*, 12(6):473-87.
- Valentine, R., Dawson, C.W., Hu, C., Shah, K.M., Owen, T.J., and Date, K.L., 2010, “Epstein-Barr virus-encoded EBNA1 inhibits the canonical NF-kappaB pathway in carcinoma cells by inhibiting IKK phosphorylation”, *Mol Cancer*, 9:1.
- Vinay, D.S., Ryan, E.P., Pawelec, G., Talib, W.H., Stagg, J., Elkord, E., Lichtor, T., Decker, W.K., Whelan, R.L., Kumara, H.M.C.S., Signori, E., Honoki, K., Georgakilas, A.G., Amin, A., Helferich, W.G., Boosani, C.S., Guha, G., Cirolo, M.R., and Kwon, B.S., 2015, “Immune evasion in cancer: Mechanistic basis and therapeutic strategies”, *Seminar in Cancer Biology*, 35: 185-198.
- Walsh, T., Lee, M.K., Casadei, S., Thornton, A.M., Stray, S.M., Pennil, C., Nord, A.S., Mandell, J.B., Swisher, E.M., and King, M-C., 2010, “Detection of



- inherited mutations for breast and ovarian cancer using genomic capture and massively parallel sequencing”, Proc Natl Acad Sci USA, 107(28):12629–12633.
- Xu, X., Liu, R.F., Wan, B.B., Xing, W.M., Huang, J., and Han, Z.G., 2011 “Expression of a novel gene FAM43B repressing cell proliferation is regulated by DNA methylation in hepatocellular carcinoma cell lines”, Mol Cell Biochem., 354(1-2):11-20.
- Yamamoto, K., Miki, Y., Sato, M., Taketomi, Y., Nishito, Y., Taya, C., Muramatsu, K., Ikeda, K., Nakanishi, H., Taguchi, R., Kambe, N., Kabashima, K., Lambeau, G., Gelb, M.H., and Murakami, M., 2015, “The role of group IIF-secreted phospholipase A2 in epidermal homeostasis and hyperplasia”, J Exp Med., 212(11):1901-1919.
- Ye, Y., Xiao, L., Wang, S.J., Yue, W., Yin, Q.S., Sun, M.Y., Xia, W., Shao, Z.Y., and Zhang, H., 2016, “Up-regulation of REG3A in colorectal cancer cells confers proliferation and correlates with colorectal cancer risk”, Oncotarget, 7(4):3921-3393.
- Yoshizaki, T., Sato, H., Furukawa, M., and Pagano, J.S., 1998, “The expression of matrix metalloproteinase 9 is enhanced by Epstein-Barr virus latent membrane protein 1”, Proc Natl Acad Sci USA, 95(7):3621-6.
- Young, L.S., and Murray, P.G., 2003, “Epstein-Barr virus and oncogenesis: from latent genes to tumours”, *Oncogene* 22(33):5108-21.
- Zhang, C., Li, Z., Xu, L., Che, X., Wen, T., Fan, Y., Li, C., Wang, S., Cheng, Y., Wang, X., Qu, X., and Liu, Y., 2018, “CXCL9/10/11, a regulator of PD-L1 expression in gastric cancer”, BMC Cancer., 18(1):462.
- Zhang, J.F., Liu, J., Wu, J.L., Li, W.F., Chen, Z.W., and Li, S.Y., 2019. “Progression of the role of CRYAB in signaling pathways and cancers”, Onco Targets Ther., 12: 4129–4139.
- Zheng, W.J., Yao, M., Fang, M., Wang, L., Dong, Z.Z., and Deng, F.Y., 2018, “Abnormal expression of HMGB-3 is significantly associated with malignant transformation of hepatocytes”, World J Gastroenterol, 24(32): 3650–3662.
- Zhu, Q., Han, H., Peng, P., Qin, H., and Yu, W, 2012, “The role of CXC chemokines and their receptors in the progression and treatment of tumors”, J Mol Hist., 43:699–713.
- Zuo, X., and Shureiqi, I., 2013, Eicosanoid profiling in colon cancer: Emergence of a pattern, Prostaglandins & Other Lipid Mediators, 0:139-143.