

DAFTAR PUSTAKA

- Adams, R and Gianturco, M. 1956, Senecio Alkaloids, The Composition of “Hieracifoline” and “Jacobine”, *J. Am. Chem. Soc.*, 78 (2), 398–400
- Afshar, F.H. , Delazar, A. , Janneh, O., Nazemiyeh, H. , Pasdaran, A. , Nahar, L. and Sarker, S.D. 2011, Evaluation Of Antimalarial, Free-Radicalscavenging And Insecticidal Activities Of *Artemisia scoparia* and *A. Spicigera*, *Asteraceae*, *Brazilian Journal of Pharmacognosy*, 21(6), 986-990
- Ageta, H., Shiojima, K., Suzuki, H., and Nakamura, S. 1993, NMR Spectra of Triterpenoids I. Conformation of the side chain of Hopane and Isohopane and Their Derivatives, *Chem. Pharm. Bull*, 41 (11), 1939-1943
- Aguiar, A.C.C, Rocha, E.M.M, Souza, N.B, França, T.C.C, and Krettli, A.U. 2012, New Approaches In Antimalarial Drug Discovery And Development-A Review, *Mem Inst Oswaldo Cruz*, 107(7), 831-845
- Ahmad, S., Riyanto, S., Sukari, M.A., Rahmani, M., and Ali, A.M. 2013. Hopane and Lupane Triterpenes from Leaves and Stem Bark of *Aegle marmelos* (Rutaceae), *Asian Journal of Chemistry*, 25 (8), 4591-4594
- Al-Fatlawi, A.A.Y. 2019. Stigmasterol Inhibits Proliferation of Cancer Cells via Apoptotic Regulatory Gen, *Bioscience Research*, 16 (1), 695-702
- Althaus, J.B, Kaiser, M, Brun, R, and Schmidt, T.J 2014, Antiprotozoal Activity of *Achillea ptarmica* (Asteraceae) and Its Main Alkamide Constituents, *Molecules*, 19, 6428-6438
- Aniszewski, T. 2007, *Alkaloids Secrets Of Life : Alkaloid Chemistry, Biological Significance, Applications And Ecological Role*, Elsevier, p 17
- Audu, S.A, Taiwo, A.E, Ojuolape, A.R, Sani, A.S, Bukola, A.R, and Mohammed, I. 2012, A Study Review of Documented Phytochemistry of *Amygdalina* (Family Asteraceae) Activity of Plant Extract, *Journal of Natural Sciences Research*, 2(7)
- Backer C.A and Bakhuizen R.C. 1965, *Flora of Java*, Vol II, pp. 423-424
- Barreira, T.F., Paula Filho, G.X., Pinheiro, S.S., Cardoso L.M., Santos, R.H.S., Pinheiro-Sant’ana, H.M. 2019. Chemical characterization and bioactive compounds of an unconventional vegetable-*Erechtites valerianifolia* (Wolf) DC, *Food Sci. Technol, Campinas*, 39(3), 546-551

- Becker, J.V.W, Merwe, M.M.V.D, Brummelen, A.C.V, Pillay, P, Crampton, B.G, Mmutlane, E.M, Parkinson, C, Heerden, F.R.V, Crouch, N.R, Smith, P.J, Mancama, D.T and Maharaj, V.J. 2011, In vitro Anti-plasmodial Activity of *Dicoma anomala subsp. gerrardii* (Asteraceae): Identification of Its Main Active Constituent, Structure-Activity Relationship Studies And Gene Expression Profiling, *Malaria Journal*, 10, 295
- Beourou, S, Le Lamer, A.C, Maurel-Chevalley, S, Mutiso, P.B.C, Souard, F, Moulis, C, Fabre, N, and Valentin, A. 2011, Evaluation Of The Antiplasmodial Activity Of Extracts Of Plants Used In Traditional Medicine In Kenya, *Brazilian Journal of Pharmacognosy*, 21(6), 986-990
- Bero, J, Richb, M.F and Quetin-Leclercq, J. 2009, Antimalarial Compounds Isolated From Plants Used In Traditional Medicine, *Journal of Pharmacy and Pharmacology*, 61, 1401–1433
- Blois, M.S., 1958. Antioxidant Determination By The Use Of Stable Free Radicals. *Nature*, 181, 1199-2000
- Builders, M.I, Wannang, N.N, Ajoku, G.A, Builders, P.F, Orisadipe, A, and Aguiyi, J.C. 2011, Evaluation of The Antimalarial Potential of *Vernonia ambigua* Kotschy and Peyr (Asteraceae), *International Journal of Pharmacology*, 7 (2), 238-247
- Bunnag D, Kanda T, Karbwang J, Thimasarn K, and Pungpak S. 1997, Two doses of artemether/mefloquine or artesunate/mefloquine combination for multidrug resistant *Falciparum malaria*, *Southeast As J Trop Med Pub Health*, 28, 727-35.
- Centers for Disease Control and Prevention. 2010, *Where Malaria Occurs*. Diakses pada 29 September 2012, <<http://www.cdc.gov/malaria/about/distribution.html>>
- Chakravarty, A.K., Mukhopadhyay, S., Masuda, K., and Ageta, K., 1990, Chiratenol, A Novel Rearranged Hopane Triterpenoid from *Swertia chirata*, *Tetrahedron Letters*, 31 (52), 7649-7652
- Chakravarty, A.K, Mukhopadhyay, S., and Das, B., 1991. Swertane Triterpenoids from *Swertia chirata*, *Phytochemistry*, 30 (12), 4087-4092
- Chakravarty, A.K., Mukhopadhyay, S., Masuda, K., and Ageta, K., 1992. Kairatenol, yet Another Novel Migrated Gammacerane Triterpenoid from *Swertia chirata*, *Tetrahedron Letter*, 33 (1), 125-126

- Chakravarty A, Masuda K, Suzuki H, and Ageta H. 1994. Unambiguous assignment of ¹³C chemical shifts of some hopane and migrated hopane derivatives by 2D NMR. *Tetrahedron*, 50, 2865-2876
- Chaturvedula, V.S.P and Prakash, I. 2012. Isolation of Stigmasterol and β -Sitosterol from the dichloromethane extract of *Rubus suavissimus* . *International Current Pharmaceutical Journal*, 1(9), 239-242
- Chinchilla, M, Valerio, I, Sanchez, R, Mora, V, Bagnarello, V, Martinez, L, Gonzalez, A, Vanegas, J.C and Apestegui, A. 2012, *In Vitro* Antimalarial Activity Of Extracts Of Some Plants From A Biological Reserve In Costa Rica, *Rev. Biol. Trop. (Int. J. Trop. Biol.)*, 60 (2), 881-891
- Culvenor, C.C.J and Smith,D.C. 1955, The Alkaloids of *Erechtites quadridentata* D.C, *Australian Journal of Chemistry*, 8(4), 556–561
- Damste, J.S., Schouten, S., and Volkman, J.K. 2014. C27-C30 Neohop-13(18)-enes and their saturated and aromatic derivatives in sediments: Indicators for diagenesis and water column stratification, *Geochim. Cosmochim. Acta*, 133, 402-421
- Desjardins, R. E., Canfield, C. J., Haynes, J. D., and Chulay, J. D. 1979, Quantitative assessment of antimalarial activity *in vitro* by a semiautomated microdilution technique, *Antimicrob. Agents Chemother*, 16, 710-718
- Dinda, B., Ghosh, B., Arima, S., Sato, N., and Hariyaga, Y. 2004. Phytochemical investigation of *Gomphrena globosa* aerial parts, *Indian Journal of Chemistry*, 43B, 2223-2227
- Direktorat Pengendalian Penyakit Bersumber Binatang. 2011, Epidemiologi di Indonesia, *Buletin Jendela Data dan Informasi Kesehatan*, 1, pp 1 – 16.
- Dewoto, H.R. 2007, Pengembangan Obat Tradisional Indonesia Menjadi Fitofarmaka, *Majalah Kedokteran Indonesia*, 57 (7), 205-211
- Djide dan Sartini. 2008, *Dasar-Dasar Mikrobiologi Farmasi*, Lepas, Makasar.
- Dung, N.T.M., Tuyen, P.N.G., Mortier, J., and Phung, N.K.P., 2016. Some Triterpenoids and Steroids From The Lichen *Lobaria Orientalis*, Lobariaceae. *Journal of Science and Technology*, 54(2C), 313-319
- Gessler, MC., Nkunya, M.H.N., Nwasumbi, L.B., Heinrich, M. and Tonner, M. 1994, Screening Tanzanian medical plants for antimalarial activity, *Acta Tropica*, 55, 65-67

- Goodwin, E.C., and DiMaio, D., 2000, Repression of Human Papillomavirus Oncogenes in Hela Cervical Carcinoma Cells Causes the Orderly Reactivation of Dormant Tumor Suppressor Pathways, *Biochemistry*, 97 (23)
- Gondhowiardjo, S., 2004. Proliferasi Sel dan Keganasan. *Majalah Kedokteran Indonesia*, 7 (54), 289-299
- Hamed, A., Kamel, M.S., and Khalil, H.E . 2019. Supplementary Data of Citharexylum leaves, <https://www.researchgate.net/publication/305488950>, accessed on January 15, 2019.
- Hanahan, D., and Weinberg, R.A., 2000. The Hallmarks of Cancer. *Cell*. 100, 57-70
- Hernandez J, Bracho I, Rojas-Fermin L.B, Usubillaga A, and Carmona J. 2013, Chemical Composition Of The Essential Oil Of *Erechtites Valerianifolia* From Merida, Venezuela, *Natural Product Communication*, 8 (10), 1477-1478
- Jaitaka. V., Kaula, V.K., Himlataa, Kumara, N., Singha, B, Dharb, J, and Sharma, O.P. 2010. New Hopane Triterpenes and Antioxidant Constituents from *Potentilla fulgens*, *Natural Product Communications*, Vol. 5 (10) 1561-1566
- Kalonda, E. M, Mbayo, M. K, Muhume, S. K, Kasereka, M, Mulamba, J.M, Many, H.M, Lumbu, J.B.S, Misakabu, F.M, Kasali, F. M, and Mpiana, P.T. 2014, Ethnopharmacological Survey Of Plants Used Against Malaria In Lubumbashi City (D.R. Congo), *Journal Of Advanced Botany And Zoology*, 1(2), 1-8
- Kamboj, A., and Saluja, A.K. 2011. Isolation of stigmasterol and β sitosterol From petroleum ether extract of Aerial parts of *ageratum conyzoides* (asteraceae). *International Journal of Pharmacy and Pharmaceutical Sciences*, 3 (1)
- Kaur, K., Jain, M., Kaur, T., and Jain, R. 2009, Antimalarial from Nature, *Bioorganic & Medicinal Chemistry*, Article in press
- Kaur, N., Chaudhary, J., Jain, A and Kishore, L,. 2011. Stigmasterol: A Comprehensive Review. *International Journal of Pharmaceutical Sciences and Research (IJPSR)*, 2(9), 2259-2265
- Kumar, R.P., Babu, K.V.D., and Evans, D.A. 2019. Isolation, characterization, and mode of action of a larvicidal compounds, 22-hydroxyhopane from

Adiantum latifolium Im. Against *Oryctes rhinoceros*. *Pesticide Biochemistry and Physiology*, 153, 161-170

Lemos T.G, Monte F.J.Q, Machado M.I.L, Parente, L.L, and Campos, T.A. 1998, Essential Oil of *Erechtites hieracifolia*, *Journal of Essential Oil Research*, 10 (2), 217-218

Lipton, A., 2007. The Diagnosis and Treatment of Bone Metastases in Breast Cancer. In : Robert E. Mansel, Oystein Fodstad, and Wen G. Jiang (Eds). *Metastasis of Breast Cancer*, Vol 11, Netherlands: Springer Science & Business Media., pp. 389-404

Liu, C., Liao, Z.X., Liu, S.J., Ji, L.J., and Sun, H.F. 2014. Two New 2,3-Seco-Hopane Triterpene Derivatives from *Megacodon stylophorus* and Their Antiproliferative and Antimicrobial Activities, *Planta Med* , 80, 936–941

Liu, W. 2013. C35 bacterial triterpenoids of hopane series. Theses of Doctoral at UNIVERSITÉ DE STRASBOURG. Institut de chimie de Strasbourg Docteur STRASBOURG

Lorenzo, D, Saavedra, G, Loayza, I and Dellacassa, E. 2001, Composition of the essential oil of *Erechtites hieracifolia* from Bolivia, *Flavour Fragr. J*, 16, 353–355

Lukitaningsih, E. 2012. Phytosterol Content In Bengkoang (*Pachyrhizus erosus*), *Pharmakon*, 13 (2), 47-54

Manske, R.H.F. 1939, The Alkaloids Of *Senecio* Species: IV. *Erechtites Hieracifolia* (L.) Raf, *Canadian Journal of Research*, 17b (1), 8-9

Manske, R.H.F, and Holmes, H.L. 1950, *The alkaloids : Chemistry and Physiology Volume 1*, Academic Press Ins Publisher New York, pp 153-155

Mohamed, I.E, Khalid, H.E, Mohamed, S.A, Osman, E.E, Koko, W.S, Taha, K.K, Dahab, M.M, Abdullah, N.R.B, and Ismail, Z.B. 2014, Anti-malarial Activity of Some Medicinal Sudanese Plants, *Journal Of Forest Products & Industries*, 3(6), 236-240

Molyneux, P. 2003. The Use of The Stable Free Radikal diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Journal Science of Technology*, 26(2), 211-219

- Mongkolsilp, S., Pongbupakit, I., Sae-lee, N., and Sitthithaworn, W. 2004. Radical Scavenging activity and total phenolic content of medical plants used in primary health care. *Jurnal of Pharmacy and Science*, 9(1), 32-35
- Mosmann T, 1983. Rapid Colorimetric Assay for Cellular Growth and Survival : Application to Proliferation and Cytotoxicity Assays. *J.Immunol. Meth*, 65, 55-63
- Mulamba, M.G.L. X, Krettli, A.U, Soares, L.S.R, Nery, C.G.C, and Marinuzzi, H.C. 1997, Antimalarial Activity Of Extracts And Fractions From *Bidens pilosa* and other *Bidens* species (Asteraceae) Correlated With The Presence Of Acetylene And Flavonoid Compounds, *Journal of Ethnopharmacology*, 57, 131–138
- Nguyena, T.T., Kretschmera, N., Pferschy-Wenziga, E.M., Kunertb, O and Bauera, R. 2019. Triterpenoidal and Phenolic Compounds Isolated from the Aerial Parts of *Helicteres hirsuta* and their Cytotoxicity on Several Cancer Cell Lines, *Natural Product Communications*, 14 (1)
- Nishimoto, K., Ito, M., Natori, S., and Ohmoto, T., 1968. The Structures of Arundoin, Cylindrin, Triterpenoids of Fernane and Arborane Groups of *Imperata cylindrica* var. *Koenigii*. *Tetrahedron*, 24, 735-752
- Nithya, R.S., Anuja, M.M., Swathy, S.S., Rajamanickam, C., and Indira, M. 2011. Effects on spermatogenesis in swiss mice of a protein isolated from the roots of *Ricinus communis* (Linn.) (Euphorbiaceae). *J Hazard Mater*. 187(1–3), 386–392
- Noguchi, P., Wallace, R., Johnson, J., Early, E.M., O-Brion, S., and Ferrone, S., 1979, Characterization of the WiDr: a Human Colon Carcinoma Cell Line, *In Vitro*, 15 (6), 401-408
- Ogunkoya, L., 1981. Application of Mass Spectrometry in Structural Problems in Triterpenes, *Phytochemistry*, 20, 121-126
- Pakrashi, S.C., and Samanta, T.B., 1967. Acid Induced Epimerization and Rearrangments of Arborinol, The Novel Triterpene from *Glycosmis arborea* (roxb.) DC, *Tetrahedron Letter*, 38, 3679-3684
- Pal, D., Mazumder, U.K., and Gupta, M. 2012. Fractination of stigmasterol Derivative and Study of The Effects of Celsia Coromandelina Aerial Parts Petroleum Ether Extract on Appereance of Puberty and Ovarian Steroidogenesis in Immature Mice, *Pharm Biol*, 50 (6), 747-753

- Pan, C., Chen, Y.G., Ma, X.Y., Jiang, J.H., He, F., and Zhang, Y.2011. Phytochemical Constituents and Pharmacological Activities of Plants from the Genus *Adiantum*: A Review. *Tropical Journal of Pharmaceutical Research*, 10 (5), 681-692
- Pavia D.L, Lampman G.M, and Kriz G.S., 2001. *Introduction of Spectroscopy*, 3rd Ed, USA : Thomson Learning Inc
- Pierre, L.L., and Moses, M.N. 2015. Isolation and Characterisation of Stigmasterol and B -Sitosterol from *Odontonema Strictum* (Acanthaceae). *Journal of Innovations in Pharmaceuticals and Biological Sciences (JIPBS)*, 2 (1), 88-95
- Pyne, M.E., Narcross, L., and Martin, V.J.J. 2019. Engineering Plant Secondary Metabolism in Microbial Systems1[OPEN], *Plant Physiology*, 179, 844–861
- Qayum, A., Lynn, A.M. and Arya, R. 2014, Traditional Knowledge System Based GIS Mapping of Antimalarial Plants: Spatial Distribution Analysis, *Journal of Geographic Information System*, 6, 478-491
- Radji, M. 2011, *Mikrobiologi*. Buku Kedokteran ECG, Jakarta
- Raksha, B., Priya, R., Siva, R., and Babu, S. 2015. Comparative computational analysis of stigmasterol biosynthetic genes and proteins in plants, *Plant Omics Journal*, 8(1), 1-8
- Regina, V and Rajan, K.M.U. 2012. Pharmacognostical, Preliminary phytochemical, GC-MS and docking analyses of fruit rind of *Couroupita guianensis* (AUBL), *Int J Curr Sci*, 3, 101-107
- Riyanto, S. 2003, Phytochemical Studies and Bioactivity Tests of *Muraya Paniculata* Jack, *Aegle Marmelos* Correa, and *Zingiber Amaranthaceae* Blume, *Thesis*, Doctor of Philosophy Universiti Putra Malaysia
- Ruiz, A.L.T.G., Magalhães, A.F., Faria, A.D., Magalhães, E.G., and Amaral, M.D.C.E. 2006. New Hopane Triterpene from *Eleocharis sellowiana* (Cyperaceae). *J. Braz. Chem. Soc.*, 17 (4), 803-806
- Sha'a, K. K, Oguiche, S, Watila, I. M, and Ikpa, T.F. 2011, *In Vitro* Antimalarial Activity Of The Extracts Of *Vernonia Amygdalina* Commonly Used In Traditional Medicine In Nigeria, *Science World Journal*, 6 (2), 5-9
- Santoso. 2011, *Evaluasi Penggunaan Artesunat-Amodiakuin (Artesdiakuin) Pada Pengobatan Malaria Tanpa Komplikasi Di Puskesmas Penyandingan Dan*

Tanjung Lenggayap Kabupaten Oku, diakses 26 April 2013
<<http://ejournal.litbang.depkes.go.id/index.php/BPK/article/view/73>>

Saxena, S, Pant, N, Jain, D.C, and Bhakuni, R.S. 2003, Antimalarial Agents From Plant Sources, *Current Science*, 85 (9)

Scall, A. M. S and B. A. Gaddiis. 2000, *Microscale and Miniscale Organic Chemistry Laboratory Experiments*, USA: Mc Graw Hill Companies Inc

Sebisubi, F.M and Tan, G.T. 2015, Natural products with antimalarial activity, *Phytochemistry and Pharmacognosy*, diakses 20 Oktober 2015, <http://www.emro.who.int/rbm/About malaria>

Shimada, K., Fujikawa, K., Yahara, K., and Nakamura, T., 1992. Antioxidative Properties of Xanthan on the Autoxidation of Soybean Oil in Cyclodextrin Emulsion. *J.Agric Food Chem*, 40, 945-948

Simanjuntak P. 1995, Tumbuhan Sebagai Sumber Zat Aktif Antimalaria, Puslitbang Bioteknologi LIPI, *Buletin Penelitian Kesehatan*, 23 (2), 1-11

Siswandono, dan Soekardjo, B, 1998. Kimia Medisinal. Surabaya: Airlangga University Press., pp.1-5

Sundari, D. dan M.W. Winarno. 1996, *Efek Farmakologi dan Fitokimia Komponen Penyusun Jamu keputihan*, diakses 1 Februari 2016, <http://www.kalbe.co.id/files/cdk/files/07EfekFarmakologiFitokimiaKomponen108.pdf/07EfekFarmakologiFitokimiaKomponen108.html>

Stevenson, P.C., Farrel, I.W., Green, P.W.C., and Kusolwa, P. 2016. Nor-hopanes from *Zanha africana* root bark with toxicity to bruchid beetles, *Phytochemistry*, 123, 25-32

Syamsudin, 2005, Mekanisme Kerja Obat Antimalaria. *Jurnal Ilmu Kefarmasian Indonesia*, 3(1), 37-40

Syamsudin A. 2015, *Pedoman Penatalaksanaan Kasus Malaria 2012*, diakses 15 Februari 2016, http://www.pppl.depkes.go.id/_asset/_download/Pedoman%20Penatalaksanaan%20kasus%20Malaria%202012.pdf

Tanaka, R., and Matsunaga, S. 1992. Saturated Hopane and Gammacerane Triterpene-Diols, from The Stem Bark of *Abies vietchii*, *Phytochemistry*, 31 (10), 3535-3539

Tortora, GJ, Funke, BR and Case, CL. 2001, *Microbiology: An Introduction*, Benjamin Cummings, San Francisco

- Tuan, N.N., Anh, T.T.K., Kuo, P.C., Wu, T.S and Thang, T.D. 2017. A Hopane Triterpenoid From The Mycelium Of *Isaria Japonica* In Vietnam. *Vietnam Journal of Science and Technology*, 55 (5), 535-539
- Umiyah. 2011, Pemanfaatan Beberapa Tumbuhan Liar (Gulma) Sebagai Sayuran Di Kabupaten Jember, *Berk. Penel. Hayati*, 17, 103–107
- Tjitra E. 2000, *Obat anti malaria*, Dalam: Harijanto PN, penyunting, *Malaria Epidemiologi, Patogenesis, Manifestasi Klinis, dan Penanganan*. Jakarta: ECG, pp. 195-223
- Vejanan, V, Latip, J, Chin, L.P, Embi, N and Sidek, H.M. 2012, *In vitro* and *in vivo* Anti-plasmodial Activities of *Gynura procumbens* (Kajian *in vitro* dan *in vivo* Aktiviti Anti-plasmodium *Gynura procumbens*), *Sains Malaysiana*, 41(12), 1535–1542
- Wahab, N.A, Kong, K.W, and Ismail, A. 2015, Nutritional Values And Bioactive Components Of Under-Utilised Vegetables Consumed By Indigenous People In Malaysia, *Sci Food Agric*, 95, 2704–2711
- Wardihan., Rusdi,M., Alam, G., Lukman., and Manggau, M.A., 2013. Selective Cytotoxicity Evaluation in Anticancer Drug Screening of *Boehmeria virgate* (Forst) Guill Leaves to Several Human Cell Lines : HeLa, WiDr, T47D, and Vero. *Dhaka Univ. J. Pharm. Sci*, 12(2), 87-90
- Widayati, E. 2019. Oxidasi, Radikal Bebas, dan Antioxidant. diakses 23 Juli 2019, <http://www.jurnal.unissula.ac.id>
- World Health Organization. 2011, *Malaria*, diakses pada 29 September 2012, <<http://www.who.int/topics/malaria/en/>>
- Wright^a, C.W. 2005, Traditional antimalarials and the development of novel antimalarial drugs, *Journal Of Ethnopharmacology*, 100, 67-71
- Wright^b, C.W. 2005, Plant Derived Antimalarial Agents: New Leads And Challenges, *Phytochemistry Reviews*, 4, 55–61
- Zein, U. 2016, *Penanganan Terkini Malaria Falcifarum*, E-USU Repository diakses 9 Februari 2016, <http://www.repository.usu.ac.id/bitstream/123456789/3373/3/pd-umar.pdf>
- Zhang, Z., Chen, H.L., Hong, L., Xu, L.L., Gong, X.W., Zhu, D.L, Xu, X.H., Zhao, W., Wang, F., and Yang, X.L. 2019. Three New Hopane-Type Triterpenoids From The Aerial Part Of *Adiantum Capillus-Veneris* And Their Antimicrobial Activities. *Fitoterapia*, 133, 146-149