

REFERENCES

- Abbas, AK. (2007). Chapter 21; Congenital and acquired immunodeficiency. *Celular and Molecular Immunology* 6th ed, p: 475-486
- Adedimeji, AA. Hoover, DR. Shi, Q. GARD, T. Mutimura, E. Sinayobye, JD. Cohen, MH. and Anastos, K. (2015). Sexual behaviour and risk practices of HIV positive and HIV negative Rwandan women. *AIDS Behavior*, 19(7), pp. 1366–78. doi: 10.1007/510461-014-0964-z.
- Alamrew, Z., Bedimo, M. and Azage, M. (2013) Risky Sexual Practices and Associated Factors for HIV/AIDS Infection among Private College Students in Bahir Dar City, Northwest Ethiopia, *ISRN Public Health*, 2013, pp. 1–9. doi: 10.1155/2013/763051.
- Ambali, AP., Murthy, S. and Mulimani, MS. (2016) Identification of Bacteria Causing Diarrhoea in Hiv/Aids Patients and Its Correlation With Cd4 Count, *J Evid Based Med Healthc*, 3(44), pp. 2165–2168. doi: 10.18410/jebmh/2016/481.
- Anene, AK. Ighodaro, I. Olufemi, IS. (2014) The Sexual Behaviours of HIV Positive Patients Receiving Antiretroviral Therapy in HIV Treatment Centre in Nigeria. *J AIDS Clin Res* 5(392), pp.2-8 doi:10.4172/2155-6113.1000392.
- Arjun, BA, Unnikrishnan, B, Ramapuram, JT, Thapar, R, Mithra, P, Kumar, N, Madi, D, Kulkarni, V, Holla, R, and Darshan, B. (2017). Factors Influencing Quality of Life among People Living with HIV in Coastal South India. *J Int Assoc Provid AIDS Care*, 16(3), pp. 247-253. doi: 10.1177/2325957415599213.
- Beeching, NJ, Jones, R. and Gazzard, B. (2011) '4 Gastrointestinal opportunistic infections', *HIV Medicine*, 12(SUPPL. 2), pp. 43–54. doi: 10.1111/j.1468-1293.2011.00944_5.x.
- Bisen, PS, Prasad, GBKS, and Debnath, M. (2012). 'Microbes: Concept and Applications. Chapter IV: Identification and Classification of Microbes', *Wiley-Blackwell*, 1(1), pp. 275-334. ISBN: 978-0-470-90594-4.
- Bourlioux, P, Koletzko, B, Guarner, F, and Braesco, V. (2003). 'The intestine and its microflora are partners for the protection of the host: Report on the Danone Symposium " The Intelligent Intestine" held in Paris, June 2002'. *Am J Clin Nutr*. 78(1), pp. 675-683. doi: 10.1093/ajcn/78.4.675
- Cárcamo, C, Hooton, T, Wener, MH. Weiss, NS, Gilman, R, Arevalo, J, Carrasco, J, Seas, C, Martin, C, and Holmes, KK. (2005). 'Etiologies and Manifestations of Persistent Diarrhea in Adults with HIV-1 Infection: A

- Case-Control Study in Lima, Peru', *J Infect*, 191(1), pp. 11–19. doi: 10.1086/426508.
- Coico, R. (2005). 'Gram Staining', *Curr Protoc Microbiol*. 1(1), pp. A.3C.1-A3C.2. doi: 10.1002/9780471729259.mca03cs00.
- Collin, A, Le Marec, F, Vandenhende, M, Lazaro, E, Duffau, P, Cazanave, C, Gerard, Y, Dabis, F, Bruyand, M, Bonnet, F. (2016) 'Incidence and risk factors for Severe bacterial infections in people living with HIV. ANRS CO3 Aquitaine cohort, 2000-2012', *PLoS ONE*, 11(4), pp. 4–15. doi: 10.1371/journal.pone.0152970.
- Cummins, NW and Badley, AD. (2014) 'Making sense of how HIV kills infected CD4 T cells: implications for HIV cure', *Mol Cell Ther*, 2(1), pp. 20-26. doi: 10.1186/2052-8426-2-20.
- Damtie, D, Yismaw, G, Woldeyohannes, D, and Anagaw B. (2013) 'Common opportunistic infections and their CD4 cell correlates among HIV-infected patients attending at antiretroviral therapy clinic of Gondar University Hospital, Northwest Ethiopia', *BMC Res Notes*, 6(1). pp. 534-540. doi: 10.1186/1756-0500-6-534.
- Delmas, J, Dalmasso, G, and Bonnet, R. (2015) 'Escherichia coli: The Good, the Bad and the Ugly', *Clin Microbiol*, 04(02), pp. 2–4. doi: 10.4172/2327-5073.1000195.
- Depestel, DD, and Aronoff, DM. (2013). 'Epidemiology of *Clostridium difficile* infection.', *J Pharm Pract*, 25(6), pp. 464-475. doi: 10.1177/0897190013499521.
- Di Benedetto, MA, Romano, N, and Firenze, A. (2012). 'Re-Emergence of HIV Infection and Syphilis Among Men Who Have Sex with Men.' *InTech Open*. 23(1), pp. 478-500. doi: 10.5772/37352.
- Dillon SM, Frank DN, Wilson CC. (2016) The gut microbiome and HIV-1 pathogenesis: a two way street. *AIDS*, 30(18): pp. 2737-2751. doi:10.1097/QAD.0000000000001289.
- Doitsh, G. and Greene, WC. (2016) 'Dissecting How CD4 T Cells Are Lost during HIV Infection', *Cell Host Microbe*, 19(3), pp. 280–291. doi: 10.1016/j.chom.2016.02.012.
- Ewnetu, H. and Kassahun, W. (2014) 'Determinants of Diarrheal Disease among Adult People Living with HIV/AIDS Attending ART Clinics in Jimma Town, South-Western Ethiopia: A Case Control Study', *J AIDS Clin Res*, 05(12), pp. 1–9. doi: 10.4172/2155-6113.1000380.

- Ford, N and Mayer, KH (2015) 'World health organization guidelines on postexposure prophylaxis for HIV: Recommendations for a public health approach', *Clin Infect Dis*, 60(Suppl 3), pp. S161–S164. doi: 10.1093/cid/civ068.
- Global Health Observatory (GHO) (2016) 'Global Health Observatory (GHO) data-HIV/AIDS 2016', *WHO*, 20 August. Available at: <http://www.who.int/hiv/en/>.
- Goedert, JJ. (2016) 'Effects of HIV, Immune Deficiency, and Confounding on the Distal Gut Microbiota', *EBioMedicine*, 5, pp. 14–15. doi: 10.1016/j.ebiom.2016.01.034.
- Gootenberg, DB, Paer, JM, Luevano, J, and Kwon, DS. (2017) 'HIV-associated changes in the enteric microbial community: Potential role in loss of homeostasis and development of systemic inflammation', *Curr Opin Infect Dis*, 30(1), pp. 31–43. doi: 10.1097/QCO.0000000000000341.
- Gorvitovskaia, A, Holmes, SP, and Huse, SM. (2016) 'Interpreting prevotella and bacteroides as biomarkers of diet and lifestyle', *Microbiome*, 4(15), pp. 1–12. doi: 10.1186/s40168-016-0160-7.
- Günthard, HF, Aberg, JA, Eron, JJ, Hoy, JF, Telenti, A, Benson, CA, Burger, DM, Cahn, P, Gallant, JE, Glesby, MJ, Reiss, P, Saag, MS, Thomas, DL, Jacobsen, DM, and Volberding, PA. (2014) 'Antiretroviral treatment of adult HIV infection: 2014 Recommendations of the International Antiviral Society-USA panel', *JAMA*, 312(4), pp. 410–425. doi: 10.1001/jama.2014.8722.
- [Guillén](#), Y, Noguera-Julian, M, Rivera, J, Casadella, M, Zevin, AS, Rocafort M, Parera, M, Rodriguez, C, Arumi, M, Carrillo, J, Mothe, B, Estany, C, Coll, J, Bravo, I, Herrero, C, Saz, J, Sirera, G, Torrella, A, Navarro, J, Crespo, M, Negredo, E, Brander, C, Blanco, J, Luz Calle, M, Klatt, NR, Clotet, B, and Parades, R. (2019). 'Low nadir CD4+ T-cell counts predict gut dysbiosis in HIV-1 infection'. *Mucosal Immunol*, 12(1), pp. 232–246. doi: 10.1038/s41385-018-0083-7.
- Hasanah, CI., Zaliba, AR., and Mahiran, M. (2011). 'Factors influencing the quality of life in patients with HIV in Malaysia', *Qual Life Res*, 20(1), pp. 91–100. doi: 10.1007/s11136-010-9729-y.
- Huerga, H, Venables, E, Ben-Farhat, J, Cutsem, GV, Ellman, T, and Kenyon C. (2017) 'Higher risk sexual behaviour is associated with unawareness of HIV-positivity and lack of viral suppression - Implications for Treatment as Prevention', *Sci Rep*, 7(1), pp. 6–12. doi: 10.1038/s41598-017-16382-6.

- Hung, CC, Ji, DD, Sun, HY, Lee, YT, Hsu, SY, Chang, SY, Wu, CH, Chan, YH, Hsiao, CF, Liu, WC, and Colebunders, R. (2008). 'Increased Risk for Entamoeba histolytica Infection and Invasive Amebiasis in HIV Seropositive Men Who Have Sex with Men in Taiwan', *PLoS Negl Trop Dis*, 2(2), pp. e175-e184. doi: 10.1371/journal.pntd.0000175.
- Iebba, V, Totino, V, Gagliardi, A, Santangelo, F, Cacciotti, F, Trancassini, M, Mancini, C, Cicerone, C, Corazziari, E, Pantanella, F, Schippa, S. (2016) 'Eubiosis and dysbiosis: The two sides of the microbiota', *New Microbiol*, 39(1), pp. 1–12, PMID: 26922981.
- Imlay, H., Kaul, D. and Rao, K. (2016) ' Risk factors for Clostridium difficile infection in HIV-infected patients ', *SAGE Open Med*, 4, pp. 1-5, doi: 10.1177/2050312116684295.
- Jandhyala, SM, Talukdar, R, Subramanyam, C, Vuyyuru, H, Sasikala, M, Reddy, DM. (2015) 'Role of the normal gut microbiota', *World J Gastroenterol*, 21(29), pp. 8836–8847. doi: 10.3748/wjg.v21.i29.8787.
- Januraga, PP, Reekie, J, Mulyani, T, Lestari, BM, Iskandar, S, Wsaksana, R, Kusmayanti, NA, Subronto, YW, Widyantini, DN, Wirawan, DN, Wongso, LV, Sudewo, AG, Sukmaningrum, E, Nisa, T, Prabowo, BR, Law, M, Cooper, DA, and Kaldor, JM. (2018). ' The cascade of HIV care among key populations in Indonesia: a prospective cohort study'. *Lancet HIV*, 5(10), pp. e560-e568. doi: [10.1016/S2352-3018\(18\)30148-6](https://doi.org/10.1016/S2352-3018(18)30148-6).
- Jawetz, E, Brooks, GF, Melnick, JL, and Adelberg EA. (2013). 'Medical Microbiology: Chapter 10 Normal Human Microbiota'. *McGraw Hill*. 24th ed. pp. 171
- Jenness, SM, Begier, EM, Neaigus, A, Murrill, C, Wendel, T, and Hagan, H. (2011) 'Unprotected anal intercourse and sexually transmitted diseases in high-risk heterosexual women.', *Am J Public Health*, 101(4), pp. 745–750. doi: 10.2105/AJPH.2009.181883.
- Ji, Y, Zhang, F, Zhang R, Shen, Y, Liu, L, Wang, J, Yang, J, Tang, Q, Xun, J, Qi, T, Wang, Z, Song, W, Tang, S, Chen, J, and Lu, H. (2018) 'Changes in intestinal microbiota in HIV-1-infected subjects following cART initiation: Influence of CD4+ T cell count article', *Emerg Microbes Infect*, 7(1), pp. 1–9. doi: 10.1038/s41426-018-0117-y.
- Kebede, A., Aragie, S. and Shimelis, T. (2017) 'The common enteric bacterial pathogens and their antimicrobial susceptibility pattern among HIV-infected individuals attending the antiretroviral therapy clinic of Hawassa university hospital, southern Ethiopia', *Antimicrob Resist Infect Control*, 6(1), pp. 1–7. doi: 10.1186/s13756-017-0288-7.

- Kemenkes RI (2013) Laporan situasi perkembangan HIV dan AIDS di Indonesia tahun 2013. *Kemenkes RI*.
- Komisi Penanggulangan HIV/AIDS Yogyakarta (2017). Laporan jumlah kasus kumulatif periode 1993-2016 propinsi DIY
- Koh, KC, and Yong, LS. (2014) 'HIV risk perception, sexual behavior, and HIV prevalence among men-who-have-sex-with-men at a community-based voluntary counseling and testing center in Kuala Lumpur, Malaysia', *Interdiscip Perspect Infect Dis*, Vol. 2014(236240), pp. 1-7. doi: 10.1155/2014/236240.
- Kumar S, Sharma B, Hooja S, Vyas N. (2015) 'Isolation of enteric pathogens from HIV positive patients and their correlation with CD4+ T lymphocytes.' *Int J Bioassay*, m4(10), pp. 4342-4347.
- Levy, J. A. (2007). HIV and the pathogenesis of AIDS. 3rd ed. *ASM Press*. ISBN: 1555813933
- Li, SX, Armstrong AJS, Neff, CP, Shaffer, M, Lozupone, CA, and Palmer, BE. (2016) 'Complexities of gut microbiome dysbiosis in the context of HIV infection and antiretroviral therapy', *Clin Pharmacol Ther*. 99(303), pp. 600–611. doi: 10.1002/cpt.363.
- Ling, JM, Hui, YW, and French, GL. (1988). 'Evaluation of the Microbact-24E bacterial identification system', *J Clin Pathol*. 41(1). pp. 910-914. doi: 10.1136/jcp.41.8.910
- Liu, J, Williams, B, Frank, D, Dillon, SM, Wilson, CC, and Landay, AL. (2017) 'Inside Out: HIV, the Gut Microbiome, and the Mucosal Immune System', *J Immunol*, 198(2), pp. 605–614. doi: 10.4049/jimmunol.1601355.
- Lozupone, CA, Matthew, ER, Neff, CP, Fontenot, AP, Campbell, TB, and Palmer, BE. (2014) 'HIV-induced alteration in gut Microbiota: Driving factors, consequences, and effects of antiretroviral therapy', *Gut Microbes*, 5(4), pp. 562–570. doi: 10.4161/gmic.32132.
- Lozupone, CA, Li, M, Campbell, TB, Flores, SC, Linderman, D, Gebert, MJ, Knight, R, Fontenot, AP, and Palmer BE. (2013) 'Alterations in the gut microbiota associated with HIV-1 infection', *Cell Host Microbe*, 14(3), pp. 329–339. doi: 10.1016/j.chom.2013.08.006.
- Marbou, WJT. and Kuete, V. (2017) 'Bacterial resistance and immunological profiles in HIV-infected and non-infected patients at Mbouda AD LUCEM

- Hospital in Cameroon', *J Infect Public Heal*, 10(3), pp. 269–276. doi: 10.1016/j.jiph.2016.04.009.
- Marchetti, G., Tincati, C. and Silvestri, G. (2013) 'Microbial translocation in the pathogenesis of HIV infection and AIDS', *Clin Microbiol Rev*, 26(1), pp. 2–18. doi: 10.1128/CMR.00050-12.
- Medina, AM, Rivera, FP, Romero, LM, Kolevic, LA, Castillo, ME, Verne, E, Hernandez, R, Mayor, YE, Barletta, F, Mercado, E, and Ochoa, TJ. (2010) 'Diarrheagenic Escherichia coli in Human Immunodeficiency Virus (HIV) pediatric patients in Lima, Perú', *Am J Trop Med Hyg*, 83(1), pp. 158–163. doi: 10.4269/ajtmh.2010.09-0596.
- Meintjes, G, Moorhouse, MA, Carmona, S, Davies, N, Dlamini, S, van Vuuren, C, Manzini, T, Mathe, M, Nash, J, Nel, J, Pakade, Y, Woods, Y, van Zyl, G, Conradie, F, and Venter, F. 'Adult antiretroviral therapy guidelines 2017'. *S Afr J HIV Med*. 18(1), pp. 1-24. doi: 10.4102/sajhivmed.v18i1.776.
- Microbiology Society. (2016). 'Basic Practical Microbiology: A Manual: Inoculation and other aseptic procedures'. *Microbiology Society*. 1(1). pp. 8-15. ISBN: 0 95368 383 4
- Noguera-Julian, M, Rocafor, M, Guillenm Ym Rivera, J, Cassadella, M. (2016) 'Gut Microbiota Linked to Sexual Preference and HIV Infection', *EBioMedicine*, 5, pp. 135–146. doi: 10.1016/j.ebiom.2016.01.032.
- Noor, R., Morsalin, M. and Chakraborty, B. (2014) 'Reduction of CD4 count induces opportunistic infections in people living with HIV (PLHIV)', *Bangladesh J Med Sc*, 13(3), pp. 285–291. doi: 10.3329/bjms.v13i3.19151.
- Nowak, P, Troseid, M, Avershina, E, Barqasho, B, Neogi, U, Holm, K, Hov, JR, Noyan, K, Vesterbacka, J, Svard, J, Rudi, K, and Sonnerborg, A. (2015). 'Gut microbiota diversity predicts immune status in HIV-1 infection'. *Aids*, 29(18), pp. 2409-2418. doi: 10.1097/QAD.0000000000000869.
- Nwosu, FC, Avershina, E, Wilson R, and Rudi, K. (2014) 'Gut microbiota in HIV infection: Implication for disease progression and management', *Gastroent Res Pract*, Vol. 2014. pp. 1-7. doi: 10.1155/2014/803185.
- Organization for Economic Cooperation and Development (OECD). (2016). "Bacteria: Pathogenicity factors", in Safety Assessment of Transgenic Organisms in the Environment, Volume 5: OECD Consensus Documents. *OECD Publishing*. doi 10.1787/9789264253018-4-en

- Okoror LE, Fashina DC, Jimoh TS, and Oisagah EA. (2015) 'Molecular epidemiology of Escherichia coli in HIV-positive individuals in South west Nigeria.' *Int Arch Med*, 8(138), pp. 1-11. doi: 10.3823/1737
- Okoye, AA and Picker LJ (2013). 'CD4+ T cell depletion in HIV infection: mechanisms of immunological failure.' *Immunol Rev*, 254(1), pp 54-64. doi: 10.1111/imr.12066
- Oxoid Limited Microbiology Products. (2019). 'Microbact Biochemical Identification Kits'. *Thermo Fisher Scientific Inc.* www.oxoid.com/UK/blue/prod_detail/prod_detail.asp?pr=MB1076&c=UK&lang=EN
- Pavlinac, PB, John-Stewart, GC, Naulikha, JM, Onchiri, FM, Denno, DM, Odundo, EA, Singa, BO, Richardson, BA, and Walson, JL. (2014) 'High risk enteric pathogens associated with HIV-infection and HIV-exposure in Kenyan children with acute diarrhea', *AIDS*, 28(15), pp. 2287–2296. doi: 10.1097/QAD.0000000000000396.
- Pinto-Cardoso, S, Klatt, NR, and Reyes-Teran, G. (2017). 'Impact of antiretroviral drugs on the microbiome: unknown answers to important questions', *Curr Opin HIV AIDS*, 13(1), pp. 53-60. doi: 10.1097/COH.0000000000000428.
- Pinto-Cardoso, S, Lozupone, C, Briceno, O, Alva-Hernandez, S, Teller, N, Adriana, A, Murakami-Ogasawara, A, and Reyes-Teran, G. (2017) 'Fecal Bacterial Communities in treated HIV infected individuals on two antiretroviral regimens', *Sci Rep*, 7(43741), pp. 1–10. doi: 10.1038/srep43741.
- Ramesh, K, Gandhi, S, and Rao, V. (2015). Clinical profile of human immunodeficiency virus patients with opportunistic infections: A descriptive case series study. *Int J App Basic Med Res*, 5(2), pp. 119-123. doi: 10.4103/2229-516X.157166.
- Ravichandra, K., Paraharaj, B. and Agarwalla, S. (2013) 'Opportunistic infections in HIV infected children and its correlation with CD4 count', *Int J Contemp Ped*, 4(5), p. 1743-1747. doi: 10.18203/2349-3291.ijcp20173777.
- Resnhaleksmana, E, Sutarti, E, and Wijayanti, MA. (2011). 'Prevalence and Risk Factors of Intestinal Protozoan Infection in HIV/AIDS Patients in Dr. Sardjito General Hospital Yogyakarta'. *TMJ*, 1(1), pp. 23-34. ISSN: 2089-2136.
- Ribeiro, ADBTM, Heimesaat, MM, and Bereswill, S. (2017). 'Changes of the Intestinal Microbiome–Host Homeostasis in HIV-Infected Individuals –a focus on the bacterial gut microbiome.' *Eur J Microbiol Immunol*, 3, pp. 158-167. doi: 10.1556/1886.2017.00016

- Richter, TKS, Michalski, JM, Zanetti, L, Tennant, M, Chen, WH, and Rasko, DA. (2018). 'Responses of the human gut Escherichia coli population to pathogen and antibiotic disturbances.' *mSystems*, 3(4), pp. 1-15. doi: 10.1128/mSystems.00047-18
- Rossit, ARB. Goncalves, ACM, Franco, C, and Machado, RLD. (2009) 'Etiological agents of diarrhea in patients infected by the human immunodeficiency virus-1: A review', *Rev Inst Med trop S Paulo*, 51(2), pp. 59–65. doi: 10.1590/S0036-46652009000200001.
- Saharia, KK and Koup, RA. (2013). 'T cell susceptibility to HIV influences outcome of opportunistic infections.' *Cell*, 155, pp. 505-514. doi: 10.1016/j.cell.2013.09.045.
- Sarkar, A., Yompe, K., Singh, NB. (2014). 'Candida associated with diarrhea in human immunodeficiency virus/acquired immunodeficiency syndrome (HIV/AIDS) patients and their correlation with CD4+ T lymphocyte counts.'. *J Med Soc*, 28(2), pp. 99-102. doi: 10.4103/0972-4958.141092.
- Sarvepalli, A. and Dharana, P. (2017) 'Spectrum of opportunistic infections with correlation to CD4 counts in newly diagnosed HIV seropositive cases', *Int J Adv Med*, 4(1), pp. 252–258. doi: 10.18203/2349-3933.ijam20170121.
- Sanders, ER. (2012). 'Aseptic Laboratory Techniques: Plating Methods'. *J Vis Exp*, 63(e3064). pp. 1-18. doi: 10.3791/3064
- Serrano-Villar, S, Rojo, D, Martinez-Martinex, M, Deusch, S, Vasquez-Castellanos, JF, Bargiela, R, Sainz, T, Vera, M, Moreno, S, Estrada, V, Gosalbes, MJ, Latorre, A, Seifert, J, Barbas, C, Moya, A, Ferrer, M. (2016). Gut bacteria metabolism impacts immune recovery in HIV-infected individuals. *EBioMedicine*, 8, pp. 203-216. doi: 10.1016/j.ebiom.2016.04.033.
- Shah, S, Kongre, V, Kumar, V, and Bharadwaj, R. (2016) 'Study of parasitic and bacterial pathogens associated with diarrhea in HIV-positive patients', *Cureus*, 8(9), pp. 1-13. doi: 10.7759/cureus.807.
- Sharma, S, Dhungana, GP, Pokhrel, BM, and Rijal BP. (2010) 'Opportunistic infections in relation to CD4 level among HIV seropositive patients from central Nepal', *Nepal Med Coll*, 12(1), pp. 1–4. PMID: 20677600.
- Shu Z, Ma J, Tuerhong D, Yang, C, Upur, H. (2013). 'How intestinal bacteria can promote HIV replication'. *AIDS Rev*, 15, pp. 32-37. PMID: 23449227.

- Shukla M, Agarwal M, Singh JV, Tripathi, AK, Srivastava, AK, and Singh VK. (2016). 'High risk sexual behavior among people living with HIV/AIDS attending tertiary care hospitals in district of Northern India;'. *Indian Sex Transm Dis*, 37(1): pp. 46-51. doi: 10.4103/0253-7184.176212.
- Ssekalembe, G., Isfandiari, MA., and Suprianto, H. (2020). 'Current Status Towards 90-90-90 UNAIDS Target and Factors Associated with HIV Viral Load Suppression in Kediri City, Indonesia'. *HIV AIDS (Auckl)*, 12(2), pp. 47-57. doi: 10.2147/HIV.S231173.
- Suryana, K., Surharsono, H., and Antara, IGPI., (2019). 'Factors Associated With Adherence To Anti-Retroviral Therapy Among People Living With HIV/AIDS At Wangaya Hospital In Denpasar, Bali, Indonesia: A Cross-Sectional Study'. *HIV AIDS (Auckl)*, 11(2), pp. 307-312. doi: 10.2147/HIV.S219695.
- Thairu, Y, Nasir, IA, and Usman, Y. (2014). 'Laboratory Perspective of Gram Staining and Significance in Investigations of Infectious Diseases'. *Sub-Saharan Afr J Med*, 1(4), pp. 168-174. doi: 10.4103/2384-5147.144725.
- Todar, K. (2012). *Todar's Online Textbook of Bacteriology*. www.textbookofbacteriology.net
- Trindade, E, Souza, LR, Lopes, CAM, Pereira, PCM. (2007) 'Intestinal microbiota and HIV-1 infection', *J Venom Anim Toxins incl Trop Dis*, 13(2), pp. 431–445. doi: 10.1590/S1678-91992007000200003.
- UNAIDS. (2018) 'UNAIDS Data 2018', *UNAIDS*. www.unaids.org/sites/default/files/media_asset/unaids-data-2018_en.pdf
- UNAIDS. (2019). 'Global HIV Statistics 2019'. *UNAIDS*. www.unaids.org/sites/default/files/media_asset/unaids-data-2018_en.pdf
- Villaneuva-Millan, MJ, Perez-Matute, P, Recio-Fernandez, E, Rosales, JML, and Oteo, JA. (2017). 'Differential effects of antiretrovirals on microbial translocation and gut microbiota composition of HIV-infected patients.', *J Int AIDS Soc*, 20(1), pp. 21526-21539. doi: 10.7448/IAS.20.1.21526
- Weinberg JL, and Koverik CL. (2010) 'The WHO Clinical Staging System for HIV/AIDS'. *AMA J Ethics*, 12(3) pp. 202-206. doi: 10.1001/virtualmentor.2010.12.3.cpr11-1003.
- Wexler, H. M. (2007) 'Bacteroides: The good, the bad, and the nitty-gritty', *Clin Microbiol Rev*, 20(4), pp. 593–621. doi: 10.1128/CMR.00008-07.

- World Health Organization (WHO). (2007). 'WHO case definitions of HIV for surveillance and revised clinical staging and immunological classification of HIV-related disease in adults and children' *WHO*. www.who.int/hiv/pub/guidelines/HIVstaging150307.pdf.
- Yao, Y, Wang, N, Chu, J, Ding, G, Jin, X, Sun, Y, Wang, G, Xu, J, Smith, K. (2009) 'Sexual behavior and risks for HIV infection and transmission among male injecting drug users in Yunnan, China', *Int J Infect Dis*, 13(2), pp. 154–161. doi: 10.1016/j.ijid.2008.05.1228.
- Yu, G, Fadrosch, D, Ma, B, Ravel, J, and Goedert, JJ. (2014) 'Anal microbiota profiles in HIV-positive and HIV-negative MSM', *Aids*, 28(5), pp. 753–760. doi: 10.1097/QAD.0000000000000154.
- Yusra, E, Efrida, and Elmatris. (2018). 'Hubungan Karakteristik Klinis dengan Pemulihan Respons Imun Penderita HIV-1 yang Mendapat Terapi Antiretroviral di RSUP Dr. M. Djamil Padang'. *Jurnal Kesehatan Andalas*, 7(3), pp. 1-7.
- Zilberman-schapira, G, Zmora, N, Itav, S, Elinav, H, and Elinav, E. (2016) 'The gut microbiome in human immunodeficiency virus infection', *BMC Medicine*. 14(83), pp. 1–11. doi: 10.1186/s12916-016-0625-3.