

## DAFTAR PUSTAKA

- AL-Jaber, S. (2010), 'Variational method for ground-state energy of helium atom in N dimensions', *Nuovo Cimento B* **125**. doi:10.1393/ncb/i2010-10907-2.
- Alexander, S. A. dan Coldwell, R. L. (1997), 'Atomic wave function forms', *International Journal of Quantum Chemistry* **63**(5), 1001–1022. doi:10.1002/(SICI)1097-461X(1997)63:5<1001::AID-QUA9>3.0.CO;2-1.
- Ashworth, S. (2012), 'Molecular Quantum Mechanics, 5th edn., by Peter Atkins and Ronald Friedman', *Contemporary Physics - CONTEMP PHYS* **53**, 1–2.
- Banerjee, A., Kamal, C. dan Chowdhury, A. (2006), 'Calculation of ground- and excited-state energies of confined helium atom', *Physics Letters A* **350**(1), 121 – 125.
- Bhattacharyya, S., Bhattacharyya, A., Talukdar, B. dan Deb, N. C. (1996), 'Analytical approach to the helium-atom ground state using correlated wavefunctions', *Journal of Physics B: Atomic, Molecular and Optical Physics* **29**(5), L147–L150. doi:10.1088/0953-4075/29/5/003.
- Bressanini, D., Morosi, G. dan Tarasco, S. (2003), 'EXPLICITLY CORRELATED WAVE FUNCTIONS IN QUANTUM MONTE CARLO', *Computational Methods in Science and Technology* **9**, 11–22.
- Carlton, T. S. (1999), 'Molecular Quantum Mechanics, 3rd Edition (Atkins, P. W.; Friedman, R. S.)', *Journal of Chemical Education* **76**(2), 170.
- Cohen-Tannoudji, C., Diu, B. dan Laloe, F. (1991), *Quantum Mechanics (1st Edition)*, 1st edn, Wiley. ISBN-13:978-0471164333.
- Doma, S. B. dan El-Gammal, F. N. (2012), 'Application of variational Monte Carlo method to the confined helium atom', *Journal of Theoretical and Applied Physics* **6**(1), 28. <https://doi.org/10.1186/2251-7235-6-28>.
- Doma, S. dan El-Gammal, F. (2011), 'Applications of the Variational Monte Carlo Method to the Two-Electron atom', *Applied Mathematics and Information Sciences* **5**, 315S.

- Dutta S., Sil A.N., S. J. dan T.K, M. (2017), ‘Ritz variational method for the high lying nonautoionizing double Fe state of two electron atoms’, *International journal of Quantum Chemistry* **89**, 1–17. <http://q-chem.org>.
- Einkemmer (2010), ‘Monte Carlo Methods’, *Bachelor Thesis*. University of Innsbruck, Department of Mathematics.
- Esposito, S. dan Naddeo, A. (2012), ‘Majorana Solutions to the Two-Electron Problem’, *Foundations of Physics* **42**(12), 1586–1608. doi:10.1007/s10701-012-9685-1.
- Flores-Riveros, A., Aquino, N. dan Montgomery, H. (2010), ‘Spherically compressed helium atom described by perturbative and variational methods’, *Physics Letters A* **374**(10), 1246 – 1252. doi:<https://doi.org/10.1016/j.physleta.2009.12.062>.
- Flores-Riveros, A. dan Rodríguez-Contreras, A. (2008), ‘Compression effects in helium-like atoms ( $Z=1, \dots, 5$ ) constrained by hard spherical walls’, *Physics Letters A* **372**(40), 6175 – 6182. doi:<https://doi.org/10.1016/j.physleta.2008.08.027>.
- Garza, J., Hernandez-Perez, J., Ramirez, J.-Z. dan Vargas, R. (2012), ‘Basis set effects on the Hartree–Fock description of confined many-electron atoms’, *Journal of Physics B-atomic Molecular and Optical Physics - J PHYS-B-AT MOL OPT PHYS* **45**.
- Gelfand dan Fomin (1963), *Calculus of Variation*, Translated and Edited by Richard A Silverman.
- Goldman, S. (1997), ‘Accurate Modified Configuration Interaction Calculations for Many Electron System Made Easy’, *Physical Review Letters* **78**(12), 2325–2328.
- Goldman, S. P. (1998), ‘Uncoupling correlated calculations in atomic physics: Very high accuracy and ease’, *Phys. Rev. A* **57**, R677–R680.
- Gosiorowicz (2003), *Quantum Physics*, John Wiley and Sons, University of Mimitota.
- Griffiths, D. J. (2004), *Introduction to Quantum Mechanics (2nd Edition)*, 2nd edn, Pearson Prentice Hall. url:<http://www.amazon.com/exec/obidos/redirect?tag=citeulike07-20&path=ASIN/0131118927>.

- Hall, S. dan Siegel, P. B. (2015), 'Calculating helium atomic excited states in coordinate space', *American Journal of Physics* **83**(12), 1028–1038. doi:10.1119/1.4932549.
- Harris, F. (2017), 'Integrals arising in atomic Hylleraas methods', *Molecular Physics* **115**, 1–4.
- Hettema, H. (2000), *Quantum Chemistry: Classical Scientific Papers*.
- Hinde, R. J. (2000), 'Quantum Chemistry, 5th Edition (by Ira N. Levine)', *Journal of Chemical Education* **77**(12), 1564.
- Hornyak, I. dan Kruppa, A. T. (2017), 'Hylleraas- and Kinoshita-type wave functions with correct cusp conditions', *Phys. Rev. A* **96**(7), 052506. doi:10.1103/PhysRevA.96.052506.
- Hylleraas, E. A. (1929), 'Neue berechnung der energie des heliums im grundzustande, sowie des tiefsten terms von ortho-helium', *Zeitschrift für Physik* **54**(5-6), 347–366. diterjemahkan oleh Hettema H., 2000, *Quantum Chemistry classic Scientific Papers World Scientific, Singapore- New Jersey- London- Hongkong*.
- Hylleraas, E. A. (1964), *The Schrödinger Two-Electron Atomic Problem*, Vol. 1 of *Advances in Quantum Chemistry*, Academic Press, pp. 1 – 33.
- Ikot, A., Akpabio, L., Essien, K., Ituen, E. dan Obot, I. (2009), 'Variational Principle Techniques and the Properties of a Cut-off and Anharmonic Wave Function', *Journal of Chemistry* **6**.
- Jiao, L., Zan, L., Zhu, L., Zhang, Y. dan Ho, Y. (2019), 'High-precision calculation of the geometric quantities of two-electron atoms based on the Hylleraas configuration-interaction basis', *Physical Review A* **100**.
- Kiusalaas, J. (2015), *Numerical Methods in Engineering with MATLAB®*, 3 edn, Cambridge University Press.
- Koga, T. (1991), 'Hylleraas and Kinoshita wave functions: Revision and correction', *The Journal of Chemical Physics* **94**(8), 5530–5532. doi:10.1063/1.460488.
- Koga, T. (1992), 'Hylleraas wave functions revisited', *The Journal of Chemical Physics* **96**(2), 1276–1279. doi:10.1063/1.462164.

- Koga, T. (1996), 'Optimal Kinoshita wave functions with half-integer powers', *The Journal of Chemical Physics* **104**(16), 6308–6312. doi:10.1063/1.471291.
- Kościk, P. dan Saha, J. (2015), 'Entanglement in helium atom confined in an impenetrable cavity', *The European Physical Journal D* **69**, 250. doi:10.1140/epjd/e2015-60453-4.
- Kurokawa, Y. I., Nakashima, H. dan Nakatsuji, H. (2008), 'Solving the Schrödinger equation of helium and its isoelectronic ions with the exponential integral (Ei) function in the free iterative complement interaction method', *Phys. Chem. Chem. Phys.* **10**, 4486–4494. doi:10.1039/B806979B.
- Lewars, E. (2011), *Computational Chemistry: Introduction to the Theory and Applications of Molecular and Quantum Mechanics*.
- Montgomery, H., Aquino, N. dan Flores-Riveros, A. (2010), 'The ground state energy of a helium atom under strong confinement', *Physics Letters A* **374**(19), 2044 – 2047. doi:<https://doi.org/10.1016/j.physleta.2010.02.074>.
- Montgomery, H. dan Pupyshev, V. I. (2013), 'Confined helium: Excited singlet and triplet states', *Physics Letters A* **377**(40), 2880 – 2883. doi:<https://doi.org/10.1016/j.physleta.2013.08.043>.
- Myers, C., Umrigar, C., Sethna, J. dan Morgan, J. (1991), 'Fock's expansion, Kato's cusp conditions, and the exponential ansatz', *Phys. Rev. A* **44**.
- Nakashima, H. dan Nakatsuji, H. (2007), 'Solving the Schrödinger equation for helium atom and its isoelectronic ions with the free iterative complement interaction (ICI) method', *The Journal of Chemical Physics* **127**(22), 224104. doi:10.1063/1.2801981.
- Nakashima, H. dan Nakatsuji, H. (2008), 'Solving the electron-nuclear Schrödinger equation of helium atom and its isoelectronic ions with the free iterative-complement-interaction method', *The Journal of Chemical Physics* **128**(15), 154107. doi:10.1063/1.2904562.
- Nakatsuji, H. (2004), 'Scaled Schrodinger Equation and the Exact Wave Function', *Physical review letters* **93**, 030403.

- Nasser, I., Zeama, M. dan Abdel-Hady, A. (2019), 'The nonadditive entropy for the ground state of helium-like ions using Hellmann potential', *Molecular Physics* **0**(0), 1–8. doi:10.1080/00268976.2019.1612105.
- Ou, J.-H. dan Ho, Y. (2019), 'Benchmark calculations of Rényi, Tsallis entropies, and Onicescu information energy for ground state helium using correlated Hylleraas wave functions', *International Journal of Quantum Chemistry*.
- Pan, X.-Y., Sahni, V., Massa, L. dan Sen, K. (2011), 'New expression for the expectation value integral for a confined helium atom', *Computational and Theoretical Chemistry* **965**(1), 202 – 205. doi:<https://doi.org/10.1016/j.comptc.2011.01.044>.
- Parker, W. D., Umrigar, C., Alfè, D., Petruzielo, F., Hennig, R. G. dan Wilkins, J. W. (2015), 'Comparison of polynomial approximations to speed up planewave-based quantum Monte Carlo calculations', *Journal of Computational Physics* **287**, 77 – 87. <https://doi.org/10.1016/j.jcp.2015.01.037>.
- Per, M. C., Russo, S. P. dan Snook, I. K. (2008), 'Electron-nucleus cusp correction and forces in quantum Monte Carlo', *The Journal of Chemical Physics* **128**(11), 114106.
- Press, Teukolsky, Vetterling dan P, F. B. (1992), 'Numerical Recipes'.
- Quarrie (1983), *Quantum Chemistry*, University Science Books.
- Rodriguez, K. V. dan Gasaneo, G. (2005), 'Accurate Hylleraas-like functions for the He atom with correct cusp conditions', *Journal of Physics B: Atomic, Molecular and Optical Physics* **38**(16), L259–L267. doi:10.1088/0953-4075/38/16/l01.
- Rodriguez, K. V., Gasaneo, G. dan Mitnik, D. M. (2007), 'Accurate and simple wavefunctions for the helium isoelectronic sequence with correct cusp conditions', *Journal of Physics B: Atomic, Molecular and Optical Physics* **40**(19), 3923–3939. doi:10.1088/0953-4075/40/19/011.
- Schwartz, C. (2006), 'Experiment And Theory In Computations Of The He Atom Ground State', *International Journal of Modern Physics E* **15**(04), 877–888. doi = 10.1142/S0218301306004648.
- Shankar, R. (1994), *Principles of Quantum Mechanics, Second Editions*, 2 edn, Yale University, New Haven Connecticut Springer. 10.1007/978-1-4757-0576-8.

- Sims, J. S. dan Hagstrom, S. A. (2002), 'High-precision Hy–CI variational calculations for the ground state of neutral helium and helium-like ions', *International Journal of Quantum Chemistry* .
- Simulik, V., Zajac, T. dan Tymchyk, R. (2019), 'Choice of the Wave Function for the Helium Ground State for Precision Calculations of Quasistationary State Parameters', *Ukrainian Journal of Physics* **61**(11), 950. DOI:10.15407/ujpe61.11.0950.
- Springall, R., Per, M. C., Russo, S. P. dan Snook, I. K. (2008), 'Quantum Monte Carlo calculations of the potential energy curve of the helium dimer', *The Journal of Chemical Physics* **128**(11), 114308. doi:10.1063/1.2839440.
- Srivastava, M. K. dan Bhaduri, R. K. (1977), 'Variational method for two-electron atoms', *American Journal of Physics* **45**(5), 462–464.
- Thakkar, A. J. dan Koga, T. (1994), 'Ground-state energies for the helium isoelectronic series', *Phys. Rev. A* **50**, 854–856. doi:10.1103/PhysRevA.50.854.
- Thakkar, A. J. dan Koga, T. (2003), 'Variational calculations for helium-like ions using generalized Kinoshita-type expansions', *Theoretical Chemistry Accounts* **109**(1), 36–39. doi:10.1007/s00214-002-0407-1.
- Wang, X., Zhao, J. dan Qiao, H. (2009), 'Helium atom in strong magnetic fields: An application of the configuration-interaction method with Hylleraas-Gaussian basis', *Phys. Rev. A* **80**(5), 053425. doi:10.1103/PhysRevA.80.053425.
- Wen-Fang, X. (2007), 'A Study of Confined Helium Atom', *Communications in Theoretical Physics* **48**(2), 331–334. doi:10.1088/0253-6102/48/2/025.
- Wilson, C., Montgomery, H., Sen, K. dan Thompson, D. (2010), 'Electron correlation energy in confined two-electron systems', *Physics Letters A* **374**(43), 4415 – 4419. <https://doi.org/10.1016/j.physleta.2010.08.071>.
- Young, T. D., Vargas, R. dan Garza, J. (2016), 'A Hartree–Fock study of the confined helium atom: Local and global basis set approaches', *Physics Letters A* **380**(5), 712 – 717. doi:<https://doi.org/10.1016/j.physleta.2015.11.021>.