

DAFTAR PUSTAKA

- Abdullah, M., Lenggono, W., dan Okuyama, K. (2004). Polymer electrolyte nanocomposites, *Encyclopedia of Nanoscience and Nanotechnology*. 8, 731-762.
- Abdullah, M. (2009). Pengantar Nanosains. Penerbit ITB Bandung. Bandung.
- Agrawal, RC., Mahipal, YK., dan Ashrafi, R. (2011). Materials and ion transport property studies on hot-press casted solid polymer electrolyte membranes: [(1-x) PEO; x KIO₃]. *Solid State Ionics*. 192, 6-8.
- Akbulut, O., Taniguchi, S., Kumar, S., dan Mayes, AM. (2007). Conductivity hysteresis in polymer electrolytes incorporating poly(tetrahydrofuran). *Electrochimica Acta*. 52, 1983-1989.
- Alloin, F., Sanchez, JY., dan Armand, M. (1994). Electrochemical behavior of lithium electrolytes based on new polyether networks. *Journal Electrochemical Society*. 141, 1915-1921.
- Alves, R., Donoso, JP., Magon, CJ., Pawlicka, A., Silva, IDA., dan Silva, MM. (2016). Solid polymer electrolytes based on chitosan and europium triflate. *Journal of Non-Crystalline Solids*. 432, 307-12.
- Angell, P., J.H., Kim dan Lee (1983). Effect of PEO Additive on Membrane Formation by Phase Inversion. *Journal of Membran Science*, 138, 153-163.
- Arora, P., dan Zhang, ZJ. (2004). Battery separators. *Chemistry Review*. 104, 4419-4462.
- Aso, K., Sakuda, A., Hayashi, A., dan Tatsumisago, M. (2013). All solid state lithium secondary batteries using NiS carbon fiber composite electrodes coated with Li₂S-P₂S₅ solid electrolytes by pulsed laser deposition. *ACS Applied Materials Interfaces*. 5, 686-690.
- Asnin, SN., Wahab, Permana, D., dan Ahmad, LO. (2016). Conductivity improvement of chitosan membranes through modification with lithium for lithium polymer battery application. *International Journal of Chemistry and Chemical Engineering*. 1, 65-69.
- Azizi, Samir., Alloin, F., Sanchez, JY., dan Dufresne, A. (2004). Cellulose nanocrystals reinforced polyoxyethylene. *Polymer*. 45, 4149-4157.

- Basak, P., dan Manorama, S. V. (2004a). EUROPEAN POLYMER Poly (ethylene oxide) – polyurethane/poly (acrylonitrile) semi-interpenetrating polymer networks for solid polymer electrolytes: vibrational spectroscopic studies in support of electrical behavior q, *40*, 1155–1162.
- Basak, P., dan Manorama, S. V. (2004b). PEO-PU/PAN semi-interpenetrating polymer networks for SPEs: influence of physical properties on the electrical characteristics, *167*, 113–121. <http://doi.org/10.1016/j.ssi.2004.01.004>
- Basha, SK., Reddy, S., dan Rao, MC. (2018). Electrical conductivity studies on (1-x)[PVA/PVP]: x[MgCl₂{6H₂O}]blend polymer electrolytes. *AIP Conference Proceedings*. 050002, 1-5.
- Begiu, F., dan Frackowiak, E. (2013). Electrode Materials wit pseudocapacitive properties. Wiley-VCH Verlag GmbH & Co. KGaA.
- Ben, Y., Oueslati, A., Maaloul, NK., Khirouni, K dan Gargouri, M. (2015). Conductivity study and correlated barrrier hopping (CBH) conduction mechanism in diphosphate compound. *Applied Physics A*. 120, 1537-1543.
- Berthier, C., Gorecki, W., Minier, M., dan Armand, M.B. (1983). Microscopic investigation of ionic conductivity in alkali metal salts - poly(ethylene oxide) adducts. *Solid State Ionic*, 11(1), 91-95.
- Buraidah, M. H., Teo, L. P., dan Arof, A. K. (2009). Conductivity Studies Of Chitosan Based Solid Polymer Electrolyte Incorporated With Ionic Liquid. *National Workshop on Functional Materials*, 117–121.
- Buraidah, M. H., Teo, L. P., Majid, S. R., Yahya, R., Taha, R. M., dan Arof, A. K. (2010). Characterizations of Chitosan-Based Polymer Electrolyte, *2010(Ii)*. <http://doi.org/10.1155/2010/805836>
- Chew, CL. (2005). Kajian Kekonduksian Ionik Terhadap Adunan Elektrolit Polimer PVC-Getah asli terepoksi dan PVDF-getah asli terepoksi. Thesis. Fakulti Sains Universiti Teknologi Malaysia.
- Das, S., dan Ghosh, A. (2015). Effect of plasticizers on ionic conductivity and dielectric relaxation of PEO-LiClO₄ polymer electrolyte. *Electrochimica Acta*, *171*, 59–65. <http://doi.org/10.1016/j.electacta.2015.04.178>
- Dey, A., Karan, S., dan De, SK. (2011). Structure, morphology and ionic conductivity of solid polymer electrolyte. *Materials Research Bulletin*. 46(11), 2009-2015.

- Didem dan Polat, Veysel. (2017). Improvement of electrochemical and structural properties of polycarbazole by simultaneous electrodeposition of chitosan. *Turkish Journal of Chemistry*. 41, 233-242.
- Dosono, JP., Lopes, LVS., Pawlicka, A., Fuentes, S., Retuert, PJ., dan Gonzalez, G. (2007). Nuclear magnetic resonance study of PEO-chitosan based polymer electrolytes. *Electrochimica Acta*. 53, 1455-1460.
- Du Pasquier, A., dan Tarascon, JM. (2000). A reversible inorganic electrochromic solution system. *Solar energy materials and solar cells*. 62(4), 431-439.
- Eka, Pratiwi. (2018). Sintesis membran elektrolit padat berbahan dasar kitosan. *Jurnal Sainsmat*. 2(2), 86-91.
- Elsabee, M. Z., Morsi, R. E., dan Al-Sabagh, A. M. (2009). Surface active properties of chitosan and its derivatives. *Colloids and Surfaces B: Biointerfaces*, 74(1), 1–16. <http://doi.org/10.1016/j.colsurfb.2009.06.021>
- Gay, FM. (1997). Polymer Electrolyte. The Royal Society of Chemistry. London.
- Ghadami, A., Taheri, A dan Nikfarjam. (2014). Ionic conductivity in Gelatin-Based Hybrid Solid Electrolytes: The non-trivial role of nanoclay. *J. Mater Sci Technol*. 30(11), 1096-1102.
- Gondaliya, N., Kanchan, DK., Sharma, P., dan Joge, P. (2011). Structural and Conductivity Studies of Poly(Ethylene Oxide)-Silver Triflate Polymer Electrolyte System. *Materials Sciences and Applications*. 2, 1639-1643.
- Gay, F., Armand, M. (1999). Polymer electrolytes. Di dalam: Jurgen O. Besenhard, editor. Handbook of battery materials. New York: Willey - VCH.
- Gray, F.M. (1991). Solid Polymer Electrolytes: Fundamentals and Applications, VCH Publishers , Weinheim, Germany.
- Gurusiddappa, J., Madhuri, W., Suvarna, RP., dan Dsan, KP. (2016). Studies on the morphology and conductivity of PEO/LiClO₄. *Materials Today: Proceeding*. 3, 1451-1459.
- Gyliene, O., Nivinskine, O., dan Razmute, I. (2006). Copper (II)-EDTA sorption onto chitosan and its regeneration applying electrolysis. *J. Hazard Mater*. 137: 1430-1437.

- Hayashi, A., Noi, K., Sakuda, A., dan Tatsumisago, M. (2012). Superionic glass-ceramic electrolytes for room-temperature rechargeable sodium batteries. *Nat Commun.* 3, 856.
- Helton, JA., F. Maristela, Kugemeir, CL., dan Arantes, Mabel Karina. (2017). Effect of shrimp shells milling on the molar mass of chitosan. *Polimeros.* 27(1), 41-47.
- Hosokawa, Mauo., Nogi, Kiyoshi., Naito, Makio., dan Yokoyama, Toyokazu. (2007). *Nanoparticle Technology Handbook.* 5-11.
- Ito, Y., Kanehori, K., Miyauchi, K., dan Kudo, T. (1987). Ionic conductivity of electrolytes formed from PEO-LiCF₃SO₃ complex with low molecular weight poly(ethylene glycol). *Journal of Materials Science.* 22, 1845-1849.
- Jiajie, Li. (2008). Characterization and performance improvement of chitosan films as affected by preparation method, synthetic polymers and blend ratios. Disertasi. The university of Tennessee.
- Jonscher, AK. (1977). The universal dielectric response. *Nature.* 267(5613), 673-679.
- Kaban, G., Hisar, O., Alak, G., dan Kaya, M. (2010). Microbiological and Chemical Properties of Bonito Fish (Sarda sarda) Fillets Packaged with Chitosan Film, odified Atmosphere and Vacuum, *Journal of the Faculty of Veterinary Medicine, University of Kafkas,* 16, 73-80.
- Kadir, M. F. Z., Majid, S. R., dan Arof, A. K. (2010). Plasticized chitosan-PVA blend polymer electrolyte based proton battery. *Electrochimica Acta,* 55(4), 1475–1482. <http://doi.org/10.1016/j.electacta.2009.05.011>
- Kaewpirom, S., dan Boonsang, S. (2006). Electrical response characterisation of poly(ethylene glycol) macromer (PEGM)/chitosan hydrogels in NaCl solution. *European Polymer Journal.* 42(7), 1609-1616.
- Karan, N. K., Pradhan, D. K., Thomas, R., Natesan, B., dan Katiyar, R. S. (2008). Solid polymer electrolytes based on polyethylene oxide and lithium trifluoro- methane sulfonate (PEO – LiCF₃SO₃): Ionic conductivity and dielectric relaxation, 179, 689–696. <http://doi.org/10.1016/j.ssi.2008.04.034>
- Karmakar, A., dan Ghosh, A. (2012). Dielectric permittivity and electric modulus of polyethylene oxide (PEO)-LiClO₄ composite electrolytes. *Current Applied Physics,* 12(2), 539–543. <http://doi.org/10.1016/j.cap.2011.08.017>
- Kartawidjaja, M., Abdurrochman, A., dan Rumeksa, E. Li(2008). Prosiding Semnas

Sains dan Teknologi-II. Unila. 105-115.

- Karuppasamy, K., Thanikalkarasan, S., Antony, R., dan Balakumar, S. (2012). Effect of nanochitosan on electrochemical, interfacial and thermal properties of composite solid polymer electrolytes. *Ionics*. 18, 737-745.
- Khan, TA., (2002). Reporting degree of deacetylation values of chitosan: The influence of analytical methods. *Journal Pharm Pharmaceutical Science*. 5(3), 205=212.
- Knauth, P. (2009). Inorganic solid Li ion conductors: An overview. *Solid State Ionics*. 180, 911-916.
- Kim, HY., Park, SS., dan Lim, ST. (2015). Preparation, characterization and utilization of starch nanoparticles, Colloid. *Surface B*. 126, 607 -620.
- Kim, J. Y., dan Kim, S. H. (1999). Ionic conduction behavior of network polymer electrolytes based on phosphate and polyether copolymers. *Solid State Ionic*. 124, 91-99.
- Kumar, Singh, BP., Sinha, TP., dan Singh, NK. (2011). Dielectric and impedance properties of Sr(Sm_{0,5}Nb_{0,5})O₃ ceramics. *Solid state Sci*.
- Kumar, V., Chary, T., Bhardwaj, S, Awasthi, AM., dan Reddy, SN. (2013). Dielectric relaxation, ionic conduction and complex impedance studies on NaNO₃ fast ion conductor. *Int. J. Mater. Sci. Appl*. 2, 173-178.
- Kumar, HMPN., Prabhakar, MN., Prasad, CV., Reddy, TVAK., dan Subha, MCS. (2010). Compatibility studies of chitosan/PVA blend in 2% aqueous acetic acid solution at 30 °C. *Carbohydrate Polymers*. 82, 251-255.
- Leceta, I., Guerrero, P., Cabezudo, S., dan KDL, Caba. (2013) Environmental assessment of chitosan-based films. *Journal of Cleaner Production*. 41, 312-320.
- Li, W., Dhan, JR., dan Wainwrigth, DS. (1994). Rechargeable lithium batteries sith aqueous electrolytes. *Science*. 264, 1115-1118.
- Li, X., Zhang, Z., Li, S., Yang, L., dan Hirano, S. I. (2016). Polymeric ionic liquid-plastic crystal composite electrolytes for lithium ion batteries. *Journal of Power Sources*, 307, 678-683. <http://doi.org/10.1016/j.jpowsour.2016.01.032>
- Liang, X., Yang, Y., Jin, X., dan Cheng, J. (2016). Polyethylene Oxide-Coated Electrospun Polyimide Fibrous Seperator for High-Performance Lithium-Ion

- Battery. *Journal of Materials Science & Technology*, 32(3), 200–206.
<http://doi.org/10.1016/j.jmst.2015.11.006>
- Lin, Hua, Qin, Lizhao, Hong, He dan Qing Li. (2015). Preparation of starch nanoparticles via high-energy ball milling. *Journal of Nano Research*. 40, 174-179. doi: 10.4028/www.scientific.net/JnanoR.40.174.
- Linden, D. dan Reddy, TB. (2002). Primary Batteries-Introduction. Handbook of batteries 3Ed. USA. The McGraw-Hill companies, Inc. 164-200.
- Liu, TY., Ma, Y., Yu, SF., Shi, J., dan Xue. (2011). The effect of ball milling treatment on structure and porosity of maize starch granule. *Innovative Food Science Emergency*, 12, 586-593.
- Majid, SR., Arof, AK. (2007). Electrical behavior of proton-conducting chitosan-phosphoric acid-based electrolytes. *Physica B*. 355, 78-82.
- Manish, S., Singh, J, Mishra, Rajneesh K, Singh, Manish K, Ojha, Animesh K, Yashpal, Madhu, Sudhanshu, Srivastava. (2014). Novel conducting lithium ferrite/chitosan nanocomposite: synthesis, characterization, magnetic and dielectric properties. *Current Applied Physics*. 14, 980-990.
- Manthirman, A. (2008). Smart materials. New York: CRC Press.
- Marcondes, R. F. M. S., Agostini, P. S. D., Ferreira, J., Giroto, E. M., Pawlicka, A., dan Dragunski, D. C. (2010). Amylopectin-rich starch plasticized with glycerol for polymer electrolyte application. *Solid State Ionics*, 181(13-14), 586–591.
<http://doi.org/10.1016/j.ssi.2010.03.016>
- Masoud, E. M., Bayoumy, W. A., dan Mousa, M. A. (2013). Organic – inorganic composite polymer electrolyte based on PEO – LiClO₄ and nano-Al₂O₃ filler for lithium polymer batteries : Dielectric and transport properties. *Journal of Alloys and Compounds*, 575, 223–228.
- Meyer, W.H. (1998). Polymer Electrolytes for Lithium Ion Batteries. *Advance Materials*, 10, 6.
- Mohamed, NS., Subban, RHY., Arof, AK. (1995). Polymer bateries fabricated from lithium complexed acetylated chitosan. *Journal of Power Sources*. 56, 153-156.
- Morni, N. M., dan Arof, A. K. (1999). Chitosan – lithium triflate electrolyte in secondary lithium cells, 42–48.

- Muzzarelli, R. A. A. (1983). Chitin and Its Derivatives : New Trends of Applied, 3, 53–75.
- Nabok. A., (2000). Organic and Inorganic Nanostructure. Nanotechnology Series. Artech House.
- Navaratnam, S., Ramesh, K., Ramesh, S., Sanusi, A., dan Arof, AK. (2015). Transport mechanism studies of chitosan electrolyte systems. *Electrochimica Acta*. 175, 68-73.
- Nagesha, KV., M., Rajanish, dan Shivappa, D. (2013). A review on mechanical alloying. *International of Engineering Research and Applications (IJERA)*. 3(3), 921-924.
- Neto, C. G. T., Giacometti, J. A., Job, A. E., Ferreira, F. C., Fonseca, J. L. C., dan Pereira, M. R. (2005). Thermal analysis of chitosan based networks. *Carbohydrate Polymers*, 62(2), 97–103. <http://doi.org/10.1016/j.carbpol.2005.02.022>
- Nithya, H., Selvasekarapandian, S., Christopher, P., Arun Kumar, D., dan Kawamura, J. (2012). Effect of propylene carbonate and dimethylformamide on ionic conductivity of P(ECH-EO) based polymer electrolyte. *Electrochim Acta*. 66, 110-10.
- Ohta, N., Takada, K., Zhang, L, dan Sasaki, T (2006). Enhancement of the high rate capability of solid state lithium batteries by nanoscale interfacial modification. *Advanced Materials*. 18, 2226-2229.
- Oma, Ä. R. C. (2005). Effects of Hydrophilic Plasticizers on Mechanical , Thermal , and Surface Properties of Chitosan Films, 3950–3957.
- Osada, I., Vries, H. De, Scrosati, B., dan Passerini, S. (2016). Ionic-Liquid-Based Polymer Electrolytes for Battery Applications *Angewandte*, 500–513. <http://doi.org/10.1002/anie.201504971>
- Osman, Z., Ibrahim, ZA., dan Arof AK. (2001). Conductivity enhancement due to ion dissociation in plasticized chitosan based polymer electrolytes. *Carbohydrate Polymers*. 4, 167-173.
- Perrin-Sarazin, F., Sepehr, M., Bouricha, S., dan Denault, J. (2009). Potential of ball milling to improve clay dispersion in nanocomposites. *Polymer Engineering and Science*. 49(4), 651-665. <http://dx.doi.org/10.1002/pen.21295>.

- Pradhan, DK., Choudhary, RNP., dan Samantaray, BK. (2008). Studies of dielectric relaxation and AC conductivity behaviour of plasticized polymer nanocomposite electrolytes. *Int. J. Electrochem. Sci.* 3, 597-608.
- Quartarone, E., dan Mustarelli, P. (2011). Electrolytes for solid state lithium rechargeable batteries: recent advances and perspectives. *Chemistry Soc. Review.* 40, 2525-2540.
- Rajendran, S., Kannan, dan Mahendran, R. (2001). Ionic conduction studies in poly(methylmethacrylate)-polyethylene oxide hybrid polymer electrolytes with lithium salts. *Journal of Power Sources.* 96, 406-410.
- Ramesh, S., Yuen, T. F., dan Shen, C. J. (2008). Conductivity and FTIR studies on PEO – LiX [X: CF₃SO₃⁻, SO₄²⁻] polymer electrolytes, 69, 670–675. <http://doi.org/10.1016/j.saa.2007.05.029>
- Rinaudo, M. (2006). Chitin and chitosan: properties and applications. *Journal Polymer Science.* 31, 603-632.
- Rao, RP., Maohua, C., dan Adams, S. (2012). Preparation and characterization of NASICON type Li⁺ ionic conductors. *Journal of Solid State Electrochemistry.* 16, 3349-3354.
- Riyanto, B., Maddu, A., dan Hasnedi, YW. (2010). Kemasan cerdas pendeteksi kebusukan fillet ikan nila. *Jurnal pengolahan hasil perikanan Indonesia.* 2, 129-141.
- Robert, G. (1970). Chitosan production routes and their role in determining the structure and properties of the product. In : Domard, et al. (eds.) *Advance in Chitin Sci.* 2, 22-31.
- Rusop, M., Borhan, MZ., dan Ahmad, Rohaya. (2013). Optimization of ball milling parameters to produce centella asiatica herbal nanopowders. *Journal of Nanostructure in Chemistry.* 3(1), 79.
- Sahu, G., Lin, Z, Li, J., Liu, Z., Dudney, N., dan Liang, C. (2014). Air-stable, high conduction solid electrolytes of arsenic substituted Li₄SnS₄. *Energy Environment Science.* 7, 1053-1058.
- Sassi, M., Bettaibi, A., Queslati, A., Khirouni, K., dan Gargouri, M. (2015). Electrical conduction mechanism and transport properties of LiCrP₂O₇ compound. *J.Alloys compound.* 649, 642-648.

- Schaefer, J.L., Lu, Y.S., Moganty, S.S., Agarwal, P., dan Archer, L.A. (2012). Electrolyte for high energy lithium batteries. *Applied Nanoscience*. 2, 91-109.
- Scrosati, B. (2000). Recent advances in lithium ion battery materials. *Electrochimica Acta*, 45, 2461-2466.
- Shukur, M.F., Kadir, M.F.Z., dan Ahmad, R. (2011). Dielectric studies of proton conducting polymer electrolyte based on chitosan/PEO blend doped with NH₄NO₃. *Advanced Materials Research*. 488, 583-587.
- Shukur, M.F., Ithnin, R., Ilias, H.A., dan Kadir, M.F.Z. (2013). Proton conducting polymer electrolyte based on plasticitized chitosan-PEO blend and application in electrochemical devices. *Optical Materials*. 35, 1834-1841.
- Shukur, M.F., Ithnin, R., dan Kadir, M.F.Z. (2014). Protonic transport analysis of starch-chitosan blend based electrolytes and application in electrochemical device. *Molecul Crystal Liquid Crystal*. 603, 52-65.
- Shukur, M.F., dan Kadir, M.F.Z. (2015). Hydrogen ion conducting starch-chitosan blend based electrolyte for application in electrochemical devices. *Electrochimica Acta*. 158, 152-165.
- Shukla, S. K., Mishra, A. K., Arotiba, O. A., dan Mamba, B. B. (2013). Chitosan-based nanomaterials: A state-of-the-art review. *International Journal of Biological Macromolecules*, 1-13.
- Silverstein, R.M., Bassler, G.C. dan Terence C.M. (1999). Spectrometric Identification of Organic Compounds. Fourth Edition New York : Jhon Wiley & Sons.
- Sivashanmugam, A., Kumar, T.P., Renganathan, N.G., Gopukumar, S., dan Garche, J. (2005). Electrochemical behavior of Sn/SnO₂ mixtures for use as anode in lithium rechargeable batteries. *J. Power Sources*. 144, 197-203.
- Smitha, B., Sridhar, S., dan Khan, A.A. (2006). Chitosan-poly(vinyl pyrrolidone) blends as membranes for direct methanol fuel cell applications. *Journal of Power Sources*. 159, 846-854.
- Sreekanth, T. (2014). Investigation of Characterization of (PEO + NaClO₃ + Plasticizer) Based Polymer Electrolytes, 3(8), 2012-2014.
- Subban, R.H.Y., Arof, K., dan Radhakrishna, S. (1996). Polymer batteries with chitosan electrolyte mixed with Sodium Perchlorate. *Material Science and Engineering*. B38, 156-160.

- Subohi, O., Bowen, CR., Malik, MM., dan Kurchania, R. (2016). Dielectric spectroscopy and ferroelectric properties of magnesium modified bismuth titanate ceramics. *J. Alloy Compound*. 688, 27-36.
- Sudaryanto, Yulianti, E., dan Heri, J. (2012). Pengembangan elektrolit padat berbasis kitosan untuk baterai kendaraan listrik. *Prosiding InSiNas*, 35–41.
- Sugita, P., Sjahriza, A., dan Lestari. (2009). Sintesis dan optimalisasi gel kitosan-gom guar. *J. Nature*, 9, 32-36.
- Sun, HY., Wong, YY., dan Wan, CC. (1999). Preparation and characterization of poly(vinyl chloride-co-vinyl acetate) based gel electrolytes for Li-ion batteries. *Journal of the Electrochemical Society*. 145, 1207-1211.
- Suthanthiraraj, SA., dan Sheeba, DJ. (2007). Structural investigation on PEO based polymer electrolytes dispersed with Al_2O_3 nanoparticles. *Ionics*. 13, 447-450.
- Tatsumisago, M., Nagao, M., dan Hayashi, A. (2013). Recent development of sulfide solid electrolytes and interfacial modification for all solid state rechargeable lithium batteries. *Journal Asian Ceramic*. 1, 17-25..
- Thangadurai, V., dan Weppner, W. (2006). Recent progress in solid oxide and lithium ion conducting electrolytes research. *Ionics*. 12, 81-92.
- Wan, Y., Katherine, Creber, AM., dan Tam Bui, V. (2003). Ionic conductivity of chitosan membranes. *Polymer*. 44, 1057-1065.
- Wang, F. M., Hu, C. C., Lo, S. C., Wang, Y. Y., dan Wan, C. C. (2009). The investigation of electrochemical properties and ionic motion of functionalized copolymer electrolytes based on polysiloxane. *Solid State Ionics*, 180(4-5), 405–411. <http://doi.org/10.1016/j.ssi.2009.01.006>
- Wieczorek, W., Florjanczyk, Z., dan Stevens, JR. (1995). Composite polyether based solid electrolytes. *Electrochimica Acta*. 40(13-14), 2251-2258).
- Wigayati, EM. (2009). Pembuatan dan karakterisasi lembaran untuk bahan anoda grafit pada baterai padat lithium. *Jurnal Fisika Himpunan Fisika Indonesia*. 9, 39-45.
- William, David B., Carter, dan C. Barry. (1996). Transmission Electron Microscopy. A Textbook for Material Science.

- Xu, XY, Bingxin, H., Jingyun, Y., Gang, P., dan Xiao, X. (2016). All solid state lithium batteries with inorganic solid electrolytes: Review of fundamental science. *Chinese Physics B*. 25, 263-272.
- Yahya, MZA., Arof, AK. (2003). Effect of oleic acid plasticizer on chitosan-lithium acetate solid polymer electrolytes. *European Polymer Journal*. 39, 897-902.
- Yang, M., dan Hou, J. (2018). Lapisanes in lithium ion batteries. *Lapisanes*, 2(3), 367–83. <http://doi.org/10.3390/lapisanes2030367>
- Yusof, YM., Shukur, MF., Illias, HA., dan Kadir, MFZ. (2014). Conductivity and electrical properties of corn starch-chitosan blend biopolymer electrolyte incorporated with ammonium iodide. *Royal Swedish Academic of Sciences*. IOP Publishing. 89, 035701.
- Yu, X., dan Manthiram, A. (2018). Electrode-electrolyte interfaces in lithium based batteries. *Energy Environment Science*. 11, 527-543.
- Zang, H., Saito, T., Nishikawa, K., Dong, T., Yazawa, K., dan Inoue, Y. (2010). Preparation and characterization of PEG-cross-linked chitosan hydrogel films with controllable swelling and enzymatic degradation behavior. *Carbohydrate Polymers*, 80(1), 260–265. <http://doi.org/10.1016/j.carbpol.2009.11.022>
- Zhang, H., Kulkarni, S., dan Wunder, S. L. (2007). Blends of POSS - PEO(n)₄)₈ and High Molecular Weight Poly (ethylene oxide) as Solid Polymer Electrolytes for Lithium Batteries, 3583–3590.
- Zhang, J., Ma, C., Liu, J., Chen, L., Pan, A., dan Wei, W. (2016). Solid polymer electrolyte lapisanes based on organic / inorganic nanocomposites with star-shaped structure for high performance lithium ion battery. *Journal of Lapisane Science*, 509, 138–148. <http://doi.org/10.1016/j.memsci.2016.02.049>
- Zhang, M., Li, X. H., Gong, Y. D., Zhao, N. M., dan Zhang, X. F. (2002). Properties and biocompatibility of chitosan films modified by blending with PEG4000, 23, 2641–2648.
- Zhou, X., Yin, Y., Wang, Z. dan Balizer, E. (2011). Effect of hot pressing on the ionic conductivity of the PEO/LiCF₃SO₃ based electrolyte membranes. *Solid State Ionics*. 196, 18-24.