

DAFTAR PUSTAKA

- Abeeleh, A. M., Ismail, B. Z., Alzaben, R. K. and. Sami, A. 2009. Induction of diabetes mellitus in rats using intraperitoneal streptozotocin: a comparative between 2 strains of rats. *Eur J Sci Res.* 32(3): 398-402.
- Akbarzadeh, A., Norouzian, D., Mehrabi, M. R., Jamshidi, S., Farhangi, A., Verdi, A. A., *et al.* 2007. Diabetes Induction of by streptozotocin in rats. *Indian J Diabetes.* 22(2): 60-44.
- Alexander, S. P., Mathie, A. and Peters, J. A. 2008. Guide to receptors and channels (GRAC), 3rd edition. *Br J Pharmacol.* 153(2): 201–209.
- Anderson, S., Jung, F. F. and Ingelfinger, J. R. 1993. Renal renin-angiotensin system in diabetes: functional, immunohistochemical, and molecular biological correlations. *Am J Physiol.* 265(4): 477-F486.
- Badan Penelitian dan Pengembangan Kesehatan. 2018. *Laporan Nasional Riskesdas 2018*. Kementerian Kesehatan Republik Indonesia. Jakarta.
- Baelde, H. J., Eikmans, M., Doran, P. P., Lappin, D. W., De Heer, E., Bruijn, J. A., *et al.* 2004. Gene expression profiling in glomeruli from human kidneys with diabetic nephropathy. *Am J Kidney Dis.* 43:636-650.
- Baelde, H. J., Eikmans, M., Lappin, D.W., Doran, P. P., Hohenadel, D., Brinkkoetter, P. T., *et al.* 2007. Reduction of VEGF-A and CTGF expression in diabetic nephropathy is associated with podocyte loss. *Kidney Int.* 71: 637-645.
- Bank N. and Aynedjian, H. S. 1993. Role of EDRF (nitric oxide) in diabetic hyperfiltration. *Kidney Int.* 43: 1306-1312.
- Barkhem, T., Carlsson, B., Nilsson, Y., Enmark, E., Gustafsson, J and Nilsson, S. 1998. Differential response of estrogen receptor alpha and estrogen receptor beta to partial estrogen agonists/ antagonists. *Mol Pharmacol* 54:105-112.
- Basta G, Lazzarini G, Massaro M, Simoncini, T., Tanganelli, P., Fu, C., *et al.* 2002. Advanced glycation end products activate endothelium through signal-transduction receptor RAGE: a mechanism for amplification of inflammatory responses. *Circulation.* 105: 816-822.
- Bierhaus, A., Schiekfer, S., Schwaninger M., Andrassy, M., Humpert, P. M., Chen, J., *et al.* 2001. Diabetes associated sustained activation of the transcription factor nuclear factor-kappaB. *Diabetes.* 50: 2792-2808.
- Brosius, F. C. and Heilig, C. W. 2005. Glucose transporters in diabetic nephropathy. *Pediatr Nephrol.* 20: 447-451.
- Brownlee, M. 2001. Biochemistry and molecular cell biology of diabetic complications. *Nature.* 414: 813-820.
- Cheng, H. and Harris, R. C. 2014. Renal endothelial dysfunction in diabetic nephropathy. *Cardiovasc Hematol Disord Drug Targets.* 14(1): 22-33.
- Cheng, H. F., Su., Y. M., Yeh, J. R. and Chang, K. J. 1993. Alternative transcript of the nonselective-type endothelin receptor from rat brain. *Mol Pharmacol.* 44: 533-538.
- Chung, S. S., Ho, E. C., Lam, K. S., *et. al.* 2003. Contribution of polyol pathway to diabetes-induced oxidative stress. *J Am Soc Nephrol.* 14: S233-S236.

- David, F. L., Carvalho, M. H., Cobra, A. L., Nigro, D., Fortes, Z. B., Rebouças, N. A., and Tostes, R. C. 2001. Ovarian hormones modulate endothelin-1 vascular reactivity and mRNA expression in DOCA-salt hypertensive rats. *Hypertension* 38: 692–696.
- De Vriese, A. S., Stoenoiu, M. S., Elger, M., Devuyst, O., Vanholder, R., Kriz, W., *et al.* 2001. Diabetes-induced microvascular dysfunction in the hydronephrotic kidney: role of nitric oxide. *Kidney Int.* 60(1): 202-210.
- Diederich, D., Skopec, J., Diederich, A. and Dai, F. X. 1994. Endothelial dysfunction in mesenteric arteries of diabetic rat: role of free radicals. *Am J Physiol* 266(35): 1153-1161.
- Dousdampanis, P., Trigka, K., Fourtounas, C. and Brgaman, J. M. 2014. Role of testosterone in the pathogenesis, progression, prognosis and comorbidity of men with chronic kidney disease. *Ther Apher Dial.* 18(3) :220–230.
- Dudzinski, D. M., Igarashi, J., Greif, D. and Michel, T. 2006. The regulation and pharmacology of endothelial nitric oxide synthase. *Annu Rev Pharmacol. Toxicol.* 46: 235-276.
- Eleftheriadis, E., Antoniadi, G., Pissas, G., Liakopoulos, V. and Stephanidis, I. 2013. The renal endothelium in diabetic nephropathy. *Ren Fail.* 35(4): 592-599.
- Eremina, V., Sood, M., Haigh, J., Nagy, A., Lajoie, G., Ferrara, N., *et al.* 2003. Glomerular-specific alterations of VEGF-A expression lead to distinct congenital and acquired renal diseases. *J Clin Invest.* 111:707-716.
- Ferri C., Pittoni V., Piccoli A., Laurenti, O., Cassone, M. R., Bellini, C., *et al.* 1995. Insulin stimulates endothelin-1 secretion from human endothelial cells and modulates its circulating levels in vivo. *J Clin Endocrinol Metab.* 1995;80: 829-835.
- Fleming, I. 2010. Molecular mechanisms underlying the activation of eNOS. *Pflugers Arch Eur J. Physiol.* 459: 793-806.
- Forbes, J. M., Cooper, M. E., Oldfield, M. D and Thomas, M. C. 2003. Role of advanced glycation end products in diabetic nephropathy. *J Am Soc. Nephrol.* 14: 254–258.
- Gambacciani, M., Rosano, G. M., Monteleone, P., Fini, M. and Genazzani, A. R. (2002). Clinical relevance of the HERS trial. *Lancet* 360: 641-645.
- Hadi, H. A. and Suwaidi, J. A. 2007. Endothelial dysfunction in diabetes mellitus. *Vasc Health Risk Manag.* 2007; 3(6):853-876.
- Han, K. H., Lim, J. M., Kim, W. Y., Kim H, Madsen, K. M. and Kim, J. 2005. Expression of endothelial nitric oxide synthase in developing rat kidney. *Am J Physiol Renal Physiol.* 288(4):694–702 .
- Haryono, A., Nugrahaningsih, D. A., Sari, D. C. R., Romi, M. M. and Arfian, N. 2018. Reduction of serum uric acid associated with attenuation of renal injury, inflammation and macrophages M1/M2 ratio in hyperuricemic mice model. *Kobe J Med Sci.* 64(3): 107-114.
- Haynes, M. P., Sinha, D., Russell, K. S., Collinge, M., Fulton, D., Morales-Ruiz, M., *et al.* 2000. Membrane estrogen receptor engagement activates endothelial nitric oxide synthase via the PI3-kinase-Akt pathway in human endothelial cells. *Circ Res.* 87: 677-682.

- Heitzer, T, Krohn, K, Albers, S and Meinertz, T.. 2000. Tetrahydrobiopterin improves endothelium-dependent vasodilation by increasing nitric oxide activity in patients with type II diabetes mellitus. *Diabetologia*. 43: 1435–1438.
- Hishikawa, K., Nakaki, T., Marumo, T., Suzuki, H., Kato, R. and Saruta, T. 1995. Up-regulation of nitric oxide synthase by estradiol in human aortic endothelial cells. *FEBS Lett*. 360: 291-293.
- Hjalmarsson, C., Johansson, B. R. and Haraldsson, B. Electron microscopic evaluation of the endothelial surface layer of glomerular capillaries. *Microvasc Res*. 2004: 67: 9-17.
- Hohenstein, B., Hausknecht, B., Boehmer, K., Riess, R., Brekken. and Hugo, C. P. M. *et al*. 2004. Local VEGF activity but not VEGF expression is tightly regulated during diabetic nephropathy in man. *Kidney Int*. 69: 1654-1661.
- Huttunen, H. J., Fages, C. and Rauvala, H. 1999. Receptor for advanced glycation end products (RAGE)-mediated neurite outgrowth and activation of NF-kappaB require the cytoplasmic domain of the receptor but different downstream signaling pathways. *J Biol Chem*. 274: 19919-19924.
- Idris-Kodja N., Ouerd, S., Mian, M. O. R., Gornitsky, J., Barhoumi, T., Paradis, P., *et al*. 2016. Endothelin-1 overexpression exaggerates diabetes-induced endothelial dysfunction by altering oxidative stress. *Hypertension*. 29(11): 1245-1251.
- Infodatin. 2018. *Hari Diabetes Sedunia Tahun 2018*. Kementerian Kesehatan Republik Indonesia. Jakarta.
- Jeansson , M., Bjorck, K., Tenstad, O. and Haraldsson, B. 2009. Adriamycin alters glomerular endothelium to induce proteinuria. *J Am Soc Nephrol*. 20: 114-122.
- Jin, C., Speed, J. S., Hyndman, K. A., O’connor, P.M. and Pollock, D. M. 2013. Sex differences in ET-1 receptor expression and Ca²⁺ signaling in the IMCD. *Am J Physiol Renal Physiol*. 305(8): 1099–1104.
- Kaiser, A. B., Zhang, N. and Pluijm W. D. 2018. Global prevalence of type 2 diabetes over the next ten years (2018-2028). *Diabetes*. 67(1): 9-15.
- Kitada, M., Zhang, Z., Mima A. and King, J. L. 2010. Molecular mechanisms of diabetic complications. *J Diabetes Invest*. 1(3): 77-88.
- Konishi, H. Tanaka, M., Takemura, Y., Matsuzaki, H., Ono, Y. and Kikkawa, U. *et al*. 1997. Activation of protein kinase C by tyrosine phosphorylation in response to H₂O₂. *Proc Natl Acad Sci USA*. 94: 11233-11237.
- Lenzen, S. 2008. The mechanism of alloxan and streptozotocin induced diabetes. *Diabetologia*. 51(2): 216-226.
- Levy, A. S., Chung, J. C. S., Kroetsch, J. T. and Rush, J. W. E. 2009. Nitric oxide and coronary vascular endothelium adaptations in hypertension. *Vasc Health Risk Manag*. 5: 1075-1087.
- Lindenmeyer, M.T., Kretzler, M., Boucherot, A. Berra, S., Yasuda, Y., Henger, A., *et al*. 2007. Interstitial vascular rarefaction and reduced VEGF-A expression in human diabetic nephropathy. *J Am Soc Nephrol*. 18: 1765-1776.

- MacCumber M. W., Jampel, H. D. and Snyder, S. H. 1991. Ocular effects of the endothelins: abundant peptides in the eye. *Arch Ophthalmol.* 109:705-709.
- MacCumber, N.W., Ross, C. A. and Glaser, B. 1989. Snyder SH. Endothelin: visualisation of mRNA by in-situ hybridisation provides evidence for local action. *Proc Natl Acad Sci USA.* 86:7285-7289.
- Maric, C. and Sullivan, S. 2008. Estrogens and diabetic kidney. *Gend Med.* 5: 103-113.
- Matsuda, T., Yamamoto, T., Muraguchi, A, and Saatcioglu, F. 2001. Cross-talk between transforming growth factor-beta and estrogen receptor signaling through Smad3. *J Biol Chem.* 276: 42908-42914.
- Mauer, S. M., Steffes, M. W., Ellis, E. N., Sutherland, D. E., Brown, D. M. and Goetz, F. C. 1984. Structural-functional relationships in diabetic nephropathy. *J Clin Invest.* 74: 1143-1155.
- Meli, S. and Bruno, C. M. 2001. Endothelin and diabetic nephropathy: a new pathogenetic factor? *Panminerva Med.* 43(1): 45-48.
- Mlynarski, W. M., Placha, G. P., Wolkow, P. P., Bochenski, J. P., Warram, J. H. and Krolewski, A. S. 2005. Risk of diabetic nephropathy in type 1 diabetes is associated with functional polymorphisms in RANTES receptor gene (CCR5): A sex-specific effect. *Diabetes.* 54: 3331-3335.
- Moxley, G., Stern, A.G., Carlson, P., Estrada, E., Han, J. and Benson, L. L. 2004. Premenopausal sexual dimorphism in lipopolysaccharide-stimulated production and secretion of tumor necrosis factor. *J Rheumatol.* 31: 686-694.
- Murata, M., Nakagawa, M. and Takahashi, S. 1998. Selective expression of endothelin 1 mRNA in rat retina. *Ophthalmologica.* 212: 331-333.
- Nakagawa, T., Sato, W., Glushakova, O., Heinig, M., Clarke, T., Campbell-Thompson, M., *et al.* 2007. Diabetic endothelial nitric oxide synthase knockout mice develop advanced diabetic nephropathy. *J Am Soc Nephrol.* 18:539-550.
- Nakagawa, T., Tanabe, K., Croker, B. P. Johnson, R. J., Grant, M. B., Kosugi, T., *et al.* 2008. Endothelial dysfunction as a potential contributor in diabetic nephropathy. *Nat Rev Nephrol.* 7:36-44.
- Nieuwdorp, M., Mooij, H. L., Kroon, J., Atasever, B., Spaan, J. A., Ince, C., *et al.* 2006. Endothelial glycocalyx damage coincides with microalbuminuria in type 1 diabetes. *Diabetes.* 55:1127-1132.
- Novella, S., Dantas, A. P., Segarra, G. Medina, P. and Harmenegildo, C. 2012. Vascular aging in women: is estrogen the fountain of youth? *Front Physiol.* 6: 1-9.
- Novella, S., Dantas, A. P., Segarra, G., Novensà, L., Bueno, C., Heras, M., *et al.* 2010. Gathering of aging and estrogen withdrawal in vascular dysfunction of senescent accelerated mice. *Exp Gerontol.* 45: 868-874.
- Nuedling, S., Van Eickles, M., Alle'ra, A., Doevendans, P., Meyer, R., Vetter, H. 2003. 17b-Estradiol regulates the expression of endothelin receptor typeB in the heart. *Br J Pharmacol.* 40(1): 195-201.

- Pernow, J., Shemyakin, A. and Bohm, F. 2012. New perspectives on endothelin-1 in atherosclerosis and diabetes mellitus. *Life Sci.* 91: 507-516.
- Pesce, J. H. C., Zheng, W., Kim, J., Kim, J., Zhang, Y., Menini, S., *et al.* 2005. Sex differences in renal injury and nitric oxide production in renal wrap hypertension. *Am J Physiol Heart Circ Physiol.* 288: 43-47.
- Pieper, G. M. 1999. Enhanced, unaltered and impaired nitric oxide-mediated endothelium-dependent relaxation in experimental diabetes mellitus: importance of disease duration. *Diabetologia.* 42: 204-213.
- Polderman, K. H., Stehouwer, C. D., Van Kamp, G. J., Dekker, G. A., Verheugt, F. W. and Gooren, L. J. 1993. Influence of sex hormones on plasma endothelin levels. *Ann Intern Med.* 118: 429-432
- Qiu, W., Kass, D. A., Hu, Q. and Ziegelstein, R. C. 2001., Determinants of Shear Stress-Stimulated Endothelial Nitric Oxide Production Assessed in Real-Time by 4,5-Diaminofluorescein Fluorescence. *Biochem. Biophys. Res. Commun.* 286: 328-335.
- Resink, T. J., Hahn, A. W., Scott-Burden, T., Powell, J., Weber, E. and Bühler, F. R. 1990. Inducible endothelin mRNA expression and peptide secretion in cultured human vascular smooth muscle cells. *Biochem Biophys Res Commun.* 168:1300-1310.
- Ridwan, E. 2013. Etika hewan percobaan dalam penelitian kesehatan. *J Indon Med Assoc.* 63(3): 112-116.
- Russell, K. S., Haynes, M. P., Sinha, D., Clerisme, E. and Bender, J. R. 2000. Human vascular endothelial cells contain membrane binding sites for estradiol, which mediate rapid intracellular signaling. *Proc Natl Acad Sci USA.* 97: 5930-5935.
- Schmidt A. M., Hori, O., Chen, J. X., Li, J. F., Crandall, J., Zhang, J., *et al.* 1995. Advanced glycation endproducts interacting with their endothelial receptor induce expression of vascular cell adhesion molecule-1 (VCAM-1) in cultured human endothelial cells and in mice. A potential mechanism for the accelerated vasculopathy of diabetes. *J Clin Invest.* 96: 1395-1403.
- Setyaningsih, W., Arfian, N., Suryadi, E., Romi, M. M., Tranggono, U. and Sari, D. C. R. S. 2017. Hyperuricemia induces Wnt5a / Ror2 gene expression, epithelial – mesenchymal transition (EMT) and kidney tubular injury in mice. *Iran J Med Sci.* 41(2):1-10.
- Simoncini, T., Fornari, L., Mannella, P., Varone, G., Caruso, A., Liao, J. K., *et al.* 2002. Novel non-transcriptional mechanisms for estrogen receptor signaling in the cardiovascular system. Interaction of estrogen receptor α with phosphatidylinositol 3-OH kinase. *Steroids.* 67: 935-939.
- Soe, B., Oemar, B. S., Siebenmann, R., Von Segesser, L. and Lüscher, T. F. 1994. Both ETA and ETB receptors mediate contraction to endothelin-1 in human blood vessels. *Circulation.* 89: 1203-1208.
- Stadler, K., Jenei, V., Azy, G. V., Somogyi, A. and Jakus, J. 2003. Increased nitric oxide levels as an early sign of premature aging in diabetes. *Free Radic Biol Med.* 35(10): 1240-1251.

- Szkudelski, T. 2001. The mechanism of alloxan and streptozotocin action in b cell of rats pancreas. *Physiol Res.* 50: 536-546.
- Tesfamariam, B. 1994. Free radicals in diabetic endothelial cell dysfunction. *Free Radic Biol Med.* 16: 383-391.
- The Diabetes Control and Complications Trial Research Group. 1993. The effect of intensive treatment of diabetes on the development and progression of long-term complications in insulin-dependent diabetes mellitus. *N Engl J Med.* 329(14):977-986.
- Tostes, R. C., Fortes, Z. B., Callera, G. E., Montezano, A. C., Touyz, R. M., Webb, R. C., *et al.* 2008. Endothelin, sex and hypertension. *Clin Sci.* 114: 85-97.
- Tostes, R. C., Fortes, Z. B., Callera, G. E., Montezano, A. C., Touyz, R. M., Webb, R. C., *et al.* 2008. Endothelin, sex and hypertension. *Clin Sci.* 114: 85-97.
- Verdiansyah. 2016. Pemeriksaan fungsi ginjal. *CDK-237.* 43(2): 148-154.
- Wakabayashi, I., Hatake, K., Kimura, N., Kaksishita, E. and Nagai, K, 1987. Modulation of vascular tonus by the endothelium in experimental diabetes. *Life Sci.* 40: 643-648.
- Wells, C. C., Riazi, S., Mankhey, R. W., Bhatti, F., Ecelbarger, C. and Maric, C. 2005. Diabetic nephropathy is associated with decrease circulating estradiol levels and imbalanced in the expression of Renal Estrogen Receptors. *Gend med.* 2(4): 227-237.
- Wendt, T., Tanji, N., Guo, J., Hudson, B. I., Bierhaus, A. and Ramasamy, R. 2003. Glucose, glycation, and RAGE: implications for amplification of cellular dysfunction in diabetic nephropathy. *J. Am. Soc. Nephrol.* 14: 1383–1395.
- WHO. 2018. Diabetes. [Cited 2019 Oct 20]. Available from: URL: <https://www.who.int/news-room/fact-sheets/detail/diabetes>
- Yan, S. D., Schmidt, A.M., Anderson, G.M., Zhang, J., Brett, J. and Zou Y, S., *et al.* 1994. Enhanced cellular oxidant stress by the interaction of advanced glycation end products with their receptors/binding proteins. *J Biol Chem.* 269: 9889-9897.
- Zeisberg, M. and Duffield, J. S. 2010. Resolved: EMT produces fibroblasts in the kidney. *J Am Soc Nephrol.* 21(8):1247-1253.