

DAFTAR PUSTAKA

- Abdel-Wahab Abdel-Aziz, S., Sira, M., Gad, E., Ayoub, I. and Soltan, M. (2019). Preoperative alkaline phosphatase is a potential predictor of short-term outcome of surgery in infants with biliary atresia. *Clinical and Experimental Hepatology*, 5(2), 155-160.
- Altman RP, Butchmiller TL. The jaundiced infant: biliary atresia. In: Grossfeld JL, O'Neil Jr JA, Foonkalsrud EW, Coran AG, editors. (2006). *Pediatric Surgery 6th ed*. Mosby Inc, p.1603-19
- Chardot, C. (2006) Biliary Atresia. (online). *Orphanet journal of rare diseases*. Ipp. 28
- Chen G, Zheng S, Sun S, *et al.* (2012). Early surgical outcomes and pathological^[SEP]scoring values of older infants (≥ 90 d old) with biliary atresia. *Journal of Pediatric^[SEP]Surgery*, 47, 2184–8.
- Chusilp, S., Sookpotarom, P. & Tepmalai, K. (2016). Prognostic values of serum bilirubin at 7th day post-Kasai for survival with the native livers in patients with biliary atresia. *Pediatric for Liver Transplantation*, 927-931
- Davenport, M., Caponcelli, E., Livesey, E., Hadzic, N. and Howard, E., (2008). Surgical outcome in biliary atresia: etiology affects the influence of age at surgery. *Annals of surgery*, 247(4), 694-698
- Dewanti, A.Y., Makhmudi, A., Gunadi, dan Nuryastuti, T., (2015). *Profil Pasien Atresia Bilier di RSUP dr. Sardjito Yogyakarta*. Skripsi Sarjana Kedokteran Fakultas Kedokteran, Kesehatan Masyarakat dan Keperawatan UGM Yogyakarta
- Gunadi, Makhmudi, A., Gunawan, T.A., Widiyanto, G., Yuanita, A., Mulyani, N.S., (2018). Liver Transplant Score for Prediction of Biliary Atresia Patients survival following Kasai Procedure. *BMC Res Notes*, 11:381
- Gupta, L., Gupta, S.D. and Bhatnagar, V., (2012). Extrahepatic biliary atresia: Correlation of histopathology and liver function tests with surgical outcomes. *Journal of Indian Association of Pediatric Surgeons*, 17(4), 147
- Hideaki, N., Koga, H., Okawada, M., Nakamura, H., Lane, G., Yamataka, A. (2018). Does time taken to achieve jaundice-clearance influence survival of the native liver in post-Kasai biliary Atresia?. *World Journal of Pediatrics*, 14, 191-196
- Ho, P., Chung, Y., Kak, K., Wong, Y., Kwong, P. & Tam, H. (2015). Predictors for failure after Kasai operation (online). *Journal of Pediatric Surgery*. 50 (2), 293-296
- Ismandhani A.K. (2017). *Akurasi Peningkatan Kadar Gamma-Glutamyl Transferase dan Alkaline Phosphatase untuk Diagnosis Atresia Bilier di RSUP Dr. Sardjito Yogyakarta*. Fakultas Kedokteran, Kesehatan Masyarakat dan Keperawatan UGM Yogyakarta.
- Jiang, C.-B., Lee, H.-C., Yeung, C.-Y., Sheu, J.-C., Chang, P.-Y., Wang, N.-L & Yeh, C.-Y. (2003). A Scoring system to predict the need for liver transplantation for biliary atresia after Kasai portoenterostomy (online). *Journal of Pediatric Gastroenterology and Nutrition*, 56 (4)

- Kelly DA, Davenport M. (2007). Current management of biliary atresia. *Archives of Disease in Childhood*, 92(12), 1132–1135
- Khalil BA, Thamara M, Perera PR, Mirza DF. (2010). Clinical practice: management of biliary atresia. *European Journal of Pediatrics*, 395-402
- Khanna K, K., Bhatnagar, V., Agarwala, S., Srinivas, M., Gupta, SD. (2018). Ratio of preoperative and postoperative serum bilirubin levels predicts early outcome following biliary atresia surgery. *Journal of Indian Association of Pediatric Surgeons*, 23, 81-6
- Mahfouz, A., Shehata, S., Waheeb, S., Osman, M. and Elrouby, A. (2018). Prognostic factors for the outcome of Kasai portoenterostomy for infants with biliary atresia in Egypt. *Alexandria Journal of Pediatrics*, 31(3), 112.
- Nakamura K, Tanoue A. (2013). Etiology of biliary atresia as a developmental anomaly: recent advances. *Journal of Hepatobiliary Pancreatic Sciences*. 20, 459-464
- Ohhama, Y., Shinkai, M., Fujita, S., Nishi, T. and Yamamoto, H. (2000). Early prediction of long-term survival and the timing of liver transplantation after the Kasai operation. *Journal of Pediatric Surgery*, 35(7), 1031-1034.
- Qiao G, *et al.* (2015). Conditional Probability of Survival in Patients with Biliary Atresia after Kasai Portoenterostomy: a Chinese population-based study. *Journal of Pediatric Surgery*
- Saragih DSP. (2019). *Faktor Prognosis Bilirubin Total dan Albumin 1 bulan pasca Operasi Kasai terhadap Kesintasan Pasien Atresia Bilier*. Skripsi Sarjana Fakultas Kedokteran, Kesehatan Masyarakat dan Keperawatan UGM Yogyakarta.
- Sasaki H, *et al.* (2016). Analysis of the prognostic factors of long-term native liver survival in survivors of biliary atresia. *Pediatric Surgery International*, 32(9), 839-43
- Serinet, M., Wildhaber, B., Broue, P., Lachaux, A., Sarles, J., Jacquemin, E., Gauthier, F. and Chardot, C. (2009). Impact of Age at Kasai Operation on Its Results in Late Childhood and Adolescence: A Rational Basis for Biliary Atresia Screening. *Pediatrics*, 123(5), 1280-1286.
- Shneider BL, Brown MB, Haber B, Whittington PF, Schwarz K, Squires R, *et al.* (2006). A multicenter study of the outcome of biliary atresia in the United States, 1997 to 2000. *Journal of Pediatrics*. 148, 467–474.
- Shneider, B., Magee, J., Karpen, *et al.* (2016). Total Serum Bilirubin within 3 Months of Hepatopartoenterostomy Predicts Short-Term Outcomes in Biliary Atresia. *Journal of Pediatrics*, 170, 211-217.
- Sunanto. (2017). *Faktor Keberhasilan Prosedur Kasai pada Pasien Atresia Bilier di RSUP Dr Sardjito*. Tesis Pascasarjana Fakultas Kedokteran, Kesehatan Masyarakat dan Keperawatan UGM Yogyakarta.
- Waiman E, Hanifah O. (2010). Peran Prosedur Kasai pada Pasien AB yang Datang Terlambat. *Sari Pediatri*, 11(6), 463-70
- Wildhaber BE, Majno P, Mayr J, Zachariou Z, Hohlfeld J, Schwoebel M, *et al.* (2008). Biliary atresia: Swiss national study, 1994-2004. *Journal of Pediatric Gastroenterology & Nutrition*, 46, 299-307.



UNIVERSITAS
GADJAH MADA

Faktor Prognosis Kesintasan 2 Tahun Pasien Atresia Bilier Pasca Prosedur Kasai di RSUP DR. Sardjito

AGNÈS TREYSSIA S, dr.Gunadi, Sp.BA, Ph.D ; Dr.dr.Akhmad Makhmudi, Sp.B, Sp.BA(K)

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Wildhaber BE. (2012). Biliary atresia: 50 years after the first kasai. *ISRN Surgery*, 132089