

DAFTAR PUSTAKA

- Afra, N. 2017. Ketahanan Padi (*Oryza sativa* L.) Berpigmen Terhadap Walangsangit (*Leptocorisa oratorius* F.) Berbasis Metabolomik NMR. *Thesis*. Fakultas Biologi. Universitas Gadjah Mada. Yogyakarta.
- Amin, U. S. M., Biswas S., Elias S. M., Razzaque S., Haque T., Malo R and Seraj Z. I. 2016. Enhanced Salt Tolerance Conferred by the Complete 2.3 kb cDNA of the Rice Vacuolar Na⁺/H⁺ Antiporter Gene Compared to 1.9kb Coding Region with 5'UTR in Transgenic Lines of Rice. *Front. Plant Sci.* 7:14.
- Apridamayanti, P. R. Pratiwi, Y.A. Purwestri², W.A.S. Tunjung, and Rumiyati. 2017. Anthocyanin, nutrient contents, and antioxidant activity of black rice bran of *Oryza sativa* L. 'Cempo Ireng' from Sleman, Yogyakarta, Indonesia. *Indonesia J Biotechnol* 22(1), 2017, 49–54.
- Bado, S., Brian P. Forster, Abdelbagi M.A. Ghanim, Joanna Jankowicz-Cieslak, Günter Berthold, Liu Luxiang. 2016. Protocols for PreField Screening of Mutants for Salt Tolerance in Rice, Wheat and Barley. *Springer Cham Heidelberg New York Dordrecht London* ISBN 978-3-319-26590-2 (eBook) DOI 10.1007/978-3-319-26590-2
- Bing, L., B. C. Zhao , Y. Z. Shen, Z. J. Huang, R.C. Ge, 2008. Progress of study on salt tolerance and salt tolerant related genes in plant. *Journal of Hebei Normal University/ Natural Science Edition*. 32(2): 243-248.
- Caliskan O., Radusiene J., E. K., Temizel, S. Zydrunas, Cirak C., Kurt D., Odabas M.S. 2017. The effects of salt and drought stress on phenolic accumulation in greenhouse-grown *Hypericum pruinatum*. *Italian Journal of Agronomy* 2017; volume 12 : 918
- Chaudhary, R.C. 2003. Speciality rices of the world: Effect of WTO and IPR on Its Production Trend and Marketing. *Journal of Food Agriculture and environment*, 1(2), 34-41.
- Dai H, Xiao C, Liu H, Tang H. 2010. Combined NMR and LC-MS analysis reveals the metabonomic changes in *Salvia miltiorrhiza* Bunge induced by water depletion. *J Proteome Res.* 9 (3) : 1460–1475. doi: 10.1021/pr900995m.
- Donahue, R. L., R. W. Miler, and J. C. Shickluna. 1983. Soil an introduction to soil and plant growth. 5nd Ed., Prentice –hall, Inc. Englewood Cliffs. New Jersey.

- El-Daim, Islam A. Abd., Sarosh Bejai & Johan Meijer. 2019. *Bacillus velezensis* 5113 Induced Metabolic and Molecular Reprogramming during Abiotic Stress Tolerance in Wheat. *Scientific RepoRtS* 9:16282. <https://doi.org/10.1038/s41598-019-52567-x>
- Gupta, Poulami and B. De. 2017. Metabolomics analysis of rice responses to salinity stress revealed elevation of serotonin, and gentisic acid levels in leaves of tolerant varieties. *PLANT SIGNALING & BEHAVIOR*, VOL. 12, NO. 7, e1335845 (11 pages) <https://doi.org/10.1080/15592324.2017.1335845>
- Ginanjari, E. F. 2016. Kajian Ketahanan Tanaman Padi Berpigmen (*Oryza sativa* L.) Terhadap Penyakit Blast Melalui Pendekatan Transkriptomik dan Metabolomik. Thesis. Fakultas Biologi. Universitas Gadjah Mada. Yogyakarta.
- Gregorio, G. B., Senathira, D., & Mendaza, R. D. 1997. Screening rice for salinity tolerance. *IRRI Discussion Paper Series* 22.
- Hussain, S., T. Fujii, S. McGoey, M. Yamada, M. Akmal, M. 2014. Evaluation of Different Rice Varieties for Growth and Yield Characteristics. *The Journal of Animal and Plant Sciences* 24: 1504-1510.
- Kim, H.K., Choi Y. H., Verpoorte R. 2010. NMR-based metabolomic analysis of plants. *Nat Protoc.* 5 (3) :536– 549. doi:10.1038/nprot.2009.237.
- Kristamtini, Purwaningsih H. 2009. The use of Yogyakarta local black rice as functional foods source. Sukamandi: Balai Besar Penelitian Tanaman Padi. p. 1271.
- Kristamtini, Taryono, Panjisakti Basunanda, Rudi Hari Murti, Supriyanta, Setyorini Widyayanti and Sutarno. 2012. Morphological Of Genetic Relationships Among Black Rice Landraces From Yogyakarta And Surrounding Areas. *ARPJ Journal of Agricultural and Biological Science*. VOL. 7, NO. 12: 982-989.
- Kristamtini, Setyorini Widyayanti, Sutarno, dan Sudarmaji. 2015. Keragaman Genetik Lima Kultvar Lokal Padi Beras Hitam Asal Yogyakarta Berdasarkan Sifat Morfologi. *Prosiding Seminar Nasional Sumber Daya Genetik Pertanian*. P:91-100.
- Kumar, K., Manu Kumar, Seong-Ryong Kim, Hojin Ryu and Yong-Gu Cho. 2013. Insights into genomics of salt stress response in rice. *Rice*, 6:27.

- Lafitte HR, Ismail J, Bennett A. 2004. Abiotic stress tolerance in rice for Asia: progress and the future. In: 'New directions for a diverse planet', *Proc. 4th International Crop Science Congress*. Pp. 1–17
- Las, I., K. Subagyono, dan A.P Setiyanto. 2006. Isu dan pengelolaan lingkungan dalam revitalisasi pertanian. *J. Litbang Pertanian* 25(3):106–115.
- Lee, J. C. Kim D. Hsieh F. H. Eun J. B. 2008. Production of Black Rice cake Using Ground Black Rice and Medium-grain Brown Rice. *International J. of Food Science and Technology*. 43(6): 1078-1082.
- Liu C, Du B, Hao F, Lei H, Wan Q, He G, Wang Y, Tang H. 2017. Dynamic metabolic responses of brown planthoppers towards susceptible and resistant rice plants. *Plant Biotechnol J.* 15 (10): 1346–1357. doi:10.1111/pbi.12721.
- Livak, K. J and Thomas D. Schmittgen. 2001. Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and the 2^{-ΔΔCT} Method. *Methods* 25, 402–408.
- Ma NL, Che Lah WA, Abd Kadir N, Mustaqim M, Rahmat Z, Ahmad A, et al. 2018. Susceptibility and tolerance of rice crop to salt threat: Physiological and metabolic inspections. *PLoS ONE* 13(2): e0192732. <https://doi.org/10.1371/journal.pone.0192732>.
- Manimaran,P., S. Venkata Reddy, Mazahar Moin, M. Raghurami Reddy, Poli Yugandhar, S. S. Mohanraj, S. M. Balachandran & P. B. Kirti. 2017. Activation-tagging in indica rice identifies a novel transcription factor subunit, NF-YC13 associated with salt tolerance. *Scientific Reports* 7: 9341. DOI:10.1038/s41598-017-10022-9
- Marschner, P. 2012. *Mineral Nutrition of Higher Plants*. Third Edition. Elsevier. 649 p.
- Nam M H, Bang E, Kwon T Y, Kim Y, Kim E H, Cho K, Park W J, Kim B G, Yoon I S. 2015. Metabolite profiling of diverse rice germplasm and identification of conserved metabolic markers of rice roots in response to long-term mild salinity stress. *Int J Mol Sci*, 16(9): 21959–21974.
- Nieman, R.H., R. A. Clark, D. Pap, G. Ogata And E. V. Maas. 1988. Effects of Salt Stress on Adenine and Uridine Nucleotide Pools, Sugar and Acid-Soluble Phosphate in Shoots of Pepper and Safflower. *Journal of Experimental Botany*, Vol. 39, No. 200 (March 1988), pp. 301-309 Published by: Oxford University Press. Stable URL: <https://www.jstor.org/stable/23691900>

- Nuringtyas TR, Choi YH, Verpoorte R, Klinkhamer PG, Leiss KA. 2012. Differential tissue distribution of metabolites in *Jacobaea vulgaris*, *Jacobaea aquatica* and their crosses. *Phytochemistry* 78 :89–97. doi:10.1016/j.phytochem.2012.03.011.
- Pramai P., Abdul Hamid N.A., Mediani A., Maulidiani M., Abas F., Jiamyangyuen S. 2018. Metabolite profiling, antioxidant, and α -glucosidase inhibitory activities of germinated rice: nuclear-magnetic-resonancebased metabolomics study. *J Food Drug Anal.* doi:10.1016/j.jfda.2016.11.023.
- Rachman, A., I G.M. Subiksa, D. Erfandi, and P. Slavich. 2008. Dynamics of tsunami-affected soil properties. P 51–64. In F. Agus and G. Tinning (eds). *Proc. of Internat. Workshop on Post Tsunami Soil Management*.
- Rachman, A., Ai Dariah, dan S. Sutono. 2018. Pengelolaan Sawah Salin Berkadar Garam Tinggi. Jakarta: IAARD PRESS.
- Reddy, Inja Naga Bheema Lingeswara, Beom-Ki Kim, In-Sun Yoon, Kyung-Hwan Kim, Taek-Ryoun Kwon. 2017. Salt Tolerance in Rice: Focus on Mechanisms and Approaches. *Rice Science*, 24(3): 123-144.
- Refli, and Y. A. Purwestri. 2016. The Response of Antioxidant Genes in Rice (*Oryza sativa* L.) Seedling Cv. Cempo Ireng under Drought and Salinity Stresses. *AIP Conference Proceedings* 1744, 020047. doi: 10.1063/1.4953521.
- Sakina, A, I. Ahmed, A. Shahzad,2, M. Iqbal & M. Asif. 2016. Genetic Variation for Salinity Tolerance in Pakistani Rice (*Oryza sativa* L.) Germplasm. *J Agro Crop Sci.* 2016, 202: 25–36.
- Shanker, A. K. and B. Venkateswarlu. 2011. *Abiotic Stress Response in Plants – Physiological, Biochemical and Genetic Perspectives*. Published by InTech Janeza Trdine 9, 51000 Rijeka, Croatia. E-Book. <http://www.intechopen.com>. ISBN 979-953-307-195-3
- Suhartini, T dan T. Z. P. Harjosudarmo. 2017. Toleransi Plasma Nutfah Padi Lokal terhadap Salinitas. *Bul. Plasma Nutfah* 23(1):51–58. Hak Cipta © 2017, BB Biogen.
- Sunarto. 2011. Toleransi Kedelai terhadap Tanah Salin. *Bul. Agron.* (29) (1) 27-30.
- Sutrisno. 2018. Analisis Ekspresi Famili Gen Ketahanan Penyakit Hawar Daun Bakteri Pada Padi (*Oryza sativa* L.) Hitam Fase Reproduksi. Thesis. Fakultas Biologi. Universitas Gadjah Mada. Yogyakarta.

- Sutrisno, Febri Adi Susanto, Putri Wijayanti, Mita Dewi Retnoningrum, Tri Rini Nuringtyas, Tri Joko, and Yekti Asih Purwestri. 2018. Screening of resistant Indonesian black rice cultivars against bacterial leaf blight. *Euphytica* (2018) 214:199 <https://doi.org/10.1007/s10681-018-2279-z>
- Tavakkoli E., Rengasamy P., and McDonald G. K. 2010. High concentration of Na⁺ and Cl⁻ ions soil solution have simultaneous detrimental effect on growth of faba bean under salinity stress. *Journal of Experimental Botany*, Vol. 61, No. 15, pp. 4449-4459. Doi: 1093/jxb/erq251.
- Uawisetwathana, U., Graham S. F., Kamolsukyonyong W., Sukhaket W., Klanchui A., Toojinda T., Vanavichit A., Karoonuthaisiri N., Elliott CT. 2015. Quantitative 1h NMR metabolome profiling of Thai Jasmine rice (*Oryza sativa*) reveals primary metabolic response during brown planthopper infestation. *Metabolomics* 11 (6) :1640–1655. doi:10.1007/s11306-015-0817-4.
- Walia H, Wilson C, Zeng L, Ismail AM, Condamine P, Close TJ. 2007. Genome-wide transcriptional analysis of salinity-stressed japonica and indica rice genotypes during panicle initiation stage. *Plant Molecular Biology* 63, 609–623.
- Wang, R., Wen Jing, Longyun Xiao, Yakang Jin, Like Shen, and Wenhua Zhang. 2015. The Rice High-Affinity Potassium Transporter1;1 Is Involved in Salt Tolerance and Regulated by an MYB-Type Transcription Factor. *Plant Physiology*, Vol. 168, pp. 1076–1090, <https://www.plantphysiol.org>.
- Wang W S, Zhao X Q, Li M, Huang L Y, Xu J L, Zhang F, Cui Y R, Fu B Y, Li Z K. 2016. Complex molecular mechanisms underlying seedling salt tolerance in rice revealed by comparative transcriptome and metabolomic profiling. *J Exp Bot*, 67(1): 405–419.
- Wang, J., J. Zhu, Y. Zhang, F. Fan, W. Li, F. Wang, W. Zhong, C. Wang & J. Yang. 2018. Comparative transcriptome analysis reveals molecular response to salinity stress of salt-tolerant and sensitive genotypes of indica rice at seedling stage. *Scientific Reports* 8:2085.
- Wangsawang, T., S. Chuamnakthong, E. Kohnishi, P. Sripichitt, T. Sreewongchai, A. Ueda. 2018. A salinity-tolerant japonica cultivar has Na⁺ exclusion mechanism at leaf sheaths through the function of a Na⁺-transporter OsHKT1;4 under salinity stress. *J Agro Crop Sci*. 204:274–284. DOI: 10.1111/jac.12264.

- Widodo, John H. Patterson, Ed Newbigin, Mark Tester, Antony Bacic¹ and Ute Roessner. 2009. Metabolic responses to salt stress of barley (*Hordeum vulgare* L.) cultivars, Sahara and Clipper, which differ in salinity tolerance. *Journal of Experimental Botany*, Vol. 60, No. 14, pp. 4089–4103.
- Wijaya, D.N., 2017. Ketahanan Padi (*Oryza sativa* L.) Berpigmen Terhadap Walangsangit (*Leptocorisa oratorius* F.) Berbasis Metabolomik NMR. *Thesis*. Fakultas Biologi. Universitas Gadjah Mada. Yogyakarta.
- Wijaya, D.N., F. A. Susanto, Y. A. Purwestri, D. Ismoyowati and T. R. Nuringtyas. 2017. NMR metabolite comparison of local pigmented rice in Yogyakarta. *Indonesian Journal of Biotechnology* volume 22 (2), 68–75.
- Wu, Bin, Yarvaan Munkhtuya, Jianjiang Li, Yani Hu, Qian Zhang & Zongwen Zhang. 2018. Comparative Transcriptional Profiling and Physiological Responses of Two Contrasting Oat Genotypes under Salt Stress. *Scientific Reports* 8:16248. DOI:10.1038/s41598-018-34505-5
- Yang Z, Chang Z, Sun L, Yu J, Huang B .2014. Physiological and Metabolic Effects of 5Aminolevulinic Acid for Mitigating Salinity Stress in Creeping Bentgrass. *PLoS ONE* 9(12): e116283. doi:10.1371/journal.pone.0116283
- Yoshida, S., Forno, D. A., Cock, J. H., and Gomez, K. A. (1976). *Laboratory Manual for Physiological Studies of Rice*. 3rd Edn. Los Banos: International Rice Research Institute.
- Yunita R, Khumaida N., Sopandie D. dan Mariska I. 2018. Analisis Cekaman Salinitas terhadap Padi Mutan pada Kondisi In Vitro. *Jurnal Penelitian Tanaman Pangan* Vol. 2 No. 1: 25-34 DOI: <http://dx.doi.org/10.21082/jpptp.v2n1.2018>. p25-34
- Zhao, X., W. Wang., F. Zhang, J. Deng, Z. Li, B. Fu. 2014. Comparative Metabolite Profiling of Two Rice Genotypes with Contrasting Salt Stress Tolerance at the Seedling Stage. *Plos One* Volume 9 | Issue 9 | e108020.
- Zhou, G., Y Jiang, Q Yang, J. Wang, J. Huang, & H. Zhang. 2006. Isolation And Characterization Of A New Na⁺/H⁺1 Antiporter Gene OsNHA1 From Rice (*Oryza Sativa* L.). *DNA Sequence*, February 2006; 17(1): 24–30.