

## DAFTAR PUSTAKA

- Akobeng, A. K. (2007). Understanding diagnostic tests 1 : sensitivity , specificity and predictive values. *Acta Paediatrica*, 96(3), 338–341. <https://doi.org/10.1111/j.1651-2227.2006.00180.x>
- Alquaiz, A. M., Siddiqui, A. R., Kazi, A., Batais, M. A., & Al-hazmi, A. M. (2019). Sedentary lifestyle and Framingham risk scores : a population-based study in Riyadh city , Saudi Arabia. *BMC Cardiovascular Disorders*, 19(88), 1–11.
- American Diabetes Association. (2010). Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*, 33(SUPPL. 1). <https://doi.org/10.2337/dc10-S062>
- Artanto, A. Y. (2012). *Hubungan Rasio Lingkar Pinggang-Tinggi Badan dengan Tekanan Darah pada Penduduk Usia 40-65 Tahun, Kecamatan Ngaglik, Kabupaten Sleman, Daerah Istimewa Yogyakarta*. Universitas Gadjah Mada.
- Ashwell, M., & Gibson, S. (2009). Waist to Height Ratio Is a Simple and Effective Obesity Screening Tool for Cardiovascular Risk Factors : Analysis of Data from the British National Diet and Nutrition Survey of Adults Aged 19 – 64 Years. *Obesity Facts*, 2(2), 97–103. <https://doi.org/10.1159/000203363>
- Ashwell, M., Mayhew, L., Richardson, J., & Rickayzen, B. (2014). Waist-to-height ratio is more predictive of years of life lost than body mass index. *PLoS ONE*, 9(9), e103483. <https://doi.org/10.1371/journal.pone.0103483>
- Ball, J. W., Dains, J. E., Flynn, J. A., Solomon, B. S., & Stewart, R. (2015). *Seidel's Guide for Physical Examination* (8th ed.). Lane: Elsevier.
- Bastien, M., Poirier, P., Lemieux, I., & Després, J. P. (2014). Overview of epidemiology and contribution of obesity to cardiovascular disease. *Progress in Cardiovascular Diseases*, 56(4), 369–381. <https://doi.org/10.1016/j.pcad.2013.10.016>
- Battie, C. A., Borja-Hart, N., Ancheta, I. B., Flores, R., Rao, G., & Palaniappan, L. (2016). Comparison of body mass index, waist circumference, and waist to height ratio in the prediction of hypertension and diabetes mellitus: Filipino-American women cardiovascular study. *Preventive Medicine Reports*, 4, 608–613. <https://doi.org/10.1016/j.pmedr.2016.10.003>

- Bhatia, S. K. (2010). *Biomaterials for clinical applications. Biomaterials for Clinical Applications*. <https://doi.org/10.1007/978-1-4419-6920-0>
- Borja-Cacho, D., & Matthews, J. (2011). Estrogen signaling and cardiovascular disease. *Circ Res*, *109*(9), 687–696. <https://doi.org/10.1021/nl061786n>.Core-Shell
- C.S, T., Caminha, Ferreira, H. S., Costa, N. S., Nakano, R. P., Carvalho, R. E. S., Xavier, A.F.S., & Assuncao, M. L. (2017). Waist-to-height ratio is the best anthropometric predictor of hypertension. *Medicine*, *96*(2), e5874.
- Cai, L., Liu, A., Zhang, Y., & Wang, P. (2013). Waist-to-Height Ratio and Cardiovascular Risk Factors among Chinese Adults in Beijing. *PLoS ONE*, *8*(7), 3–8. <https://doi.org/10.1371/journal.pone.0069298>
- Chehrei, A., Sadrnia, S., Hassanzadeh, A., Ms, K., Daneshmand, A., & Rezaei, J. (2007). Correlation of dyslipidemia with waist to height ratio , waist circumference , and body mass index in Iranian adults. *Asian Pacific Journal Clinical Nutrition*, *16*(August 2006), 248–253.
- Chia, Y. C., Gray, S. Y. W., Ching, S. M., Lim, H. M., & Chinna, K. (2015). Validation of the Framingham general cardiovascular risk score in a multiethnic Asian population: A retrospective cohort study. *BMJ Open*, *5*(5), 1–8. <https://doi.org/10.1136/bmjopen-2014-007324>
- Cohen, B., & Hasselbring, B. (2011). *Coronary Heart Disease: a Guide to Diagnosis and Treatment* (2nd ed.). Nebraska: Addicus books. Retrieved from <https://books.google.co.id/books?id=bK5YAwAAQBAJ&printsec=frontcover&dq=coronary+heart+disease&hl=id&sa=X&ved=0ahUKEwi95eTS0ITeAhUJbo8KHas3BvQQ6AEINjAC#v=onepage&q=coronary heart disease&f=false>
- Cooney, M. T., Cooney, M. T., Selmer, R., Lindman, A., Tverdal, A., Menotti, A., & Thomsen, T. (2015). Cardiovascular risk estimation in older persons : SCORE O . P . *European Journal of Preventive Cardiology*, *0*(00), 1–11. <https://doi.org/10.1177/2047487315588390>
- Corrêa, M. M., Thumé, E., De Oliveira, E. R. A., & Tomasi, E. (2016). Performance of the waist-to-height ratio in identifying obesity and predicting non-communicable diseases in the elderly population: A systematic literature review. *Archives of*

*Gerontology and Geriatrics*, 65, 174–182.

<https://doi.org/10.1016/j.archger.2016.03.021>

D'Agostino Sr., R. B., Pencina, M. J., Massaro, J. M., & Coady, S. (2013).

Cardiovascular disease risk assessment: Insights from Framingham. *Global Heart*, 8(1), 11–23. <https://doi.org/10.1016/j.gheart.2013.01.001>

Dahlan, M. S. (2009). *Penelitian diagnostik*. Jakarta: Salemba Medika.

Dahlan, M. S. (2016). *Statistik untuk kedokteran dan kesehatan: deskriptif, bivariat, dan multivariat*. Jakarta: Epidemiologi Indonesia.

Ehrman, J. K., Gordon, P. M., Visich, P. S., & Keteyian, S. J. (2009). *Clinical Exercise Physiology* (2nd ed.). Unites States of Amerika: Human Kinetics.

European Association for Cardiovascular Prevention & Rehabilitation. (2016). The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice. In *2016 European Guidelines on cardiovascular disease prevention in clinical practice* (Vol. 37, pp. 2315–2381). <https://doi.org/10.1093/eurheartj/ehw106>

Franklin, S. S., & Wong, N. D. (2013). Hypertension and cardiovascular disease: contributions of the Framingham heart study. *Global Heart*, 8(1), 49–57. <https://doi.org/10.1016/j.gheart.2012.12.004>

Hamilton, S. J., & Watts, G. F. (2013). Endothelial dysfunction in diabetes: Pathogenesis, significance, and treatment. *The Review Of Diabetic Studies*, 10(2–3), 133–156. <https://doi.org/10.1900/RDS.2013.10.133>

Hermansson, J., & Kahan, T. (2018). Systematic review of validity assessments of framingham risk score results in health economic modelling of lipid-modifying therapies in Europe. *PharmacoEconomics*, 36(2), 205–213. <https://doi.org/10.1007/s40273-017-0578-1>

Hsieh, S. D., Yoshinaga, H., & Muto, T. (2003). Waist-to-height ratio, a simple and practical index for assessing central fat distribution and metabolic risk in Japanese men and women. *International Journal of Obesity*, 27(5), 610–616. <https://doi.org/10.1038/sj.ijo.0802259>

Husain, K., & Ferder, L. (2015). Inflammation, oxidative stress and renin angiotensin

system in atherosclerosis. *World Journal of Biological Chemistry*, 6(3), 209–218.  
<https://doi.org/10.4331/wjbc.v6.i3.209>

Insull, W. (2009). The pathology of atherosclerosis: Plaque development and plaque responses to medical treatment. *American Journal of Medicine*, 122, S3–S14.  
<https://doi.org/10.1016/j.amjmed.2008.10.013>

Irwan. (2016). *Epidemiologi Penyakit Tidak Menular*. Yogyakarta: deepublish.

Jayawardana, R., Ranasinghe, P., Sheriff, M. H. R., Matthews, D. R., & Katulanda, P. (2013). Waist to height ratio: A better anthropometric marker of diabetes and cardio-metabolic risks in South Asian adults. *Diabetes Research and Clinical Practice*, 99(3), 292–299. <https://doi.org/10.1016/j.diabres.2012.12.013>

Kementerian Kesehatan, & Badan Litbangkes. (2014). *Info Datin : Situasi Kesehatan Jantung*. Jakarta.

Kementerian Kesehatan Republik Indonesia. (2013). *Riset Kesehatan Dasar*. Jakarta.

Kementerian Kesehatan Republik Indonesia. (2018). *Riset Kesehatan Dasar. Badan Penelitian dan Pengembangan Kesehatan*. Jakarta.

Kementrian Kesehatan RI. (2013). *Hipertensi*. Jakarta. Retrieved from <http://www.depkes.go.id/download.php?file=download/pusdatin/infodatin/infodatin-hipertensi.pdf>

Kolber, M. R., & Scrimshaw, C. (2014). Family history of cardiovascular disease. *Canadian Family Physician Médecin de Famille Canadien*, 60(11), 1016. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/25392442%5Cnhttp://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC4229162>

Kopaei, M. R., Setorki, M., Doudi, M., Baradaran, A., & Nasri, H. (2014). Atherosclerosis: Process, indicators, risk factors and new hopes. *International Journal of Preventive Medicine*, 5(8), 927–946. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4258672/>

Lamnisos, D., & Kafatos, A. G. (2013). Predicting cardiometabolic risk : waist-to-height ratio or BMI . A meta-analysis. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 6, 403–419.

- Lee, C. H., Woo, Y. C., Lam, J. K. Y., Fong, C. H. Y., Cheung, B. M. Y., Lam, K. S. L., & Tan, K. C. B. (2015). Validation of the Pooled Cohort equations in a long-term cohort study of Hong Kong Chinese. *Journal of Clinical Lipidology*, 9(5), 640-646.e2. <https://doi.org/10.1016/j.jacl.2015.06.005>
- Lemeshow, S., Jr, D. W. H., Klar, J., & Lwanga, S. K. (1990). *Adequacy of sample size in health studies*. West Sussex: John Wiley & Sons Ltd.
- Lubin, J. H., Couper, D., Lutsey, P. L., Woodward, M., Yatsuya, H., & Huxley, R. R. (2017). Risk of cardiovascular disease from cumulative cigarette use and the impact of smoking intensity. *Epidemiology*, 27(3), 395–404. <https://doi.org/10.1097/EDE.0000000000000437>.Risk
- Mahaan, L. K., Sthump, S. E., & Raymond, J. L. (2012). *Krause's Food and The Nutrition Care Proses* (13th ed.). Missouri: Elsevier Saunders.
- Maharana, L., K, S. K. R., Pattnaik, S., Ahmed, S., V, D. T., K, Bhargavi, Hussain, S.S., & Sethi, M. K. (2019). A prospective observational study on cardiovascular risk assessment in type-2 diabetes mellitus patients. *Journal of Applied Pharmaceutical Science*, 9(04), 126–132. <https://doi.org/10.7324/JAPS.2019.90416>
- Mahmooda, S. S., Levy, D., Vasan, R. S., & Wang, T. J. (2014). The Framingham Heart Study and the epidemiology of cardiovascular diseases: A historical perspective. *Lancet*, 383(9921), 1933–1945. [https://doi.org/10.1016/S0140-6736\(13\)61752-3](https://doi.org/10.1016/S0140-6736(13)61752-3).The
- Matsuzawa, Y. (2014). Obesity and metabolic syndrome: the contribution of visceral fat and adiponectin. *Diabetes Management*, 4(4), 391–401. <https://doi.org/10.2217/dmt.14.30>
- Mellati, A. A., Mousavinasab, S. N., Sokhanvar, S., Ali, S., Kazemi, N., & Esmaili, M. H. (2009). Correlation of anthropometric indices with common cardiovascular risk factors in an urban adult population of Iran : data from Zanjan Healthy Heart Study. *Asia Pacific Journal of Clinical Nutrition*, 18, 217–225.
- Meseri, R., Ucku, R., & Unal, B. (2013). Waist:height ratio: A superior index in estimating cardiovascular risks in Turkish adults. *Public Health Nutrition*, 17(10), 2246–2252. <https://doi.org/10.1017/S136898001300267X>

- Micha, R., Shulkin, M. L., Peñalvo, J. L., Khatibzadeh, S., Singh, G. M., Rao, M., Fahimi S., Powless, J., & Mozaffarian, D. (2017). Etiologic effects and optimal intakes of foods and nutrients for risk of cardiovascular diseases and diabetes: Systematic reviews and meta-analyses from the nutrition and chronic diseases expert group (NutriCoDE). *PLoS ONE*, *12*(4), 1–25.  
<https://doi.org/10.1371/journal.pone.0175149>
- Milani, R. V, Blair, S. N., Orleans, N., Rouge, B., Carolina, N., & Carolina, S. (2014). Obesity and Cardiovascular Diseases and Severity in the Obesity Paradox. *Journal of the American College of Cardiology*, *63*(14), 1345–1354.  
<https://doi.org/10.1016/j.jacc.2014.01.022>
- Mirmiran, P., Esmailzadeh, A., & Azizi, F. (2004). Detection of cardiovascular risk factors by anthropometric measures in Tehranian adults : receiver operating characteristic ( ROC ) curve analysis. *European Journal of Clinical Nutrition*, *58*, 1110–1118. <https://doi.org/10.1038/sj.ejcn.1601936>
- National Cholesterol Education Program. (2002). *Detection Evaluation and Treatment of High Blood Cholesterol in Adults (Adults Treatment Panel III)*. *Archives of Internal Medicine* (Vol. 151). <https://doi.org/10.1001/archinte.1991.00400060019005>
- National Health And Nutrition Examination Survey III. (1988). *Body Measurements (Anthropometry)*. Rockvile.
- Ngoc, H. N., Kriengsinyos, W., & Rojroongwasinkul, N. (2019). Association of Adiposity Indices with Hypertension in Middle-Aged and Elderly Thai Population : National Health Examination Survey 2009 ( NHES-IV ). *Journal of Cardiovascular Development and Disease*, *6*(13), 1–15. <https://doi.org/10.3390/jcdd6010013>
- North, B. J., & Sinclair, D. A. (2012). The Intersection Between Aging and Cardiovascular Disease. *NIH Public Access*, *110*(8), 1097–1108.  
<https://doi.org/10.1161/CIRCRESAHA.111.246876>.The
- Palmisano, B. T., Zhu, L., Eckel, R. H., & Stafford, J. M. (2018). Sex differences in lipid and lipoprotein metabolism. *Molecular Metabolism*, *15*, 45–55.  
<https://doi.org/10.1016/j.molmet.2018.05.008>
- Parikh, R. M., & Mohan, V. (2012). Changing definitions of metabolic syndrome. *Indian*

*Journal of Endocrinology and Metabolism*, 16(1), 7–12. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3263200/>

- Rana, J. S., Tabada, G. H., Solomon, M. D., Lo, J. C., Jaffe, M. G., Sung, S. H., Ballantyne, C.M., & Go, A. S. (2016). Accuracy of the atherosclerotic cardiovascular risk equation in a large contemporary, multiethnic real-world population. *Journal American College Cardiology*, 67(18), 2118–2130.  
<https://doi.org/10.1186/s40945-017-0033-9>. Using
- Rose, D. E., Farmer, M. M., Yano, E. M., & Washington, D. L. (2013). Racial/ethnic differences in cardiovascular risk factors among women veterans. *Journal of General Internal Medicine*, 28(Suppl 2), 524–528. <https://doi.org/10.1007/s11606-012-2309-9>
- Saeed, A. A. (2013). Anthropometric predictors of dyslipidemia among adults in Saudi Arabia. *Epidemiology Biostatistic and Public Health*, 10(1), 1–11.  
<https://doi.org/10.2427/8733>
- Saydah, S., Bullard, K. M., Cheng, Y., Ali, M. K., Gregg, E. W., Geiss, L., & Imperatore, G. (2014). Trends in cardiovascular disease risk factors by obesity level in adults in the United States, NHANES 1999-2010. *Obesity (Silver Spring)*, 22(8), 1888–1895.  
<https://doi.org/10.1002/oby.20761>
- Selvarajah, S., Kaur, G., Haniff, J., Cheong, K. C., Hiong, T. G., Van Der Graaf, Y., & Bots, M. L. (2014). Comparison of the Framingham Risk Score, SCORE and WHO/ISH cardiovascular risk prediction models in an Asian population. *International Journal of Cardiology*, 176(1), 211–218.  
<https://doi.org/10.1016/j.ijcard.2014.07.066>
- Silvana, C., Miralles, W., Wollinger, L. M., Marin, D., Genro, J. P., Contini, V., & Dal, M. (2015). Waist-to-height ratio ( WHtR ) and triglyceride to HDL-c ratio ( TG / HDL-c ) as predictors of cardiometabolic risk. *Nutricion Hospitalaria*, 31(5), 2115–2121. <https://doi.org/10.3305/nh.2015.31.5.7773>
- Song, X., Yudkin, J., & Soderberg, S. (2014). Obesity attenuates gender differences in cardiovascular mortality. *Cardiovascular Diabetology*, 13(1), 144.  
<https://doi.org/10.1186/s12933-014-0144-5>

- Suharjo, J. ., & Cahyono. (2008). *Gaya Hidup & Penyakit Modern*. Yogyakarta: Kanisius.
- Swainson, M. G., Batterham, A. M., Tsakirides, C., Rutherford, Z. H., & Hind, K. (2017). Prediction of whole-body fat percentage and visceral adipose tissue mass from five anthropometric variables. *PLoS ONE*, *12*(5), 1–12.  
<https://doi.org/10.1371/journal.pone.0177175>
- T, O., Hardya, Czecha, M. P., & Corvera, S. (2014). What causes the insulin resistance underlying obesity? *Curr Opin Endocrinol Diabetes Obes.*, *19*(2), 81–87.  
<https://doi.org/10.1097/MED.0b013e3283514e13.What>
- Tatsumi, Y., Watanabe, M., Kokubo, Y., Nishimura, K., Higashiyama, A., Okamura, T., ... Miyamoto, Y. (2013). Effect of Age on the Association Between Waist-to-Height Ratio and Incidence of Cardiovascular Disease: The Suita Study. *Journal of Epidemiology*, *23*(5), 351–359. <https://doi.org/10.2188/jea.JE20130004>
- Temple, N. J. (2018). Fat, sugar, whole grains and heart disease: 50 years of confusion. *Nutrients*, *10*(1), 1–9. <https://doi.org/10.3390/nu10010039>
- Tumbelaka, A. R. (2002). Telaah Kritis Makalah Uji Diagnostik. *Sari Pediatri*, *4*(2), 2–5.
- U.S Department of Health and Human Services. (2014). *The health consequences of smoking – 50 years of progress: a report of the Surgeon General*. Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. <https://doi.org/978-87-7899-213-3>
- Ueshima, H., Sekikawa, A., Miura, K., Turin, T. C., Takashima, N., Kita, Y., Watanabe, M., Kadota, A., Okuda N., Kadowaki, T., Nakamura, Y., & Okamura, T. (2008). Cardiovascular Disease and Risk Factors in Asia: A Selected Review. *Circulation Journal*, *118*(25), 2702–2709.  
<https://doi.org/10.1016/j.neuroimage.2013.08.045.The>
- Ullialbab, A., Enggraeni, E., & Lestari, I. A. (2017). *Obesitas pada Anak Usia Sekolah*. Yogyakarta: deepublish.
- Varghese, T., Schultz, W. M., McCue, A. A., Lambert, C. T., Sandesara, P. B., Eapen, D. J., & Sperling, L. S. (2016). Physical activity in the prevention of coronary heart

disease: implications for the clinician. *Heart*, 102(12), 904–909.

<https://doi.org/10.1136/heartjnl-2015-308773>

Winham, S. J., Andrade, M. De, Miller, V. M., Clinic, M., Clinic, M., & Clinic, M.

(2016). Genetics of cardiovascular disease: importance of sex and ethnicity.

*Atherosclerosis*, 241(1), 219–228.

<https://doi.org/10.1016/j.atherosclerosis.2015.03.021>.Genetics

Wong, N. D., Levy, D., & Narula, J. (2013). Framingham Heart Study: An enduring

legacy. *Global Heart*, 8(1), 1–2. <https://doi.org/10.1016/j.gheart.2012.12.003>

World Health Organization. (2008). *Waist Circumference and Waist-Hip Ratio Report of a WHO Expert Consultation*. Geneva.

World Health Organization. (2011). Cardiovascular Diseases. Retrieved March 2, 2019,

from [https://www.who.int/health-topics/cardiovascular-diseases/#tab=tab\\_1](https://www.who.int/health-topics/cardiovascular-diseases/#tab=tab_1)

World Health Organization. (2017a). Cardiovascular Diseases. *Cardiovascular Diseases*.

Retrieved from [http://www.who.int/cardiovascular\\_diseases/en/](http://www.who.int/cardiovascular_diseases/en/)

World Health Organization. (2017b). *The WHO STEPwise approach to*

*noncommunicable disease risk factor surveillance*. Geneva.

World Health Organization, & International Diabetes Federation. (2006). *Definition and*

*Diagnosis of Diabetes Mellitus and Intermediate Hyperglycemia*. Geneva. Retrieved

from [http://www.who.int/diabetes/publications/Definition and diagnosis of diabetes\\_new.pdf](http://www.who.int/diabetes/publications/Definition%20and%20diagnosis%20of%20diabetes_new.pdf)

Yamada, C., Kondo, M., Takashige, O., Ebihara, A., Shibata, T., Nagai, Y., Imanishii, T.,

Ishii, N., & Nishizaki, Y. (2014). Subclinical visceral fat accumulation is a risk for lifestyle-related diseases and progression of atherosclerosis in Japanese adults –

results from a study of 94 healthy volunteers –. *HEP*, 41(4), 518–523.