

DAFTAR PUSTAKA

- Al-Safran, Eissa, 2009, Investigation and prediction of slug frequency in gas/liquid horizontal pipe flow, *Journal of Petroleum Science and Engineering*, 69, 143–155.
- Anderson, D.M., McFadden, G.B., Wheeler, A.A., 1997, Diffuse-interface methods in fluid mechanics, *Annual Review of Fluid Mechanics*, 30, 139-165.
- Aniszewski, W., Menard, T., Marek, M., 2014, Volume of Fluid (VOF) type advection methods in two-phase flow: A comparative study, *Computers & Fluids*, 97, 52-73.
- Ansari, M.R., 1998, Dynamic behavior of slug initiation generated by short waves in two-phase air-water stratified flow, *ASME HTD*, 361, 289-295.
- Ansari, M.R., Shokri, V., 2011, Numerical modeling of slug flow initiation in a horizontal channels using a two-fluid model, *International Journal of Heat and Fluid Flow*, 32, 145–155.
- Ansari, M.R., Daramizadeh, A., 2012, Slug type hydrodynamic instability analysis using a five equations hyperbolic two-pressure, two-fluid model, *Ocean Engineering*, 52, 1–12.
- Atluri, S.N., Zhu, T., 1998, A new Meshless Local Petrov-Galerkin (MLPG) approach in computational mechanics, *Computational Mechanics*, 22, 117-127.
- Balabel, A., 2015, Application of level set method for simulating Kelvin-Helmholtz instability including viscous and surface tension effects, *International Journal of Mathematics and Computational Science*, 1, 30-36.
- Barnea, D., 1987, A Unified Model for Predicting Flow Pattern Transitions for the Whole Range of Pipe Inclinations, *International Journal of Multiphase Flow*, 13(1), 1-12.
- Basak, T., Roy S., Pop, I., 2009, Heat flow analysis for natural convection within trapezoidal enclosures based on heat line concept, *International Journal of Heat and Mass Transfer*, 52, 2471–2483.

- Bates, P.W., Fife, P.C., 1993, The Dynamics of Nucleation for the Cahn–Hilliard Equation, *SIAM Journal on Applied Mathematics*, 53, 990-1008.
- Batina, J.T., 1993, A gridless Euler/Navier-Stokes solution algorithm for complex-aircraft applications, *Tech. Rep. AIAA-1993-333*, AIAA.
- Belytschko, T, Lu YY, Gu I, 1994, Element-free Galerkin methods, *International Journal for Numerical Methods in Engineering*, 37, 229-256.
- Bourantas, G.C., Petsi, A.J., Skouras, E.D., Burganos, V.N., 2012, Meshless point collocation for the numerical solution of Navier-Stokes flow equations inside an evaporating sessile droplet, *Engineering Analysis with Boundary Element*, 36, 240-247.
- Buhman, M.D., 2000, Radial Basis Function, *Cambridge University Press*, Cambridge.
- Burggraf, O.R., 1966, *Analytical and Numerical Studies of the Structure of Steady Separated Flows*, *Journal of Fluid Mechanics*, 1966, 24, 113–151.
- Caginalp, G., Chen, X., 1992, Phase field equations in the singular limit of sharp interface problems, *On the Evolution of Phase Boundaries*, Springer, New York, 1-27.
- Chinchapatnam, P.P., 2006, Radial Basis Function Based Meshless Methods for Fluids Flow Problems, *Ph.D. thesis*, University of Southampton.
- Deendarlianto, Hohne, T., Lucas, D., 2011, CFD studies on the phenomena around counter-current flow limitations of gas/liquid two-phase flow in a model of a PWR hot leg, *Nuclear Engineering and Design*, 241, 5138-5148.
- Dinaryanto, O., 2013, Sifat-sifat aliran *slug* ditinjau dari karakteristik lokal (visualisasi, *liquid hold-up* dan *signal processing*) pada pipa horizontal, *Thesis*, JTMI FT UGM, Yogyakarta.
- Ding H, Spelt PDM, Shu C., 2007, Diffuse interface model for incompressible two-phase flows with large density ratios, *Journal of Computational Physics*, 226, 2078–2095.
- Dukler, A.E., Fabre, J., 1994, Gas-Liquid slug flow, *Multiphase science and Technology*, 8, 355-469.

- Dukler, A.E., and Hubbard M.G., 1975, A model for gas-liquid slug flow in horizontal and near horizontal tubes, *Industrial & Engineering Chemistry Fundamentals*, 14, 377-387.
- Erturk, E., Corke, T.C., Gokcol, C., 2005, Numerical solutions of 2-D steady incompressible driven cavity flow at high Reynolds numbers, *International Journal for Numerical Methods in Fluids*, 48, 747-774.
- Fabre, J., Line, A., 1992, Modeling of two-phase slug flow, *Annual Review of Fluid Mechanics*, 24, 21-46.
- Fan, G.W., Lusseyran, F., Hanratty, T., J., 1993, Initiation of slugs in horizontal gas-liquid flows, *AIChE Journal*, 39, 1741-1753.
- Francios, M.M, Cummins, S.J., Dendy, E.D., Kothe, D.B., Silician, J.M., Williams, M.W., 2006, A balanced-force algorithm for continuous and sharp interfacial surface tension models within a volume tracking framework, *Journal of Computational Physics*, 213, 141-173.
- Fukano, T., Inatomi, T, 2003, Analysis of liquid film formation in a horizontal annular flow by DNS, *International Journal of Multiphase Flow*, 29, 1413-1430.
- Ghia, U., Ghia, K.N., Shin, C.T., 1982, High-Re solutions for incompressible flow using the Navier-Stokes equations and a multigrid method, *Journal of Computational Physics*, 48, 387-411.
- Godhavn, J., Fard, M.P., Fuchs, P.H., 2005, New slug control strategies, tuning rules and experimental results, *Journal of Process Control*, (15), 547-557.
- Guermond J-L, Quartapelle L., 2000, A projection FEM for variable density incompressible flows, *Journal of Computational Physics*, 165, 167-188.
- Guo K., Chen, R., Li, Y., Tian, W., Su, G., Qiu, S., 2018, Numerical simulation of Rayleigh-Taylor Instability with periodic boundary condition using MPS method, *Progress in Nuclear Energy*, 109, 130-144.
- Hirt, C.W., Nichols, B.D., 1981, Volume of fluid (VOF) method for the dynamics of free boundaries, *Journal of Computational Physics*, 39, 201-225.

- Hussain S., Hussein A., Mahdi M., 2011, Natural convection in a square inclined enclosure with vee-corrugated sidewalls subjected to constant flux heating from below, *Nonlinear Analysis: Modelling and Control*, 16, 152–169.
- Idelsohn, S.R., Onate, E., Calvo, N., Del Pin, F., 2003, The meshless finite element method, *International Journal for Numerical Methods in Engineering*, 56, 893-912.
- Ikhsaan, F.N, 2014, Kajian eksperimen mengenai topologi dasar dari pola aliran slug air-udara pada pipa horisontal dengan diameter 50 mm, *Thesis*, JTMI FT UGM, Yogyakarta.
- Issa, R., Kempf, M.H.W, 2003, Simulation of slug flow in horizontal and nearly horizontal pipes with the two-fluid model, *International Journal of Multiphase Flow*, 29, 69–95.
- Kalita, J.C., Gupta, M.M., 2010, A streamfunction-velocity approach for 2D transient incompressible viscous flows, *International Journal for Numerical Methods in Fluids*, 62, 237–266.
- Kansa, E.J., 1990, Multiquadrics – A scattered data approximation scheme with application to computational fluid dynamics, *Computers & Mathematics with Applications*, 19, 127-145.
- Kelly, J.M., Divo, E.A., Kassab, A.J., 2014, Numerical simulation of the two-phase incompressible Navier-Stokes equations using a GPU-accelerated meshless method, *Engineering Analysis with Boundary Element*, 40, 36-49.
- Kim, J. 2002, Modeling and simulation-component multi-phase fluid flows, *Ph.D. Thesis*, Departement of Mathematics, Korea University.
- Lee, H.G., Kim, K., Kim, J., 2011. On the long time simulation of the Rayleigh–Taylor instability, *International Journal for Numerical Methods In Engineering*, 85, 1633–1647.
- Lee, H.G., Kim, J., 2015, Two-dimensional Kelvin–Helmholtz instabilities of multi-component fluids, *European Journal of Mechanics B/Fluids*, (49), 77-88.
- Lin, P.Y., Hanratty, T.J., 1986. Prediction of the initiation of slugs with linier stability theory. *International Journal of Multiphase Flow*, 12, 79-98.

- Ling, L., Kansa, E.J., 2004, Preconditioning for Radial Basis Functions with Domain Decomposition Methods, *Mathematical and Computer Modelling*, 40, 1413-1427.
- Liu, W.K., Jun, S., Zhang, Y.F., 1995, Reproducing kernel particle methods, *International Journal for Numerical Methods in Fluids*, 20, 1081–106.
- Lu, Y., Beslytschko, T., 1994, A new implementation of the element free Galerkin method, *Computer Method in Applied Mechanics and Engineering*, 113, 397-414.
- Nayroles, B., Touzot, G., Villon, P., 1992, Generalizing the finite element method: diffuse approximation and diffuse elements, *Computational Mechanics*, 10, 307-318.
- Malca, A.J.O., Nieckele, A.O., 2005, Simulation of horizontal two-phase slug flows using the two-fluid model with a conservative and nonconservative formulation, *18th International Congress of Mechanical Engineering*, November 6-11, Ouro Preto.
- Mandhane, J., M., Gregory, G., A., dan Aziz, K., 1974, A flow pattern map for gasliquid flow in horizontal Pipes, *International Journal of Multiphase Flow*, 1(1), 537-553.
- Melenk, J., Babuska, I., 1996, The partition of unity finite element method: basic theory and applications, *Computer Methods in Applied Mechanics and Engineering*, 139, 289-314.
- Monni, G., De Salve, M., Panella, B., 2014, Horizontal two-phase flow pattern recognition, *Experimental Thermal and Fluid Science*, 59, 213-221.
- Mustafa, A.W., Ghani, I.A., 2012, Natural convection in trapezoidal enclosure heated partially from below, *Al-Khwarizmi Engineering Journal*, 8, 76-85.
- Najafi, M., Enjilela, V., 2014, Natural convection heat transfer at high Rayleigh numbers-Extended meshless local Petrov-Galerkin (MLPG) primitive variable method, *Engineering Analysis with Boundary Elements*, 44, 170-184.

- Natarajan, E., Basak T., Roy S., 2008, Natural convection flows in a trapezoidal enclosure with uniform and non-uniform heating of bottom wall, *International Journal of Heat and Mass Transfer*, 51, 747–756.
- Osher, S., Sethian, J., 1988, Fronts propagating with curvature-dependent speed: Algorithms based on Hamilton-Jacobi formulations, *Journal of Computational Physics*, 79(1), 12-49.
- Onate, E., Idelsohn, S., Zienkiewics, O.,C., Taylor, R.L. & Sacco, C.,A, 1996, A stabilized finite point method for analysis of fluid mechanics problems, *Computer Methods in Applied Mechanics and Engineering*, 139, 15-346.
- Patnaik, P.C., Sherman, F.S., Corcos, G.M., 1976. A numerical solution of Kelvin-Helmholtz waves of finite amplitude, *Journal of Fluid Mechanics*, (73), 215-240.
- Pepper, D.W., Wang, X., Carrington, D.B., 2013, A meshless method for modeling convective heat transfer, *Journal of Heat Transfer*, 135, 011003-1-011003-9.
- Popinet, S., Zaleski, S., 1999, A front-tracking algorithm for accurate representation of surface tension, *International Journal for Numerical Methods in Fluids*, 30, 775-793.
- Quere L.P., 1991, Accurate Solutions to the Square Thermally Driven Cavity at High Rayleigh Number, *Computers & Fluids*, 20, 29-41.
- Rayleigh, L, 1883, Investigation of the character of the equilibrium of an incompressible heavy fluid of variable density, *Proceedings of the London Mathematical Society*, 14, 170–177.
- Rosa E.S., 2004, Flow Structure in The Horizontal Slug Flow. *Universidade Estadual de Campinas Faculdade de Engenharia Mecanica Departamento de Energia*, Campinas, Brasil.
- Rogero, E.C., 2009, Experimental Investigation of Developing Plug and Slug Flows. *Ph.D. Thesis*, Technische Universitat Munchen.
- Sarra, A.S., Kansa, E.J., 2009. Multiquadric radial basis function approximation methods for the numerical solution of partial differential equations, *Advances in Computational Mechanics*, (2).

- Sarler, B., and Kuhn. G., 1999, Primitive variable dual reciprocity boundary element method solution of incompressible Navier-Stokes Equations, *Engineering Analysis with Boundary Elements*, 23, 443-455.
- Sarler, B., 2002, Toward a mesh-free computational of transport phenomena, *Engineering Analysis with Boundary Elements*, 26, 731-738.
- Scardovelli, R., Zaleski, S, 1999, Direct numerical simulation of free surface and interfacial flow, *Annual Review of Fluid Mechanics*, 31, 567-603.
- Shu, C., Ding, H. & Yeo, K.S., 2003, Local radial basis function-based differential quadrature method and its application to solve two-dimensional incompressible Navier–Stokes equations, *Computer Methods in Applied Mechanics and Engineering*, 192, 941-954.
- Sibley, D.N., Nold, A., Kalliadasis, S., 2013, Unifying binary fluid diffuse-interface models in the sharp-interface limit, *Journal of Fluid Mechanics*, 736, 5-43.
- Simmons, M.J.H., Hanratty, T.J., 2001, Transition from stratified intermittent flows in small angle upflows, *International Journal of Multiphase Flows*, (27), 599-616.
- Soesanto, Q.M.B, 2014, Simulasi numerik pola aliran plug air-udara pada pipa horisontal menggunakan eulerian model, Thesis, JTMI FT UGM, Yogyakarta.
- Talat, N., Mavrič, B., Hatić, V., Bajt, S., Šarler, B., 2018, Phase field simulation of Rayleigh–Taylor instability with a meshless method, *Engineering Analysis with Boundary Elements*, 87, 78–89.
- Taitel, Y., Duckler, A. E., 1976. A Model for Predicting Flow Regime Transitions in Horizontal and Near Horizontal Gas-Liquid Flow, *AIChE Journal*, 22, 47-55.
- Taylor G., 1950, The instability of liquid surfaces when accelerated in a direction perpendicular to their planes. I. *Proceedings of the Royal Society of London*, Series A, 201, 192–196.
- Thome, J.R., Chapter 12 Two-Phase Flow Patterns, *Wolverine Engineering Data Book III*, 1-134, diakses dari

<http://www.wlv.com/products/databook/db3/data/db3ch12.pdf>, 6 February, 2015.

Tryggvason G., 1988, Numerical simulations of the Rayleigh–Taylor instability, *Journal of Computational Physics*, 75, 253–282.

Ujang, P.M., Lawrance, C. J., Hale, C.P., Hewitt, G.F., 2006, Slug Initiation and Evolution in Two-Phase Horizontal Flow, *International Journal of Multiphase Flow*, 32,527-552.

Vallee, C., Hohne, T., Prasser, H.M., Suhnel, T., 2008, Experimental investigation and CFD simulation of horizontal stratified two-phase flow phenomena, *Nuclear Engineering and Design*, 238, 637-646.

Villarreal, J., Laverde, D., Fuentes, C., 2006, Carbon-steel corrosion in multiphase slug flow and CO₂, *Corrosion Science*, (48), 2363–2379.

Weisman, J., Duncan, D., Gibson, J., dan Crawford, T., 1979, Effects of fluid properties and pipe diameter on two-phase flow patterns In horizontal lines, *International Journal of Multiphase Flow*, 5, 437-462.