

REFERENCES

- Androne, A.-S., Katz, S.D., Lund, L., LaManca, J., et al. (2003) Hemodilution Is Common in Patients With Advanced Heart Failure. *Circulation*. [Online] 107 (2), 226–229. Available from: doi:10.1161/01.CIR.0000052623.16194.80.
- AuBuchon, J.P., Elfath, M.D., Popovsky, M.A., Stromberg, R.R., et al. (1997) Evaluation of a New Prestorage Leukoreduction Filter for Red Blood Cell Units. *Vox Sanguinis*. [Online] 72 (2), 101–106. Available from: doi:10.1046/j.1423-0410.1997.7220101.x.
- Billet, H.H. (1990) *Clinical Methods: The History, Physical, and Laboratory Examinations*. 3rd edition. Boston, Butterworth Publisher.
- Button, L.N., Orlina, A.R., Kevy, S.V. & Josephson, A.M. (2009) The Quality of Over- and Undercollected Blood for Transfusion. *Transfusion*. [Online] 16 (2), 148–154. Available from: doi:10.1111/j.1537-2995.1976.tb00438.x.
- Costill, D.L., Branam, L., Eddy, D. & Fink, W. (1974) Alterations in red cell volume following exercise and dehydration. *Journal of Applied Physiology*. [Online] 37 (6), 912–916. Available from: doi:10.1152/jappl.1974.37.6.912.
- D'Alessandro, A., Liumbruno, G.M., Grazzini, G. & Zolla, L. (2010) Red blood cell storage: the story so far. *Blood Transfusion*. [Online] Available from: doi:10.2450/2009.0122-09 [Accessed: 26 April 2019].
- Greer, J.P. (2014) *Wintrobe's clinical hematology*. Thirteenth edition. Philadelphia, Wolters Kluwer, Lippincott Williams & Wilkins Health.
- Gyongyossy-Issa, M.I.C., 1, Weiss, S.L., Sowemimo-Coker, S.O., et al. (2005) Prestorage leukoreduction and low-temperature filtration reduce hemolysis of stored red cell concentrates. *Transfusion*. [Online] 45 (1), 90–96. Available from: doi:10.1111/j.1537-2995.2005.04061.x.
- Hurtado, A. (1945) Influence of Anoxemia on The Hemopoietic Activity. *Archives of Internal Medicine*. [Online] 75 (5), 284. Available from: doi:10.1001/archinte.1945.00210290007002.
- Kim, Y., T Xia, B., L Chang, A., A Pritts, T., et al. (2016) Role of Leukoreduction of Packed Red Blood Cell Units in Trauma Patients: A Review: Kim Y et al. Leukoreduction in the Trauma Population. *International Journal of Hematology Research*. [Online] 2 (2), 124–129. Available from: doi:10.17554/j.issn.2409-3548.2016.02.31.

- Kumar, H., Gupta, P., Mishra, D., Sarkar, R., et al. (2006) Leucodepletion and Blood Products. *Medical Journal Armed Forces India*. [Online] 62 (2), 174–177. Available from: doi:10.1016/S0377-1237(06)80064-X.
- Müller, M.M., Geisen, C., Zacharowski, K., Tonn, T., et al. (2015) Transfusion of Packed Red Cells. *Deutsches Arzteblatt Online*. [Online] Available from: doi:10.3238/arztebl.2015.0507 [Accessed: 8 October 2018].
- Novotny, V.M.J., van Doorn, R., Witvliet, M.D., Claas, F.H.J., et al. (1995) Occurrence of Allogeneic HLA and Non-HLA Antibodies After Transfusion of Prestorage Filtered Platelets and Red Blood Cells: A Prospective Study. *The American Society of Hematology*. 7.
- Ottonello, L., Ghio, M., Contini, P., Bertolotto, M., et al. (2007) Nonleukoreduced red blood cell transfusion induces a sustained inhibition of neutrophil chemotaxis by stimulating in vivo production of transforming growth factor- β 1 by neutrophils: role of the immunoglobulinlike transcript 1, sFasL, and sHLA-I. *Transfusion*. [Online] 47 (8), 1395–1404. Available from: doi:10.1111/j.1537-2995.2007.01268.x.
- Popkin, B.M., D’Anci, K.E. & Rosenberg, I.H. (2010) Water, hydration, and health: Nutrition Reviews©, Vol. 68, No. 8. *Nutrition Reviews*. [Online] 68 (8), 439–458. Available from: doi:10.1111/j.1753-4887.2010.00304.x.
- Ran, Q., Hao, P., Xiao, Y., Zhao, J., et al. (2011) Effect of Irradiation and/or Leucocyte Filtration on RBC Storage Lesions Dimas Covas (ed.). *PLoS ONE*. [Online] 6 (3), e18328. Available from: doi:10.1371/journal.pone.0018328.
- Sahu, S., Hemlata & Verma, A. (2014) Adverse events related to blood transfusion. *Indian Journal of Anaesthesia*. [Online] 58 (5), 543. Available from: doi:10.4103/0019-5049.144650.
- Senay, L.C. & Christensen, M.L. (1965) Changes in blood plasma during progressive dehydration. *Journal of Applied Physiology*. [Online] 20 (6), 1136–1140. Available from: doi:10.1152/jappl.1965.20.6.1136.
- Simancas-Racines, D., Osorio, D., Martí-Carvajal, A.J. & Arevalo-Rodriguez, I. (2015) Leukoreduction for the prevention of adverse reactions from allogeneic blood transfusion Cochrane Injuries Group (ed.). *Cochrane Database of Systematic Reviews*. [Online] Available from: doi:10.1002/14651858.CD009745.pub2 [Accessed: 8 October 2018].
- Sowemimo-Coker, S.O. (2002) Red blood cell hemolysis during processing. *Transfusion Medicine Reviews*. [Online] 16 (1), 46–60. Available from: doi:10.1053/tmrv.2002.29404.

Vamvakas, E.C. & Blajchman, M.A. (2001) Universal WBC reduction: the case for and against. *Transfusion*. [Online] 41 (5), 691–712. Available from: doi:10.1046/j.1537-2995.2001.41050691.x.

WHO (2002) *The Clinical Use of Blood*. WHO.

Windsor, J.S. & Rodway, G.W. (2007) Heights and haematology: the story of haemoglobin at altitude. *Postgraduate Medical Journal*. [Online] 83 (977), 148–151. Available from: doi:10.1136/pgmj.2006.049734.

World Health Organization. (2013). Blood safety and availability. [online] Available at: https://www.who.int/news-room/fact-sheets/detail/blood-safety-and-availability_availability [Accessed 8 Oct. 2018].