

## DAFTAR PUSTAKA

- Achinivu, E.C., Howard, R.M., Li, G., Gracz, H., and Henderson, W.A., 2014, Lignin extraction from biomass with protic ionic liquids, *Green Chem.*, 16(3), 1114–1119.
- Ajmal, A., Majeed, I., Malik, R.N., Idriss, H., and Nadeem, M.A., 2014, Principles and mechanisms of photocatalytic dye degradation on TiO<sub>2</sub> based photocatalysts: A comparative overview, *RSC Adv.*, 4(70), 37003–37026.
- Allen, N.S., Mahdjoub, N., Vishnyakov, V., Kelly, P.J., and Kriek, R.J., 2018, The effect of crystalline phase (anatase, brookite and rutile) and size on the photocatalytic activity of calcined polymorphic titanium dioxide (TiO<sub>2</sub>), *Polym. Degrad. Stab.*, 150, 31–36.
- Anderson, C. and Bard, A.J., 1997, Improved photocatalytic activity and characterization of mixed TiO<sub>2</sub>/SiO<sub>2</sub> and TiO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> materials, *J. Phys. Chem. B*, 101(14), 2611–2616.
- Athinarayanan, J., Periasamy, V.S., Alhazmi, M., and Alshatwi, A.A., 2017, Synthesis and biocompatibility assessment of sugarcane bagasse-derived biogenic silica nanoparticles for biomedical applications, *J. Biomed. Mater. Res. - Part B Appl. Biomater.*, 105(2), 340–349.
- Bahurudeen, A. and Santhanam, M., 2015, Influence of different processing methods on the pozzolanic performance of sugarcane bagasse ash, *Cem. Concr. Compos.*, 56, 32–45.
- Burhenne, L., Messmer, J., Aicher, T., and Laborie, M.P., 2013, The effect of the biomass components lignin, cellulose and hemicellulose on TGA and fixed bed pyrolysis, *J. Anal. Appl. Pyrolysis*, 101, 177–184.
- Brus, L.E., 1984, Electron-electron and electron-hole interactions in small semiconductor crystallites: The size dependence of the lowest excited electronic state, *J. Chem. Phys.*, 80(9), 4403–4409.
- Chen, J., Qiu, F., Xu, W., Cao, S., and Zhu, H., 2015, Recent progress in enhancing photocatalytic efficiency of TiO<sub>2</sub>-based materials, *Appl. Catal. A Gen.*, 495, 131–140.
- Dapiaggi, M., Pagliari, L., Pavese, A., Sciascia, L., Merli, M., and Francescon, F., 2015, The formation of silica high temperature polymorphs from quartz: Influence of grain size and mineralising agents, *J. Eur. Ceram. Soc.*, 35(16), 4547–4555.
- Diebold, U., 2002, The surface science of titanium dioxide, *Surf. Sci. Rep.*, 48, 53–229.
- Dominic, M. and Begum, P., 2013, Synthesis, Characterization and Application of Rice Husk Nanosilica in Natural Rubber, *Int. J. Environ.*, 2(5), 1027–1035.
- Drummond, A.R.F. and Drummond, I.W., 1996, Pyrolysis of Sugar Cane Bagasse in a Wire-Mesh Reactor, *Ind. Eng. Chem. Res.*, 35(4), 1263–1268.
- Ekimov, A.I. and Onuschenko, A., A., 1985, Quantum Size Effect in Semiconductor Microcrystals, *Solid State Commun.*, 56(11), 921–924.
- Environmental Protection Agency, U.S., 1999, Wastewater Technology Fact Sheet Ozone Disinfection, *United States Environ. Prot. Agency*, 1–7.

- Fardhyanti, D.S., Dewi, R., Putri, A., Fianti, O., and Fitriyaningsi, A., 2018, Synthesis of Silica Powder from Sugar Cane Bagasse Ash and Its Application as Adsorbent in Adsorptive-distillation of Ethanol-water Solution, *MATEC Web of Conferences* 237, 2002, 1–6.
- Firdaus, M.L., Krisnanto, N., Alwi, W., Muhammad, R., and Serunting, M.A., 2017, Adsorption of Textile Dye by Activated Carbon Made from Rice Straw and Oil Palm Midrib, *Aceh Int. J. Sci. Technol.*, 6(1), 1.
- Gao, X. and Wachs, I.E., 1999, Titania-silica as catalysts: Molecular structural characteristics and physico-chemical properties, *Catal. Today*, 51(2), 233–254.
- Garcia, J.C., Nolan, M., and Aaron Deskins, N., 2015, The nature of interfaces and charge trapping sites in photocatalytic mixed-phase TiO<sub>2</sub> from first principles modeling, *J. Chem. Phys.*, 142(2).
- Gupta, S.M. and Tripathi, M., 2011, A review of TiO<sub>2</sub> nanoparticles, *Chinese Sci. Bull.*, 56(16), 1639–1657.
- Hadi, H.M. and Wahab, H.S., 2015, Visible Light Photocatalytic Decolourization of Methyl Orange Using N-Doped TiO<sub>2</sub> Nanoparticles, *J. Al-Nahrain Univ.*, 18(3), 1–9.
- Hardyanti, I.S., Nurani, I., Hardjono HP, D.S., Apriliani, E., dan Wibowo, E.A.P., 2017, Pemanfaatan Silika (SiO<sub>2</sub>) dan Bentonit sebagai Adsorben Logam Berat Fe pada Limbah Batik, *JST (Jurnal Sains Terapan)*, 3(2).
- Hassan, M.M. and Carr, C.M., 2018, Chemosphere A critical review on recent advancements of the removal of reactive dyes from dyehouse effluent by ion-exchange adsorbents, *Chemosphere*, 209, 201–219.
- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95(1), 69–96.
- Jean Vasile, A., Raluca Andreea, I., Popescu, G.H., Elvira, N., and Marian, Z., 2016, Implications of agricultural bioenergy crop production and prices in changing the land use paradigm-The case of Romania, *Land use policy*, 50, 399–407.
- Khoury, D. El, 2018, Towards the use of Electrostatic Force Microscopy to study interphases in nanodielectric materials Présentée par Diana EL KHOURY, *L'Univ. Mont Pellier*.
- Kumar, A., Negi, Y.S., Choudhary, V., and Bhardwaj, N.K., 2014, Characterization of Cellulose Nanocrystals Produced by Acid-Hydrolysis from Sugarcane Bagasse as Agro-Waste, *J. Mater. Phys. Chem.*, 2(1), 1–8.
- Kunarti, E.S., Wahyuni, E.T., dan Hapsari I.A., 2011, Inkorporasi Titania pada Matriks Silika dan Pengaruhnya terhadap Aktivitas Fotokatalitik Titania pada Degradasi Metil Oranye, *J.Mns.Lingk.*, 18(1), 1-8.
- Liu, L. and Li, Y., 2014, Understanding the reaction mechanism of photocatalytic reduction of CO<sub>2</sub> with H<sub>2</sub>O on TiO<sub>2</sub>-based photocatalysts: A review, *Aerosol Air Qual. Res.*, 14(2), 453–469.
- Mo, S. Di and Ching, W.Y., 1995, Electronic and optical properties of three phases of titanium dioxide: Rutile, anatase, and brookite, *Phys. Rev. B*, 51(19), 13023–13032.

- Mumjitha, M. and Raj, V., 2015, Electrochemical synthesis, structural features and photoelectrocatalytic activity of TiO<sub>2</sub>-SiO<sub>2</sub> ceramic coatings on dye degradation, *Mater. Sci. Eng. B Solid-State Mater. Adv. Technol.*, 198, 62–73.
- Murashov, V.V. and Demchuk, E., 2005, Surface sites and unrelaxed surface energies of tetrahedral silica polymorphs and silicate, *Surf. Sci.*, 595(1-3), 6–19.
- Musso, F., Sodupe, M., Corno, M., and Ugliengo, P., 2009, H-bond features of fully hydroxylated surfaces of crystalline silica polymorphs: A periodic b3lyp study, *J. Phys. Chem. C*, 113(41), 17876–17884.
- Niphadkar, P.S., Chitale, S.K., Sonar, S.K., Deshpande, S.S., Joshi, P.N., and Awate, S. V., 2014, Synthesis, characterization and photocatalytic behavior of TiO<sub>2</sub>-SiO<sub>2</sub> mesoporous composites in hydrogen generation from water splitting, *J. Mater. Sci.*, 49(18), 6383–6391.
- Norsuraya, S., Fazlena, H., and Norhasyimi, R., 2016, Sugarcane Bagasse as a Renewable Source of Silica to Synthesize Santa Barbara Amorphous-15 (SBA-15), *Procedia Eng.*, 148, 839–846.
- O'Neil, Maryadele J., 2001, *The Merck Index: An Encyclopedia of Chemicals, Drugs, and Biological*, 13<sup>th</sup> ed, Merck, Whitehouse Station, N.J.
- Odusote, J.K., Owalude, D.O., Olusegun, S.J., and Yahya, R.A., 2016, Inhibition Efficiency of Moringa Oleifera Leaf Extract on the Corrosion of Reinforced Steel Bar in HCl Solution, *West Indian J. Eng.*, 38(2), 64–70.
- Palmer, D.C., 1994, Stuffed derivatives of the silica polymorphs in Silica Physical Behavior, Geochemistry and Materials Applications, *Rev.Mineral.Geochem*, 29, 83–122.
- Poliah, R. and Sreekantan, S., 2011, Characterization and photocatalytic activity of enhanced copper-silica-loaded titania prepared via hydrothermal method, *J. Nanomater.*
- Ram, C., Pareek, R.K., and Singh, V., 2012, Photocatalytic Degradation of Textile Dye by Using Titanium Dioxide Nanocatalyst, *IJTAS*, 4(2), 82-88.
- Rame, Purwanto, A., and Budiarto, A., 2017, Treatment of Textile Waste water Based Catalytic Ozonation With Iron (III) Oxide (Fe<sub>2</sub>O<sub>3</sub>) and Aluminum Oxide (Al<sub>2</sub>O<sub>3</sub>) Catalysts Using Micro Diffuser, *Res. J. Ind. Pollut. Prev. Technol.*, 8(2), 67–75.
- Reddy, E.P., Sun, B., and Smirniotis, P.G., 2004, Transition metal modified TiO<sub>2</sub>-loaded MCM-41 catalysts for visible- and UV-light driven photodegradation of aqueous organic pollutants, *J. Phys. Chem. B*, 108(44), 17198–17205.
- Riazian, M., 2014, Dependence of Photocatalytic Activity of TiO<sub>2</sub>-SiO<sub>2</sub> Nanopowders, *JNS*, 4, 433–441.
- Rovani, S., Santos, J.J., Corio, P., and Fungaro, D.A., 2018, Highly Pure Silica Nanoparticles with High Adsorption Capacity Obtained from Sugarcane Waste Ash, *ACS Omega*, 3(3), 2618–2627.
- Rungjaroentawon, N., Onsuratoom, S., and Chavadej, S., 2012, Hydrogen production from water splitting under visible light irradiation using sensitized mesoporous-assembled TiO<sub>2</sub>-SiO<sub>2</sub> mixed oxide photocatalysts, *Int. J. Hydrogen Energy*, 37(15), 11061–11071.

- Sheikh, M.U.D., Naikoo, G.A., Thomas, M., Bano, M., and Khan, F., 2016, Solar-assisted photocatalytic reduction of methyl orange azo dye over porous TiO<sub>2</sub> nanostructures, *New J. Chem.*, 40(6), 5483–5494.
- Shoval, S., Boudeulle, M., Yariv, S., Lapidés, I., and Panczer, G., 2001, Micro-Raman and FT-IR spectroscopy study of the thermal transformations of St. Claire dickite, *Opt. Mater. (Amst.)*, 16(1-2), 319–327.
- Sreethawong, T. and Yoshikawa, S., 2005, Comparative investigation on photocatalytic hydrogen evolution over Cu-, Pd-, and Au-loaded mesoporous TiO<sub>2</sub> photocatalysts, *Catal. Commun.*, 6(10), 661–668.
- Tang, C., Zhu, J., Li, Z., Zhu, R., Zhou, Q., Wei, J., et al., 2015, Surface chemistry and reactivity of SiO<sub>2</sub> polymorphs: A comparative study on  $\alpha$ -quartz and  $\alpha$ -cristobalite, *Appl. Surf. Sci.*, 355, 1161–1167.
- Tayade, R.J., Surolia, P.K., Kulkarni, R.G., and Jasra, R. V., 2007, Photocatalytic degradation of dyes and organic contaminants in water using nanocrystalline anatase and rutile TiO<sub>2</sub>, *Sci. Technol. Adv. Mater.*, 8(6), 455–462.
- Thompson, T.L. and Yates, J.T., 2006, Surface science studies of the photoactivation of TiO<sub>2</sub> - New photochemical processes, *Chem. Rev.*, 106(10), 4428–4453.
- Wiberg, N., Holleman, A.F., and Wiberg, E., 2001, *Inorganic Chemistry*, Academic Press, Cambridge.
- Worathanakul, P., Payubnop, W., and Muangpet, A., 2009, Characterization for post-treatment effect of bagasse ash for silica extraction, *World Acad. Sci. Eng. Technol.*, 56, 360–362.
- Wu, L., Yan, H., Xiao, J., Li, X., Wang, X., and Zhao, T., 2017, Characterization and photocatalytic properties of nano-Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> composites prepared through the gaseous detonation method, *Ceram. Int.*, 43(16), 14334–14339.
- Yu, L., Xi, J., Li, M. De, Chan, H.T., Su, T., Phillips, D.L., and Chan, W.K., 2012, The degradation mechanism of methyl orange under photo-catalysis of TiO<sub>2</sub>, *Phys. Chem. Chem. Phys.*, 14(10), 3589–3595.