

## DAFTAR PUSTAKA

- Affisa, F. S. (2014). *Efektivitas Kawasan Hunian Sementara Sebagai Media Pemulihan Pengungsi Pasca Bencana Merapi 2010 Studi Kasus Pada Kawasan Hunian Sementara Plosokerep, Gondangpusung, Banjarsari, dan Gondanglegi*. Universitas Gadjah Mada.
- Anonim. (2002). *Rhinoceros: NURBS Modelling for Windows Training Manual Level 1*. Seattle: Robert McNeel & Associates.
- Akhmad, A. G., & Fachruddin, P. A. (2008). Disain Rumah Tinggal Konstruksi “Knock Down” (Tinjauan Khusus Penggunaan Prefabrikasi Lokal). *Jurnal SMARTek*, 6(1), 18–28.
- Azmeri, Mutiawati, C., Al-huda, N., & Mufiaty, H. (2017). Disaster Recovery Indicators of Housing Reconstruction : The Story of Post Tsunami Aceh , Indonesia. *International Journal of Disaster Management*, 1(1), 35–45.
- Badri, M., & Hubeis, M. (2008). Pemberdayaan Komunikasi Pemuka Pendapat dalam Penanganan Bencana Gempa Bumi Di Yogyakarta ( Kasus Kabupaten Bantul ). *Jurnal Komunikasi Pembangunan*, 06(1), 55–71.
- Beirao, J. N., Nourian, P., & Mashhoodi, B. (2012). Parametric Urban Design. *ECAAd*, 29, 3–8. <https://doi.org/10.1073/pnas.0703993104>
- Boen, T. (2016). *Belajar Dari Kerusakan Akibat Gempa Bumi Bangunan Tembokan Nir-Rekayasa Di Indonesia* (1st ed.). Yogyakarta: UGM Press.
- Carter, W. N. (1992). *Disaster Management : A Disaster Manager’s Handbook*.
- Creswell, J. W. (2016). *Research Design Pendekatan Metode Kualitatif, Kuantitatif, dan Campuran* (4th ed.). PUSTAKA PELAJAR.
- Ervianto, W. I. (2008). Potensi Penggunaan Sistem Modular Pada Proyek Konstruksi. *Jurnal Teknik Sipil*, 8(2), 170–183.
- Hariyadi, A., Fukuda, H., & Ma, Q. (2017). The effectiveness of the parametric design 'Sudare' blind as external shading for energy efficiency and visibility quality in Jakarta. *Architectural Engineering and Design Management*, 1-21. <http://dx.doi.org/10.1080/17452007.2017.1296811>.
- Hong, Y. (2017). A study on the condition of temporary housing following disasters : Focus on container housing. *Frontiers of Architectural Research*, 6(3), 374–383. <https://doi.org/10.1016/j.foar.2017.04.005>
- Ikawati, Yuni. (2019). Hunian Tetap Tahan Gempa. Jakarta: Kompas. (27 Mei 2019), hal. 10
- Irwan, M., Ekasiwi, S.N.N., & Bararatin, Kirami. (2016). Bangunan Portabel Sebagai Solusi Kebutuhan Hunian Temporer yang Layak Huni. *Jurnal Sains dan Seni ITS*, 5(2).
- Jaganathan, S., Nesan, L. J., Ibrahim, R., & Mohammad, A. H. (2013). Integrated design approach for improving architectural forms in industrialized building systems. *Frontiers of Architectural Research*, 2(4), 377–386. <https://doi.org/10.1016/j.foar.2013.07.003>
- Karyono, T.H. (2013). *Arsitektur dan Kota Tropis Dunia Ketiga: Suatu Bahasan tentang Indonesia*. Rajawali Press.
- Kim, M. K., & Kim, M. J. (2016). Affordable Modular Housing for College Students Emphasizing Habitability. *JAABE*, 15(January), 49–56.
- Lee, Y. (2015). The Parametric Design Genealogy of Zaha Hadid. *Journal of Asian Architecture and Building Engineering*, 14(2), 403–410. <https://doi.org/10.3130/jaabe.14.403>
- Lechner. N. (2015). *Heating, Cooling, Lighting: Sustainable Design Methods for*

- Architects* (4th ed.). New Jersey: John Wiley & Sons, Inc.
- Lin, B., Yu, Q., Li, Z., & Zhou, X. (2013). Research on parametric design method for energy efficiency of green building in architectural scheme phase. *Frontiers of Architectural Research*, 2(1), 11–22. <https://doi.org/10.1016/j.foar.2012.10.005>
- Loekita, S., & Priatman, J., (2015). OTTV (SNI 03-6389-2011) and ETTV (BCA 2008) Calculation for Various Building's Shapes, Orientations, Envelope Building Materials: Comparison and Analysis. *Civil Engineering Dimension*, 17 (2), 108-116. <https://doi.org/10.9744/CED.17.2>
- Mahira, E. D., & Hignasari, V. (2018). Konsep Mandala Pada Rancangan Limbah Kontainer Untuk Hunian Sementara Korban Bencana Alam Di Bali. *Vitruvian*, 7(2), 77–86.
- Matcha, H. (2008). Architectural Design with Parametric Modeling & Customized Mass Production : Explorations and Case Studies in Architectural Design and Production Methods.
- Moon, J., & Lee, S. (2007). A Study on the Planning Method of Temporary Residences for Refugees Following a Disaster - Focused on Korean Temporary Residences -. *JAABE*, 6(November), 251–258.
- Nicolai Steino, & Obeling, E. (2014). Developing a Parametric Urban Design Tool. *Architecturae et Artibus*, 1, 1–4.
- Noverti, R. S., Purwono, E. H., & Martiningrum, I. (2014). Perancangan Bangunan Instan Fabrikasi. *Jurnal Mahasiswa Jurusan Arsitektur*, 2(2). Retrieved from <http://arsitektur.studentjournal.ub.ac.id/index.php/jma/article/view/42>
- Olgyay, V. (2015). *Design with Climate: Bioclimatic Approach to Architectural Regionalism*. New Jersey: Princeton University Press.
- Peraturan Kepala Badan Nasional Penanggulangan Bencana Nomor 7 Tahun 2008 tentang Pedoman Tata Cara Pemberian Bantuan
- Peraturan Kepala BNPB Nomor 8 Tahun 2011 tentang Standardisasi Data Kebencanaan
- Pero, James. (2014). Housing the Displaced. Diakses dari [https://www.asme.org/engineering-topics/articles/global-impact/housing-the-displaced?cm\\_sp=Home-\\_-HomeContent-\\_-Housing-the-Displaced](https://www.asme.org/engineering-topics/articles/global-impact/housing-the-displaced?cm_sp=Home-_-HomeContent-_-Housing-the-Displaced) pada tanggal 20 Februari 2019 pukul 14.33 WIB.
- Prawata, A. (2012). Rancangan Berkelanjutan Rumah Kargo Kontainer Dengan Sistem Modular di Jakarta Utara. *ComTech*, 3(2), 1007–1013.
- Putro, H. P. (2012). *Pembangunan Huntara Pasca Bencana Merapi Di Kabupaten Sleman*. Universitas Gadjah Mada.
- Rizal, F., & Taivo. (2014). Desain Permodelan Sambungan Beton Precast Pada Perumahan Tahan Gempa Di Indonesia Berbasis Knockdown System. *Jurnal Teknik POMITS*, 3(1), 1–4.
- Santoso, W. E., Felecia, & Panjaitan, T. W. S. (2016). Pembuatan Prototipe Hunian Sementara untuk Pengungsi di Indonesia. *Jurnal Titra*, 4(2), 235–242.
- Satwiko, P. (2009). *Fisika Bangunan*. Yogyakarta: CV. ANDI OFFSET.
- Schnabel, M. A. (2008). Parametric Design in Urban Design. *Icccbe-Xii & Incite 2008*.
- Seike, T., Kim, Y., Hosaka, Y., Ida, S., & Masuda, T. (2018). Intraregional Reuse of Emergency Temporary Housing in Japan. *Sustainable Cities and Society*, 42, 650-662. <http://doi.org/10.1016/j.scs.2017.11.001>
- Setiani, A. N., Harani, A. R., & Riskiyanto, R. (2017). Perhitungan Overall Thermal Transfer Value (OTTV) Pada Selubung Bangunan (Studi Kasus : Podium dan Tower Rumah Sakit Siloam pada Proyek Sronol Mixed-Use Development). *Jurnal Arsir*, 1(2), 100-109.
- Sudrajat, & Wibowo, S. (2006). Pemahaman Tentang Menejemen Bencana Alam Siswa



- Sekolah Menengah Pertama, 168–189.
- Suryandono, A., & Wong, P. (2012). Locally Based Approach For Prefabricated Housing - Case Study: Indonesia. In *ACSA Fall Conference* (pp. 195–199).
- Thapa, R., Rijal, H.B., & Shukuya, M. (2018). Field Study on Acceptable Indoor Temperature in Temporary Shelters Built in Nepal After Massive Earthquake 2015. *Building and Environment*, 135, 330-343. <https://doi.org/10.1016/j.buildenv.2018.03.001>
- Tondobala, L. (2011). Pendekatan Untuk Menentukan Kawasan Rawan Bencana Di Pulau Sulawesi. *Jurnal Sabua*, 3(3), 40–52.
- Undang-undang Nomor 24 Tahun 2007 tentang Penanggulangan Bencana dan Badan Nasional Penanggulangan Bencana
- Undang-undang Nomor 7 Tahun 2012 Pasal 29
- von Richthofen, A., Knecht, K., Miao, Y., & König, R. (2018). The ‘Urban Elements’ method for teaching parametric urban design to professionals. *Frontiers of Architectural Research*. <https://doi.org/10.1016/j.foar.2018.08.002>
- Wang, X., Altan, H., & Kang, J. (2015). Parametric study on the performance of green residential buildings in China. *Frontiers of Architectural Research*, 4(1), 56–67. <https://doi.org/10.1016/j.foar.2014.06.007>
- Yu, Ying, Long, E., Shen, Y., & Yang, H. (2016). Assessing The Thermal Performance of Temporary Shelters. *Procedia Engineering*, 159, 174-178. <https://doi:10.1016/j.proeng.2016.08.152>
- Yustiningrum, Emilia, R., Sinaga, L. C., Yuliyanti, R., & Nina Adriana. (2016). *Bencana Alam, Kerentanan dan Kebijakan di Indonesia: Studi Kasus Gempa Padang dan Tsunami Mentawai*. Yogyakarta: Calpulis.