

## DAFTAR PUSTAKA

- Ai, N. S., & Banyo, Y. (2011). Konsentrasi klorofil daun sebagai indikator kekurangan air pada tanaman. *Jurnal Ilmiah Sains*, 11(2), 166-173.
- Alina, S. O., Constantinescu, F., & Petruta, C. C. (2015). Biodiversity of *Bacillus subtilis* group and beneficial traits of *Bacillus* species useful in plant protection. *Romanian Biotechnological Letters*, 20(5), 1-5.
- Anas, I. (1997). *Bioteknologi Tanah*. Bogor: Fakultas Pertanian IPB.
- Anitha, K., Gunjotikar, G. A., Chakrabarty, S. K., Singh, S. D., B., S. B., & R. D. V. J, P. R. (2004). Interception of bacterial wilt, *Burkholderia solanacearum* in groundnut germplasm imported from Australia. *Journal of Oilseeds Research*, 101-104.
- Anonim. 2015. Produksi Jagung Menurut Provinsi (ton) 1993-2015. <https://www.bps.go.id/dynamictable/2015/09/09/868/produksi-jagung-menurut-provinsi-ton-1993-2015.html> Diakses pada 6 Februari 2020.
- Anonim. 2019. *Zea mays* (maize). <https://www.cabi.org/isc/datasheet/57417> Diakses pada 6 Februari 2020.
- Anonim. 2019. *Capsicum frutescens* (chilli) <https://www.cabi.org/isc/datasheet/15787> Diakses pada 6 Februari 2020
- Arauz, L. F. (2000). Mango anthracnose: Economic impact and current options for integrated management. *Plant Disease*, 84(6), 600-611.
- Aryantha, I. N., Lestari, D. P., & Pangesti, N. P. (2010). Potensi isolat bakteri penghasil IAA dalam peningkatan pertumbuhan kecambah kacang hijau pada kondisi hidroponik. *Jurnal Mikrobiologi Indonesia*, 9(2).
- Aslamsyah, S. (2002). Peranan hormon tumbuh dalam memacu pertumbuhan algae. *Makalah Falsafah Sains*.
- Belfield, S., & Brown, C. (2008). *Field Crop Manual: Maize (A Guide to Upland Production in Cambodia)*. The State of New South Wales: NSW Department of Primary Industries.
- Bowles, T. M., Barrios-Masias, F. H., Carlisle, E. A., Cavagnaro, T. R., & Jackson, L. E. (2016). Effects of arbuscular mycorrhizae on tomato yield, nutrient uptake, water relations, and soil carbon dynamics under deficit irrigation in field conditions. *Science of the Total Environment*, 566, 1223-1234. doi:10.1016/j.scitotenv.2016.05.178
- Buntoro, B. H., Rogomulyo, R., & Trisnowati, S. (2014). Pengaruh takaran pupuk kandang dan intensitas cahaya terhadap pertumbuhan dan hasil temu putih (*Curcuma zedoaria* L.). *Vegetalika*, 3(4), 29-39. doi:<https://doi.org/10.22146/veg.5759>
- Carvalho, S. I., Ragassi, C. F., Bianchetti, L. B., Reifschneider, F. J., Buso, G. S., & Faleiro, F. G. (2014). Morphological and genetic relationships between wild and domesticated

- forms of peppers (*Capsicum frutescens* L. and *C. chinense* Jacquin). *Genetics and Molecular Research*, 13(3), 7447-7464.
- Dhillon, B. S., & Prasanna, B. M. (2001). Maize. In V. L. Chopra, *Breeding Field Crops: Theory and Practice* (pp. 147-189). New Delhi: Oxford and IBH Pub. Co.
- Druzhina, I. S., Seidl-Seiboth, V., Herrera-Estrella, A., Horwitz, B. A., Kenerley, C. M., Monte, E., . . . Kubicek, C. P. (2011). Trichoderma: the genomics of opportunistic success. *Nature Reviews Microbiology*, 9(10), 749-759. doi:10.1038/nrmicro2637
- Fahmi, A., Syamsudin, Utami, S. N., & Radjagukguk, B. (2010). Pengaruh interaksi hara nitrogen dan fosfor terhadap pertumbuhan tanaman jagung (*Zea mays* L.) pada tanah regosol dan latosol. *Berita Biologi*, 10(3), 297-304.
- Fukumoto, J. (1943). Studies on the production of bacterial amylase. I. Isolation of bacteria secreting potent amylases and their distribution. *Journal of Agricultural Chemical Society of Japan*, 19, 487-503.
- Funayama-Noguchi, S., & Terashima, I. (2006). Effects of Eupatorium yellow vein virus infection on photosynthetic rate, chlorophyll content and chloroplast structure in leaves of Eupatorium makinoi during leaf development. *Functional Plant Biology*, 33(2), 165-175.
- Gangadharan, D., Sivaramakrishnan, S., Nampoothiri, K. M., & Pandey, A. (2006). Solid culturing of *Bacillus amyloliquefaciens* for alpha amylase production. *Food Technology and Biotechnology*, 44(2), 269-274.
- Gava, C. A., & Pinto, J. M. (2016). Biocontrol of melon wilt caused by *Fusarium oxysporum* Schlecht f.sp. *melonis* using seed treatment with *Trichoderma* spp. and liquid compost. *Biological Control*, 97, 13-20. doi:<https://doi.org/10.1016/j.biocontrol>.
- Goltapeh, E. M., Danesh, Y. R., Prasad, R., & Varma, A. (2008). Mycorrhizal fungi: What we know and what should we know? In A. Varma, *Mychorriza: State of the Art, Genetics and Molecular Biology, Eco-Function, Biotechnology, Eco-Physiology, Structure and Systematics* (pp. 3-4). India: Springer.
- Green, S. K., & Wu, S. F. (1991). Tobamoviruses on *Capsicum annuum* in Taiwan. *Plant Disease*.
- Greenleaf, W. H. 1986. Pepper breeding. Di dalam: Basset MJ, editor. *Breeding Vegetable Crops*, Connecticut: AVI Publishing Company Inc.
- Gupta, G., Parihar, S. S., Ahirwar, N. K., Snehi, S. K., & Singh, V. (2015). Plant growth promoting rhizobacteria (PGPR): Current and future prospects for development of sustainable agriculture. *Journal of Microbial & Biochemical Technology*, 7(2), 96-102. doi:10.4172/1948-5948.1000188
- Gveroska, B., & Ziberoski, J. (2012). *Trichoderma harzianum* as a biocontrol agent against *Alternaria alternata* on tobacco. *Applied Technologies & Innovations*, 7(2), 67-76.
- Harborne, J. B. (1987). *Phytochemical methods, guiding the modern way to analyze plant*. Bandung: Penerbit ITB.

- Hartal, Misnawaty, & Budi, I. (2010). Efektivitas *Trichoderma* sp. dan *Gliocladium* sp. dalam pengendalian layu fusarium pada tanaman krisan. *Jurnal Ilmu-Ilmu Pertanian Indonesia*, 12(1), 7-12.
- Illmer, P., Barbato, A., & Schinner, F. (1995). Solubilization of hardly-soluble  $AlPO_4$  with P-solubilizing microorganisms. *Soil Biology and Biochemistry*, 27(3), 265-270. doi:10.1016/0038-0717(94)00205-F
- Jayalakskhmi. (2010). *Studies on anthracnose of pomegranate caused by colletotrichum gloesporioides (Penz.)*. Dharwad: University of Agricultural Sciences.
- Kiesselbach, T. A. (1949). The structure and reproduction of corn. *Bulletin of the Agricultural Experiment Station*.
- Kusandriani, Y., & Muharam, A. (2005). *Produksi Benih Cabai*. Bandung: Balai Penelitian Tanaman Sayuran.
- Lorito, M., Woo, S. L., Harman, G. E., & Monte, E. (2010). Translational research on *Trichoderma*: from omics to the field. *Annual Review of Phytopathology*, 48, 395-417. doi:10.1146/annurev-phyto-073009-114314
- Meilin, A. (2014). Hama dan penyakit pada tanaman cabai serta pengendaliannya. *Balai Pengkajian Teknologi Pertanian (BPTP) Jambi*.
- Mishra, V. K., & Kumar, A. (2012). Plant growth promoting and phytostimulatory potential of *Bacillus subtilis* and *Bacillus amyloliquefaciens*. *ARPN Journal of Agricultural and Biological Science*, 7(7), 509-519.
- Muryati, S., Mansur, I., & Budi, S. W. (2016). Keanekaragaman fungi Mikoriza Arbuskula (FMA) pada Rhizosfer *Desmodium* spp. asal PT. Cibaliung Sumberdaya Banten. *Jurnal Silvikultur Tropika*, 7(3).
- Nainggolan, L. P. (2016). Pengaruh kemiringan lahan garapan terhadap biaya produksi dan pendapatan bersih petani pisang yang bertumpangsarikan jagung - jahe. *Jurnal Sainstech*, 8(4), 92-97.
- Nelson, D. L., & Cox, M. M. (2004). *Lehninger: principles of biochemistry* (4th ed.). New York: W. H. Freeman and Company.
- Prasasti, O. H., Purwani, K.I., & Nurhatika, S. (2013). Pengaruh mikoriza *Glomus fasciculatum* terhadap pertumbuhan vegetatif tanaman kacang tanah yang terinfeksi patogen *Sclerotium rolfsii*. *Jurnal Sains dan Seni Pomits*, 2(2), 2337-3520. doi:10.12962/j23373520.v2i2.3624
- Priwiratama, H., Hidayat, S. H., & Widodo. (2012). Pengaruh empat galur bakteri pemacu pertumbuhan tanaman dan waktu inokulasi virus terhadap keparahan penyakit daun keriting kuning cabai. *Jurnal Fitopatologi Indonesian*, 8(1), 1-8.
- Rahmianna, A. A., Purnomo, J., & Marwoto. (1989). Produktivitas tanaman kacang tanah dan jagung pada lingkungan tumpangsari di lahan tegal. *Jurnal Penelitian Palawija*, 4(2), 18-27.

- Ramalingam, R., Hashem, A., & Abd Allah, E. F. (2017). Bacillus: A biological tool for crop improvement through bio-molecular changes in adverse environments. *Frontiers in Physiology*, 8. doi:10.3389/fphys.2017.00667
- Ratnawati. (2015, April 27). *Beberapa Penyakit pada Tanaman Jagung dan Pengendaliannya*. Retrieved from Litbang Pertanian: <http://nad.litbang.pertanian.go.id/ind/index.php/info-teknologi/722-beberapa-penyakit-pada-tanaman-jagung-dan-pengendaliannya>
- Reddy, N. S., Nimmagadda, A., & Rao, K. R. (2003). An overview of the microbial  $\alpha$ -amylase family. *African Journal of Biotechnology*, 2(12), 645-648.
- Rosenblueth, M., & Martinez-Romero, E. (2006). Bacterial endophytes and their interactions with hosts. *The American Phytopathological Society*, 19(8), 827-837.
- Roziq, F., Sastrahidayat, I. R., & Djauhari, S. (2013). Kejadian hama dan penyakit tanaman cabai kecil yang dibudidayakan secara vertikultur di Sidoarjo. *Jurnal HPT*, 1(4), 30-36.
- Rusli, E., Hidayat, S., Suseno, R., & Tjahjono, B. (1999). Geminivirus asal cabai: Kisaran inang dan cara penularan. *Bulletin HPT*, 11(1), 16-131.
- Sekhar, Y. C., Ahammed, S. K., Prasad, T. N., & Devi, R. S. (2017). Identification of Trichoderma species based on morphological characters isolated from rhizosphere of groundnut (*Arachis hypogaea* L.). *International Journal of Sciences, Environment*, 6(3), 2056-2063.
- Sella, S. R., Vandenberghe, L. P., & Soccol, C. R. (2014). Bacillus atrophaeus: main characteristics and biotechnological applications - a review. *Critical Reviews in Biotechnology*, 1-13. doi:10.3109/07388551.2014.922915
- Semangun, H. (2007). *Penyakit-penyakit Tanaman Hortikultura di Indonesia*. Yogyakarta: Gadjah Mada University Press.
- Sepwanti, C., Rahmawati, M., & Kesumawati, E. (2016). Pengaruh varietas dosis kompos yang diperkaya Trichoderma harzianum terhadap pertumbuhan dan hasil tanaman tomat (*Solaum lycopersicum* L.). *Jurnal Kawista*, 1(1), 68-74.
- Sharma, K. K., & Singh, U. S. (2014). Cultural and morphological characterization of rhizospheric isolates of fungal antagonist Trichoderma. *Journal of Applied and Natural Science*, 6(2), 451-456.
- Siemering, G. (2016). The value of Bacillus amyloliquefaciens for crop production. *Microbial Cell Factories*, 1-4.
- Singh, S. K., Sharma, V. P., Sharma, S. R., Kumar, S., & Tiwari, M. (2006). Molecular characterization of Trichoderma taxa causing green mould disease in edible mushrooms. *Current Science*, 90(3), 427-431.
- Smith, S., & Read, D. (1997). *Mycorrhizal symbiosis* (2nd ed.). London: Academic Press.
- Soenartiningasih. (2013). Potensi jamur Mikoriza Arbuskular sebagai media pengendalian penyakit busuk pelepah pada jagung. *IPTEK Tanaman Pangan*, 8(1), 48-53.

- Soepardi, G. (1983). *Sifat dan Ciri Tanah*. Bogor: Institut Pertanian Bogor.
- Soesanto, L., Soedharmono, Prihatiningsih, N., Manan, A., Iriani, E., & Pramono, J. (2002). Penyakit busuk rimpang jahe di sentra produksi jahe Jawa Tengah: 2. intensitas dan pola sebaran penyakit. *Litbang Petanian (ARMPH) Jawa Tengah*.
- Sudiono, Yasin, N., Hidayat, S., & Hidayat, P. (2005). Penyebaran dan deteksi molekuler virus gemini penyebab penyakit kuning pada tanaman cabai di Sumatera. *Jurnal HPT Tropika*, 5(2), 113-121.
- Sulandari, S., Suseno, R., Hidayat, S. H., & Sosromarsono, S. (2002). Deteksi virus gemini pada cabai di Daerah Istimewa Yogyakarta. *Prosiding Kongres Nasional XVI dan Seminar Ilmiah* (pp. 200-202). Bogor: Jurusan HPT IPB.
- Sulandari, S., Suseno, R., Hidayat, S. H., Harjosudarmo, J., & Soemartono, S. (2006). Deteksi dan kajian kisaran inang virus penyebab penyakit daun keriting kuning cabai. *Hayati*, 13(1), 1-6.
- Sumardiyono, Y. B., Hartono, S., & Sulandari, S. (2003). Epidemologi penyakit daun keriting kuning cabai. *Jurnal Perlindungan Tanaman Indonesia*, 9(1), 1-3. doi:10.22146/jpti.12269
- Surtinah. (2012). Korelasi antara waktu panen dan kadar gula biji jagung manis (*Zea mays saccharata* Sturt). *Jurnal Ilmiah Pertanian*, 9(1), 1-7.
- Suwahyono. (2003). *Trichoderma harzianum indigenous untuk pengendalian hayati*. Yogyakarta: Fakultas Biologi UGM.
- Sylvia, D. M. (2005). Mycorrhizal symbioses. In D. M. Sylvia, J. J. Fuhrmann, P. G. Hartel, & D. A. Zuberer, *Principles and Applications of Soil Microbiology* (2nd ed., p. 77). New Jersey: Pearson Prentice Hall.
- Vargas, W. A., Mandawe, J. C., & Kenerley, C. M. (2009). Plant-derived sucrose is a key element in the symbiotic association between *Trichoderma virens* and maize plants. *Plant Physiology*, 151, 792-808.
- Vos, C. M., Yang, Y., De Coninck, B., & Cammue, B. P. (2014). Fungal (-like) biocontrol organisms in tomato disease control. *Biological Control*, 74, 65-81. doi:<https://doi.org/10.1016/j.biocontrol.2014.04.004>
- Vos, J. G., & Frinking, H. D. (1997). Nitrogen fertilization as a component of integrated crop management of hot pepper (*Capsicum* spp.) under tropical lowland conditions. *International Journal of Pest Management*, 43(1), 1-10. doi:10.1080/096708797228915
- Wangsaatmadja, Y. W., & Pasetriyani, E. T. (n.d.). *Pengaruh introduksi jamur Trichoderma sp. terhadap perkembangan penyakit layu (fusarium oxysporum)*. BPTP Jawa Barat.
- Yedidia, I., Benhamou, N., & Chet, I. (1999). Induction of defense responses in cucumber plants (*Cucumis sativus* L.) by the biocontrol agent *Trichoderma harzianum*. *Applied and Environmental Microbiology*, 65(3), 1061-1070.