

DAFTAR PUSTAKA

- AM, K., JC, K., LS, C. & RW, B., 2006. The prognostic impact of the time interval to recurrence for the mortality in recurrent colorectal cancer. *Colorectal Dis*, Volume 8, p. 696–703.
- Aparicio, T., Roger, M. D., Barbier, F. E. & SylvainManfredi, 2018. Overweight is associated to a better prognosis in metastatic colorectal cancer: A pooled analysis of FFCD trials. *European Journal of Cancer*, Volume 98, pp. 1-9.
- Aziz, M. H., Sideras, K., Aziz, N. A. & Mauff, K., 2018. The Systemic-Immune-Inflammation Index Independently Predicts Survival and Recurrence in Resectable Pancreatic Cancer and its Prognostic Value Depends on Bilirubin Levels. *Annals of Surgery*, XX(XX), pp. 1-8.
- Badan Penelitian dan Pengembangan Kesehatan, 2018. *HASIL UTAMA RISKESDAS 2018*, Jakarta: Kementrian Kesehatan RI.
- CamposI, F. G. et al., 2011. Locally advanced colorectal cancer: results of surgical treatment and prognostic factors. *Arquivos de Gastroenterologia*, 48(4).
- Cancer Treatment Centers of America, 2017. *Metastatic Colorectal Cancer*. [Online] Available at: <https://www.cancercenter.com/colorectal-cancer/types/tab/metastatic-colorectal-cancer/> [Diakses 10 January 2019].
- Cancer Treatment Centers of America, 2017. *Metastatic Colorectal Cancer*. [Online] Available at: <https://www.cancercenter.com/colorectal-cancer/types/tab/metastatic-colorectal-cancer/> [Diakses 10 January 2019].
- Chen, J.-H. et al., 2017. Systemic immune-inflammation index for predicting prognosis of colorectal cancer. *World Journal of Gastroenterology*, 23(24), pp. 6261-6272.
- Chen, N., Li, W. & Huang, K., 2017. Increased platelet-lymphocyte ratio closely relates to inferior clinical features and worse long-term survival in both resected and metastatic colorectal cancer: an updated systematic review and meta-analysis of 24 studies. *Oncotarget*, 8(19), pp. 32356-32369.
- Dell'Aquila, E. et al., 2018. Prognostic and predictive role of neutrophil/lymphocytes ratio in metastatic colorectal cancer: a retrospective analysis of the TRIBE study by GONO. *Annals of Oncology*, Volume 29, p. 924–930.
- Duan, H., He, Z.-Q. & Guo, C.-C., 2018. Bone metastasis predicts poor prognosis of patients with brain metastases from colorectal carcinoma post aggressive treatment. *Cancer Management and Research*, Volume 10, pp. 2467-2474.
- Feng, J.-F., Chen, S. & MD, X. Y., 2017. Systemic immune-inflammation index (SII) is a useful prognostic indicator for patients with squamous cell carcinoma of the esophagus. *Medicine*, Volume 4, p. 96.

- Fortea-Sanchis, C., Martínez-Ramos, D. & Escrig-Sos, J., 2018. The lymph node status as a prognostic factor in colon cancer: comparative population study of classifications using the logarithm of the ratio between metastatic and nonmetastatic nodes (LODDS) versus the pN-TNM classification and ganglion ratio systems. *BMC Cancer*, Volume 18, pp. 1208-1219.
- Fridlender, Z. G., Sun, J., Mishalian, I. & Singhal, S., 2012. Transcriptomic Analysis Comparing Tumor-Associated Neutrophils with Granulocytic Myeloid-Derived Suppressor Cells and Normal Neutrophils. *PLoS ONE*, 7(2), p. 13.
- Gay, L. J. & Felding-Habermann, B., 2011. Contribution of platelets to tumour Metastasis. *Nature Reviews Cancer*, Volume 11, pp. 123-134.
- GLOBOCAN, 2018. *Population Fact Sheets*. [Online] Available at: <http://gco.iarc.fr/today/data/factsheets/populations/360-indonesia-fact-sheets.pdf> [Diakses 3 January 2019].
- Goñen, M., Schrag, D. & Weiser, M. R., 2009. Nodal Staging Score: A Tool to Assess Adequate Staging of Node-Negative Colon Cancer. *JOURNAL OF CLINICAL ONCOLOGY*, 27(36), pp. 6166-6171.
- Hamoya, T. et al., 2016. Effects of NSAIDs on the risk factors of colorectal cancer: a mini review. *Genes and Environment*, Volume 38, p. 6.
- Hendifar, A., Yang, D. & Lenz, F., 2009. Gender Disparities in Metastatic Colorectal Cancer Survival. *NIH-PA*, 15(20), pp. 6391-6397.
- He, W. et al., 2013. Initial neutrophil lymphocyte ratio is superior to platelet lymphocyte ratio as an adverse prognostic and predictive factor in metastatic colorectal cancer. *Medical Oncology*, p. 439.
- International Agency for Research on Cancer, 2018. *Globocan 2018 : Indonesia*, s.l.: WHO.
- Ishizuka, M., Nagat, H., Iwasaki, Y. & Kubota, K., 2013 . Combination of platelet count and neutrophil to lymphocyte ratio is a useful predictor of postoperative survival in patients with colorectal cancer. *British Journal of Cancer*, Issue 109, pp. 401-407 .
- Jogja Cancer Registry, 2018. *RKBR Oktober 2018*. [Online] Available at: <http://canreg.fk.ugm.ac.id/laporan-data/rkbr-oktober-2018/> [Diakses 20 December 2018].
- Kelada, S. N. P., Aylor, D. L., Peck, B. C. E. & Ryan, J. F., 2012. Genetic Analysis of Hematological Parameters in Incipient Lines of the Collaborative Cross. *G3 : Genes / Genome / Genetics*, Volume 2, pp. 157-165.
- Kementrian Kesehatan RI, 2015. *Komite Penanggulangan Kanker Nasional*. [Online] Available at: <http://www.depkes.go.id/> [Diakses 3 October 2018].
- Komite Penanggulangan Kanker Nasional, 2015. *Panduan Penatalaksanaan Kanker Kolorektal*. Jakarta: Kementrian Kesehatan Republik Indonesia.

- Komite Penanggulangan Kanker Nasional, 2017. *Pedoman Nasional Penanganan Kedokteran Kanker Kolorektal*. Jakarta: Kementerian Kesehatan RI .
- Kumar, V., K.Abbas, A. & C.Aster, J., 2013. *Buku Ajar Patologi Robbins*. 9th penyunt. Singapore: Elsevier.
- Lalosevic, M. S., Markovic, A. P. & Stankovic, S., 2019. Combined Diagnostic Efficacy of Neutrophil-to-Lymphocyte Ratio (NLR), Platelet-to-Lymphocyte Ratio (PLR), and Mean Platelet Volume (MPV) as Biomarkers of Systemic Inflammation in the Diagnosis of Colorectal Cancer. *Disease Markers*, pp. 1-7 .
- Lee, K.-C., Ou, Y.-C., Hu, W.-H. & Liu, C.-C., 2016. Meta-analysis of outcomes of patients with stage IV colorectal cancer managed with chemotherapy/ radiochemotherapy with and without primary tumor resection. *Oncotargets and Therapy*, Volume 9, pp. 7059-7069.
- Liang, W. & Ferrara, N., 2016. The Complex Role of Neutrophils in Tumor Angiogenesis and Metastasis. *Cancer Immunology Research*, 4(2), pp. 83-91.
- Li, C. et al., 2018. Systemic immune-inflammation index, SII, for prognosis of elderly patients with newly diagnosed tumors. *Oncotarget*, 9(82), pp. 35293-35299.
- Li, M.-X.et al., 2013. Prognostic role of neutrophil-to-lymphocyte ratio in colorectal cancer: A systematic review and meta-analysis. *International Journal of Cancer*, Issue 134, p. 2403–2413.
- Li, P., Xiao, Z.-T., A, T. & Braciak, 2017. Impact of age and mismatch repair status on survival in colorectal cancer. *Cancer Medicine*, pp. 975-981.
- Loupakis, F., Hurwitz, H. I. & Saltz, L., 2018. Impact of primary tumour location on efficacy of bevacizumab plus chemotherapy in metastatic colorectal cancer. *British Journal of Cancer*, Volume 119, pp. 1451-1455.
- Loupakis, F., Yang, D. & Yau, L., 2015. Primary Tumor Location as a Prognostic Factor in Metastatic Colorectal Cancer. *JNCI J Natl Cancer Inst*, 107(3).
- Lou, X.-L.et al., 2015. Interaction between circulating cancer cells and platelets: clinical implication. *Chinese Journal of Cancer Research*, 27(5), pp. 450-460.
- Majek, O., Gondos, A. & Jansen1, L., 2013. Sex Differences in Colorectal Cancer Survival: Population-Based Analysis of 164,996 Colorectal Cancer Patients in Germany. *PLoS ONE*, 8(7), pp. 1-7.
- Mariotto, A. B. et al., 2014. Cancer Survival: An Overview of Measures, Uses, and Interpretation. *Journal of the National Cancer Institute Monographs*, Volume 49, pp. 145-186.
- McKay, A., Donaleshen, J. & Helewa, R. M., 2014. Does young age influence the prognosis of colorectal cancer: a population-based analysis. *WORLD JOURNAL OF SURGICAL ONCOLOGY*, 12(1), pp. 370-380.

- Miguel A., R.-B., Edward H., L. & Christopher H., C., 2017. Stage IV Colorectal Cancer. Dalam: B. J. Robert C., C. Carlo M. & H. William N., penyunt. *Holland-Frei Cancer Medicine. 9th edition..* USA: Wiley-Blackwell.
- National Cancer Institute, 2018. *TNM staging system.* [Online] Available at: <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/tnm-staging-system> [Diakses 9 January 2019].
- Paramita, D. K., Hutajulu, S. H. & Ghozali, A., 2017. *Pengembangan Deteksi Biomarker Microsatellite Instability (MSI) sebagai Faktor Prognostik dan Faktor Prediktif Ketepatan Kemoterapi pada Penderita Kanker Kolorektal*, Yogyakarta: Universitas Gadjah Mada.
- Peng, H.-X. et al., 2016. Platelet-to-lymphocyte ratio could be a promising prognostic biomarker for survival of colorectal cancer: a systematic review and meta-analysis. *FEBS PRESS Science Publishing by Scientists*, pp. 742-750.
- Ray-Coquard, I., Cropet, C. & Glabbeke, M. V., 2009. LYMPHOPENIA AS A PROGNOSTIC FACTOR FOR OVERALL SURVIVAL IN ADVANCED CARCINOMAS, SARCOMAS AND LYMPHOMAS. *NIH Public Access*, 69(13), pp. 5383-5391.
- Ren, J.-Q. i., Liu, J.-W. e. & Chen, Z.-T. n., 2012. Prognostic value of the lymph node ratio in stage III colorectal cancer. *Chinese Journal of Cancer*, 31(5), pp. 241-247.
- Richter, et al., 2005. Age as a prognostic factor in colorectal cancer treatment. *Pubmed NIH*, 62(12), pp. 1440-1443.
- Sastroasmoro, S., Aminullah, A., Rukman, Y. & Munasir, Z., 2014. Variabel dan hubungan antar-variabel. Dalam: *Dasar-dasar Metodologi Penelitian Klinis*. Jakarta: Sagung Seto, pp. 301-327.
- Sastroasmoro, S. & Ismael, S., 2014. Analisis Kesintasan. Dalam: *Dasar-dasar Metodologi Penelitian Klinis*. Jakarta: CV. Sagung Seto, pp. 245-264.
- Shaukat, A., Dostal, A., Menk, J. & Church, T. R., 2017. BMI Is a Risk Factor for Colorectal Cancer Mortality. *CrossMark*, pp. 2511-2517.
- Shinko, D., Diakos, C. I., Clarke, S. J. & A., K., 2017. Cancer-related systemic inflammation: The challenges and therapeutic opportunities for personalized medicine. *American Society for Clinical Pharmacology & Therapeutic*, 102(4), pp. 599-610.
- Sierra, M. S. & Forman, D., 2016. *Etiology of colorectal cancer (C18–20) in Central and South America*, s.l.: International Agency for Research on Cancer.
- Song, Y. et al., 2017. The preoperative neutrophil to lymphocyte ratio is a superior indicator of prognosis compared with other inflammatory biomarkers in resectable colorectal cancer. *BioMedCentral Cancer*, p. 744.

- The Cancer Genome Atlas Network, 2013. Comprehensive Molecular Characterization of Human Colon and Rectal Cancer. *HHS Public Access*, 487(7407), pp. 330-337.
- Ueno, H. et al., 2012. Optimal Colorectal Cancer Staging Criteria in TNM Classification. *Journal of Clinical Oncology*, 30(13), pp. 1519-1526.
- Uribe-Querol, E. & Rosales, C., 2015. Neutrophils in Cancer: Two Sides of the Same Coin. *Journal of Immunology Research*, Volume 2015, pp. 1-21.
- Valderrama-Treviño, A. I., Barrera-Mera, B. & Ceballos-Villalva, J. C., 2017. Hepatic Metastasis from Colorectal Cancer. *Euroasian J Hepato-Gastroenterol*, 7(2), pp. 166-175.
- Vatandoust, S., Price, T. J. & Karapetis, C. S., 2015. Colorectal cancer: Metastases to a single organ. *World Journal of Gastroenterology*, 21(41), pp. 11767-11776.
- Wang, Z.-H. & Fang, J.-Y., 2014. Colorectal Cancer in Inflammatory Bowel Disease: Epidemiology, Pathogenesis and Surveillance. *Gastrointestinal Tumor*, Volume 1, pp. 146-154.
- Wardani, I. S., 2016. *Anemia Sebagai Faktor Prognosis Penurunan Survival Penderita Kanker Kolorektal Metastasis yang Mendapatkan Kemoterapi Berbasis Bevacizumab di RSUP Dr. Sardjito Yogyakarta*. Yogyakarta: Universitas Gadjah Mada.
- Watt, D. G. et al., 2015. The Neutrophil-Platelet Score (NPS) Predicts Survival in Primary Operable Colorectal Cancer and a Variety of Common Cancers. *PLoS ONE*, 10(11).
- Weisenberg, E., 2017. *TNM staging of colorectal carcinoma (AJCC 8th edition)*. [Online] Available at: <http://www.pathologyoutlines.com/topic/colontumorstaging8ed.html> [Diakses 4 March 2019].
- WHO, 2018. *IARC's Global Cancer Observatory*. [Online] Available at: <http://www.who.int/cancer/PRGlobocanFinal.pdf?ua=1> [Diakses 3 October 2018].
- WHO, 2018. *PRESS RELEASE N° 263 12 September 2018 - who.int*. [Online] Available at: <http://www.who.int/cancer/PRGlobocanFinal.pdf> [Diakses 3 October 2018].
- Xie, Q. et al., 2018. The systemic immune-inflammation index is an independent predictor of survival for metastatic colorectal cancer and its association with the lymphocytic response to the tumor. *Journal of Translational Medicine*, Volume 16, p. 273.
- Yamano, T., Yamauchi, S. & Kimura, K., 2017. Influence of age and comorbidity on prognosis and application of adjuvant chemotherapy in elderly Japanese patients with colorectal cancer: A retrospective multicentre study. *European Journal of Cancer*, Volume 81, pp. 90-101.



- Zarour, L. R., Anand, S. & Billingsley, K. G., 2017. Colorectal Cancer Liver Metastasis: Evolving Paradigms and Future Directions. *Cellular and Molecular Gastroenterology and Hepatology*, Volume 3, pp. 163-173.
- Zhan, T., Rindtorff, N. & Boutros, M., 2016. Wnt signaling in cancer. *Oncogene*, 36(2017), p. 1461–1473.