UNIVERSITAS
GADJAH MADA
**Pengaruh Larutan Teh Hijau Terhadap Perubahan Warna Resin Komposit Bulk-Fill Viskositas Tinggi Tipe
Nanohybrid dan Nanofil**
HANIN FAIRUZ S, drg. Tri Endra Untara, M.Kes., Sp.KG(K), Dr. drg. Yulita Kristanti, M.Kes., Sp.KG(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Afzali, B.M., Ghasemi, A., Mirani, A., Abdolazimi, Z., Baghban, A.A., dan Kharazifard, M.J., (2015) Effect of Ingested Liquids on Color Change of Composite Resins. *Journal of Dentistry, Tehran University of Medical Sciences.* 12(8): 577-584.

Al Abdulwahhab, B., AlEnezi, M., AlHati, M., AlDulijan, J., dan Babidan, S., (2015) The Staining Potential of Different Tea Products Available in the Saudi Market: An *in vitro* Study. *International Dental and Medical Journal of Advanced Research.* 1: 1-5.

Amriouche-Korici, A., Mouzali, M., Watts, D.C., (2017) Shrinkage Strain – Rates Study of Dental Composites Based on (BisGMA/TEGDMA) Monomers. *Arabian Journal of Chemistry.* 10(1): 1-6.

Ansuj, M.D.F., Santos, I.S.D., Marquezan, M., Durand, L.B., dan Pozzobon, R.T., (2016) Evaluation of the Surface Roughness of A Nanofilled Composite Resin Submitted to Different Smotthing and Finishing Technique. *Rev. Odontol UNESP.* 45(2): 110-114.

Anusavice, K.J., Shen, C., dan Rawls, H.R., (2013) *Phillips' Science of Dental Materials*. 12th ed. China: ELSEVIER.

Ashok, P.K., dan Upadhyaya, K., (2012) Tannins are Astringent. *Journal of Pharmacognosy and Phytochemistry.* 1(3): 45-50.

Aulia, N.R., Puspitasari, D., dan Nahzi, M.Y.I., (2017) Perbedaan Perubahan Warna Resin Komposit Nanofiller pada Perendaman Air Rebusan Daun Sirih Merah (Piper crocatum) dan Obat Kumur Non-Alkohol. *Dentino Jurnal Kedokteran Gigi.* II(1): 50-55.

Biazuz, J., Zardo, P., dan Rodrigues-Junior, S.A., (2015) Water Sorption, Solubility and Surface Roughness of Resin Surface Sealants. *Braz J. Oral Sci.* 14(1): 27-30.

Chatterjee, A., Saluja, M., Agarwal, G., dan Alam, M., (2012) Green tea: A Boon for Periodontal and General Health. *J Indian Soc Periodontol.* 16(2):161-167.

UNIVERSITAS GADJAH MADA
Pengaruh Larutan Teh Hijau Terhadap Perubahan Warna Resin Komposit Bulk-Fill Viskositas Tinggi Tipe Nanohybrid dan Nanofil
HANIN FAIRUZ S, drg. Tri Endra Untara, M.Kes., Sp.KG(K), Dr. drg. Yulita Kristanti, M.Kes., Sp.KG(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Diansari, V., Ningsih, D.S., dan Arbie, T.A., (2015) Pengaruh Minuman Kopi Luwak Terhadap Perubahan Warna Resin Komposit Nanohibrid. *Cakradonya Dent J.* 7(1): 745-806.

Eliades, T., dan Brantley, W.A., (2017) *Orthodontic Applications of Biomaterials: A Clinical Guide.* United Kingdom: ELSEVIER.

Erdemir, U., Kaner, A.O. Eren, M.M., Ozan, G., dan Yildiz, E., (2018) Color Stability of Bulk-Fil Composites Immersed in Different Drinks. *Color Res Appl.* 2018: 1-9.

Feitosa, F.A., Esteves, S.R., Crastechini, E., Caneppele T.F., dan Bresciani, E., (2018) Bulk Fill Resin Restoration: Clinical Consideration and Case Report. *International Journal of Dentistry and Oral Science.* 5(8):655-660.

Gajewski, V.E.S., Pfeifer, C.S., Froes-Salgado, N.R.G., Boaro, L.C.C., dan Braga, R.R., (2012) Monomers Used in Resin Composites: Degree of Conversion, Mechanical Properties, and Water Sorption/Solubility. *Braz Dent J.* 23(5): 508-514.

Gaur, S., dan Agnihotri, R., (2014) Green tea: A novel functional food for the oral health of older adults. *Geriatr Gerontol Int*. 14: 238-250.

Golinia, H., Shahrokhzadeh, F., dan Nezhadnasrollah, F., (2016) Evaluation of the Effect of Different Herbal Tea on Discoloration of Different Kinds of Composite. *Journal of Dental Materials and Techniques.* 5(3): 145-152.

Hananta, S.O., Sutrisno, G., dan Asrianti, D., (2013) Perbedaan Perubahan Warna Pada Permukaan Resin Komposit *Nanofiller* dan *Nanohybrid* Setelah Perendaman Kopi. Jakarta: Skripsi Fakultas Kedokteran Gigi Universitas Indonesia.

Kamheya, M., Gumustas, B., Efes, B.G., (2018) Color Stability of Bulk-Fill Composite Exposed To Different Beverages and The Effect of Whitening Dentrifices. *Oral Health Care.* 3(1):1-6.

UNIVERSITAS
GADJAH MADA
**Pengaruh Larutan Teh Hijau Terhadap Perubahan Warna Resin Komposit Bulk-Fill Viskositas Tinggi Tipe
Nanohybrid dan Nanofil**
HANIN FAIRUZ S, drg. Tri Endra Untara, M.Kes., Sp.KG(K), Dr. drg. Yulita Kristanti, M.Kes., Sp.KG(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Khasnabis, J., Rai, C., dan Roy, A., (2015) Determination of Tannin Content by Titrimetric Method From Different Types of Tea. *Journal of Chemical and Pharmaceutical Research*. 7(6): 238-241.

Kim, H.J., Kim, M., Song, B., Kim, S., dan Kim, J., (2019) Effect of Polishing Methods on Color Change by Water Water Absorption in Several Composite Resins. *Journal of Dental Rehabilitation and Applied Science.* 35(1): 1-10.

Konica Minolta Inc., (2002) Chroma Meter CR-400/410. Japan.

Kristanti, Y., (2016) Perubahan Warna Resin Komposit Nanohibrida Akibat Perendaman dalam Larutan Kopi Dengan Kadar Gula yang Berbeda. *Jurnal PDGI*. 65(1): 26-30.

Kumala, S., Retnowati, E., Halim, H.S., dan Wiena, W., (2011) Perbedaan Kekasaran Permukaan Restorasi Resin Komposit Nanofiller dan Nanohibrid dengan Menggunakan Sistem Pemolesan One Step dan Multiple Step. *J. Ked. Gi*. 2(4):258-263.

Langalia, A., Buch, A., Khamar, M., dan Patel P., (2015) Polymerization Shrinkage of Composite Resins: An Overview. *Journal of Medical and Dental Science Research*. 2(10): 23-37.

Malekipour, M.R., Sharafi, A., Kazemi, S., Khazaei, S., dan Shirani, F., (2012) Comparison of Color Stability of A Composite Resin in Different Color Media. *Dental Research Journal.* 9(4): 441-446.

Mansouri, S.A., dan Zidan, A.Z., (2018) Effect of Water Sorption and Solubility on Color Stability of Bulk-Fill Resin Composite. *The Journal of Contemporary Dental Practice*. 19(9): 1129-1134.

Milosevic, M., (2016) Polymerization Mechanics of Dental Composites – Advantages and Disadvantages. *Procedia Engineering*. 149(2016): 313-320.

UNIVERSITAS
GADJAH MADA
**Pengaruh Larutan Teh Hijau Terhadap Perubahan Warna Resin Komposit Bulk-Fill Viskositas Tinggi Tipe
Nanohybrid dan Nanofil**
HANIN FAIRUZ S, drg. Tri Endra Untara, M.Kes., Sp.KG(K), Dr. drg. Yulita Kristanti, M.Kes., Sp.KG(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Miranda, C.B., Nunez, C.C., Grez, P.V, Camps, E.A.D., dan Godoy, E.F., (2015). State of The Art of Bulk-Fill Resin-Based Composites: A Review. *Rev Fac Odontol Univ Antioq*. 27(1): 177-196.

Nadiah, N.I., dan Uthumporn, U., (2015) Determination of Phenolic and Antioxidant Properties in Tea and Spent Tea Under Various Extraction Method and Determination of Catechins, Caffeine and Gallic Acid by HPLC. *International Journal on Advance Science Engineering Information Technology*. 5(3): 158-164.

Naidu, N.I., (2018) Perbedaan Perubahan Warna Resin Komposit Micro-fine Hybrid dan Resin Komposit Nano Hybrid setelah Direndam dalam Larutan Teh Hijau. Yogyakarta: Skripsi Fakultas Kedokteran Gigi.

Nindyasari, S., dan Prangdimurti, E., (2012) Effect of Extracting Process and Digesting Condition on Green Tea (*Camellia sinensis)* Anti-Lipase Activity *In Vitro.* Bogor: Skripsi Fakultas Teknologi Pertanian Institut Pertanian Bogor.

Park, E., Kim, C., Bae, J., dan Cho, B., (2011) The Effect of The Strength and Wetting Characteristics of Bis-GMA/TEGDMA-Based Adhesives on The Bond Strength to Dentin. *JKACD*. 36(2): 139-148.

Powers, J.M., dan Wataha, J.C., (2017) *Dental Materials: Foundations and Applications*. USA: ELSEVIER.

Pradeep, K., Ginjupalli, K., Kutappa, M.A., Kudva A., dan Butula, R., (2016) In vitro Comparison of Compressive Strength of Bulk-Fill Composites and Nanohybrid Composite. *World Journal of Dentistry*. 7(3): 119-122.

Prakki, A., Cilli, R., Vieira, IM., Dudumas, K., dan Pereira, JC., (2012) Water Sorption of CH3- and CF3-Bis-GMA Based Resins With Additives. *Journal of Applied Oral Science.* 20(4): 472-477.

Rahman, K.N., Damiyanti, M., dan Noerdin, A., (2018) Effect of Green Tea (Camellia sinensis) Solution on Color Change of Silorane-and Methacrylate-Based Composite Resins. *J. Phys.* 1073: 1-6.

UNIVERSITAS
GADJAH MADA
**Pengaruh Larutan Teh Hijau Terhadap Perubahan Warna Resin Komposit Bulk-Fill Viskositas Tinggi Tipe
Nanohybrid dan Nanofil**
HANIN FAIRUZ S, drg. Tri Endra Untara, M.Kes., Sp.KG(K), Dr. drg. Yulita Kristanti, M.Kes., Sp.KG(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Rusmayati, A., Erlita, I., dan Nahzi, M.Y.I., (2017) Perbedaan Perubahan Warna Resin Komposit Nanofiller yang Dipoles dan Tidak Dipoles pada Perendaman Larutan Teh Hijau. *Dentino Jurnal Kedokteran Gigi.* II(1): 72-77.

Sachdeva, S., Kapoor, P., Tamrakar, A.K., dan Noor, R., (2015) Nano-Composite Dental Resins: An Overview. *Annals of Dental Specialty*. 3(2): 52- 55.

Sakaguchi, R., Powers, J., dan Ferracane, J., (2019) *Craig's Restorative Dental Materials.* 14th ed. China: ELSEVIER.

Schneider, L.F.J., Cavalcante, L.M., dan Silikas, N., (2010) Shrinkage Stresses Generated During Resin-Composite Applications: A Review. *Journal of Dental Biomechanics.* 2010: 1-14.

Shamszadeh, S., Sheikh-Al-Eslamian, S.M., Hasani, E., Abrandabadi, A.N., dan Panahandeh, N., (2016) Color Stability of the Bulk-Fill Composite Resins With Different Thickness in Response to Coffee/Water Immersion. *International Journal of Dentistry.* 2016: 1-5.

Sideridou, I., Tserki, V., dan Papanastasiou, G., (2003) Study of Water Sorption, Solubility, and Modulus of Elasticity of Light-Cured Dimethacrylate-Based Dental Resins. *ELSEVIER: Biomaterials 24:* 655-665.

Sirang, S.V., Anindita, P.S., dan Juliatri, (2017) Pengaruh kopi arabika terhadap perubahan warna resin komposit hybrid. *Jurnal e-GiGi (eG).* 5(1): 53-57.

Sulistyanawati, N., (2014) The Effect of Immersion Time Length in Black Tea Solutions Against Discoloration Resin Modified Glass Ionomer Cement. Yogyakarta: Skripsi Fakultas Kedokteran Gigi.

Sullivan, L.M., (2018) *Essentials of Biostatistics Public Health.* United States: Jones & Barlett Learning.

Todd, J.C., dan Wanner, M., (2014) *Scientific Documentation Tetric N-Ceram Bulk Fill*. Liechtenstein: Ivoclar Vivadent AG.

UNIVERSITAS
GADJAH MADA
**Pengaruh Larutan Teh Hijau Terhadap Perubahan Warna Resin Komposit Bulk-Fill Viskositas Tinggi Tipe
Nanohybrid dan Nanofil**
HANIN FAIRUZ S, drg. Tri Endra Untara, M.Kes., Sp.KG(K), Dr. drg. Yulita Kristanti, M.Kes., Sp.KG(K)
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Trevisian, T.C., Junior, M.G., Bortolatto, J.F., Pigossi, S., de Oliveira Junior, OB., dan Ricci, W.A., (2018) Color Stability of Conventional and Bulk Fill Composite Resins. *Rev Gaúch Odontol*. 66(1):15-20.

Yamanel, K., Caglar, A., Ozcan, M., Gulsah, K., dan Bagis, B., (2010) Assessment of Color Prameters of Composite Resin Shade Guides Using Digital Imaging versus Colorimeter. *Journal Compilation Wiley Periodicals, Inc.* 22(6): 379-388.

Yew, H.Z., dan Qamaruz, Z.J., (2012) Colour Stability of Composite Resins: A General Overview. *Malaysian Dental Journal*. 34(2): 1-9.

3M ESPE., (2016) *Filtek One Bulk Fill Restorative: Technical Product Profile.* London: 3M Oral Care.