

- Achilias, D.S., Roupakias, C., Megalokonomos, P., Lappas, A.A., and Antonakou, E.V., 2007, Chemical Recycling of Plastic Wastes Made From Polyethylene (LDPE and HDPE) and Polypropylene (PP), *Journal of Hazardous Materials*, vol. 149, pp. 536–542.
- Adel, M., Abdelaal, O., Gad, A., Nasr, A.B., and Khalil, A.M., 2018, Polishing of Fused Deposition Modeling Products by Hot Air Jet : Evaluation of Surface Roughness, *Journal of Materials Processing Tech*, vol. 251, pp. 73–82.
- Andriyansyah, D., dan Herianto, 2018, Optimasi Parameter Proses 3D Printing Terhadap Kekuatan Tarik Filamen Foodgrade Pada Fused Deposition Method, *UGM Yogyakarta*.
- Badan Pusat Statistik Indonesia, 2018, Pengelolaan Sampah di Indonesia, *Publikasi Statistik Lingkungan Hidup Indonesia*.
- Boschetto, A., Bottini, L., and Veniali, F., 2016, Integration of FDM Surface Quality Modeling With Process Design, *Additive Manufacturing*, vol. 12, pp. 334–344.
- Chohan, J.S., Singh, R., and Boparai, K.S., 2016, Mathematical Modelling of Surface Roughness for Vapour Processing of ABS Parts Fabricated With Fused Deposition Modelling, *Journal of Manufacturing Processes*, vol. 24, pp. 161–169.
- Chohan, J.S., Singh, R., and Boparai, K.S., 2016, Parametric Optimization of Fused Deposition Modeling and Vapour Smoothing Processes for Surface Finishing of Biomedical Implant Replicas, *Measurement*, vol. 94, pp. 602–613.
- Croccolo, D., Agostinis M.D., and Olmi G., 2013, Experimental Characterization and Analytical Modelling of the Mechanical Behaviour of Fused Deposition Processed Parts Made of ABS-M30, *Computational Materials Science*, vol. 79, pp. 506-518.
- Ahn, D., Kweon, J.H., Kwon, S., Song, J., and Lee, S., 2009, Representation of Surface Roughness in Fused Deposition Modeling, *Journal of Materials Processing Technology*, vol. 209, pp. 5593–5600.
- Djami, R.J., dan Sunaryo, S., 2014, Metode PCR-TOPSIS Untuk Optimasi Taguchi Multirespon, *Statistika*, vol. 2, no. 1, pp. 46-55.
- Galantucci, L.M., Lavecchia, F., and Percoco, G., 2009, Experimental Study Aiming to Enhance the Surface Finish of Fused Deposition Modeled Parts, *CIRP Annals - Manufacturing Technology*, vol. 58, pp. 189–192.
- Ghanim, R., Budiyanoro, C., dan Sosiati, H., Komparasi Parameter Injeksi Optimum Pada LDPE Recycled dan Virgin Material, *JMPM: Jurnal Material dan Proses Manufaktur*, vol. 1, no. 1, pp. 21-30.
- Hasdiansah, dan Herianto, 2018, Optimasi Parameter Proses Terhadap Akurasi Dimensi dan Kekasaran Permukaan Objek 3D Berbasis Fused Deposition Modelling (FDM) Material Fleksibel, *UGM Yogyakarta*.
- IDC, 2019, Worldwide Spending on 3D Printing Will Reach \$13.8 Billion in 2019 According to New IDC Spending Guide, *International Data Corporation*

- Jin, Y., Li, H., He, Y., and Fu, J.Z., 2015, Quantitative Analysis of Surface Profile in Fused Deposition Modelling, *Additive Manufacturing*, vol, 8, pp. 142–148.
- Jun, B.J.H., and Juwono, A.L., 2010, Studi Perbandingan Sifat Mekanik Polypropylene Murni dan Daur Ulang, *MAKARA SAINS*, vol. 14, no. 1, pp. 95-100.
- Kusuma, I.E., Dewi, D.S., dan Gunarta, I.K., 2016, Pengembangan Model Bisnis Berbasis Teknologi 3D Printer Dengan Pendekatan Product Service System (PSS), *Institut Teknologi Sepuluh November*.
- Matweb, Overview of materials for High Density Polyethylene (HDPE) Injection Molded, (diakses 18 Januari 2020) [matweb.com/search/datasheet\\_print.aspx?matguid=fce23f90005d4fbe8e12a1bce53ebdc8](http://matweb.com/search/datasheet_print.aspx?matguid=fce23f90005d4fbe8e12a1bce53ebdc8)
- Matweb, Overview of materials for Low Density Polyethylene (LDPE) Molded, (diakses 18 Januari 2020) [matweb.com/search/datasheet\\_print.aspx?matguid=557b96c10e0843dbb1e830ceedeb35b0](http://matweb.com/search/datasheet_print.aspx?matguid=557b96c10e0843dbb1e830ceedeb35b0)
- Matweb, Overview of materials for Polypropylene, (diakses 18 Januari 2020) [http://matweb.com/search/datasheet\\_print.aspx?matguid=08fb0f47ef7e454fbf7092517b2264b2](http://matweb.com/search/datasheet_print.aspx?matguid=08fb0f47ef7e454fbf7092517b2264b2)
- Mujiarto, I., 2005, Sifat dan Karakteristik Material Plastik dan Bahan Aditif, *Traksi*, vol. 3, no. 2.
- Nugroho, T.A., dan Hutama, A.S., 2019, Metode Taguchi – PCR TOPSIS untuk Optimasi Parameter Mesin Laser Grafir, *POLITEKNOSAINS*, vol. XVIII, no. 1, pp. 6-11.
- Núñez, P.J., Rivas, A., García-Plaza, E., Beamud, E., and Sanz-Lobera A., 2015, Dimensional and Surface Texture Characterization in Fused Deposition Modelling (FDM) With ABS Plus, *The Manufacturing Engineering Society International Conference (MESIC)*, vol. 132, pp. 856 – 863.
- Pamasaria, H.A., Herianto, dan Saputra, T.H., 2019, Pengaruh Parameter Proses 3D Printing Tipe FDM (Fused Deposition Modelling) Terhadap Kualitas Hasil Produk, *Seminar Nasional IENACO*, pp. 201-207.
- Pratama, R.F., dan Anggono, A.D., 2018, SEM Analisis Terhadap Plastik HDPE Dengan Penambahan Filler Corn Starch 10% dan 15%, *Universitas Muhammadiyah Surakarta*.
- Pristiansyah, dan Herianto, 2018, Pengaruh Parameter 3D Printing Terhadap Transparansi Produk yang Dihasilkan, *Seminar Nasional Inovasi Teknologi*, pp. 181-186.
- Pujiyanto E., 2017, Metode Taguchi dan Optimasi Multi Respons, *Prodi Teknik Industri UNS Surakarta*.
- Putra, K.S., dan Sari, U.R., 2018, Pemanfaatan Teknologi 3D Printing Dalam Proses Desain Produk Gaya Hidup, *SENSITEK STMIK Pontianak*.
- Ramdani, L., dan Tontowi, A.E., 2015, Optimasi Parameter Proses 3D Printer Untuk Memperoleh Galat Dimensi Terkecil dan Kuat Tarik Tertinggi Pada Part Berbahan Baku Polylactic Acid (PLA), *UGM Yogyakarta*.
- Reddy, V., Flys, O., Chaparala, A., Berrimi, C.E., Amogh, V., and Rosen, B.G., 2018, Study on Surface Texture of Fused Deposition Modeling, *8th Swedish Production Symposium*, vol. 25, pp. 389–396.

Rinanto, A., dan Sutopo, W., 2017, Perkembangan Teknologi Rapid Prototyping: Study Literatur, *Jurnal Metris*, vol. 18, pp. 105–112.

Saputra, T.H., Herianto, dan Pamasaria, H.A, 2019, Analisa Pengaruh Pemilihan Komponen Terhadap Ketelitian Dimensi dan Kualitas Permukaan Produk Pada Mesin 3D Printing Jenis FDM (Fused Deposition Modelling), *Seminar Nasional IENACO*, pp. 208-214.

Sculpteo, 2018, The Data You Need to Understand the 3D Printing World and Build Your 3D Printing Strategy, *Sculpteo the State of 3D PRINTING*

Setiawan, A.A., Karuniawan, B.W., Arumsari, N., 2018, Optimasi Parameter 3D Printing Terhadap Keakuratan Dimensi dan Kekasaran Permukaan Produk Menggunakan Metode Taguchi Grey Relational Analysis, *Conference on Design Manufacture Engineering and its Application*, pp. 165-168.

Singh, R., Singh, S., Singh, I.P., Fabbrocino, F., and Fraternali, F., 2017, Investigation for Surface Finish Improvement of FDM Parts by Vapor Smoothing Process, *Composites Part B*, vol. 111, pp. 228-234.

Sunengsih, N., Winarni, S., dan Amzainaa, T.G., 2017, Kajian Terhadap Metode Taguchi-TOPSIS Pada Optimasi Multirespon, *Seminar Statistika FMIPA UNPAD*, pp. 496-507.

Suyadi, 2010, Kaji Eksperimen Kekuatan Tarik Produk-Produk Berbahan Plastik Daur Ulang, *Seminar Nasional Sains dan Teknologi*, pp. 104-111.