DAFTAR PUSTAKA

Ahn, C. H. and Choi, S. H. (2015) 'New drugs for treating dyslipidemia: beyond statins.', *Diabetes & metabolism journal*. Korean Diabetes Association, 39(2), pp. 87–94. doi: 10.4093/dmj.2015.39.2.87.

Anandini, A. (2016). *Nilai Kreatinin Sebagai Faktor Prediktor Keparahan Penyakit Jantung Koroner Berdasarkan Sullivan Vessel Score*. Jakarta.

Andres-Hernando, A. *et al.* (2012) 'Cytokine production increases and cytokine clearance decreases in mice with bilateral nephrectomy.', *Nephrology, dialysis, transplantation : official publication of the European Dialysis and Transplant Association - European Renal Association*. Oxford University Press, 27(12), pp. 4339–47. doi: 10.1093/ndt/gfs256.

Atique, S. M. *et al.* (2016) 'Association Between Body Mass Index and Age of Presentation With Symptomatic Coronary Artery Disease', *Clinical Cardiology*. John Wiley & Sons, Ltd, 39(11), pp. 653–657. doi: 10.1002/clc.22576.

Banfi, G., Del Fabbro, M. and Lippi, G. (2006) 'Relation between serum creatinine and body mass index in elite athletes of different sport disciplines.', *British journal of sports medicine*. BMJ Publishing Group, 40(8), pp. 675–8; discussion 678. doi: 10.1136/bjsm.2006.026658.

Barcellos, R. C. de B. *et al.* (2015) 'Comparison of serum creatinine levels in different color/race categories in a Brazilian population', *Cadernos de Saúde Pública*. Escola Nacional de Saúde Pública, Fundação Oswaldo Cruz, 31(7), pp. 1565–1569. doi: 10.1590/0102-311X00150814.WHO (2000) 'The Asia-Pacific Perspective: Redefining Obesity and Its Treatment'. Available at: http://www.wpro.who.int/nutrition/documents/docs/Redefiningobesity.pdf (Accessed: 9 September 2019).

Barrio, R. C. *et al.* (2007) 'In-Hospital Prognostic Value of Glomerular Filtration Rate in Patients With Acute Coronary Syndrome and a Normal Creatinine Level', *Revista Española de Cardiología (English Edition)*. Elsevier, 60(7), pp. 714–719. doi: 10.1016/S1885-5857(08)60006-7.

Basnet, T. B. *et al.* (2019) 'Association of smoking with coronary artery disease in Nepalese populations: a case control study', *Toxicology Research*. The Royal Society of Chemistry, 8(5), pp. 677–685. doi: 10.1039/C9TX00083F.

Benjamin, E. J. *et al.* (2017) 'Heart Disease and Stroke Statistics—2017 Update: A Report from the American Heart Association', *Circulation*. Lippincott

Williams & Wilkins Hagerstown, MD, 135(10). doi: 10.1161/CIR.0000000000000485.

Bhaskaran, K. *et al.* (2014) 'Body-mass index and risk of 22 specific cancers: a population-based cohort study of 5·24 million UK adults', *The Lancet*, 384(9945), pp. 755–765. doi: 10.1016/S0140-6736(14)60892-8.

Bhattacharyya, P. J., Vijapur, S. and Kumar Bhattacharyya, A. (2016) 'A Study of cardiovascular risk factors correlation with the angiographic severity of coronary artery disease using Syntax score', *IOSR Journal of Dental and Medical Sciences (IOSR-JDMS) e-ISSN*, 15(1), pp. 21–28. doi: 10.9790/0853-15142128.

Bickel, Christoph; Lillpopp, Lars; Appelbaum, Sebastian; Ojeda, Francisco; Zeller, Tanja; Schnabel, R. (no date) 'Prognostic Information of the SYNTAX- and Gensini-Score on Long-Term Outcome in Coronary Artery Disease Results of the AtheroGene Study'. Available at: http://spo.escardio.org/eslides/view.aspx?eevtid=54&fp=P5437#targetText=Severity of coronary artery disease,in a general CAD cohort. (Accessed: 8 September 2019).

Boudi, F. B. (2016). *Coronary Artery Atherosclerosis Workup.* Available at: https://emedicine.medscape.com/article/153647-workup (Accessed: November 11, 2018)

Brodsky, S. V *et al.* (2016) 'An obesity paradox: an inverse correlation between body mass index and atherosclerosis of the aorta', *Cardiovascular Pathology*. Elsevier, 25(6), pp. 515–520. doi: 10.1016/J.CARPATH.2016.09.002.

Cai, Q., Mukku, V. and Ahmad, M. (2014) 'Coronary Artery Disease in Patients with Chronic Kidney Disease: A Clinical Update', *Current Cardiology Reviews*, 9(4), pp. 331–339. doi: 10.2174/1573403X10666140214122234.

Cerne, D. *et al.* (2000) 'Mildly elevated serum creatinine concentration correlates with the extent of coronary atherosclerosis', *Renal Failure*, 22(6), pp. 799–808. doi: 10.1081/JDI-100101965.

Chen, X. *et al.* (2016) 'Angiotensin-Converting Enzyme in Smooth Muscle Cells Promotes Atherosclerosis—Brief Report', *Arteriosclerosis, Thrombosis, and Vascular Biology*. Lippincott Williams & Wilkins Hagerstown, MD , 36(6), pp. 1085–1089. doi: 10.1161/ATVBAHA.115.307038.

Chobanian AV, Bakris GL, Black HR, Cushman WC, Green LA, Izzo JL Jr, *et al*. The seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure: the JNC 7 Report. JAMA. 2003;289:2560–2572. PR

Cortes, J. E. *et al.* (2017) 'Effects of Bosutinib Treatment on Renal Function in Patients With Philadelphia Chromosome-Positive Leukemias', *Clinical Lymphoma Myeloma and Leukemia*, 17(10), p. 684–695.e6. doi: 10.1016/j.clml.2017.06.001.

Dada, S. A., Raimi, T. H. and Aremu, A. O. (2018) 'Association between Body Mass Index as A Measure of Excess Weight and Glomerular Filtration rate among Healthy Nigerian Population', *Journal of Nephrology Research*, 4(1). Available at: http://www.ghrnet.org/index.php/jnr/article/view/2400/2752.

Dzau, V. J. (2001) 'Tissue angiotensin and pathobiology of vascular disease: a unifying hypothesis', *Hypertension*, 37, pp. 1047

Fajari, D. (2016) *Hubungan Hipertensi dengan Keparahan Penyakit Jantung Koroner Berdasarkan Sullivan Vessel Score*. Universitas Islam Negeri Syarif Hidayatullah. Available at: http://repository.uinjkt.ac.id/dspace/bitstream/123456789/37386/1/DANIVAN FAJARI RAMANDITYO-FKIK.pdf (Accessed: 8 September 2019).

Farahdika, A. and Azam, M. (2016) 'Risk Factors Associated With Coronary Heart Disease in Young Adult, A Case Control Study Unnes Journal of Public Health (Studi Kasus di RS Umum Daerah Kota Semarang)', *Unnes Journal of Public Health*, 4(2), pp. 117–123.

Fischbach, F. and Dunning, M. B. (III) (2009) *A Manual of Laboratory and Diagnostic Tests (Edition 8)*. 8th edn. Philadelphia: Lippincott Williams & Wilkins.

Flak, E., Fuster, V. (2001) 'Atherosclerosis and its determinants', *Hurst's The Heart*, 10th ed, New York: McGraw-Hill Medical.

Fliotsos, M. *et al.* (2018) 'Body Mass Index From Early-, Mid-, and Older-Adulthood and Risk of Heart Failure and Atherosclerotic Cardiovascular Disease: MESA.', *Journal of the American Heart Association*, 7(22), p. e009599. doi: 10.1161/JAHA.118.009599.

Friedman, A. N. *et al.* (2001) 'The Kidney and Homocysteine Metabolism', *Journal of the American Society of Nephrology*, 12, pp. 2181–2189.

Gensini, G. G. (1983) 'A More Meaningful Scoring System for Determining the Severity of Coronary Heart Disease', *Am J Cardio*, 51, p. 606.

Gerchman, F. *et al.* (2009) 'Body mass index is associated with increased creatinine clearance by a mechanism independent of body fat distribution', *Journal of Clinical Endocrinology and Metabolism*. Endocrine Society, 94(10), pp. 3781–3788. doi: 10.1210/jc.2008-2508.

Gordon T, Kannel WB, Hjortland MC, *et al*. (1978) 'Menopause and coronary heart disease'. *The Framingham Study.* Ann Intern Med 89, pp. 157-61

Hackshaw, A. *et al.* (2018) 'Low cigarette consumption and risk of coronary heart disease and stroke: meta-analysis of 141 cohort studies in 55 study reports.', *BMJ (Clinical research ed.)*. British Medical Journal Publishing Group, 360, p. j5855. doi: 10.1136/bmj.j5855.

Hajar R. (2017). 'Risk Factors for Coronary Artery Disease: Historical Perspectives'. *Heart views: the official journal of the Gulf Heart Association*, *18*(3), pp. 109-114.

Harrison, D, *et al*. (2003) 'Role of oxidative stress in atherosclerosis', *Am J Cardiol*, 91(supp), 7A-11A.

Head, T., Daunert, S. and Goldschmidt-Clermont, P. J. (2017) 'The aging risk and atherosclerosis: A fresh look at arterial homeostasis', *Frontiers in Genetics*, 8(DEC), pp. 1–11. doi: 10.3389/fgene.2017.00216.

Hollander, W. (1976) 'Role of hypertension in atherosclerosis and cardiovascular disease', *The American Journal of Cardiology*, 38(6), pp. 786–800. doi: 10.1016/0002-9149(76)90357-X.

Hong, Y. M. (2010) 'Atherosclerotic cardiovascular disease beginning in childhood', *Korean Circulation Journal*, 40(1), pp. 1–9. doi: 10.4070/kcj.2010.40.1.1.

Inker, L. A. and Perrone, R. D. (2018) *Drugs that elevate the serum creatinine concentration - UpToDate*. Available at: https://www.uptodate.com/contents/drugs-that-elevate-the-serum-creatinine-concentration (Accessed: 15 April 2019).

Jaiswal, S. *et al.* (2017) 'Clonal Hematopoiesis and Risk of Atherosclerotic Cardiovascular Disease', *New England Journal of Medicine*, 377(2), pp. 111–121. doi: 10.1056/NEJMoa1701719.

Jamkhande, P. G. *et al.* (2014) 'Therapeutic approaches to drug targets in atherosclerosis.', *Saudi pharmaceutical journal : SPJ : the official publication of the Saudi Pharmaceutical Society*. Elsevier, 22(3), pp. 179–90. doi: 10.1016/j.jsps.2013.04.005.Bryan, N. S. (2015) 'Nitric oxide enhancement strategies.', *Future science OA*. Future Science Group, 1(1), p. FSO48. doi: 10.4155/FSO.15.48.

Jhon S, Schmieder RE (2000). 'Impaired endothelial function in arterial hypertension and hypercholesterolemia: potential mechanism and differences', *J Hypertension*, 18, pp. 363-374.

Jinnouchi, Y. *et al*. (1998) Glycoalde-hide-modified low density lipoprotein leads macrophages to foam cells via the macrophage scavenger receptor, *J Biochem*, 123, pp. 1208-1217.

Juncos, L. A. and Juncos, L. I. (2016) 'Mineralocorticoid receptor antagonism in AKI: A new hope?', *Journal of the American Society of Nephrology*, 1 February, pp. 335–337. doi: 10.1681/ASN.2015080866.

Kalkan, K. *et al.* (2018) 'The Comparison of Angiographic Scoring Systems With the Predictors of Atherosclerosis', *Angiology*. SAGE PublicationsSage CA: Los Angeles, CA, 69(2), pp. 158–163. doi: 10.1177/0003319717712118.Knudtson, M. (2008) 'Coronary Scoring Systems', *Approach.Org*, pp. 1–32. Available at: http://www.approach.org/images/CorScorTut/History_of_Coronary_Scoring.pdf.

Karmali, K. N. *et al.* (2016) 'Drugs for Primary Prevention of Atherosclerotic Cardiovascular Disease: An Overview of Systematic Reviews.', *JAMA cardiology*. NIH Public Access, 1(3), pp. 341–9. doi: 10.1001/jamacardio.2016.0218.

Katakami, N. (2018) 'Mechanism of Development of Atherosclerosis and Cardiovascular Disease in Diabetes Mellitus', *Journal of Atherosclerosis and Thrombosis*, 25(1), pp. 27–39. doi: 10.5551/jat.RV17014.

Kaya, H. *et al.* (2014) 'Association Between Neutrophil to Lymphocyte Ratio and Severity of Coronary Artery Disease', *Clinical and Applied Thrombosis/Hemostasis*, 20(1), pp. 50–54. doi: 10.1177/1076029612452116.

Kementerian Kesehatan Republik Indonesia (2014) *Kondisi Kesehatan Jantung*. Jakarta: Kementerian Kesehatan Republik Indonesia.

Kementerian Kesehatan Republik Indonesia (2017) *Penyakit Jantung Penyebab Kematian Tertinggi, Kemenkes Ingatkan CERDIK, Kementerian Kesehatan Republik Indonesia*. Available at: http://www.depkes.go.id/article/view/17073100005/penyakit-jantung-penyebab-kematian-tertinggi-kemenkes-ingatkan-cerdik-.html (Accessed: 31 October 2018).

Koca, T. T. (2017) 'Does obesity cause chronic inflammation? The association between complete blood parameters with body mass index and fasting glucose.', *Pakistan journal of medical sciences*. Professional Medical Publications, 33(1), pp. 65–69. doi: 10.12669/pjms.331.11532.

Korkmaz, S. *et al.* (2011) 'Serum creatinine is independently associated with angiographic extent of coronary artery disease in patients with stabel angina

pectoris', *Anadolu Kardiyoloji Dergisi/The Anatolian Journal of Cardiology*, pp. 407–413. doi: 10.5152/akd.2011.107.

Kralev, S. *et al.* (2011) 'Incidence and Severity of Coronary Artery Disease in Patients with Atrial Fibrillation Undergoing First-Time Coronary Angiography', *PLoS ONE*. Edited by G. Biondi-Zoccai. Public Library of Science, 6(9), p. e24964. doi: 10.1371/journal.pone.0024964.

Kurihara, O. *et al.* (2016) 'Relationship between Body Mass Index and Coronary Atherosclerosis Analyzed by Multivessel Angioscopic Study', *Angioscopy*, 2(1), pp. 19–24. doi: 10.15791/angioscopy.oa.16.0010.

Larifla, L. *et al.* (2014) 'Distribution of coronary artery disease severity and risk factors in Afro-Caribbeans', *Archives of Cardiovascular Diseases*. Elsevier Masson, 107(4), pp. 212–218. doi: 10.1016/J.ACVD.2014.03.003.

Li, N. *et al.* (2006) 'Hyperhomocysteinemia Associated With Decreased Renal Transsulfuration Activity in Dahl S Rats', *Hypertension*, 47(6), pp. 1094–1100. doi: 10.1161/01.HYP.0000219634.83928.6e.

Li, X M; Ma, Y T; Xie, X; Zheng, Y. Y. (2014) 'Relationship between serum creatinine and obesity in children in Xianjing, China', *Genetics and Molecular Research*, 13(2), pp. 2409–2416. doi: http://dx.doi.org/10.4238/2014.April.3.13.

Libby, P., Deanfield, J. E. (2001) 'Targeting global risk in the management of atherosclerosis and vascular disease'. *CME Monograph.*

Long, Y. and Nie, J. (2016) 'Homocysteine in Renal Injury', *Kidney Diseases*, 2(2), pp. 80–87. doi: 10.1159/000444900.

Mann, D. L. *et al.* (2015) *Braunwald's heart disease: a textbook of cardiovascular medicine*. Tenth edition. Philadelphia: Elsevier.

Messner, B. and Bernhard, D. (2014) 'Smoking and cardiovascular disease: mechanisms of endothelial dysfunction and early atherogenesis.', *Arteriosclerosis, thrombosis, and vascular biology*. Lippincott Williams & Wilkins Hagerstown, MD , 34(3), pp. 509–15. doi: 10.1161/ATVBAHA.113.300156.

Milane, A. *et al.* (2015) 'Association of coronary artery disease and chronic kidney disease in Lebanese population.', *International journal of clinical and experimental medicine*. e-Century Publishing Corporation, 8(9), pp. 15866–77. Available at: http://www.ncbi.nlm.nih.gov/pubmed/26629090 (Accessed: 4 September 2019).

Murray, R. K. *et al.* (2012) *Harper's Illustrated Biochemistry*. 29th edn, *Harper' s Illustrated Biochemistry*. 29th edn. New York: McGraw - Hill Medical.

Na, K. Y. *et al.* (2009) 'The association between kidney function, coronary artery disease, and clinical outcome in patients undergoing coronary angiography', *Journal of Korean Medical Science*, 24(SUPPL.1), pp. 87–94. doi: 10.3346/jkms.2009.24. S1.S87.

Neeland, I. J. *et al.* (2012) 'Coronary angiographic scoring systems: an evaluation of their equivalence and validity.', *American heart journal*. NIH Public Access, 164(4), pp. 547-552.e1. doi: 10.1016/j.ahj.2012.07.007.Safarian, H. *et al.* (2014) 'The SYNTAX Score Can Predict Major Adverse Cardiac Events Following Percutaneous Coronary Intervention', *Heart Views : The Official Journal of the Gulf Heart Association*. Wolters Kluwer -- Medknow Publications, 15(4), p. 99. doi: 10.4103/1995-705X.151081.

Nurkalem, Z. *et al.* (2010) 'The Relationship between Glucose Tolerance and Severity of Coronary Artery Disease Using the Gensini Score', *Angiology*, 61(8), pp. 751–755. doi: 10.1177/0003319710373747.

Omote, S. *et al.* (2018) 'Effect of tyrosine kinase inhibitors on renal handling of creatinine by MATE1.', *Scientific reports*. Nature Publishing Group, 8(1), p. 9237. doi: 10.1038/s41598-018-27672-y.

Papakonstantinou, N. A. *et al.* (2013) 'Sex differentiation with regard to coronary artery disease', *Journal of Cardiology*. Japanese College of Cardiology, 62(1), pp. 4–11. doi: 10.1016/j.jjcc.2013.03.001.

PERKENI (2015) 'Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015'. Available at: https://pbperkeni.or.id/wp-content/uploads/2019/01/4.-Konsensus-Pengelolaan-dan-Pencegahan-Diabetes-melitus-tipe-2-di-Indonesia-PERKENI-2015.pdf (Accessed: 9 September 2019).

PERKI (2013) *Pedoman Tatalaksana Dislipidemia*. Jakarta. Available at: http://www.inaheart.org/upload/file/Pedoman_tatalksana_Dislipidemia.pdf (Accessed: 31 August 2019).

Pusat Data dan Informasi Kementerian Kesehatan RI (2014) *Situasi dan Analisis Diabetes*. Jakarta. Available at: http://www.depkes.go.id/resources/download/pusdatin/infodatin/infodatin-diabetes.pdf (Accessed: 8 April 2019).

Rahayu, M. S. (2018) 'Hubungan Indeks Massa Tubuh dengan Penyakit Jantung Koroner di Rumah Sakit Umum Cut Meutia Kabupaten Aceh Utara', *Jurnal*

Kedokteran dan Kesehatan Malikussaleh, pp. 9–16. Available at: http://ojs.unimal.ac.id/index.php/averrous/article/download/400/325.

Ramandika, E. A. (2012) *Hubungan Faktor Risiko Mayor Penyakit Jantung Koroner dengan Skor Pembuluh Darah Koroner dari Hasil Angiografi Koroner di RSUP Dr. Kariadi Semarang*. Universitas Diponegoro. Available at: http://eprints.undip.ac.id/37517/1/Erasta_Agri_R%2C_G2A008069%2C_LAP_KTI.pdf (Accessed: 4 September 2019).

Rauscher, F. M. *et al*. (2003). 'Aging, progenitor cell exhaustion, and atherosclerosis'. *Circulation* 108,457–463. doi: 10.1161/01.CIR.0000082924.75945.48

Reddy, Y. S. *et al* (2015). 'Nitric oxide status in patients with chronic kidney disease. *Indian journal of nephrology', 25*(5), pp. 287-291. doi: 10.4103/0971-4065.147376.

Rekhviashvili, A., Godziashvili, M. and Archvadze, N. (2015) 'Association Between Blood Creatinine Concentration and Subclinical Atherosclerosis in Hypertensive and Normotensive Patients', *Journal of Hypertension*, 33, pp. e241–e242. doi: 10.1097/01.hjh.0000468086.79838.00.

Rossi, R. *et al.* (2011) 'Influence of body mass index on extent of coronary atherosclerosis and cardiac events in a cohort of patients at risk of coronary artery disease.', *Nutrition, metabolism, and cardiovascular diseases : NMCD*. Elsevier, 21(2), pp. 86–93. doi: 10.1016/j.numecd.2009.09.001.

Rostami, R., Najafi, M., Sarami, R., Bozorgi, A., Soltani, M., & Salamati, P. (2017). 'Gensini scores and well-being states among patients with coronary artery disease: A comparison study', *ARYA Atherosclerosis*, *13*(5), pp. 205–210.

Sanchis-Gomar, F. *et al.* (2016) 'Epidemiology of coronary heart disease and acute coronary syndrome', *Annals of Translational Medicine*, 4(13), pp. 256–256. doi: 10.21037/atm.2016.06.33.

Sargowo, D. (2014) *Patogenesis Aterosklerosis*. Surabaya: UB Press.

Sayin, Muhammet R., Çetiner, Mehmet A., Karabağ, T., Doğan, S. M. and Aydın, M., Yavuz, N. (2012) 'The Relationship Between the Gensini Score and Complete Blood Count Parameters in Coronary Artery Disease', *Koşuyolu Kalp Dergisi*, 15(2), pp. 51–54. doi: 10.5578/kkd.3977.

Schneider, C. *et al.* (2016) 'Doubling of serum creatinine and the risk of cardiovascular outcomes in patients with chronic kidney disease and type 2

diabetes mellitus: A cohort study', *Clinical Epidemiology*, 8, pp. 177–184. doi: 10.2147/CLEP.S107060.

Shi, E. L. *et al.* (2015) 'Clinical therapeutic effects of aspirin in combination with blood-activating and stasis-resolving drugs on coronary heart diseases: A meta-analysis', *Atherosclerosis*. Elsevier, 241(1), p. e210. doi: 10.1016/j.atherosclerosis.2015.04.998.WHO (2018) *ATC/DDD Index 2019*. Available at: https://www.whocc.no/atc_ddd_index/ (Accessed: 24 April 2019).

Stallones, R. A. (2015) 'The association between tobacco smoking and coronary heart disease', *International Journal of Epidemiology*. Narnia, 44(3), pp. 735–743. doi: 10.1093/ije/dyv124..

Supriyono, M. (2008) *Faktor - Faktor Risiko yang Berpengaruh Terhadap Kejadian Penyakit Jantung Koroner Pada Kelompok Usia*. Universitas Diponegoro. Available at: https://core.ac.uk/download/pdf/11717772.pdf (Accessed: 1 September 2019).

Vaziri, N. D. (2006) 'Dyslipidemia of chronic renal failure: the nature, mechanisms, and potential consequences', 290, pp. 262–272. doi: 10.1152/ajprenal.00099.2005.

Vaziri, N. D. and Norris, K. (2011) 'Lipid Disorders and Their Relevance to Outcomes in Chronic Kidney Disease', *Blood Purification*, 31(1–3), pp. 189–196. doi: 10.1159/000321845.

Veeranna, V. *et al.* (2010) 'Traditional Cardiovascular Risk Factors and Severity of Angiographic Coronary Artery Disease in the Elderly', *Preventive Cardiology*. John Wiley & Sons, Ltd (10.1111), 13(3), p. no-no. doi: 10.1111/j.1751-7141.2009.00062.x.

Vidal-Petiot, E. *et al.* (2016) 'Imatinib Increases Serum Creatinine by Inhibiting Its Tubular Secretion in a Reversible Fashion in Chronic Myeloid Leukemia.', *Clinical lymphoma, myeloma & leukemia*, 16(3), pp. 169–74. doi: 10.1016/j.clml.2015.12.001.

Wannamethee, S. G., Shaper, A. G. and Perry, I. J. (1997) 'Serum Creatinine Concentration and Risk of Cardiovascular Disease', *Stroke*. Lippincott Williams & Wilkins, 28(3), pp. 557–563. doi: 10.1161/01.STR.28.3.557.

WHO (2018) *WHO | Cardiovascular diseases (CVDs), WHO*. World Health Organization. Available at: https://www.who.int/cardiovascular_diseases/en/ (Accessed: 31 October 2018).

Wiyono, S., Bantas, K., Hatma, RD., Soekirman, SW. (2004). Kadar Kolesterol pada Orang Dewasa di Kota Surakarta. Cermin Kedokteran Indonesia: Jakarta

Yamamoto, S. and Kon, V. (2009) 'Mechanisms for increased cardiovascular disease in chronic kidney dysfunction.', *Current opinion in nephrology and hypertension*. NIH Public Access, 18(3), pp. 181–8. doi: 10.1097/MNH.0B013E328327B360.

Yuliani, Fadma; Oenzil, Fadil; Iryani, D. (2014) 'Hubungan Berbagai Faktor Risiko Terhadap Lekadian Penyakit Jantung Koroner pada Penderita Diabetes Melitus Tipe 2', *Jurnal Kesehatan Andalas*, 3(1), pp. 37–40. Available at: https://pdfs.semanticscholar.org/15db/9b6898e8617cf851ec66afdee76f6a33bd67.pdf (Accessed: 2 September 2019).

Zahrawardani, D., Herlambang, K. S. and Anggraheny, H. D. (2013) 'Analisis Faktor Risiko Kejadian Penyakit Jantung Koroner di RSUP Dr Kariadi Semarang', *Jurnal Kedokteran Muhammadiyah*, 1(3), p. 13. Available at: http://jurnal.unimus.ac.id/index.php/kedokteran/article/view/1341.