

REFERENCES

- Adabag, S., Huxley, R., Lopez, L., Chen, Y., Sotoodehnia, N., Siscovick, D., *et al.* (2015). Obesity-related risk of sudden cardiac death in the atherosclerosis risk in communities study. *Heart*, 101(3), pp.215-221.
- Afsin, A., Forouzanfar, H., Reitsma, B., Sur, P., Estep, K., Lee, A., *et al.* (2017). Health effects of overweight and obesity in 195 countries over 25 years. *New England Journal of Medicine*, 377(1), pp.13-27.
- Anderson, R., Razavi, R. and Taylor, A. (2004). Cardiac anatomy revisited. *Journal of Anatomy*, 205(3), pp.159-177.
- Ashida, N., Arai, H., Yamasaki, M. and Kita, T. (2001). Distinct signalling pathways for MCP-1-dependent integrin activation and chemotaxis. *Journal of Biological Chemistry*, 276(19), pp.16555-16560.
- Azevedo-Martins, A., Monteiro, A., Lima, C., Lenzen, S. and Curi, R. (2006). Fatty acid-induced toxicity and neutral lipid accumulation in insulin-producing RINm5F cells. *Toxicology in Vitro*, 20(7), pp.1106-1113.
- Bai, Y. and Sun, Q. (2015). Macrophage recruitment in obese adipose tissue. *Obesity Reviews*, 16(2), pp.127-136.
- Berg, A. and Scherer, P. (2005). Adipose tissue, inflammation, and cardiovascular disease. *Circulation Research*, 96(9), pp.939-949.
- Bogers, R.P., *et al.* (2007). Association of overweight with increased risk of coronary heart disease partly independent of blood pressure and cholesterol levels: a meta-analysis of 21 cohort studies including more than 300.000 persons. *Archives of Internal Medicine*, 167(16), p.1720.
- Brough, D., Tyrrell, P. and Allan, S. (2011). Regulation of interleukin-1 in acute brain injury. *Trends in Pharmacological Sciences*, 32(10), pp.617-622.
- Carlsen, H., Haugen, F., Zadelaar, S., Kleemann, R., Kooistra, T., Drevon, C., *et al.* (2009). Diet-induced obesity increases NF- κ B signalling in reporter mice. *Genes & Nutrition*, 4(3), pp.215-222.
- Chen, A., Mumick, S., Zhang, C., Lamb, J., Dai, H., Weingarth, D., *et al.* (2005). Diet induction of monocyte chemoattractant protein-1 and its impact on obesity. *Obesity Research*, 13(8), pp.1311-1320.
- Christoffersen, C., Bollano, E., Lindegaard, M., Bartels, E., Goetze, J., Andersen, C. and Nielsen, L. (2003). Cardiac lipid accumulation associated with diastolic dysfunction in obese mice. *Endocrinology*, 144(8), pp.3483-3490.
- Cockman, M., Masson, N., Mole, D., Jaakkola, P., Chang, G., Clifford, S., *et al.*, Maher, E., Pugh, C., Ratcliffe, P. and Maxwell, P. (2000). Hypoxia-inducible factor- α binding and ubiquitylation by the von Hippel-Lindau tumor suppressor protein. *Journal of Biological Chemistry*, 275(33), pp.25733-25741.
- Cortez, M., Carmo, L., Rogero, M., Borelli, P. and Fock, R. (2012). A high-fat diet increases IL-1, IL-6, and TNF- α production by increasing NF- κ B and attenuating PPAR- γ expression in bone marrow mesenchymal stem cells. *Inflammation*, 36(2), pp.379-386.
- Crewe, C., An, Y. and Scherer, P. (2017). The ominous triad of adipose tissue dysfunction: inflammation, fibrosis, and impaired angiogenesis. *Journal of Clinical Investigation*, 127(1), pp.74-82.

- Dabbs, D. (2013). *Diagnostic Immunohistochemistry*. London: Elsevier Health Sciences.
- de Lemos, J., Morrow, A., Sabatine, S., Murphy, S., Gibson, M., Antman, M., *et al.* (2003). Association between plasma levels of monocyte chemoattractant protein-1 and long-term clinical outcomes in patients with acute coronary syndromes. *Circulation*, 107(5), pp.690-695.
- Defronzo, R. (2004). Dysfunctional fat cells, lipotoxicity and type 2 diabetes. *International Journal of Clinical Practice*, 58, pp.9-21.
- Donadelli, R., Abbate, M., Zanchi, C., Coma, D., Tomasoni, S., Benigni, A., *et al.* (2000). Protein traffic activates NF- κ B gene signalling and promotes MCP-1-dependent interstitial inflammation. *American Journal of Kidney Diseases*, 36(6), pp.1226-1241.
- Dorresteijn, J., Visseren, F. and Spiering, W. (2011). Mechanisms linking obesity to hypertension. *Obesity Reviews*, 13(1), pp.17-26.
- Drosatos, K. and Schulze, P. (2013). Cardiac lipotoxicity: Molecular pathways and therapeutic implications. *Current Heart Failure Reports*, 10(2), pp.109-121.
- Fatkhullina, A., Peshkova, I. and Koltsova, E. (2016). The role of cytokines in the development of atherosclerosis. *Biochemistry (Moscow)*, 81(11), pp.1358-1370.
- Frantz, S., Kelly, R. and Bourcier, T. (2000). Role of TLR-2 in the activation of nuclear factor κ b by oxidative stress in cardiac myocytes. *Journal of Biological Chemistry*, 276(7), pp.5197-5203.
- Fujisaka, S., Usui, I., Ikutani, M., Aminuddin, A., Takikawa, A., Tsuneyama, K., Mahmood, A., Goda, N., Nagai, Y., Takatsu, K. and Tobe, K. (2013). Adipose tissue hypoxia induces inflammatory M1 polarity of macrophages in an HIF-1 α -dependent and HIF-1 α -independent manner in obese mice. *Diabetologia*, 56(6), pp.1403-1412.
- Garvey, J., Taylor, C. and McNicholas, W. (2009). Cardiovascular disease in obstructive sleep apnoea syndrome: The role of intermittent hypoxia and inflammation. *European Respiratory Journal*, 33(5), pp.1195-1205.
- Geissmann, F., Manz, M., Jung, S., Sieweke, M., Merad, M. and Ley, K. (2010). Development of monocytes, macrophages, and dendritic cells. *Science*, 327(5966), pp.656-661.
- Gerhardt, C., Romero, I., Canello, R., Camoin, L. and Strosberg, A. (2001). Chemokines control fat accumulation and leptin secretion by cultured human adipocytes. *Molecular and Cellular Endocrinology*, 175(1-2), pp.81-92.
- Gordon, S. and Aerts, J. (2003). *The Macrophage as Therapeutic target*. Berlin: Springer.
- Gordon, S. and Taylor, P. (2005). Monocyte and macrophage heterogeneity. *Nature Reviews Immunology*, 5(12), pp.953-964.
- Halberg, N., Wernstedt-Asterholm, I. and Scherer, P. (2008). The adipocyte as an endocrine cell. *Endocrinology and Metabolism Clinics of North America*, 37(3), pp.753-768.

- Hall, J. and Guyton, A. (2016). *Guyton and Hall Textbook of Medical Physiology*. 13th ed. Philadelphia, PA: Elsevier.
- Han, C., Subramanian, S., Chan, K., Omer, M., Chiba, T., Wight, N., *et al.* (2007). Adipocyte-derived serum amyloid A3 and hyaluronan play a role in monocyte recruitment and adhesion. *Diabetes*, 56(9), pp.2260-2273.
- Hayden, M. and Ghosh, S. (2012). NF- κ B, the first quarter-century: remarkable progress and outstanding questions. *Genes & Development*, 26(3), pp.203-234.
- Herrera, B. and Lindgren, C. (2010). The Genetics of Obesity. *Current Diabetes Reports*, 10(6), pp.498-505.
- Hoffmann, A., Natoli, G. and Ghosh, G. (2006). Transcriptional regulation via the NF- κ B signalling module. *Oncogene*, 25(51), pp.6706-6716.
- Hosogai, N., Fukuhara, A., Oshima, K., Miyata, Y., Tanaka, S., Segawa, K., Furukawa, S., Tochino, Y., Komuro, R., Matsuda, M. and Shimomura, I. (2007). Adipose tissue hypoxia in obesity and its impact on adipocytokine dysregulation. *Diabetes*, 56(4), pp.901-911.
- Huang, S., Rutkowski, M., Snodgrass, G., Ono-Moore, D., Schneider, A., Newman, W., *et al.* (2012). Saturated fatty acids activate TLR-mediated proinflammatory signalling pathways. *Journal of Lipid Research*, 53(9), pp.2002-2013.
- Huxley, R., Lopez, L., Folsom, R., Agarwal, K., Loefer, R., Soliman, Z., *et al.* (2011). Absolute and attributable risks of atrial fibrillation in relation to optimal and borderline risk factors. *Circulation*, 123(14), pp.1501-1508.
- Jacobs, J. and de Lange, T. (2004). Significant role for p16INK4a in p53-independent telomere-directed senescence. *Current Biology*, 14(24), pp.2302-2308.
- Kamei, N., Tobe, K., Suzuki, R., Ohsugi, M., Watanabe, T., Kubota, N., *et al.* (2006). Overexpression of monocyte chemoattractant protein-1 in adipose tissues causes macrophage recruitment and insulin resistance. *Journal of Biological Chemistry*, 281(36), pp.26602-26614.
- Karasawa, T., Kawashima, A., Usui-Kawanishi, F., Watanabe, S., Kimura, H., Kamata, H., *et al.* (2018). Saturated fatty acids undergo intracellular crystallization and activate the NLRP3 inflammasome in macrophages. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 38(4), pp.744-756.
- Karin, M. and Ben-Neriah, Y. (2000). Phosphorylation meets ubiquitination: the control of NF- κ B activity. *Annual Review of Immunology*, 18(1), pp.621-663.
- Kawai, T. and Akira, S. (2007). Signalling to NF- κ B by toll-like receptors. *Trends in Molecular Medicine*, 13(11), pp.460-469.
- Kenchiah, S., Evans, J., Levy, D., Wilson, P., Benjamin, E., Larson, M., *et al.* (2002). Obesity and the risk of heart failure. *Biomedicine & Pharmacotherapy*, 57(2), p.110.
- Kenny, E. and O'Neill, L. (2008). Signalling adaptors used by toll-like receptors: an update. *Cytokine*, 43(3), pp.342-349.

- Kern, L., Mittenbühler, M., Vesting, A., Ostermann, A., Wunderlich, C. and Wunderlich, F. (2018). Obesity-induced TNF α and IL-6 signalling: tithe missing link between obesity and inflammation—driven liver and colorectal cancers. *Cancers*, 11(1), p.24.
- Kim, C., Park, S., Kawada, T., Kim, H., Lim, D., Hubbard, E., *et al.* (2006). Circulating levels of MCP-1 and IL-8 are elevated in human obese subjects and associated with obesity-related parameters. *International Journal of Obesity*, 30(9), pp.1347-1355.
- Ko, H., Zhang, Z., Jung, Y., Jun, Y., Ma, Z., Jones, E., *et al.* (2009). Nutrient stress activates inflammation and reduces glucose metabolism by suppressing AMP-activated protein kinase in the heart. *Diabetes*, 58(11), pp.2536-2546.
- Lakin, N. and Jackson, S. (1999). Regulation of p53 in response to DNA damage. *Oncogene*, 18(53), pp.7644-7655.
- Lau, D., Dhillon, B., Yan, H., Szmítko, P. and Verma, S. (2005). Adipokines: Molecular links between obesity and atherosclerosis. *American Journal of Physiology-Heart and Circulatory Physiology*, 288(5), pp.2031-2041.
- Lawrence, T. (2009). The nuclear factor nf-kb pathway in inflammation. *Cold Spring Harbor Perspectives in Biology*, 1(6), pp.001651-001651.
- Lee, Y., Kim, J., Osborne, O., Oh, D., Sasik, R., Schenk, S., Chen, A., Chung, H., Murphy, A., Watkins, S., Quehenberger, O., Johnson, R. and Olefsky, J. (2014). Increased adipocyte O₂ consumption triggers hif-1 α , causing inflammation and insulin resistance in obesity. *Cell*, 157(6), pp.1339-1352.
- Lin, J., Kakkar, V. and Lu, X. (2014). Impact of MCP -1 in atherosclerosis. *Current Pharmaceutical Design*, 20(28), pp.4580-4588.
- Martinon, F., Agostini, L., Meylan, E. and Tschopp, J. (2004). Identification of bacterial muramyl dipeptide as activator of the NALP3/CRYOPYRIN inflammasome. *Current Biology*, 14(21), pp.1929-1934.
- McGavock, J., Victor, R., Unger, R. and Szczepaniak, L. (2006). Adiposity of the heart, revisited. *Annals of Internal Medicine*, 144(7), p.517.
- Moe, K., Khairunnisa, K., Yin, N., Chin-Dusting, J., Wong, P. and Wong, M. (2014). Tumor necrosis factor- α -induced nuclear factor-kappab activation in human cardiomyocytes is mediated by NADPH oxidase. *Journal of Physiology and Biochemistry*, 70(3), pp.769-779.
- Moore, K., Agur, A. and Dalley, A. (2014). *Clinically Oriented Anatomy*. 7th ed. Philadelphia: LWW, pp.135 - 160.
- Mosser, D. and Edwards, J. (2008). Exploring the full spectrum of macrophage activation. *Nature Reviews Immunology*, 8(12), pp.958-969.
- Murao, K., Ohyama, T., Imachi, H., Ishida, T., Cao, W., Namihira, H., *et al.*, Sato, M., Wong, N. and Takahara, J. (2000). TNF- α stimulation of MCP-1 expression iIs mediated by the Akt/PKB signal transduction pathway in vascular endothelial cells. *Biochemical and Biophysical Research Communications*, 276(2), pp.791-796.
- Murphy, K. and Weaver, C. (2016). *Janeway's immunobiology*. 9th ed. New York: Garland Science.
- Nakatsumi, H., Matsumoto, M. and Nakayama, K. (2017). Noncanonical pathway for regulation of CCL2 expression by an MTORC1-FOXK1 axis promotes

- recruitment of tumor-associated macrophages. *Cell Reports*, 21(9), pp.2471-2486.
- Nelson, D., Ihekweba, E., Elliot, M., Johnson, R., Gibney, A., Foreman, E., *et al.* (2004). Oscillations in NF-kb signalling control the dynamics of gene expression. *Science*, 306(5696), pp.704-708.
- Nguyen, M. Favelyukis, S., Nguyen, K., Reichart, D., Scott, A., *et al.* (2007). A subpopulation of macrophages infiltrates hypertrophic adipose tissue and is activated by free fatty acids via toll-like receptors 2 and 4 and JNK-dependent pathways. *Journal of Biological Chemistry*, 282(48), pp.35279-35292.
- Nizet, V. And Johnson, R. (2009). Interdependence of hypoxic and innate immune responses. *Nature Reviews Immunology*, 9(9), pp.609-617.
- Novelli, E., Diniz, Y., Galhardi, C., Ebaid, G., Rodrigues, H., Mani, F., Fernandes, A., Cicogna, A. and Novelli Filho, J. (2007). Anthropometrical parameters and markers of obesity in rats. *Laboratory Animals*, 41(1), pp.111-119.
- Ntaios, G., Gatselis, N., Makaritsis, K. and Dalekos, G. (2013). Adipokines as mediators of endothelial function and atherosclerosis. *Atherosclerosis*, 227(2), pp.216-221.
- Chai, H., Lin, P., Lumsden, A., Yao, Q. and Chen, C. (2005). Adipocyte-derived cytokine resistin causes endothelial dysfunction of porcine coronary arteries. *Journal of Vascular Surgery*, 41(4), pp.691-698.
- Nuovo, G. (2013). *In Situ Molecular Pathology And Co-Expression Analyses*. London: Academic Press.
- Opatrikova, R., Caprnda, M., Kubatka, P., Valentova, V., Uramova, S., Nosal, V., *et al.* (2018). Adipokines in neurovascular diseases. *Biomedicine & Pharmacotherapy*, 98, pp.424-432.
- Pasarica, M., Sereda, r., Redman, M., Albarado, C., Hymel, T., Roan, E. (2008). Reduced adipose tissue oxygenation in human obesity: Evidence for rarefaction, macrophage chemotaxis, and inflammation without an angiogenic response. *Diabetes*, 58(3), pp.718-725.
- Pietiläinen, K. Kannisto, K., Korshennikova, E., Rissanen, A., Kaprio, J., Ehrenborg, E., *et al.* (2006). Acquired obesity increases CD68 and tumor necrosis factor- α and decreases adiponectin gene expression in adipose tissue: A Study in Monozygotic Twins. *The Journal of Clinical Endocrinology & Metabolism*, 91(7), pp.2776-2781.
- Poirier, P., Giles, D., Bray, A., Hong, Y., Stern, S., Pi-Sunyer, X., *et al.* (2006). Obesity and cardiovascular disease: Pathophysiology, evaluation, and effect of weight loss. *Circulation*, 113(6), pp.898-918.
- Pugazhenth, S., Zhang, Y., Bouchard, R. and Mahaffey, G. (2013). Induction of an inflammatory loop by interleukin-1 β and tumor necrosis factor- α involves NF-kB and STAT-1 in differentiated human neuroprogenitor cells. *PLoS ONE*, 8(7), p.69585.
- Rovin, B., Dickerson, J., Tan, L. and Hebert, C. (1995). Activation of nuclear factor-kb correlates with mcp-1 expression by human mesangial cells. *Kidney International*, 48(4), pp.1263-1271.
- Riskesdas. Badan Penelitian Pengembangan Kesehatan Kementerian Kesehatan RI 2018. Riset Kesehatan Daerah. Jakarta: Riskesdas: 2018.

- Sartipy, P. and Loskutoff, D. (2003). Monocyte chemoattractant protein 1 in obesity and insulin resistance. *Proceedings of the National Academy of Sciences*, 100(12), pp.7265-7270.
- Schwenk, R., Holloway, G., Luiken, J., Bonen, A. and Glatz, J. (2010). Fatty acid transport across the cell membrane: Regulation by fatty acid transporters. prostaglandins, leukotrienes and essential fatty acids (PLEFA), 82(4-6), pp.149-154.
- Shimizu, I. and Minamino, T. (2019). Cellular senescence in cardiac diseases. *Journal of Cardiology*, 74(4), pp.313-319.
- Singh, G., Danael, G., Farzadfar, F., Stevens, A., Woodward, M., Wromser, D., *et al.* (2013). The age-specific quantitative effects of metabolic risk factors on cardiovascular diseases and diabetes: a pooled analysis. *PLoS ONE*, 8(7), pp.65174.
- Skalniak, L., Mizgalska, D., Zarebski, A., Wyrzykowska, P., Koj, A. and Jura, J. (2009). Regulatory feedback loop between NF-κB and MCP-1-induced protein 1 mase. *FEBS Journal*, 276(20), pp.5892-5905.
- Skinner, A., Steiner, M., Henderson, F. and Perrin, E. (2010). Multiple markers of inflammation and weight status: cross-sectional analyses throughout childhood. *Pediatrics*, 125(4), pp.801-809.
- Socié, G., Zeiser, R. and Blazar, B. (2018). *Immune Biology of Allogeneic Hematopoietic Stem Cell Transplantation*. Nevada: Academic Publisher.
- Stroka, D., Burkhardt, T., Desbaillets, I., Wenger, H., Neil, A., Bauer, C., *et al.* (2001). HIF-1 is expressed in normoxic tissue and displays an organ-specific regulation under systemic hypoxia. *The FASEB Journal*, 15(13), pp.2445-2453.
- Suganami, T., Nishida, J. and Ogawa, Y. (2005). A paracrine loop between adipocytes and macrophages aggravates inflammatory changes. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 25(10), pp.2062-2068.
- Takahashi, K. Mizuarai, H., Araki, H., Mashiko, S., Ishihara, A., Kanatani, A., *et al.* (2003). Adiposity elevates plasma MCP-1 levels leading to the increased CD11b-positive monocytes in mice. *Journal of Biological Chemistry*, 278(47), pp.46654-46660.
- Tarique, A., Logan, J., Thomas, E., Holt, P., Sly, P. and Fantino, E. (2015). Phenotypic, functional, and plasticity features of classical and alternatively activated human macrophages. *American Journal of Respiratory Cell and Molecular Biology*, 53(5), pp.676-688.
- Tchkonia, T., Zhu, Y., van Deursen, J., Campisi, J. and Kirkland, J. (2013). Cellular senescence and the senescent secretory phenotype: Therapeutic opportunities. *Journal of Clinical Investigation*, 123(3), pp.966-972.
- Tilg, H. and Moschen, A. (2008). Inflammatory mechanisms in the regulation of insulin resistance. *Molecular Medicine*, 14(3-4), pp.222-231.
- Toussaint, O., Royer, V., Salmon, M. and Remacle, J. (2002). Stress-induced premature senescence and tissue ageing. *Biochemical Pharmacology*, 64(5-6), pp.1007-1009.

- Trent, C., Yu, S., Hu, Y., Skoller, N., Huggins, L., Homma, S. and Goldberger et al., I. (2014). Lipoprotein lipase activity is required for cardiac lipid droplet production. *Journal of Lipid Research*, 55(4), pp.645-658.
- Underhill, D. and Ozinsky, A. (2002). Phagocytosis of microbes: complexity in action. *Annual Review of Immunology*, 20(1), pp.825-852.
- van der Heiden, K., Cuhlmann, S., Luong, L., Zakkar, M. and Evans, P. (2010). Role of nuclear factor-kb in cardiovascular health and disease. *Clinical Science*, 118(10), pp.593-605.
- Vanbervliet, B. Homey, B., Durand, I., Massacrier, C., Ait-Yahla, S., de Bouteiller, O., et al. (2002). Sequential involvement of CCR2 and CCR6 ligands for immature dendritic cell recruitment: possible role at inflamed epithelial surfaces. *European Journal Of Immunology*, 32(1), pp.231-242.
- Wang, N., Liang, H. and Zen, K. (2014). Molecular mechanisms that influence the macrophage m1-m2 polarization balance. *Frontiers in Immunology*, p.5.
- Wang, W., Wu, L., Du, X., Zhang, F., Ullah, H., Lei, T., et al. (2019). Anti-toll-like receptor 2 antibody inhibits nuclear factor kappa b activation and attenuates cardiac damage in high-fat-feeding rats. *Acta Biochimica Et Biophysica Sinica*, 51(4), pp.347-355.
- Weisberg, S., McCann, D., Desai, M., Rosenbaum, M., Leibel, R. and Ferrante, A. (2003). Obesity is associated with macrophage accumulation in adipose tissue. *Journal Of Clinical Investigation*, 112(12), pp.1796-1808.
- WHO. (2018). Obesity and overweight fact sheet No. 311. Retrieved June 11, 2019, from <https://www.who.int/en/news-room/fact-sheets/detail/obesity-and-overweight>
- Wisse, B. (2004). The inflammatory syndrome: the role of adipose tissue cytokines in metabolic disorders linked to obesity. *Journal of the American Society of Nephrology*, 15(11), pp.2792-2800.
- Wolf, J. S., Chen, Z., Dong, G., Sunwoo, B., Bancroft, C., Capo, E., et al. (2001). IL (interleukin)-1alpha promotes nuclear factor-kappab and AP-1-induced IL-8 expression, cell survival, and proliferation in head and neck squamous cell carcinomas. *Clinical Cancer Research*, 7, pp.1812-1820.
- Xing, L. and Remick, D. (2007). Promoter elements responsible for antioxidant regulation of MCP-1 gene expression. *Antioxidants & Redox Signalling*, 9(11), pp.1979-1990.
- Xu, W., Zhao, X., Daha, M. and van Kooten, C. (2013). Reversible differentiation of pro- and anti-inflammatory macrophages. *Molecular Immunology*, 53(3), pp.179-186.
- Yagyu, H., Chen, G., Yokoyama, M., Hirata, K., Augustus, A., Kao, Y., et al. (2003). Lipoprotein lipase (LpL) on the surface of cardiomyocytes increases lipid uptake and produces a cardiomyopathy. *Journal Of Clinical Investigation*, 111(3), pp.419-426.
- Yusuf, S., Hawken, S. and Ounpuu, S. (2004). Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the Interheart study): case-control study. *ACC Current Journal Review*, 13(12), pp.15-16.
- Zhang, Y. and Ren, J. (2011). Role of cardiac steatosis and lipotoxicity in obesity cardiomyopathy. *Hypertension*, 57(2), pp.148-150