

## DAFTAR PUSTAKA

- Aldrian, E., & Susanto, D. R. (2003). Identification of Three Dominant Rainfall Regions within Indonesia and their Relationship to Sea Surface. *International Journal of Climatology*, 1452, 1435–1452. <https://doi.org/10.1002/joc.950>
- Atlas, D., & Ulbrich, C. W. (1977). Path and Area Integrated Rainfall Measurement by Microwave Attenuation 1-3 cm Band. *Journal of Applied Meteorology*, 16(12), 1322–1331.
- Austin, P. M. (1987). Relation between Measured Radar Reflectivity and Surface Rainfall. *Monthly Weather Review*, 115(05), 1053–1070.
- Badan Meteorologi Klimatologi dan Geofisika. (2010). *Press Release Kondisi Cuaca Ekstrem dan Iklim Tahun 2010 - 2011* (p. 53). p. 53. Jakarta.
- Battan, L. J. (1973). *Radar Observation of the Atmosfer* (Rev. Ed.). Chicago, United State of America: University of Chicago Press.
- Bean, B. R., & Dutton, E. J. (1966). *Radio Meteorology*. Washington, USA: National Bureau of Standards.
- Blanchard, D. C. (1953). Raindrops Size Distribution In Hawaii Rains. *Journal of Meteorology*, 10(12), 457–473.
- BMKG. (2013). *Standar Operasional Prosedur (SOP) Pengamatan Radar Cuaca Stasiun Meteorologi Juanda*. Sidoarjo.
- Bøvith, T. (2008). *Detection of Weather Radar Clutter* (p. 224). p. 224. <https://doi.org/ISSN 0909-3192>
- Bringi, V. N., & Chandrasekar, V. (2004). *Polarimetric Doppler Weather Radar*. Cambridge, UK: Cambridge University Press.
- Bringi, V. N., Chandrasekar, V., Balakhrisnan, N., & Zrnicek, D. S. (1990). An Examination of Propagation Effects in Rainfall on Radar Measurements at Microwave Frequencies. *Journal of Atmospheric and Oceanic Technology*, 7(12), 829–840.

- Bringi, V. N., Keenan, T. D., & Chandrasekar, V. (2001). Correcting C-Band Radar Reflectivity and Differential Reflectivity Data for Rain Attenuation : A Self-Consistent Method With Constraints. *IEEE Transaction on Geoscience and Remote Sensing*, 39(9), 1906–1915.
- Bringi, V. N., Thurai, M., & Hannedisen, R. (2007). *Dual-Polarization Weather Radar Handbook* (p. 171; Second, Ed.). p. 171. Neus, Germany: LEONARDO Germany GmbH.
- Brown, R., Steadham, R. M., Flickinger, B. A., Lee, R. R., Sirmans, D., & Wood, V. T. (2005). New WSR-88D Volume Coverage Pattern 12 : Results of Field Tests. *Weather and Forecasting*, 20(6), 385–393.
- Buyukbas, E., Sireci, O., Hazer, A., & Temir, I. (2005). *Training Course on Weather Radar Systems* (pp. 1–55). pp. 1–55. Atalya, Turkey: Turkish State Meteorological Service (TSMS) and World Meteorological Organization (WMO).
- Chua, M. Y., Sumantyo, J. T. S., Santosa, C. E., Panggabean, G. F., Sasmita, K., Sumantyo, F. D. S., ... Kamal, M. (2019). Feature Article : The Maiden Flight of Hinotori-C : The First C Band Full Polarimetric Circularly Polarized Synthetic Aperture Radar in the World. *IEEE A&E Systems Magazine*, (02), 24–35. <https://doi.org/10.1109/MAES.2019.180120>
- Danoedoro, P. (2012). *Penginderaan Jauh Digital* (Pertama). Yogyakarta: Andi.
- Doviak, R. J., & Zrnic, D. S. (1993). *Doppler Radar and Weather Second Edition* (Second). San Diego, California: Academic Press, Inc.
- Friedrich, K., Hagen, M., & Einfalt, T. (2006). A Quality Control Concept for Radar Reflectivity, Polarimetric Parameters, and Doppler Velocity. *Journal of Atmospheric and Oceanic Technology*, 23(7), 865–887.
- Fujiwara, M. (1965). Raindrops size Distribution from Individual Storm. *Journal of The Atmospheric Sciences*, 22(9), 585–591.
- Fukao, S., & Hamazu, K. (2014). *Radar for Meteorological and Atmospheric* (First). <https://doi.org/10.1007/978-4-431-54334-3>

- G. Park, S., Bringi, V. N., Chandrasekar, V., Maki, M., & Iwanami, K. (2005). Correction of Radar Reflectivity and Differential Reflectivity for Rain Attenuation at X Band . Part I : Theoretical and Empirical Basis. *Journal of Atmospheric and Oceanic Technology*, 22(11), 1621–1632.
- Gabella, M., & Notarpietro, R. (2002). Ground clutter characterization and elimination in mountainous terrain. *Proceedings of ERAD*, 305–311.
- Germann, U., Zawadzki, I., & Turner, B. (2006). Predictability of Precipitation from Continental Radar Images . Part IV : Limits to Prediction. *Journal of The Atmospheric Sciences*, 63(12), 2092–2108.
- Habib, E., Krajewski, F. W., & Kruger, A. (2001). Sampling Errors of Tipping-Bucket Rain Gauge Measurements. *Journal of Hydrologic Engineering*, 6(4), 159–166.
- Hannesen, R., & Loffler-Mang, M. (1998). Improvements of quantitative rain measurements with a C-band Doppler radar through consideration of orographically induced partial beam screening. *Proc. Cost 75 Seminar*, 511–519.
- Hardaker, P. J., Holt, A. R., & Collier, C. G. (1995). A melting-layer model and its use in correcting for the bright band in single-polarization radar echoes. *Quarterly Journal of the Royal Meteorological Society*, 121, 495–525. <https://doi.org/551.501.81:551.574.14>
- Harrison, D. L., Driscoll, S. J., & Kitchen, M. (2000). Improving Precipitation Estimates from Weather Radar using Quality Control and Correction Techniques. *Meteorological Applications*, 6, 135–144.
- Hitschfeld, W., & Bordan, J. (1954). Errors Inherent in The Radar Measurement of Rainfall at Attenuating Wavelengths. *Journal of Meteorology*, 11(02), 58–67.
- Hubbert, J. C., Dixon, M., & Ellis, S. M. (2009). Weather Radar Ground Clutter . Part II : Real-Time Identification and Filtering. *Journal of Atmospheric and Oceanic Technology*, 26(7), 1181–1197. <https://doi.org/10.1175/2009JTECHA1160.1>

- Jacobi, S., & Heistermann, M. (2016). Benchmarking attenuation correction procedures for six years of single-polarized C-band weather radar observations in South-West Germany. *Geomatics, Natural Hazard And Risk*, 7, 1785–1799. <https://doi.org/10.1080/19475705.2016.1155080>
- Jones, D. M. A. (1956). *Rainfall Drop Size-Distribution And Radar Reflectivity*. Urbana, Illinois.
- Kitchen, M., Brown, R., & Davies, A. G. (1994). Real-time correction of weather radar data for the effects of bright band , range and orographic growth in widespread precipitation. *Quarterly Journal of the Royal Meteorological Society*, 120, 1231–1254. <https://doi.org/551.501.777:551.501.81:551.577.51:681.2.08>
- Krajewski, F. W. (1991). On the Estimation of Climatological Z-R Relationships. *Journal of Applied Meteorology*, 30(10), 1436–1445.
- Krämer, S., & Verworn, H. R. (2008). Improved C-band radar data processing for real time control of urban drainage systems. *11th International Conference on Urban Drainage*, 10. Edinburgh, Scotland.
- Kunz, M., & Kugel, P. I. S. (2014). Detection of Hail Signatures from Single-Polarization C-Band Radar Reflectivity. *Atmospheric Research*, 153(10), 565–577. <https://doi.org/10.1016/j.atmosres.2014.09.010>
- LEONARDO Germany GmbH. (2018). *Software Manual* (p. 576). p. 576. Neuss, Germany.
- Lillesand, T., Kiefer, R. W., & Chipman, J. (2015). *Remote Sensing and Image Interpretation* (Seventh ed.). USA: John Wiley & Sons.
- Maftukhah, T., Wijonarko, S., & Rustandi, D. (2016). Comparison and Correlation Among Measurement Results of Observatory, Hellman, and Tipping Bucket Sensors. *Instrumentasi*, 40, 7–14.
- Marshall, J. S., & Palmer, W. M. (1948). The distribution of raindrops with size. *Journal of Meteorology*, 5(08).

- Marzano, F. S., Barbieri, S., Vulpiani, G., & Rose, W. I. (2006). Volcanic Ash Cloud Retrieval by Ground-Based Microwave Weather Radar. *IEEE Transaction on Geoscience and Remote Sensing*, 44(11), 3235–3246.
- Mori, K. (2003). *Hidrologi untuk Pengairan* (Kesembilan; S. Sosrodarsono & K. Takeda, Eds.). Jakarta: Pradnya Paramita.
- Munawar. (2016). *Pemodelan Spasiotemporal Prediksi Curah Hujan Ekstrem Berdasarkan Integrasi Data Radar Dan Satelit Cuaca Di Provinsi Jawa Timur*. Gadjah Mada.
- Nicol, J. C., & Austin, G. L. (2003). Attenuation correction constraint for single-polarisation weather radar. *Meteorological Applications*, 354, 345–354. <https://doi.org/10.1017/S1350482703001051>
- Olsen, R. L., Rogers, D. V., & Hodge, D. B. (1978). The aRb Relation in the Calculation of Rain Attenuation. *IEEE Transactions on Antennas and Propagation*, AP-26(03), 318–329. [https://doi.org/0018-926X/78/0300-0318\\$00.75](https://doi.org/0018-926X/78/0300-0318$00.75)
- Raghavan, S. (2003). *Radar Meteorology* (1st ed.; R. Sadourny & L. A. Mysak, Eds.). New Delhi: Kluwer Academic Publishers.
- Rauber, R. M., & Nesbitt, S. W. (2018). *Radar Meteorology* (First). Chichester, UK: John Wiley & Sons Ltd.
- Rico-ramirez, M. A. (2012). Adaptive Attenuation Correction Techniques for C-Band Polarimetric Weather Radars. *IEEE Transaction on Geoscience and Remote Sensing*, 50(12), 5061–5071. <https://doi.org/10.1109/TGRS.2012.2195228>
- Rinehart, R. E. (2004). *Radar For Meteorologists* (Fourth). Columbia, USA: Rinehart Publications.
- Rosenfeld, D., Wolff, D. B., & Amitai, E. (1994). The Window Probability Matching Method for Rainfall Measurements with Radar. *Journal of Applied Meteorology*, 33(06), 682–693. [https://doi.org/10.1175/1520-0450\(1994\)033<0682](https://doi.org/10.1175/1520-0450(1994)033<0682)

- Rosenfeld, D., Wolff, D. B., & Atlas, D. (1993). General Probability-matched Relations between Radar Reflectivity and Rain Rate. *Journal of Applied Meteorology*, 32(01), 50–71. [https://doi.org/10.1175/1520-0450\(1993\)032<0050](https://doi.org/10.1175/1520-0450(1993)032<0050)
- Seltmann, J. E. E., Hohmann, T., Frech, M., & Tracksdorf, P. (2013). DWD's new operational scan strategy. *36th Conference on Radar Meteorology*, (9), 329.
- Skolnik, M. (2008). *Radar Hand Book* (Third; J. Walden, Ed.). New York: The McGraw-Hill Companies.
- Smith, J. C. (1986). The Reduction of Error Caused by Bright Band in Quantitative Rainfall Measurements Made Using Radar. *Journal of Atmospheric and Oceanic Technology*, 3(March 1986), 129–141.
- Stout, G. E., & Mueller, E. A. (1968). Survey of Relationship Between Rainfall Rate and Radar Reflectivity in the Measurement of Precipitation. *Journal of Applied Meteorology*, 7(1968), 465–474.
- Sutanto. (1999a). *Penginderaan Jauh Jilid 1* (Keempat). Yogyakarta: Gadjah Mada University Press.
- Sutanto. (1999b). *Penginderaan Jauh Jilid 2* (Ketiga). Gadjah Mada University Press.
- Tabary, P. (2007). The New French Operational Radar Rainfall Product . Part I: Methodology. *Weather and Forecasting*, 22(6), 393–408. <https://doi.org/10.1175/WAF1004.1>
- Testud, J., Le Bouar, E., Obligis, E., & Ali-Mehenni, M. (2000). The Rain Profiling Algorithm Applied to Polarimetric Weather Radar. *Journal of Atmospheric and Oceanic Technology*, 17(3), 332–356.
- Thurai, M., Mishra, K. V., Bringi, V. N., & Krajewski, F. W. (2017). Initial Results of a New Composite-Weighted Algorithm for Dual-Polarized X-Band Rainfall Estimation. *Journal of Hydrometeorology*, 18(4), 1081–1100. <https://doi.org/10.1175/JHM-D-16-0196.1>
- Tjasyono, B. (2012). *Mikrofisika Awan dan Hujan* (Kedua). Jakarta: Badan Meteorologi Klimatologi dan Geofisika.

- Vulpiani, G., Tabary, P., & Du Chatelet, J. P. (2008). Comparison of Advanced Radar Polarimetric Techniques for Operational Attenuation Correction at C Band. *Journal of Atmospheric and Oceanic Technology*, 25(7), 1118–1135. <https://doi.org/10.1175/2007JTECHA936.1>
- Wardoyo, E. (2015). *Radar Meteorologi : Pengantar Analisis Citra Radar Cuaca* (p. 315). p. 315. Jakarta.
- Wirjohamidjojo, S., & Swarinoto, Y. (2010). *Iklim Kawasan Indonesia (Dari Aspek Dinamik - Sinoptik)* (Pertama). Jakarta: Badan Meteorologi Klimatologi dan Geofisika.
- World Meteorological Organization (WMO). (2010). *WMO No. 8 Guide to Meteorological Instruments and Methods of Observation* (2008th ed.). Geneva, Switzerland: Chairperson, Publications Board World Meteorological Organization (WMO).
- World Meteorological Organization (WMO). (2017). *WMO No. 8 Guide to Meteorological Instruments and Methods of Observation* (2014th ed.). Geneva, Switzerland: Chairperson, Publications Board World Meteorological Organization (WMO).
- Young Gu, J., Ryzhkov, A., Zhang, P., Neilley, P., Knight, M., Wolf, B., & In Lee, D. (2011). Polarimetric Attenuation Correction in Heavy Rain at C Band. *Journal of Applied Meteorology and Climatology*, 50(1), 39–58. <https://doi.org/10.1175/2010JAMC2258.1>
- Zhong, L., Zhang, Z., Chen, L., Yang, J., & Zou, F. (2016). Application of the Doppler weather radar in real-time quality control of hourly gauge precipitation in eastern China. *Atmospheric Research*, 172–173(1), 109–118. <https://doi.org/10.1016/j.atmosres.2015.12.016>