

REFERENCES

- Abdel-Azeem, A.M., Abdel-Azeem, M.A. and Khalil, W.F., 2019, Endophytic Fungi as a New Source of Antirheumatoid Metabolites, *Academic Press*, 355-384.
- Afifi, A.H., Kagiya, I., El-Desoky, A.H., Kato, H., Mangindaan, R.E.P., De Voogd, N.J., Hifnawy, M.S., and Tsukamoto, S., 2017, Sulawesins A-C, Furanosesterterpene Tetronic Acids That Inhibit USP7, from a *Psammocinia* sp. Marine Sponge, *J. Nat. Prod.*, 80, 2045–2050.
- Alvin, A., Miller, K.I. and Neilan, B.A., 2014, Exploring the Potential of Endophytes from Medicinal Plants as Sources of Antimycobacterial Compounds, *Microbiol. Res.*, 169(7-8), 483-495.
- Alvin, A., Miller, K.I., and Neilan, B.A., 2014, Exploring The Potential of Endophytes from Medicinal Plants as Sources of Antimycobacterial Compounds, *Microbiol. Res.*, 169, 483–495.
- Anderson, A.C., Pollastri, M.P., Schiffer, C.A. and Peet, N.P., 2011, The Challenge of Developing Robust Drugs to Overcome Resistance, *Drug Discov. Today*, 16(17-18), 755-761.
- Aniszewski, T., 2007, *Alkaloids - Secrets of Life Alkaloid Chemistry, Biological Significance, Applications and Ecological Role*, Elsevier, Germany.
- Ariefta, N.R., 2015, Screening of Novel Secondary Metabolites From Endophytic Fungi of Tropical Forest, *Thesis*, Postgraduate Program of Chemistry, Faculty of Mathematics and Natural Sciences Universitas Gadjah Mada, Yogyakarta.
- Ariefta, N.R., Kristiana, P., Aboshi, T., Murayama, T., Tawaraya, K., Koseki, T., Kurisawa, N., Kimura, K.I., and Shiono, Y., 2018, New Isocoumarins, Naphthoquinones, and A Cleistanthane-Type Diterpene from *Nectria pseudotrichia* 120-1NP, *Fitoterapia*, 127, 356–361.
- Ariefta, N.R., Nikmawahda, H.T., Koseki, T. and Shiono, Y., 2019, Fusopolitides B–E, new polyketides isolated from *Fusarium solani* P-18. *Tetrahedron*, 60(52), 151361.
- Arnold, A.E., 2007, Understanding the diversity of foliar endophytic fungi: progress, challenges, and frontiers. *Fungal Biol. Rev.*, 21(2-3), 51-66.
- Astuti, P., Wahyono, and Nababan, O.A., 2014, Antimicrobial and Cytotoxic Activities of Endophytic Fungi Isolated from *Piper crocatum* Ruiz & Pav, *Asian Pac. J. Trop. Biomed.*, 4, S592–S596.
- Bérdy, J., 2012, Thoughts and Facts About Antibiotics: Where We Are Now and Where We Are Heading, *J. Antibiot.*, 65, 385–395.

- Bills, G.F. and Gloer, J.B., 2016, Biologically Active Secondary Metabolites from the Fungi, *Microbiol. Spectr.*, 4(6).
- Blair, J.M., Webber, M.A., Baylay, A.J., Ogbolu, D.O. and Piddock, L.J., 2015, Molecular Mechanisms of Antibiotic Resistance, *Nat. Rev. Microbiol.*, 13(1), 42-51.
- Brum, M.C.P., Araújo, W.L., Maki, C.S. and Azevedo, J.L.D., 2012, Endophytic Fungi from *Vitis labrusca* L. ('Niagara Rosada') and Its Potential for The Biological Control of *Fusarium oxysporum*, *Genet. Mol. Res.*, 11(4), 4187-4197.
- Buatong, J., Phongpaichit, S., Rukachaisirikul, V. and Sakayaroj, J., 2011, Antimicrobial Activity of Crude Extracts from Mangrove Fungal Endophytes, *World J. Microb. Biot.*, 27(12), 3005-3008.
- Burgess, M.L., Barrow, K.D., Gao, C., Heard, G.M., and Glenn, D., 1999, Carotenoid Glycoside Esters from the Thermophilic Bacterium *Meiothermus ruber*, *J. Nat. Prod.*, 62, 859-863.
- Chen, M., Chai, W., Zhu, R., Song, T., Zhang, Z., and Lian, X.Y., 2018, Streptopyrazinones A–D, Rare Metabolites from Marine-Derived *Streptomyces* sp. ZZ446, *Tetrahedron*, 74, 2100-2106.
- Cragg, G.M. and Newman, D.J., 2005, Plants as a Source of Anti-cancer Agents, *J. Ethnopharmacol.*, 100(1-2), 72-79.
- Cragg, G.M. and Newman, D.J., 2013, Natural products: a Continuing Source of Novel Drug Leads, *Biochim. Biophys. Acta*, 1830(6), 3670-3695.
- Cragg, G.M., Kingston, D.G.I., and Newman, D.J., 2005, *Anticancer Agents from Natural Products*, CRC Press Taylor & Francis Group, Boca Raton.
- Demain, A.L., 2014, *Valuable products from Microbes. In Microbes in Process* Nova Science Publishers, Inc., Germany.
- Deshmukh, S.K., Verekar, S.A. and Bhawe, S.V., 2015, Endophytic Fungi: a Reservoir of Antibacterials, *Front. Microbiol.*, 5, 715.
- Dobretsov, S., Al-Wahaibi, A.S., Lai, D., Al-Sabahi, J., Claereboudt, M., Proksch, P. and Soussi, B., 2015, Inhibition of Bacterial Fuling by Soft Coral Natural Products, *Int. Biodeter Biodegr.*, 98, 53-58.
- Elgorban, A.M., Bahkali, A.H., Al Farraj, D.A. and Abdel-Wahab, M.A., 2019, Natural Products of *Alternaria* sp., an Endophytic Fungus Isolated from *Salvadora persica* from Saudi Arabia, *Saudi J. Biol.s*, 26(5), 1068-1077.
- Elias, L.M., Fortkamp, D., Sartori, S.B., Ferreira, M.C., Gomes, L.H., Azevedo, J.L., Montoya, Q.V., Rodrigues, A., Ferreira, A.G. and Lira, S.P., 2018, The Potential of Compounds Isolated from *Xylaria* spp. as Antifungal Agents Against Anthracnose. *Braz. J. Microbiol.*, 49(4), 840-847.

- Farhat, H., Urooj, F., Tariq, A., Sultana, V., Ansari, M., Ahmad, V.U. and Ehteshamul-Haque, S., 2019, Evaluation of Antimicrobial Potential of Endophytic Fungi Associated with Healthy Plants and Characterization of Compounds Produced by Endophytic *Cephalosporium* and *Fusarium solani*, *Biocatal. Agric. Biotechnol.*, 18, 101043.
- Garcia-Cela, E., Kiaitsi, E., Medina, A., Sulyok, M., Krska, R., and Magan, N., 2018, Interacting Environmental Stress Factors Affects Targeted Metabolomic Profiles in Stored Natural Wheat and That Inoculated with *F. graminearum*, *Toxins*, 10, 56.
- Goers, L., Freemont, P., and Polizzi, K.M., 2014, Co-Culture Systems and Technologies: Taking Synthetic Biology to The Next Level, *J. R. Soc. Interface*, 11, 20140065.
- Golinska, P., Wypij, M., Agarkar, G., Rathod, D., Dahm, H. and Rai, M., 2015, Endophytic Actinobacteria of Medicinal Plants: Diversity and Bioactivity, *Anton Leeuw Int. J. G.*, 108(2), 267-289.
- Gouda, S., Das, G., Sen, S.K., Shin, H.S., and Patra, J.K., 2016, Endophytes: A Treasure House of Bioactive Compounds of Medicinal Importance, *Front. Microbiol.*, 7, 1–8.
- Greenfield, M., Pareja, R., Ortiz, V., Gómez-Jiménez, M.I., Vega, F.E., and Parsa, S., 2015, A Novel Method To Scale Up Fungal Endophyte Isolations, *Biocontrol Sci. Technol.*, 25, 1208–1212.
- Gu, W., 2009, Bioactive Metabolites From *Alternaria brassicicola* ML-P08, An Endophytic Fungus Residing in *Malus Halliana*, *World J. Microbiol. Biotechnol.*, 25, 1677–1683.
- Gutierrez, R.M.P., Gonzalez, A.M.N., and Ramirez, A.M., 2012, Compounds Derived from Endophytes : A Review of Phytochemistry and Pharmacology, *Curr. Med. Chem*, 19, 2992–3030.
- Hassan, H.M., Degen, D., Jang, K.H., Ebright, R.H. and Fenical, W., 2015, Salinamide F, New Depsipeptide Antibiotic and Inhibitor of Bacterial RNA Polymerase from A Marine-Derived *Streptomyces* sp., *J. Antibiot.*, 68(3), 206.
- Hewage, R.T., Aree, T., Mahidol, C., Ruchirawat, S., and Kittakoop, P., 2014, One Strain-Many Compounds (OSMAC) Method for Production of Polyketides, Azaphilones, and An Isochromanone Using The Endophytic Fungus *Dothideomycete* sp., *Phytochemistry*, 108, 87–94.
- Hoffman, A.M., Mayer, S.G., Strobel, G.A., Hess, W.M., Sovocool, G.W., Grange, A.H., Harper, J.K., Arif, A.M., Grant, D.M., and Kelley-swift, E.G., 2008, Purification, Identification and Activity Of Phomodione, A Furandione from An Endophytic *Phoma* Species, *Phytochemistry*, 69, 1049–1056.
- Hurdle, J.G., O'Neill, A.J., Chopra, I. and Lee, R.E., 2011, Targeting Bacterial Membrane Function: An Underexploited Mechanism for Treating Persistent

Infections, *Nat. Rev. Microbiol.*, 9(1), 62.

- Hussain, A., Rather, M.A., Dar, M.S., Aga, M.A., Ahmad, N., Manzoor, A., Qayum, A., Shah, A., Mushtaq, S., Ahmad, Z., and Hassan, Q.P., 2017, Bioorganic & Medicinal Chemistry Letters Novel Bioactive Molecules from *Lentzea Violacea* Strain AS 08 Using One Strain-Many Compounds (OSMAC) Approach, *Bioorg. Med. Chem. Lett.*, 27, 2579–2582.
- Janso, J.E. and Carter, G.T., 2010, Biosynthetic Potential of Phylogenetically Unique Endophytic Actinomycetes from Tropical Plants, *Appl. Environ. Microbiol.*, 76(13), 4377–4386.
- Ji, L.I., Larregieu, C.A. and Benet, L.Z., 2016, Classification of Natural Products as Sources of Drugs According to The Biopharmaceutics Drug Disposition Classification System (BDDCS), *Chin. J. Nat. Medicines*, 14(12), 888–897.
- Karthika, K. and Paulsamy, S., 2015, TLC and HPTLC Fingerprints of Various Secondary Metabolites in The Stem of The Traditional Medicinal Climber, *Solena amplexicaulis*, *Indian J. Pharm. Sci.*, 77, 111.
- Karwehl, S. and Stadler, M., 2016, Exploitation of Fungal Biodiversity for Discovery of Novel Antibiotics in How to Overcome the Antibiotic Crisis, *Springer*, 303–338.
- Khan, A.A., Bacha, N., Ahmad, B., Lutfullah, G., Farooq, U., and Cox, R.J., 2014, Fungi as Chemical Industries and Genetic Engineering for The Production of Biologically Active Secondary Metabolites, *Asian Pac. J. Trop. Biomed.*, 4, 859–870.
- Khan, M.I.H., Sohrab, M.H., Rony, S.R., Tareq, F.S., Hasan, C.M., and Mazid, M.A., 2016, Cytotoxic and Antibacterial Naphthoquinones from an Endophytic Fungus, *Cladosporium sp.*, *Toxicol. Rep.*, 3, 861–865.
- Khan, R.A., 2018, Natural Products Chemistry: The Emerging Trends and Prospective Goals, *Saudi Pharm. J.*, 26, 739–753.
- Kim, S., Shin, D. S., Lee, T., and Oh, K. B., 2004, Periconicins, Two New Fusicoccane Diterpenes Produced by An Endophytic Fungus *Periconia sp.* with Antibacterial Activity, *J. Nat. Prod.*, 67(3), 448–450.
- LI, J., Larregieu, C.A., and Benet, L.Z., 2016, Classification of Natural Products As Sources of Drugs According to The Biopharmaceutics Drug Disposition Classification System (BDDCS), *Chin. J. Nat. Med.*, 14, 888–897.
- Ling, L.L., Schneider, T., Peoples, A.J., Spoering, A.L., Engels, I., Conlon, B.P., Mueller, A., Schäberle, T.F., Hughes, D.E., Epstein, S. and Jones, M., 2015, A New Antibiotic Kills Pathogens Without Detectable Resistance. *Nature*, 517(7535), p.455.
- Liu, W., Yang, F., Zhang, R., Shi, X., Lu, X., Luan, Y., Xiu, Z., and Dong, Y., 2016, Phytochemistry Letters Production of Polyketides with Anthelmintic Activity

- by The Fungus *Talaromyces Wortmannii* Using One Strain-Many Compounds (OSMAC) method, *Phytochem. Lett.*, 18, 157–161.
- Liu, Y., Bai, F., Li, T. and Yan, H., 2018, An Endophytic Strain of Genus *Paenibacillus* Isolated from The Fruits of Noni (*Morinda citrifolia* L.) Has Antagonistic Activity Against A Noni's Pathogenic Strain of Genus *Aspergillus*, *Microb. Pathog.*, 125, 158-163.
- Ma, K.L., Wei, W.J., Li, H.Y., Song, Q.Y., Dong, S.H., and Gao, K., 2019, Meroterpenoids with Diverse Ring Systems and Dioxolanone-type Secondary Metabolites from *Phyllosticta capitalensis* and Their Phytotoxic Activity, *Tetrahedron*, 75(33), 4611-4619.
- Macías-Rubalcava, M.L. and Sánchez-Fernández, R.E., 2017, Secondary Metabolites of Endophytic Xylaria Species with Potential Applications in Medicine and Agriculture, *World J. Microb. Biot.*, 33(1), 15.
- Martinez-Klimova, E., Rodríguez-Peña, K. and Sánchez, S., 2017, Endophytes as Sources of Antibiotics, *Biochem. Pharmacol.*, 134, 1-17.
- Menard, R. and Sulea, T., 2012, Selective Inhibition of USP7, *Chem. Biol.*, 19, 437–438.
- Moloney, M.G., 2016, Natural Products as A Source for Novel Antibiotics, *Trends Pharmacol. Sci.*, 37(8), 689-701.
- Monciardini, P., Iorio, M., Maffioli, S., Sosio, M. and Donadio, S., 2014, Discovering New Bioactive Molecules from Microbial Sources, *Microb. Biotech.*, 7(3), 209-220.
- Mondol, M. and Shin, H., 2014, Antibacterial and Antiyeast Compounds from Marine-Derived Bacteria, *Marine drugs*, 12(5), 2913-2921.
- Muslihah, N.I., 2016, Isolation of Eremophilane and Its New Derivative Compound from Endophytic Fungi of *Penicilium* sp, *Thesis*, Postgraduate Program of Chemistry, Faculty of Mathematics and Natural Sciences Universitas Gadjah Mada, Yogyakarta.
- Naman, C.B., Leber, C.A. and Gerwick, W.H., 2017, *Modern Natural Products Drug Discovery and Its Relevance to Biodiversity Conservation*, *Microbial Resources*, Academic Press.
- Naman, C.B., Leber, C.A., and Gerwick, W.H., 2017, *Modern Natural Products Drug Discovery and Its Relevance to Biodiversity Conservation*. In Kurtböke, I., *Microbial Resources: from Functional Existence in Nature to Applications*, Elsevier Inc, Amsterdam.
- Newman, D.J. and Cragg, G.M., 2016, Natural Products As Sources of New Drugs from 1981 to 2014, *J. Nat. Prod.*, 79, 629–661.
- Ni, T.W., Tofanelli, M.A., and Ackerson, C.J., 2015, *Structure Determination by Single Crystal X-ray Crystallography*. In Tsukuda, T., and Häkkinen, H.,

- Protected Metal Clusters From Fundamentals to Applications*, 9, Elsevier, Amsterdam.
- Ouellette, R.J. and Rawn, J.D., 2018, *Methods for Structure Determination Nuclear Magnetic Resonance and Mass Spectrometry*, In Ouellette, R.J. and Rawn, J.D, Organic Chemistry. Elsevier, Amsterdam.
- Padhi, L., Mohanta, Y.K. and Panda, S.K., 2013, Endophytic Fungi with Great Promises: A review, *J. Adv. Pharm. Educ. Res.*, 3(3).
- Philp, J. dan Atlas, R., 2017, *Microbial Resources for Global Sustainability in Kurtböke, I., Microbial Resources: from Functional Existence in Nature to Applications*, Elsevier Inc, Amsterdam.
- Prestinaci, F., Pezzotti, P. and Pantosti, A., 2015, Antimicrobial Resistance: A Global Multifaceted Phenomenon, *Pathog. Glob. Health*, 109(7), 309-318.
- Sairenji, S., Kikuchi, T., Abozeid, M.A., Takizawa, S., Sasai, H., Ando, Y., Ohmatsu, K., Ooi, T., and Fujita, M., 2017, Determination of The Absolute Configuration of Compounds Bearing Chiral Quaternary Carbon Centers Using The Crystalline Sponge Method, *Chem. Sci.*, 8, 5132–5136.
- Schulz, B., and Boyle, C., 2005, The Endophytic Continuum, *Mycol. Res.*, 109(6), 661-686.
- Selim, K., 2012, Biology of Endophytic Fungi, *Curr. Res. Environ. Appl. Mycol.*, 2, 31–82.
- Shank, E.A. and Kolter, R., 2009, New Developments in Microbial Interspecies Signaling, *Curr. Opin. Microbiol.*, 12, 205–214.
- Sharma, D., Pramanik, A., and Agrawal, P.K., 2016, Evaluation of Bioactive Secondary Metabolites from Endophytic Fungus *Pestalotiopsis neglecta* BAB-5510 isolated from leaves of *Cupressus torulosa* D.Don, *3 Biotech.*, 6, 1–14.
- Shiono, Y., Kosukegawa, A., Koseki, T., Murayama, T., Kwon, E., Uesugi, S. and Kimura, K.I., 2012, A Dimeric Pyrrocidine from *Neonectria Ramulariae* is An Inhibitor of Prolyl Oligopeptidase, *Phytochem. Lett.*, 5(1), 91-95.
- Singh, R.P., Kumari, P. and Reddy, C.R.K., 2015, Antimicrobial Compounds from Seaweeds-Associated Bacteria and Fungi, *Appl. Microbiol. Biot.*, 99(4), 1571-1586.
- Siriwach, R., 2013, Screening of Novel Secondary Metabolites from Endophytic Fungi by Chemical Library Analysis, *PhD thesis*, Department of Biotechnology, Graduate School of Engineering, Osaka University, Osaka.
- Skellam, E., 2019, Strategies for Engineering Natural Product Biosynthesis in Fungi, *Trends Biotechnol.*, 37(4), 416-427.
- Son, S., Ko, S.K., Jang, M., Lee, J.K., Ryoo, I.J., Lee, J.S., Lee, K.H., Soung, N.K., Oh, H., Hong, Y.S. and Kim, B.Y., 2015, Ulleungamides A and B, Modified

- A, B-Dehydropipecolic Acid Containing Cyclic Depsipeptides from *Streptomyces* sp. KCB13F003. *Org. Lett.*, 17(16), 4046-4049.
- Song, F., Wu, S.H., Zhai, Y.Z., Xuan, Q.C. and Wang, T., 2014, Secondary Metabolites from The Genus *Xylaria* and Their Bioactivities, *Chem. Biodivers.*, 11(5), 673-694.
- Strohl, W.R., 2000, The Role of Natural Products in A Modern Drug Discovery Program, *Drug Discov. Today*, 5, 39-41.
- Szakács, Z. and Sánta, Z., 2015, NMR Methodological Overview,. *In, Anthropic Awareness*, 257-289.
- Tan, R. X., and Zou, W. X., 2001, Endophytes: A Rich Source of Functional Metabolites, *Nat. Prod. Rep.*, 18, 448-459.
- Tang, J.W., Wang, W.G., Li, A., Yan, B.C., Chen, R., Li, X.N., Du, X., Sun, H.D., and Pu, J.X., 2017, Polyketides from The Endophytic Fungus *Phomopsis* sp. Sh917 Using The One Strain/Many Compounds Strategy, *Tetrahedron*, 73, 3577-3584.
- Tolulope, Ra., Adeyemi, A., Erute, Ma., and Abiodun, Ts., 2015, Isolation and Screening of Endophytic Fungi from Three Plants Used in Traditional Medicine in Nigeria for Antimicrobial Activity, *Int. J. Green Pharm.*, 9, 58.
- Torres, M.S., White, J.F., Tadych, M., and Bills, G.F., 2011, Isolation and Identification of Fungal Endophytes, *Bio. Bien. Innov. Paimio*, 153-164.
- Urda, C., Fernández, R., Rodríguez, J., Pérez, M., Jiménez, C., and Cuevas, C., 2017, Daedophamide, a Cytotoxic Cyclodepsipeptide from a *Daedalopelta* sp. Sponge Collected in Indonesia, *J. Nat. Prod.*, 80, 3054-3059.
- Vasundhara, M., Kumar, A., and Reddy, M.S., 2016, Molecular Approaches to Screen Bioactive Compounds from Endophytic Fungi, *Front. Microbiol.*, 7, 1-12.
- Venkatachalam, A., Thirunavukkarasu, N., and Suryanarayanan, T.S., 2015, Distribution and Diversity of Endophytes in Seagrasses, *Fungal Ecol.*, 13, 60-65.
- Wijeratne, E.M.K., He, H., Franzblau, S.G., Hoffman, A.M., and Gunatilaka, A.A.L., 2013, Phomapyrrolidones A-C, Antitubercular Alkaloids from the Endophytic Fungus *Phoma* sp. NRRL 46751, *J. Nat. Prod.*, 76, 1860-1865.
- Wolf, J. H. D., 1993, Ecology of Epiphytes and Epiphyte Communities Inmontane Rainforests, Colombia. *Ph.D. thesis*, Department of Systematics Evolution and Palaeobiology University of Amsterdam, Amsterdam.
- Wu, C., Zacchetti, B., Ram, A.F., Van Wezel, G.P., Claessen, D. and Choi, Y.H., 2015, Expanding The Chemical Space for Natural Products by *Aspergillus-Streptomyces* co-cultivation and biotransformation, *Sci. Rep.*, 5, 10868.

- Yang, Y. H., He, H., Bigelis, R., Solum, E. H., Greenstein, M., and Carter, G. T., 2002, Pyrrocidines A and B, New Antibiotics Produced by A Filamentous Fungus, *Tetrahedron Lett.*, 43(9), 1633-1636.
- Yong, A.L., Ooh, K.F., Ong, H.C., Chai, T.T. and Wong, F.C., 2015, Investigation of Antibacterial Mechanism and Identification of Bacterial Protein Targets Mediated by Antibacterial Medicinal Plant Extracts, *Food Chem.*, 186, 32-36.
- Yousuf, Sammer, and Choudhary, M. Iqbal, 2014, Lichens: Chemistry and Biological Activities, *Studies in natural products chemistry*, 43, 223-259.
- Zaher, A.M., Makboul, M.A., Moharram, A.M., Tekwani, B.L. and Calderón, A.I., 2015, A New Enniatin Antibiotic from The Endophyte *Fusarium tricinctum* Corda. *J. Antibiot.*, 68(3), 197.
- Zin, N.M., Remali, J., Nasrom, M.N., Ishak, S.A., Baba, M.S., and Jalil, J., 2017, Bioactive Compounds Fractionated from Endophyte *Streptomyces* SUK 08 with Promising Ex-Vivo Antimalarial Activity, *Asian Pac. J. Trop. Biomed.*, 7, 1062–1066.