

## DAFTAR PUSTAKA

- Andersson, H., Asp, N.-G., Bruce, Å., Roos, S., Wadström, T., & Wold, A. E. (2001). Health effects of probiotics and prebiotics A literature review on human studies. *Näringsforskning*, 45(1), 58–75. <https://doi.org/10.3402/fnr.v45i0.1790>
- Astuti, A., Rochmayani, M., & Aulia, R. (2018). Nawake (Nira Water Kefir): Pemanfaatan Nira Aren sebagai Minuman Fungsional Kaya Probiotik. *Agritech*, XX(1), 1–6.
- Bertazzoni, E., Donelli, G., Midtvedt, T., Nicoli, J., & Sanz, Y. (2013). Probiotics and clinical effects: Is the number what counts? *Journal of Chemotherapy*, 25(4), 194–212. <https://doi.org/10.1179/1973947813Y.0000000078>
- Botta, C., Acquadro, A., Greppi, A., Barchi, L., Bertolino, M., Coccolin, L., & Rantsiou, K. (2017). Genomic assessment in *Lactobacillus plantarum* links the butyrogenic pathway with glutamine metabolism. *Scientific Reports*, 7(1), 1–13. <https://doi.org/10.1038/s41598-017-16186-8>
- Chinnamma, M., Bhasker, S., Binitha Hari, M., Sreekumar, D., & Madhav, H. (2019). Coconut Neera—A Vital Health Beverage from Coconut Palms: Harvesting, Processing and Quality Analysis. *Beverages*, 5(22), 1–14. <https://doi.org/10.3390/beverages5010022>
- Dan, T., Chen, H., Li, T., Tian, J., Ren, W., Zhang, H., & Sun, T. (2019). Influence of *Lactobacillus plantarum* P-8 on fermented milk flavor and storage stability. *Frontiers in Microbiology*, 10(JAN). <https://doi.org/10.3389/fmicb.2018.03133>
- de Vries, M. C., Vaughan, E. E., Kleerebezem, M., & de Vos, W. M. (2006). *Lactobacillus plantarum*-survival, functional and potential probiotic properties in the human intestinal tract. *International Dairy Journal*, 16(9), 1018–1028. <https://doi.org/10.1016/j.idairyj.2005.09.003>
- FAO/WHO. (2006). *Probiotics in Food Health and nutritional properties and guidelines for evaluation*. Roma. <https://doi.org/10.1201/9781420009613.ch16>
- Kishino, S., Ogawa, J., Omura, Y., Matsumura, K., & Shimizu, S. (2002). Conjugated linoleic acid production from linoleic acid by lactic acid bacteria. *Journal of the American Oil Chemists' Society*, 79(2), 159–163. <https://doi.org/10.1007/s11746-002-0451-4>
- Kusmiyati, N., Wahyuningsih, T. D., & Widodo. (2018). Prebiotic effect of inulin extract from dahlia tubers (*Dahlia pinnata* L.) on the growth performance of intestinal-origin *Lactobacillus casei* AP. *Pakistan Journal of Nutrition*, 17(8), 405–410. <https://doi.org/10.3923/pjn.2018.405.410>
- Lehnen, T. E., da Silva, M. R., Camacho, A., Marcadenti, A., & Lehnen, A. M. (2015). A review on effects of conjugated linoleic fatty acid (CLA) upon body

- composition and energetic metabolism. *Journal of the International Society of Sports Nutrition*, 12(36), 1–11. <https://doi.org/10.1186/s12970-015-0097-4>
- Mashud, N., & Matana, Y. (2014). Kelapa Genjah sebagai Sumber Nira untuk Pembuatan Gula. In *Prosiding Konferensi Nasional Kelapa VIII* (pp. 179–184). Jambi.
- Mashud, N., & Yulianus, D. A. N. (2014). Produktivitas Nira Beberapa Aksesori Kelapa Genjah. *Buletin Palma*, 15(2), 110–114.
- Mauro, C. S. I., & Garcia, S. (2019). Coconut milk beverage fermented by *Lactobacillus reuteri*: optimization process and stability during refrigerated storage. *Journal of Food Science and Technology*, 56(2), 854–864. <https://doi.org/10.1007/s13197-018-3545-8>
- Muralidharan, K., & Nair, S. D. (2013). Coconut Neera - the hidden unexplored treasure. *Indian Coconut Journal*, 4–8.
- Pessione, A., Lo Bianco, G., Mangiapane, E., Cirrincione, S., & Pessione, E. (2015). Characterization of potentially probiotic lactic acid bacteria isolated from olives: Evaluation of short chain fatty acids production and analysis of the extracellular proteome. *Food Research International*, 67, 247–254. <https://doi.org/10.1016/j.foodres.2014.11.029>
- Pieterse, B., Leer, R. J., Schuren, F. H. J., & van der Werf, M. J. (2005). Unravelling the multiple effects of lactic acid stress on *Lactobacillus plantarum* by transcription profiling. *Microbiology*, 151(12), 3881–3894. <https://doi.org/10.1099/mic.0.28304-0>
- Plumed-Ferrer, C., Koistinen, K. M., Tolonen, T. L., Lehesranta, S. J., Kärenlampi, S. O., Mäkimattila, E., Joutsjoki, V., Virtanen, V., and Von Wright, A. (2008). Comparative study of sugar fermentation and protein expression patterns of two *Lactobacillus plantarum* strains grown in three different media. *Applied and Environmental Microbiology*, 74(17), 5349–5358. <https://doi.org/10.1128/AEM.00324-08>
- Ricciardi, A., Ianniello, R. G., Parente, E., & Zotta, T. (2015). Modified chemically defined medium for enhanced respiratory growth of *Lactobacillus casei* and *Lactobacillus plantarum* groups. *Journal of Applied Microbiology*, 119(3), 776–785. <https://doi.org/10.1111/jam.12894>
- Ríos-Covián, D., Ruas-Madiedo, P., Margolles, A., Gueimonde, M., De los Reyes-Gavilán, C. G., & Salazar, N. (2016). Intestinal short chain fatty acids and their link with diet and human health. *Frontiers in Microbiology*, 7, 1–9. <https://doi.org/10.3389/fmicb.2016.00185>
- Salsinha, A. S., Pimentel, L. L., Fontes, A. L., Gomes, A. M., & Rodríguez-Alcalá, L. M. (2018). Microbial Production of Conjugated Linoleic Acid and Conjugated Linolenic Acid Relies on a Multienzymatic System. *Microbiology and Molecular Biology Reviews*, 82(4), 1–21. <https://doi.org/10.1128/mmbr.00019-18>
- Toledo, M. (2014). *BRIX -Sugar Determination By Density and Refractometry*.

Retrieved from [https://beta-static.fishersci.com/content/dam/fishersci/en\\_US/documents/programs/scientific/technical-documents/technical-bulletins/mettler-toledo-brix-sugar-determination-technical-bulletin.pdf](https://beta-static.fishersci.com/content/dam/fishersci/en_US/documents/programs/scientific/technical-documents/technical-bulletins/mettler-toledo-brix-sugar-determination-technical-bulletin.pdf)

Wang, C. Y., Ng, C. C., Su, H., Tzeng, W. S., & Shyu, Y. T. (2009). Probiotic potential of noni juice fermented with lactic acid bacteria and bifidobacteria. *International Journal of Food Sciences and Nutrition*, 60(SUPPL. 6), 98–106. <https://doi.org/10.1080/09637480902755095>

Widodo. (2017). *Bakteri Asam Laktat Strain Lokal: Isolasi Sampai Aplikasi Sebagai Probiotik dan Starter Fermentasi Susu*. Yogyakarta: Gadjah Mada University Press.

Widodo, Anindita, N. S., Tiyas, T. T., & Wahyuningsih, T. D. (2012). Identification of *Pediococcus* Strains Isolated from Feces of Indonesian Infants With in vitro Capability to Consume Prebiotic Inulin and to Adhere on Mucus. *Indonesian Journal of Biotechnology*, 17(2), 132–143.

Widodo, Sukarno, A. S., Estancia, K., Widiyanto, D., & Indratiningsih. (2018). Conjugated Linoleic Acid Synthesis in Milk Fermented with *Lactobacillus casei* Strain AG. *Pakistan Journal of Nutrition*, 17(11), 524–529. <https://doi.org/10.3923/pjn.2018.524.529>

Widodo, Taufiq, T. T., Aryati, E., Kurniawati, A., & Asmara, W. (2012). Human origin *Lactobacillus casei* isolated from Indonesian infants demonstrating potential characteristics as probiotics in vitro. *Indonesian Journal of Biotechnology*, 17(1), 79–89.

Zhang, H., & Cai, Y. (2014). *Lactic acid bacteria: Fundamentals and practice*. *Lactic Acid Bacteria: Fundamentals and Practice*. Springer. <https://doi.org/10.1007/978-94-017-8841-0>