

DAFTAR PUSTAKA

- 1 World Health Organization. Global Strategy on Diet, Physical Activity and Health. 2019.<https://www.who.int/dietphysicalactivity/childhood/en/>.
- 2 Nemiary D, Shim R, Mattox G, Holden K. The Relationship Between Obesity and Depression Among Adolescents. *Psychiatr Ann* 2012; **42**: 305–308.
- 3 Sjarif DR, Gultom LC, Hendarto A, Lestari ED, Sidiartha IGL, Mexitalia M. Diagnosis, Tata Laksana dan Pencegahan Obesitas pada Anak dan Remaja. Ikat. Dr. Anak Indones. 2014.
- 4 Kementerian Kesehatan RI. Epidemi Obesitas. 2014.http://p2ptm.kemkes.go.id/uploads/N2VaaXIxZGZwWFpEL1VlRFdQQ3ZRZz09/2018/02/FactSheet_Obesitas_Kit_Informasi_Obesitas.pdf.
- 5 Speiser PW, Rudolf MCJ, Anhalt H, Camacho-Hubner C, Chiarelli F, Eliakim A *et al*. Consensus statement: Childhood obesity. *J Clin Endocrinol Metab* 2005; **90**: 1871–1887.
- 6 Xu S, Xue Y. Pediatric obesity: Causes, symptoms, prevention and treatment (review). *Exp Ther Med* 2016; **11**: 15–20.
- 7 World Health Organization. Obesity : Preventing and Managing The Global Epidemic. 2000.
- 8 Camhi SM, Kuo JA, Young DR. Identifying adolescent metabolic syndrome using body mass index and waist circumference. *Prev Chronic Dis* 2008; **5**.
- 9 Wang Y, Rimm EB, Stampfer MJ, Willett WC, Hu FB. Comparison of abdominal adiposity and overall obesity in predicting risk of type 2 diabetes among men. *Am J Clin Nutr* 2005; **81**: 555–563.
- 10 Kurdanti W, Suryani I, Syamsiatun NH, Siwi LP, Adityanti MM, Mustikaningsih D *et al*. Faktor-faktor yang mempengaruhi kejadian obesitas pada remaja. *J Gizi Klin Indones* 2015; **11**: 179.
- 11 Pudjiadi S. *Ilmu Gizi Klinis*. Balai Penerbit FK UI: Jakarta, 2005.



- 12 Freemark M. Metabolic Consequences of Obesity and Their Management. In: Brook CG., Clayton P., Brown R. (eds). *Clinical Pediatric Endocrinology*. Blackwell Publishing: London, 2005, pp 419–25.
- 13 Mudaliar U, Zabetian A, Goodman M, Echouffo-Tcheugui JB, Albright AL, Gregg EW *et al*. Cardiometabolic Risk Factor Changes Observed in Diabetes Prevention Programs in US Settings: A Systematic Review and Meta-analysis. *PLoS Med* 2016; **13**: 1–19.
- 14 Lee JM, Okumura MJ, Davis MM, Herman WH, Gurney JG. Prevalence and determinants of insulin resistance among U.S. adolescents: A population-based study. *Diabetes Care* 2006; **29**: 2427–2432.
- 15 Mistry SK, Puthussery S. Risk factors of overweight and obesity in childhood and adolescence in South Asian countries: A systematic review of the evidence. *Public Health* 2015; **129**: 200–209.
- 16 Lakshman R, Elks C, Ong K. Childhood Obesity. *Circulation* 2012; **126**: 1770–1779.
- 17 Magge SN, Goodman E, Armstrong SC, Daniels S, Corkins M, De Ferranti S *et al*. The metabolic syndrome in children and adolescents: Shifting the focus to cardiometabolic risk factor clustering. *Pediatrics* 2017; **140**. doi:10.1542/peds.2017-1603.
- 18 Kotsis V, Stabouli S, Papakatsika S, Rizos Z, Parati G. Mechanisms of obesity-induced hypertension. *Hypertens Res* 2010; **33**: 386–393.
- 19 Brady TM. Obesity-related hypertension in children. *Front Pediatr* 2017; **5**: 1–7.
- 20 Lavie CJ, Arena R, Alpert MA, Milani R V., Ventura HO. Management of cardiovascular diseases in patients with obesity. *Nat Rev Cardiol* 2018; **15**: 45–56.
- 21 Van Putte-Katier N, Rooman RP, Haas L, Verhulst SL, Desager KN, Ramet J *et al*. Early cardiac abnormalities in obese children: Importance of obesity per se versus associated cardiovascular risk factors. *Pediatr Res* 2008; **64**: 205–209.
- 22 Akbari-Sedigh A, Asghari G, Yuzbashian E, Dehghan P, Imani H, Mirmiran P. Association of dietary pattern with carotid intima media thickness among children with overweight or obesity. *Diabetol Metab Syndr* 2019; **11**: 1–9.



- 23 Koh YK, Lee JH, Kim EY, Moon KR. Acanthosis nigricans as a clinical predictor of insulin resistance in obese children. *Pediatr Gastroenterol Hepatol Nutr* 2016; **19**: 251–258.
- 24 Phiske M. An approach to acanthosis nigricans. *Indian Dermatol Online J* 2014; **5**: 239–250.
- 25 Batubara JR. Acanthosis Nigricans dan Hubungannya dengan Resistensi Insulin pada Anak dan Remaja. *Sari Pediatr* 2016; **12**: 67–73.
- 26 Mathur P, Das MK, Arora NK. Non-alcoholic fatty liver disease and childhood obesity. *Indian J Pediatr* 2007; **74**: 401–407.
- 27 Welsh J., Karpen S, Vos M. Increasing Prevalence of Nonalcoholic Fatty Liver Disease Among United States Adolescents, 1988-1994 to 2007-2010. *J Pediatr* 2013; **162**: 496–500.
- 28 Mahaling DU, Basavaraj MM, Bika AJ. Comparison of lipid profile in different grades of non-alcoholic fatty liver disease diagnosed on ultrasound. *Asian Pac J Trop Biomed* 2013; **3**: 907–912.
- 29 Alisi A, Manco M, Vania A, Nobili V. Pediatric Nonalcoholic Fatty Liver Disease in 2009. *J Pediatr* 2009; **155**: 469–474.
- 30 Shah J, Okubote T, Alkhouri N. Overview of updated practice guidelines for pediatric nonalcoholic fatty liver disease. *Gastroenterol Hepatol* 2018; **14**: 407–414.
- 31 Ranucci G, Spagnuolo MI, Iorio R. Obese children with fatty liver: Between reality and disease mongering. *World J Gastroenterol* 2017; **23**: 8277–8282.
- 32 Pulgaron ER, Delamater AM. Obesity and type 2 diabetes in children: Epidemiology and treatment. *Curr Diab Rep* 2014; **14**: 1–21.
- 33 Safrida EN, Nurani N, Julia M. Glycated hemoglobin HbA1c, waist circumference, and waist-to-height ratio in overweight and obese adolescents. *Paediatr Indones* 2017; **57**: 57–62.
- 34 Zeitler P, Fu J, Tandon N, Nadeau K, Urakami T, Barrett T *et al.* ISPAD Clinical Practice Consensus Guidelines 2014 Compendium Type 2 diabetes in the child and adolescent. *Pediatr Diabetes* 2014; **15**: 26–46.



- 35 Kahn R, Buse J, Ferrannini E, Stern M. The Metabolic Syndrome : Time for a Critical Appraisal. *Diabetes Care* 2005; **28**: 2289–2304.
- 36 Pulungan A, Marzuki A, Julia M, Rosalina I, Damayanti W, Yanuarso P *et al.* Diagnosis dan tata laksana sindrom metabolik pada anak dan remaja. *Ikat Dr Anak Indones* 2014; : 1–15.
- 37 Kang KS. Nutritional Counseling for Obese Children with. 2017; **20**: 71–78.
- 38 Rachmi CN, Li M, Alison Baur L. Overweight and obesity in Indonesia: prevalence and risk factors—a literature review. *Public Health* 2017; **147**: 20–29.
- 39 Prentice-Dunn H, Prentice-Dunn S. Physical activity, sedentary behavior, and childhood obesity: A review of cross-sectional studies. *Psychol Heal Med* 2012; **17**: 255–273.
- 40 Ludwig DS, Peterson KE, Gortmaker SL. Relation between consumption of sugar-sweetened drinks and childhood obesity: A prospective, observational analysis. *Lancet* 2001; **357**: 505–508.
- 41 Félix DR, Costenaro F, Gottschall CBA, Coral GP. Non-alcoholic fatty liver disease (Nafld) in obese children- effect of refined carbohydrates in diet. *BMC Pediatr* 2016; **16**: 1–6.
- 42 Li L, Shen T, Wen LM, Wu M, He P, Wang Y *et al.* Lifestyle factors associated with childhood obesity: A cross-sectional study in Shanghai, China. *BMC Res Notes* 2015; **8**: 1–8.
- 43 Flynn JT, Falkner BE. New clinical practice guideline for the management of high blood pressure in children and adolescents. *Hypertension* 2017; **70**: 683–686.
- 44 Reilly JJ, Kelly J. Long-term impact of overweight and obesity in childhood and adolescence on morbidity and premature mortality in adulthood: Systematic review. *Int J Obes* 2011; **35**: 891–898.
- 45 Hill DJ, Prapavessis H, Shoemaker JK, Jackman M, Mahmud FH, Clarson C. Relationship between Birth Weight and Metabolic Status in Obese Adolescents. *Hindawi Publ Corp* 2013; : 1–8.
- 46 Boney CM, Verma A, Tucker R, Vohr BR. Metabolic syndrome in childhood:



- Association with birth weight, maternal obesity, and gestational diabetes mellitus. *Pediatrics* 2005; **115**. doi:10.1542/peds.2004-1808.
- 47 Olson J, Aldrich H, Callahan TJ, Matthews EE, Gance-Cleveland B. Characterization of Childhood Obesity and Behavioral Factors. *J Pediatr Heal Care* 2016; **30**: 444–452.
- 48 Nixon CA, Moore HJ, Douthwaite W, Gibson EL, Vogeles C, Kreichauf S *et al*. Identifying effective behavioural models and behaviour change strategies underpinning preschool- and school-based obesity prevention interventions aimed at 4-6-year-olds: A systematic review. *Obes Rev* 2012; **13**: 106–117.
- 49 Sherwani SI, Khan HA, Ekhzaimy A, Masood A, Sakharkar MK. Significance of HbA1c test in diagnosis and prognosis of diabetic patients. *Biomark Insights* 2016; **11**: 95–104.
- 50 Irizarry KA, Brito V, Freemark M. Screening for metabolic and reproductive complications in obese children and adolescents. *Pediatr Ann* 2014; **43**: e210–e217.
- 51 Yusuf PS, Hawken S, Ôunpuu S, Dans T, Avezum A, Lanas F *et al*. Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): Case-control study. *Lancet* 2004; **364**: 937–952.
- 52 Rizk NM, Yousef M. Association of lipid profile and waist circumference as cardiovascular risk factors for overweight and obesity among school children in Qatar. *Diabetes, Metab Syndr Obes Targets Ther* 2012; **5**: 425–432.
- 53 Lartey A, Marquis GS, Aryeetey R, Nti H. Lipid profile and dyslipidemia among school-age children in urban Ghana. *BMC Public Health* 2018; **18**: 1–8.
- 54 Birjandi M, Ayatollahi SMT, Pourahmad S, Safarpour AR. Prediction and diagnosis of non-alcoholic fatty liver disease (NAFLD) and identification of its associated factors using the classification tree method. *Iran Red Crescent Med J* 2016; **18**. doi:10.5812/ircmj.32858.
- 55 Ng HY. Acanthosis nigricans in obese adolescents: prevalence, impact, and management challenges. *Adolesc Health Med Ther* 2016; **Volume 8**: 1–10.
- 56 Patel NU, Roach C, Alinia H, Huang WW, Feldman SR. Current treatment options for acanthosis nigricans. *Clin Cosmet Investig Dermatol* 2018; **11**: 407–413.



- 57 Horner K, Kuk JL, Barinas-Mitchell E, Drant S, DeGroff C, Lee SJ. Effect of aerobic versus resistance exercise on pulse wave velocity, intima media thickness and left ventricular mass in obese adolescents. *Pediatr Exerc Sci* 2015; **27**: 494–502.
- 58 Weberrub H, Pirzer R, Böhm B, Pozza RD, Netz H, Oberhoffer R. Intima-media thickness and arterial function in obese and non-obese children. *BMC Obes* 2016; **3**: 1–5.
- 59 Keating CL, Moodie ML, Swinburn BA. The health-related quality of life of overweight and obese adolescents a study measuring body mass index and adolescent-reported perceptions. *Int J Pediatr Obes* 2011; **6**: 434–441.