

## REFERENCE

- Alpert, J., Sloss, L., Cohn, P. and Grossman, W. (1980). The diagnostic accuracy of combined clinical and noninvasive cardiac evaluation: Comparison with findings at cardiac catheterization. *Catheterization and Cardiovascular Diagnosis*, 6(4), pp.359-370.
- Birkebak, N., Hansen, L. and Oxhøj, H. (1995). Diagnostic value of chest radiography and electrocardiography in the evaluation of asymptomatic children with a cardiac murmur. *Acta Paediatrica*, 84(12), pp.1379-1381.
- Borges, L. (2016). Diagnostic Accuracy Measures in Cardiovascular Research. *International Journal of Cardiovascular Sciences*.
- Bratincsák, A., Williams, M., Kimata, C. and Perry, J. (2015). The Electrocardiogram Is a Poor Diagnostic Tool to Detect Left Ventricular Hypertrophy in Children: A Comparison with Echocardiographic Assessment of Left Ventricular Mass. *Congenital Heart Disease*, 10(4), pp.E164-E171.
- Danford, D. (2000). Clinical and basic laboratory assessment of children for possible congenital heart disease. *Current Opinion in Pediatrics*, 12(5), pp.487-491.
- Danford, D., Martin, A., Fletcher, S., Gumbiner, C., Cheatham, J., Hofschire, P. and Kugler, J. (1997). Children With Heart Murmurs: Can Ventricular Septal Defect Be Diagnosed Reliably Without an Echocardiogram?. *Journal of the American College of Cardiology*, 30(1), pp.243-246.
- Dev, V. and Shrivastava, S. (1988). Value of electrocardiography in congenital heart disease. *The Indian Journal of Pediatrics*, 55(5), pp.681-691.
- Dickinson, D. (2005). The normal ECG in childhood and adolescence. *Heart*, 91(12), pp.1626-1630.
- Doyle, T., and Kavanaugh-McHugh, A. (2018). Pathophysiology, Clinical Features, and Diagnosis of Tetralogy of Fallot. In C. Armsby (Ed.), *UpToDate*. Retrieved March 1, 2019, from: <https://www.uptodate.com/contents/pathophysiology-clinical-features-and-diagnosis-of-tetralogy-of-fallot>
- Ferencz, C., Rubin, J., McCarter, R., Brenner, J., Neill, C., Perry, L., Hepner, S. and Downing, J. (1985). Congenital heart disease: prevalence at livebirth. *American Journal of Epidemiology*, 121(1), pp.31-36.

- Hoffman, J. (1995). Incidence of congenital heart disease: I. Postnatal incidence. *Pediatric Cardiology*, 16(3), pp.103-113.
- Kavanaugh-McHugh, A. (2018). Echocardiographic Evaluation of Ventricular Septal Defects. In B. C. Downey (Ed.), *UpToDate*. Retrieved March 1, 2019, from: <https://www.uptodate.com/contents/echocardiographic-evaluation-of-ventricular-septal-defects>
- Luthra, A. (2012). *Echo Made Easy*. 3rd ed. New Delhi, India: Jaypee Brothers Medical Publishers.
- Mahutte, NG., and Deluba, AJ. (2019). Evaluating diagnostic tests. In C. Armsby (Ed.), *UpToDate*. Retrieved April 10, 2019, from: <https://www.uptodate.com/contents/evaluating-diagnostic-tests>
- Martin, S., Shapiro, E. and Mukherjee, M. (2014). Atrial Septal Defects – Clinical Manifestations, Echo Assessment, and Intervention. *Clinical Medicine Insights: Cardiology*, 8s1, p.CMC.S15715.
- Mat Bah, M., Sopian, M., Jamil, M., Abdullah, N., Alias, E. and Zahari, N. (2018). The birth prevalence, severity, and temporal trends of congenital heart disease in the middle-income country: A population-based study. *Congenital Heart Disease*, 13(6), pp.1012-1027.
- Murni, I., MacLaren, G., Morrow, D., Iyer, P. and Duke, T. (2017). Perioperative infections in congenital heart disease. *Cardiology in the Young*, 27(S6), pp.S14-S21.
- Musa, N., Hjortdal, V., Zheleva, B., Murni, I., Sano, S., Schwartz, S. and Staveski, S. (2017). The global burden of paediatric heart disease. *Cardiology in the Young*, 27(S6), pp.S3-S8.
- Park, M. (2014). *Pediatric Cardiology for Practitioners*. 6th ed. Philadelphia: Elsevier Inc.
- Park, M. and Guntheroth, W. (2006). *How to read pediatric ECGs*. Philadelphia: Mosby/Elsevier.
- Phillips, B. (2013). Towards evidence based medicine for paediatricians. *Archives of Disease in Childhood*, 98(5), pp.386-386.
- Prutkin, JM. (2018). ECG Tutorial: Chamber enlargement and hypertrophy. In G. M. Saperia (Ed.), *UpToDate*. Retrieved January 25, 2019, from: <https://www.uptodate.com/contents/ecg-tutorial-chamber-enlargement-and-hypertrophy>

- Puchalski, M., Lozier, J., Bradley, D., Minich, L. and Tani, L. (2006). Electrocardiography in the Diagnosis of Right Ventricular Hypertrophy in Children. *PEDIATRICS*, 118(3), pp.1052-1055.
- Rajakumar, K., Weisse, M., Rosas, A., Gunel, E., Pyles, L., Neal, W., Balian, A. and Einzig, S. (1999). Comparative Study of Clinical Evaluation of Heart Murmurs by General Pediatricians and Pediatric Cardiologists. *Clinical Pediatrics*, 38(9), pp.511-518.
- Robert, E. (1994). Epidemiology of congenital heart disease: The Baltimore-Washington Infant Study, 1981–1989 (Perspectives in Pediatric cardiology series, volume 4). *Reproductive Toxicology*, 8(4), p.375.
- Sarmila, B., Iskandar, B. and Daud, D. (2019). Diagnostic value of electrocardiography for ventricular septal defect. *Paediatrica Indonesiana*, 59(2), pp.87-91.
- Schiller, NB., Ristow, B., and Ren, X. (2018). Echocardiographic evaluation of the pulmonic valve and pulmonary artery. In S. B. Yeon (Ed.), *UpToDate*. Retrieved March 1, 2019, from <https://www.uptodate.com/contents/echocardiographic-evaluation-of-the-pulmonic-valve-and-pulmonary-artery>
- Swenson, J., Fischer, D., Miller, S., Boyle, G., Ettetdgui, J. and Beerman, L. (1997). Are Chest Radiographs and Electrocardiograms Still Valuable in Evaluating New Pediatric Patients With Heart Murmurs or Chest Pain?. *PEDIATRICS*, 99(1), pp.1-3.
- Temmerman, A., Mooyaart, E. and Taverne, P. (1991). The value of the routine chest roentgenogram in the cardiological evaluation of infants and children. A prospective study. *European Journal of Pediatrics*, 150(9), pp.623-626.
- Tennant, P., Pearce, M., Bythell, M. and Rankin, J. (2010). 20-year survival of children born with congenital anomalies: a population-based study. *The Lancet*, 375(9715), pp.649-656.
- Tubman, T., Shields, M., Craig, B., Mulholland, H. and Nevin, N. (1991). Congenital heart disease in Down's syndrome: two year prospective early screening study. *BMJ*, 302(6790), pp.1425-1427.
- van der Linde, D., Konings, E., Slager, M., Witsenburg, M., Helbing, W., Takkenberg, J. and Roos-Hesselink, J. (2011). Birth Prevalence of Congenital Heart Disease Worldwide. *Journal of the American College of Cardiology*, 58(21), pp.2241-2247.

## APPENDICES

### Appendix 1. Normal limits of ECG parameter for the pediatric Rijnbeek, et al. (2001)

Table 2 Lead-independent ECG measurements for boys (upper row) and girls (lower row): median (2nd percentile, 98th percentile)

| Lead                                    | 0-1 months                       | 1-3 months                       | 3-6 months                       | 6-12 months                      | 1-3 years                        | 3-5 years                        | 5-8 years                        | 8-12 years                       | 12-16 years                      |
|-----------------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| Heart rate (beats . min <sup>-1</sup> ) | 160 (129, 192)<br>155 (136, 216) | 152 (126, 187)<br>154 (126, 200) | 134 (112, 165)<br>139 (122, 191) | 128 (106, 194)<br>134 (106, 187) | 119 (97, 155)<br>128 (95, 178)   | 98 (73, 123)<br>101 (78, 124)    | 88 (62, 113)<br>89 (68, 115)     | 78 (55, 101)<br>80 (58, 110)     | 73 (48, 99)<br>76 (54, 107)      |
| P axis (°)                              | 56 (13, 99)<br>52 (24, 80)       | 52 (10, 73)<br>48 (20, 77)       | 49 (-5, 70)<br>51 (16, 80)       | 49 (9, 87)<br>50 (14, 69)        | 48 (-12, 78)<br>47 (1, 90)       | 43 (-13, 69)<br>44 (-6, 90)      | 41 (-54, 72)<br>42 (-13, 77)     | 39 (-17, 76)<br>42 (-15, 82)     | 40 (-24, 76)<br>45 (-18, 77)     |
| P duration (ms)                         | 78 (64, 85)<br>79 (69, 106)      | 79 (65, 98)<br>78 (62, 105)      | 81 (64, 103)<br>78 (63, 106)     | 80 (66, 96)<br>80 (64, 07)       | 80 (63, 113)<br>83 (62, 104)     | 87 (67, 102)<br>84 (66, 101)     | 92 (73, 108)<br>89 (71, 107)     | 98 (78, 117)<br>94 (75, 114)     | 100 (82, 118)<br>98 (78, 122)    |
| PR interval (ms)                        | 99 (77, 120)<br>101 (91, 121)    | 98 (85, 120)<br>99 (78, 133)     | 106 (87, 134)<br>106 (84, 127)   | 114 (82, 141)<br>109 (88, 133)   | 118 (86, 151)<br>113 (78, 147)   | 121 (98, 152)<br>123 (99, 153)   | 129 (99, 160)<br>124 (92, 156)   | 134 (105, 174)<br>129 (103, 163) | 139 (107, 178)<br>135 (106, 176) |
| QRS axis (°)                            | 97 (75, 140)<br>110 (63, 155)    | 87 (37, 138)<br>80 (39, 121)     | 66 (-6, 107)<br>70 (17, 108)     | 68 (14, 122)<br>67 (1, 102)      | 64 (-4, 118)<br>69 (2, 121)      | 70 (7, 112)<br>69 (3, 106)       | 70 (-10, 112)<br>74 (27, 117)    | 70 (-21, 114)<br>66 (5, 101)     | 65 (-9, 112)<br>66 (5, 101)      |
| QRS duration (ms)                       | 67 (50, 85)<br>67 (54, 79)       | 64 (52, 77)<br>63 (48, 77)       | 66 (54, 85)<br>64 (50, 78)       | 69 (52, 86)<br>64 (52, 80)       | 71 (54, 88)<br>68 (54, 85)       | 75 (58, 92)<br>71 (58, 88)       | 80 (63, 98)<br>77 (59, 95)       | 85 (67, 103)<br>82 (66, 99)      | 91 (78, 111)<br>87 (72, 106)     |
| QTc interval (ms)*                      | 413 (378, 448)<br>420 (379, 462) | 419 (396, 458)<br>424 (381, 454) | 422 (391, 453)<br>418 (386, 448) | 411 (379, 449)<br>414 (381, 446) | 412 (383, 455)<br>417 (381, 447) | 412 (377, 448)<br>415 (388, 442) | 411 (371, 443)<br>409 (375, 449) | 411 (373, 440)<br>410 (365, 447) | 407 (362, 449)<br>414 (370, 457) |

### Appendix 2. Normal limits of P-wave amplitude for the pediatric Rijnbeek, et al. (2001)

*Table 3 P-wave amplitudes (mV) for boys (upper row) and girls (lower row): median (98th percentile)*

| Lead           | 0-1 months                 | 1-3 months                 | 3-6 months                 | 6-12 months                | 1-3 years                  | 3-5 years                  | 5-8 years                  | 8-12 years                               | 12-16 years                              |
|----------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|------------------------------------------|------------------------------------------|
| II             | 0-15 (0-23)<br>0-16 (0-25) | 0-16 (0-25)<br>0-16 (0-23) | 0-15 (0-22)<br>0-16 (0-23) | 0-16 (0-26)<br>0-16 (0-24) | 0-15 (0-25)<br>0-16 (0-25) | 0-13 (0-23)<br>0-13 (0-23) | 0-12 (0-22)<br>0-12 (0-24) | <b>0-12 (0-22)</b><br><b>0-14 (0-24)</b> | <b>0-13 (0-24)</b><br><b>0-15 (0-26)</b> |
| V <sub>1</sub> | 0-12 (0-22)<br>0-10 (0-19) | 0-10 (0-19)<br>0-10 (0-16) | 0-09 (0-17)<br>0-10 (0-16) | 0-10 (0-17)<br>0-11 (0-21) | 0-13 (0-20)<br>0-12 (0-20) | 0-12 (0-19)<br>0-12 (0-20) | 0-12 (0-20)<br>0-11 (0-18) | 0-11 (0-19)<br>0-11 (0-19)               | 0-11 (0-18)<br>0-10 (0-17)               |
| V <sub>2</sub> | 0-15 (0-25)<br>0-16 (0-28) | 0-13 (0-24)<br>0-13 (0-23) | 0-11 (0-20)<br>0-12 (0-19) | 0-13 (0-23)<br>0-13 (0-23) | 0-13 (0-22)<br>0-13 (0-23) | 0-11 (0-20)<br>0-11 (0-19) | 0-11 (0-17)<br>0-11 (0-17) | 0-11 (0-16)<br>0-10 (0-18)               | 0-10 (0-17)<br>0-10 (0-17)               |

### Appendix 3. Normal limits of Q-wave amplitude for the pediatric Rijnbeek, et al. (2001)

*Table 4 Q-wave amplitudes (mV) for boys (upper row) and girls (lower row): median (98th percentile)*

| Lead           | 0-1 months                 | 1-3 months                 | 3-6 months                 | 6-12 months                | 1-3 years                  | 3-5 years                  | 5-8 years                  | 8-12 years                 | 12-16 years                |
|----------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| II             | 0-14 (0-23)<br>0-09 (0-26) | 0-18 (0-32)<br>0-14 (0-32) | 0-14 (0-34)<br>0-15 (0-43) | 0-18 (0-48)<br>0-16 (0-44) | 0-15 (0-44)<br>0-16 (0-48) | 0-11 (0-26)<br>0-13 (0-27) | 0-10 (0-28)<br>0-08 (0-26) | 0-09 (0-24)<br>0-08 (0-21) | 0-08 (0-21)<br>0-09 (0-20) |
| III            | 0-15 (0-26)<br>0-18 (0-35) | 0-29 (0-50)<br>0-24 (0-50) | 0-31 (0-71)<br>0-28 (0-65) | 0-35 (0-79)<br>0-34 (0-79) | 0-30 (0-74)<br>0-31 (0-73) | 0-19 (0-46)<br>0-18 (0-40) | 0-15 (0-36)<br>0-16 (0-38) | 0-10 (0-28)<br>0-10 (0-27) | 0-10 (0-29)<br>0-10 (0-21) |
| aVF            | 0-13 (0-23)<br>0-10 (0-27) | 0-20 (0-35)<br>0-17 (0-35) | 0-20 (0-40)<br>0-20 (0-44) | 0-22 (0-58)<br>0-23 (0-52) | 0-20 (0-54)<br>0-20 (0-54) | 0-14 (0-34)<br>0-12 (0-31) | 0-12 (0-25)<br>0-11 (0-31) | 0-09 (0-25)<br>0-08 (0-21) | 0-08 (0-23)<br>0-09 (0-18) |
| V <sub>6</sub> | 0-11 (0-22)<br>0-09 (0-17) | 0-16 (0-31)<br>0-15 (0-37) | 0-17 (0-35)<br>0-15 (0-40) | 0-20 (0-60)<br>0-18 (0-39) | 0-20 (0-56)<br>0-17 (0-49) | 0-15 (0-42)<br>0-15 (0-42) | 0-12 (0-39)<br>0-10 (0-41) | 0-12 (0-43)<br>0-11 (0-34) | 0-11 (0-43)<br>0-09 (0-23) |
| V <sub>7</sub> | 0-08 (0-13)<br>0-08 (0-15) | 0-13 (0-28)<br>0-13 (0-28) | 0-14 (0-32)<br>0-13 (0-36) | 0-17 (0-52)<br>0-16 (0-34) | 0-19 (0-46)<br>0-17 (0-43) | 0-13 (0-36)<br>0-15 (0-33) | 0-11 (0-30)<br>0-09 (0-36) | 0-11 (0-29)<br>0-09 (0-26) | 0-11 (0-32)<br>0-09 (0-24) |

### Appendix 4. Normal limits of R-wave amplitude for the pediatric Rijnbeek, et al. (2001)

*Table 5 R-wave amplitudes (mV) for boys (upper row) and girls (lower row): median (98th percentile)*

| Lead            | 0-1 months                 | 1-3 months                 | 3-6 months                 | 6-12 months                | 1-3 years                  | 3-5 years                  | 5-8 years                                | 8-12 years                               | 12-16 years                              |
|-----------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|------------------------------------------|------------------------------------------|------------------------------------------|
| I               | 0-25 (0-45)<br>0-31 (0-62) | 0-56 (1-12)<br>0-55 (1-09) | 0-80 (1-52)<br>0-74 (1-26) | 0-82 (1-52)<br>0-75 (1-38) | 0-77 (1-37)<br>0-68 (1-52) | 0-63 (1-09)<br>0-65 (1-20) | <b>0-62 (1-16)</b><br><b>0-49 (1-00)</b> | 0-59 (1-04)<br>0-54 (1-21)               | <b>0-58 (1-09)</b><br><b>0-48 (1-02)</b> |
| II              | 0-64 (1-28)<br>0-70 (1-21) | 1-08 (1-76)<br>1-15 (2-04) | 1-27 (1-97)<br>1-33 (2-24) | 1-27 (2-09)<br>1-35 (2-21) | 1-27 (2-47)<br>1-27 (2-34) | 1-36 (2-20)<br>1-38 (2-24) | 1-24 (2-42)<br>1-33 (2-27)               | 1-39 (2-23)<br>1-32 (2-29)               | 1-31 (2-08)<br>1-32 (2-03)               |
| III             | 0-79 (1-44)<br>0-85 (1-50) | 0-76 (1-60)<br>0-91 (1-82) | 0-72 (1-50)<br>0-95 (1-85) | 0-82 (1-65)<br>0-90 (1-95) | 0-80 (1-96)<br>0-96 (2-00) | 0-94 (1-82)<br>0-94 (1-96) | 0-80 (1-92)<br>1-03 (2-09)               | 0-89 (1-86)<br>0-92 (1-88)               | 0-85 (1-74)<br>0-88 (1-66)               |
| aVR             | 0-32 (0-52)<br>0-30 (0-61) | 0-36 (0-63)<br>0-27 (0-49) | 0-32 (0-58)<br>0-23 (0-51) | 0-30 (0-62)<br>0-21 (0-48) | 0-21 (0-53)<br>0-25 (0-48) | 0-21 (0-48)<br>0-17 (0-39) | <b>0-23 (0-51)</b><br><b>0-18 (0-40)</b> | <b>0-24 (0-49)</b><br><b>0-18 (0-41)</b> | <b>0-23 (0-46)</b><br><b>0-18 (0-37)</b> |
| aVL             | 0-16 (0-32)<br>0-18 (0-45) | 0-35 (0-66)<br>0-25 (0-69) | 0-40 (1-09)<br>0-37 (0-78) | 0-44 (1-04)<br>0-40 (0-92) | 0-38 (0-86)<br>0-38 (1-02) | 0-26 (0-58)<br>0-24 (0-70) | 0-22 (0-70)<br>0-18 (0-55)               | 0-17 (0-52)<br>0-17 (0-69)               | 0-19 (0-69)<br>0-16 (0-53)               |
| aVF             | 0-59 (1-36)<br>0-72 (1-26) | 0-88 (1-58)<br>0-98 (1-91) | 0-93 (1-70)<br>1-07 (1-82) | 0-96 (1-81)<br>1-11 (2-04) | 1-00 (2-20)<br>1-10 (2-08) | 1-13 (1-97)<br>1-14 (2-06) | <b>1-00 (2-19)</b><br><b>1-20 (2-17)</b> | 1-16 (2-00)<br>1-09 (2-06)               | 1-06 (1-88)<br>1-10 (1-84)               |
| V <sub>3R</sub> | 0-62 (1-04)<br>0-68 (1-26) | 0-58 (1-24)<br>0-55 (0-93) | 0-57 (1-20)<br>0-49 (1-11) | 0-48 (1-24)<br>0-42 (0-98) | 0-49 (1-06)<br>0-43 (0-92) | 0-41 (0-81)<br>0-34 (0-64) | 0-23 (0-63)<br>0-21 (0-57)               | 0-22 (0-51)<br>0-19 (0-47)               | 0-19 (0-54)<br>0-17 (0-49)               |
| V <sub>1</sub>  | 1-10 (2-05)<br>1-35 (2-22) | 1-23 (2-07)<br>1-17 (1-99) | 1-32 (2-20)<br>1-14 (2-04) | 1-12 (2-14)<br>1-01 (1-92) | 1-08 (2-11)<br>1-01 (1-91) | 0-95 (1-78)<br>0-77 (1-38) | 0-63 (1-48)<br>0-55 (1-24)               | 0-54 (1-14)<br>0-49 (1-14)               | <b>0-48 (1-18)</b><br><b>0-35 (1-10)</b> |
| V <sub>2</sub>  | 1-83 (2-67)<br>1-83 (2-17) | 1-82 (2-63)<br>1-81 (2-45) | 2-08 (2-54)<br>1-88 (2-60) | 1-94 (2-51)<br>1-82 (2-36) | 1-82 (2-41)<br>1-75 (2-38) | 1-58 (2-26)<br>1-41 (2-25) | 1-21 (2-22)<br>1-06 (1-91)               | 1-02 (1-90)<br>0-90 (1-86)               | <b>0-94 (1-87)</b><br><b>0-69 (1-57)</b> |
| V <sub>4</sub>  | 1-80 (2-62)<br>1-68 (2-21) | 2-30 (3-05)<br>2-26 (3-26) | 2-32 (3-23)<br>2-26 (3-31) | 2-27 (3-32)<br>2-23 (3-09) | 2-37 (3-38)<br>2-21 (3-54) | 2-42 (3-30)<br>2-24 (3-38) | 2-11 (3-11)<br>1-84 (3-04)               | 1-86 (3-16)<br>1-72 (3-23)               | <b>1-87 (3-06)</b><br><b>1-24 (2-55)</b> |
| V <sub>6</sub>  | 1-00 (1-78)<br>0-93 (1-64) | 1-55 (2-23)<br>1-51 (2-67) | 1-65 (2-73)<br>1-60 (2-80) | 1-70 (2-79)<br>1-68 (2-74) | 1-79 (2-96)<br>1-68 (2-67) | 1-94 (3-14)<br>1-89 (2-91) | 1-97 (2-98)<br>2-05 (3-25)               | <b>2-18 (3-24)</b><br><b>2-00 (3-04)</b> | <b>2-02 (3-05)</b><br><b>1-65 (2-52)</b> |
| V <sub>7</sub>  | 0-45 (0-93)<br>0-52 (0-96) | 0-90 (1-41)<br>0-95 (1-68) | 1-01 (1-76)<br>0-96 (1-80) | 1-04 (1-84)<br>1-13 (1-85) | 1-14 (1-99)<br>1-15 (1-86) | 1-34 (2-12)<br>1-35 (2-12) | 1-26 (2-01)<br>1-36 (2-31)               | 1-38 (2-24)<br>1-35 (2-10)               | 1-41 (2-31)<br>1-34 (1-98)               |

**Appendix 5. Normal limits of S-wave amplitude for the pediatric**  
**Rijnbeek, et al. (2001)**

*Table 6 S-wave amplitudes (mV) for boys (upper row) and girls (lower row): median (98th percentile)*

| Lead            | 0-1 months                                   | 1-3 months                                   | 3-6 months                                   | 6-12 months                              | 1-3 years                                | 3-5 years                                    | 5-8 years                                    | 8-12 years                                   | 12-16 years                                  |
|-----------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|------------------------------------------|------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|
| I               | 0-42 (0-71)<br>0-51 (1-01)                   | <b>0-46 (0-94)</b><br><b>0-35 (0-71)</b>     | <b>0-41 (0-77)</b><br><b>0-32 (0-73)</b>     | <b>0-40 (0-81)</b><br><b>0-33 (0-73)</b> | 0-27 (0-82)<br>0-35 (0-70)               | 0-21 (0-69)<br>0-20 (0-52)                   | 0-22 (0-56)<br>0-22 (0-54)                   | <b>0-22 (0-50)</b><br><b>0-16 (0-47)</b>     | <b>0-19 (0-48)</b><br><b>0-13 (0-40)</b>     |
| II              | 0-24 (0-46)<br>0-26 (0-53)                   | 0-29 (0-55)<br>0-22 (0-53)                   | 0-29 ( <b>0-61</b> )<br>0-24 ( <b>0-46</b> ) | <b>0-30 (0-62)</b><br><b>0-23 (0-54)</b> | 0-25 (0-55)<br>0-26 (0-56)               | <b>0-28 (0-58)</b><br><b>0-20 (0-46)</b>     | <b>0-27 (0-64)</b><br><b>0-19 (0-46)</b>     | <b>0-30 (0-63)</b><br><b>0-20 (0-52)</b>     | 0-27 ( <b>0-63</b> )<br>0-22 ( <b>0-54</b> ) |
| III             | 0-16 ( <b>0-28</b> )<br>0-19 ( <b>0-34</b> ) | 0-27 (0-54)<br>0-24 (0-50)                   | 0-30 ( <b>0-87</b> )<br>0-28 ( <b>0-63</b> ) | 0-34 (0-86)<br>0-33 (0-77)               | 0-30 (0-72)<br>0-32 (0-86)               | 0-22 (0-51)<br>0-19 (0-54)                   | 0-21 ( <b>0-65</b> )<br>0-18 ( <b>0-41</b> ) | 0-19 (0-56)<br>0-16 (0-48)                   | 0-20 (0-57)<br>0-17 (0-61)                   |
| aVR             | 0-41 (0-68)<br>0-44 (0-64)                   | 0-76 (1-30)<br>0-81 (1-31)                   | 0-98 (1-47)<br>0-96 (1-49)                   | 0-98 (1-47)<br>0-97 (1-48)               | 0-95 (1-63)<br>0-92 (1-61)               | 0-93 (1-40)<br>0-95 (1-49)                   | 0-90 (1-51)<br>0-90 (1-40)                   | 0-96 (1-45)<br>0-91 (1-51)                   | 0-91 (1-39)<br>0-89 (1-35)                   |
| aVL             | 0-47 ( <b>0-77</b> )<br>0-63 (1-17)          | 0-51 (1-02)<br>0-53 (1-04)                   | 0-44 ( <b>0-83</b> )<br>0-46 ( <b>0-98</b> ) | 0-47 (0-98)<br>0-52 (1-03)               | 0-40 (1-00)<br>0-44 (1-06)               | 0-34 (0-87)<br>0-33 (1-12)                   | 0-33 ( <b>0-84</b> )<br>0-43 ( <b>1-02</b> ) | 0-28 (0-88)<br>0-30 (0-88)                   | 0-28 (0-94)<br>0-28 (0-84)                   |
| aVF             | 0-18 ( <b>0-27</b> )<br>0-18 ( <b>0-38</b> ) | 0-22 (0-39)<br>0-20 (0-35)                   | 0-23 (0-57)<br>0-20 (0-44)                   | 0-23 (0-59)<br>0-24 (0-51)               | 0-23 (0-53)<br>0-24 (0-60)               | <b>0-22 (0-52)</b><br><b>0-16 (0-40)</b>     | 0-21 ( <b>0-57</b> )<br>0-16 ( <b>0-37</b> ) | 0-21 ( <b>0-56</b> )<br>0-17 ( <b>0-45</b> ) | 0-22 (0-54)<br>0-18 (0-55)                   |
| V <sub>3R</sub> | 0-12 (0-22)<br>0-25 (0-62)                   | <b>0-24 (0-86)</b><br><b>0-35 (0-76)</b>     | 0-31 (0-90)<br>0-31 (0-98)                   | 0-34 (1-04)<br>0-34 (0-95)               | 0-45 (1-21)<br>0-42 (1-08)               | 0-53 (0-99)<br>0-50 (1-16)                   | 0-53 (1-06)<br>0-52 (1-07)                   | 0-60 (1-17)<br>0-55 (1-20)                   | 0-57 (1-14)<br>0-50 (1-04)                   |
| V <sub>1</sub>  | 0-74 (1-41)<br>0-72 (1-48)                   | 0-63 (1-57)<br>0-82 (1-59)                   | 0-69 (2-02)<br>0-74 (1-64)                   | 0-69 (1-88)<br>0-76 (1-86)               | 0-95 (2-27)<br>0-86 (2-13)               | 1-09 (2-11)<br>1-03 (2-11)                   | 1-15 (2-29)<br>1-23 (2-49)                   | 1-30 (2-46)<br>1-32 (2-58)                   | 1-30 ( <b>2-44</b> )<br>1-15 ( <b>2-05</b> ) |
| V <sub>2</sub>  | 1-53 (2-40)<br>1-47 (2-47)                   | 1-26 (2-54)<br>1-55 (2-61)                   | 1-49 (2-48)<br>1-47 (2-48)                   | 1-50 (2-78)<br>1-56 (2-52)               | 1-77 (2-95)<br>1-70 (2-91)               | 2-01 (3-08)<br>1-96 (2-93)                   | 2-17 (3-25)<br>2-17 (3-49)                   | 2-28 (3-44)<br>2-29 (3-46)                   | 2-39 ( <b>3-58</b> )<br>1-87 ( <b>3-14</b> ) |
| V <sub>4</sub>  | 1-17 (1-71)<br>1-04 (1-87)                   | 1-11 (2-25)<br>1-18 (1-87)                   | 1-22 (2-42)<br>1-19 (2-18)                   | <b>1-25 (2-35)</b><br><b>0-98 (2-04)</b> | <b>1-16 (2-16)</b><br><b>0-91 (2-00)</b> | <b>1-25 (2-51)</b><br><b>0-97 (1-75)</b>     | <b>1-28 (2-68)</b><br><b>1-05 (2-33)</b>     | <b>1-31 (2-44)</b><br><b>1-00 (2-28)</b>     | <b>1-16 (2-23)</b><br><b>0-73 (1-60)</b>     |
| V <sub>6</sub>  | 0-49 (0-77)<br>0-44 (1-07)                   | 0-51 ( <b>1-12</b> )<br>0-39 ( <b>0-77</b> ) | 0-46 (1-25)<br>0-41 (0-97)                   | <b>0-46 (1-21)</b><br><b>0-31 (0-70)</b> | 0-37 (0-91)<br>0-33 (0-88)               | 0-34 ( <b>0-86</b> )<br>0-30 ( <b>0-61</b> ) | <b>0-34 (0-89)</b><br><b>0-29 (0-77)</b>     | <b>0-34 (0-79)</b><br><b>0-27 (0-75)</b>     | <b>0-37 (0-85)</b><br><b>0-30 (0-67)</b>     |
| V <sub>7</sub>  | 0-18 (0-31)<br>0-16 (0-37)                   | <b>0-24 (0-46)</b><br><b>0-18 (0-39)</b>     | 0-22 (0-50)<br>0-19 (0-43)                   | <b>0-26 (0-58)</b><br><b>0-20 (0-37)</b> | 0-22 (0-53)<br>0-21 (0-48)               | 0-21 (0-41)<br>0-17 (0-36)                   | 0-17 (0-39)<br>0-13 (0-40)                   | <b>0-16 (0-39)</b><br><b>0-12 (0-33)</b>     | <b>0-20 (0-38)</b><br><b>0-16 (0-34)</b>     |