



## DAFTAR PUSTAKA

- Aklog, Y. F. *et al.* (2016) "Preparation of chitin nanofibers by surface esterification of chitin with maleic anhydride and mechanical treatment," *Carbohydrate Polymers*. Elsevier Ltd., 153, hal. 55–59. doi: 10.1016/j.carbpol.2016.07.060.
- Ali, A. dan Ahmed, S. (2018) "A review on chitosan and its nanocomposites in drug delivery," *International Journal of Biological Macromolecules*. Elsevier B.V., 109, hal. 273–286. doi: 10.1016/j.ijbiomac.2017.12.078.
- Ayawei, N. *et al.* (2015) "Synthesis, Characterization and Application of Mg/Al Layered Double Hydroxide for the Degradation of Congo Red in Aqueous Solution," *Open Journal of Physical Chemistry*, 05(03), hal. 56–70. doi: 10.4236/ojpc.2015.53007.
- Ayawei, N., Ebelegi, A. N. dan Wankasi, D. (2017) "Modelling and Interpretation of Adsorption Isotherms," *Journal of Chemistry*, 2017. doi: 10.1155/2017/3039817.
- Bolla, P. K. *et al.* (2018) "A review on pH and temperature responsive gels and other less explored drug delivery systems," *Journal of Drug Delivery Science and Technology*. Elsevier, 46(March), hal. 416–435. doi: 10.1016/j.jddst.2018.05.037.
- Dening, T. J., Zemlyanov, D. dan Taylor, L. S. (2019) "Application of an adsorption isotherm to explain incomplete drug release from ordered mesoporous silica materials under supersaturating conditions," *Journal of Controlled Release*. Elsevier, 307(March), hal. 186–199. doi: 10.1016/j.jconrel.2019.06.028.
- Dhar, N., Akhlaghi, S. P. dan Tam, K. C. (2012) "Biodegradable and biocompatible polyampholyte microgels derived from chitosan, carboxymethyl cellulose and modified methyl cellulose," *Carbohydrate Polymers*. Elsevier Ltd., 87(1), hal. 101–109. doi: 10.1016/j.carbpol.2011.07.022.
- Drozdov, A. D. dan deClaville Christiansen, J. (2017) "The effects of pH and ionic strength on equilibrium swelling of polyampholyte gels," *International Journal of Solids and Structures*. Elsevier Ltd, 110–111, hal. 192–208. doi: 10.1016/j.ijsolstr.2017.01.028.
- Elsayed, N. H., Monier, M. dan Alatawi, R. A. S. (2016) "Synthesis and characterization of photo-crosslinkable 4-styryl-pyridine modified alginate," *Carbohydrate Polymers*. Elsevier Ltd., 145, hal. 121–131. doi: 10.1016/j.carbpol.2016.03.006.
- Farokhi, M. *et al.* (2018) "Overview of Silk Fibroin Use in Wound Dressings," *Trends in Biotechnology*. Elsevier Ltd, xx. doi: 10.1016/j.tibtech.2018.04.004.
- Felthouse, T. R., Burnett, J. C., Horell, B., *et al.* (2001) "Maleic Anhydride, Maleic Acid, and Fumaric Acid," *Kirk-Othmer Encyclopedia of Chemical Technology*. John Wiley & Sons, Inc. doi: 10.1002/0471238961.1301120506051220.a01.pub2.
- Felthouse, T. R., Burnett, J. C., Horrell, B., *et al.* (2001) "Maleic Anhydride, Maleic Acid, and Fumaric Acid," *Kirk-Othmer Encyclopedia of Chemical Technology*, (10). doi: 10.1002/0471238961.1301120506051220.a01.pub2.
- Frenning, G. dan Strømme, M. (2003) "Drug release modeled by dissolution, diffusion, and immobilization," *International Journal of Pharmaceutics*, 250, hal. 137–145.
- Giri, T. K. *et al.* (2012) "Modified chitosan hydrogels as drug delivery and tissue engineering systems: present status and applications," *Acta Pharmaceutica Sinica B*. Elsevier, 2(5), hal. 439–449. doi: 10.1016/j.apsb.2012.07.004.
- Hamedi, H. *et al.* (2018) "Chitosan based hydrogels and their applications for drug delivery in wound dressings: A review," *Carbohydrate Polymers*. Elsevier Ltd., 199, hal. 445–460. doi: 10.1016/j.carbpol.2018.06.114.
- Hasipoglu, H. N. *et al.* (2005) "Preparation and characterization of maleic acid grafted chitosan," *International Journal of Polymer Analysis and Characterization*, 10(5–



- 6), hal. 313–327. doi: 10.1080/10236660500479478.
- Hernández-Moreno, D., de la Casa Resino, I. dan Soler-Rodríguez, F. (2014) “Maleic Anhydride,” *Encyclopedia of Toxicology: Third Edition*, 3, hal. 138–141. doi: 10.1016/B978-0-12-386454-3.01185-4.
- Imani, N. A. C. (2018) *Pengaruh Penambahan Nanosilika terhadap Karakter Fisik Film Kitosan serta Kecepatan Pelepasan Kurkumin*. Tesis. Universitas Gadjah Mada.
- Kate, A. S. dan Basavaraju, K. C. (2018) “A simple potentiometric titration method for estimation of maleic anhydride in high molecular weight styrene-maleic anhydride copolymer,” *Polymer Testing*. Elsevier Ltd, 65, hal. 369–373. doi: 10.1016/j.polymertesting.2017.12.016.
- Kharat, M. *et al.* (2017) “Physical and Chemical Stability of Curcumin in Aqueous Solutions and Emulsions: Impact of pH, Temperature, and Molecular Environment,” *Journal of Agricultural and Food Chemistry*, 65(8), hal. 1525–1532. doi: 10.1021/acs.jafc.6b04815.
- El Knidri, H. *et al.* (2018) “Extraction, chemical modification and characterization of chitin and chitosan,” *International Journal of Biological Macromolecules*. Elsevier B.V., 120, hal. 1181–1189. doi: 10.1016/j.ijbiomac.2018.08.139.
- Kono, H., Oeda, I. dan Nakamura, T. (2013) “The preparation, swelling characteristics, and albumin adsorption and release behaviors of a novel chitosan-based polyampholyte hydrogel,” *Reactive and Functional Polymers*. Elsevier Ltd, 73(1), hal. 97–107. doi: 10.1016/j.reactfunctpolym.2012.08.016.
- Lavanya, R. *et al.* (2017) “International Journal of Biological Macromolecules Adsorptive removal of copper ( II ) and lead ( II ) using chitosan- g -maleic anhydride- g -methacrylic acid copolymer,” *International Journal of Biological Macromolecules*. Elsevier B.V., 104, hal. 1495–1508. doi: 10.1016/j.ijbiomac.2017.04.116.
- Liu, Y. *et al.* (2016) “Chemical modification of chitosan film via surface grafting of citric acid molecular to promote the biomineralization,” *Applied Surface Science*. Elsevier B.V., 370, hal. 270–278. doi: 10.1016/j.apsusc.2016.02.124.
- Manga, R. D. dan Jha, P. K. (2017) “Mathematical Models for Controlled Drug Release Through pH-Responsive Polymeric Hydrogels,” *Journal of Pharmaceutical Sciences*. Elsevier Ltd, 106(2), hal. 629–638. doi: 10.1016/j.xphs.2016.10.019.
- Mengatto, L., Helbling, I. dan Luna, J. (2012) “Recent advances in chitosan films for controlled release of drugs,” *Recent patents on drug delivery & formulation*, 6, hal. 156–170. Tersedia pada: <http://www.ingentaconnect.com/content/ben/ddf/2012/00000006/00000002/art00004>.
- Morgado, P. I., Aguiar-Ricardo, A. dan Correia, I. J. (2015) “Asymmetric membranes as ideal wound dressings: An overview on production methods, structure, properties and performance relationship,” *Journal of Membrane Science*. Elsevier, 490, hal. 139–151. doi: 10.1016/j.memsci.2015.04.064.
- Patel, S. *et al.* (2018) “Preparation and optimization of chitosan-gelatin films for sustained delivery of lupeol for wound healing,” *International Journal of Biological Macromolecules*. Elsevier B.V., 107, hal. 1888–1897. doi: 10.1016/j.ijbiomac.2017.10.056.
- Proctor, A. dan Toro-Vazquez, J. F. (2009) *The Freundlich Isotherm in Studying Adsorption in Oil Processing*. Second Edi, *Bleaching and Purifying Fats and Oils: Theory and Practice*. Second Edi. American Oil Chemists’ Society. doi: 10.1016/B978-1-893997-91-2.50016-X.
- Qian, C. *et al.* (2019) “Injectable and self-healing polysaccharide-based hydrogel for pH-



- responsive drug release,” *International Journal of Biological Macromolecules*. Elsevier B.V, 123, hal. 140–148. doi: 10.1016/j.ijbiomac.2018.11.048.
- Rabkin, E. dan Schoen, F. (2002) “Cardiovascular Tissue Engineering,” *Cardiovascular pathology: the official journal of the Society for Cardiovascular Pathology*, 11(6), hal. 305–17. doi: 10.1016/S1054-8807(02)00130-8.
- Ratner, B. D. *et al.* (ed.) (2013) *Introduction - Biomaterials Science: An Evolving, Multidisciplinary Endeavor*. Third Edit, Academic Press. Third Edit. Oxford. doi: 10.1016/B978-0-08-087780-8.00153-4.
- Raza, A. *et al.* (2019) “‘smart’ materials-based near-infrared light-responsive drug delivery systems for cancer treatment: A review,” *Journal of Materials Research and Technology*. Brazilian Metallurgical, Materials and Mining Association, 8(1), hal. 1497–1509. doi: 10.1016/j.jmrt.2018.03.007.
- Rinaudo, M., Pavlov, G. dan Desbrie, J. (1999) “Influence of acetic acid concentration on the solubilization of chitosan,” *Polymer*, 40, hal. 7029–7032.
- Sebri, N. J. M. dan Amin, K. A. M. (2017) “Composite film of chitosan loaded norfloxacin with improved flexibility and antibacterial activity for wound dressing application,” *Oriental Journal of Chemistry*, 33(2), hal. 628–636. doi: 10.13005/ojc/330210.
- Shahriari, M. *et al.* (2019) “Enzyme responsive drug delivery systems in cancer treatment,” *Journal of Controlled Release*. Elsevier, 308(July), hal. 172–189. doi: 10.1016/j.jconrel.2019.07.004.
- Shukla, S. K. *et al.* (2013) “Chitosan-based nanomaterials: A state-of-the-art review,” *International Journal of Biological Macromolecules*. Elsevier B.V., 59, hal. 46–58. doi: 10.1016/j.ijbiomac.2013.04.043.
- Sinha, V. R. *et al.* (2004) “Chitosan microspheres as a potential carrier for drugs,” *International Journal of Pharmaceutics*, 274(1–2), hal. 1–33. doi: 10.1016/j.ijpharm.2003.12.026.
- Solomons, G., Fryhle, C. dan Snyder, S. (2014) *Organic Chemistry*. 11 ed. Hoboken, USA: John Wiley & Sons, Inc.
- Su, E. dan Okay, O. (2017) “Polyampholyte hydrogels formed via electrostatic and hydrophobic interactions,” *European Polymer Journal*. Elsevier Ltd, 88, hal. 191–204. doi: 10.1016/j.eurpolymj.2017.01.029.
- Sütekin, S. D. *et al.* (2018) “Controlling of free radical copolymerization of styrene and maleic anhydride via RAFT process for the preparation of acetaminophen drug conjugates,” *Radiation Physics and Chemistry*, 148(January), hal. 5–12. doi: 10.1016/j.radphyschem.2018.02.012.
- Tandi, A. *et al.* (2015) “Drug Loaded Poly (Vinyl Alcohol)-Cellulose Composite Hydrogels for Wound Dressings,” *8th International Conference on Materials for Advanced Technologies of the Materials Research Society of Singapore & IUMRS & 16th International Conference in Asia (ICMAT2015 & IUMRS-ICA2015)*, hal. 2–5. Tersedia pada: <http://dspace.nitrkl.ac.in/dspace/handle/2080/2351>.
- Timotius, D., Rochmadi dan Kusumastuti, Y. (2019) “Preparation and Characterization of Local Indonesian Chitosan-graft-Maleic Anhydride as Drug Carrier,” *IOP Conference Series: Materials Science and Engineering*, 599, hal. 012029. doi: 10.1088/1757-899x/599/1/012029.
- Vasi, A. M. *et al.* (2014) “Chemical functionalization of hyaluronic acid for drug delivery applications,” *Materials Science and Engineering C*. Elsevier B.V., 38(1), hal. 177–185. doi: 10.1016/j.msec.2014.01.052.
- Yang, K., Feng, L. dan Liu, Z. (2016) “Stimuli responsive drug delivery systems based on nano-graphene for cancer therapy,” *Advanced Drug Delivery Reviews*. Elsevier



- B.V., 105, hal. 228–241. doi: 10.1016/j.addr.2016.05.015.
- Yucel, S. *et al.* (2013) “Swelling Behavior and Cytotoxicity of Maleic Acid Grafted Chitosan,” *International Journal of Medical and Health Science*, 7(6), hal. 232–235.
- Zhang, W. *et al.* (2007) “Maleic anhydride surface-modification of crosslinked chitosan membrane and its pervaporation performance,” *Journal of Membrane Science*, 295(1–2), hal. 130–138. doi: 10.1016/j.memsci.2007.03.001.
- Zhou, G. *et al.* (2010) “Identification of a chitin deacetylase producing bacteria isolated from soil and its fermentation optimization,” *African Journal of Microbiology Research*, 4(23), hal. 2597–2603. Tersedia pada: <http://www.academicjournals.org/ajmr>.
- Zhou, L. *et al.* (2018) “Enhancing mechanical properties of poly (lactic acid) through its in-situ crosslinking with maleic anhydride-modified cellulose nanocrystals from cottonseed hulls,” *Industrial Crops & Products*. Elsevier, 112(December 2017), hal. 449–459. doi: 10.1016/j.indcrop.2017.12.044.
- Zhou, Y. *et al.* (2017) “Photocrosslinked maleilated chitosan/methacrylated poly (vinyl alcohol) bicomponent nanofibrous scaffolds for use as potential wound dressings,” *Carbohydrate Polymers*. Elsevier Ltd., 168, hal. 220–226. doi: 10.1016/j.carbpol.2017.03.044.
- Zurick, K. M. dan Bernards, M. (2014) “Recent Biomedical Advances with Polyampholyte Polymers,” *Journal of Applied Polymer Science*, 40069, hal. 1–9. doi: 10.1002/app.40069.