

DAFTAR PUSTAKA

- Akerstedt, T., 2006, 'Psychosocial Stress and Impaired Sleep', *Scand J Work Environ Health*, 32(6), 493-501.
- American College of Cardiology, 2017, '2017 Guideline for the Prevention , Detection , Evaluation , and Management of High Blood Pressure in Adults'.
- American Heart Association, 2017, 'Highlights from the 2017 Guideline for the Prevention, Detection, Evaluation and Management of High Blood Pressure in Adults', pp. 1-2.
- Asil, E., Surucuoglu, M. S., Cakiroglu, F. P., Ucar, A., Ozcelik, A. O., Yilmaz, M. V. & Akan, L. S., 2014, Factors That Affect Body Mass Index of Adults, *Pakistan Journal of Nutrition*, 13, 255-260.
- Badan Penelitian dan Pengembangan Kesehatan, 2013, *Riset Kesehatan Dasar*, Kementerian Kesehatan Republik Indonesia, Jakarta.
- Badan Penelitian dan Pengembangan Kesehatan, 2018, *Riset Kesehatan Dasar*, Kementerian Kesehatan Republik Indonesia, Jakarta.
- Barrington, W. E., Ceballos, R. M., Bishop, S. K., McGregor, B. A. & Beresford, S.A.A., 2012, 'Perceived Stress, Behavior, and Body Mass Index Among Adults Participating in a Worksite Obesity Prevention Program, Seattle, 2005-2007', *Preventing Chronic Disease*, 9.
- Barnett, J. L., Hemsworth, P. H., & Winfield, C. G., 1987, 'The effects of design of individual stalls on the social behaviour and physiological responses related to the welfare of pregnant pigs', *Applied Animal Behaviour Science*, 18(2), 133-142.
- Barrett, K. E., Barman, S. M., Boitano, S., Brooks, H., 2012, *Ganong's Review of Medical Physiology (23rd ed.)*, The McGraw-Hill Companies, United States.
- Brady, F., Warnock-Parkes, E., Barker, C., Ehlers, A., 2015, 'Early in-session predictors of response to trauma-focused cognitivetherapy for posttraumatic stress disorder', *Behaviour Research and Therapy*, 75, 40-47.
- Butler, G., 1993, 'Definitions of Stress', *Occasional Paper Series*, 61, 1-5.
- Dallman, M. F., la Fleur, S. E., Pecoraro, N. C., Gomez, F., Houshyar, H., & Akana, S. F., 2004, 'Minireview: Glucocorticoids—Food Intake, Abdominal Obesity, and Wealthy Nations in 2004'. *Endocrinology*, 145(6), 2633-2638.
- Deaux, K., 1985, 'Sex and Gender'. *Annual Review of Psychology*, 36(1), 49-81.
- Dinas Kesehatan Kota Yogyakarta, (2019), Profil Kesehatan Tahun 2019 Kota Yogyakarta (Data Tahun 2018), Yogyakarta: Dinas Kesehatan Kota Yogyakarta.

- Direktorat Pencegahan dan Pengendalian Penyakit Tidak Menular, 2019, *Tabel Batas Ambang indeks Massa tubuh (IMT)*, 11 Juni 2019, diakses pada 24 Januari 2020 dari <http://www.p2ptm.kemkes.go.id/infographic-p2ptm/obesitas/tabel-batas-ambang-indeks-massa-tubuh-imt>
- Dumitru, V. M. & Cozman, D., 2012, 'The relationship between stress and personality factors', *Human & Veterinary Medicine*, 4(1), 34-39.
- Eagly, A. H., Wood, W. & Diekmann, A. B., 2000, 'Social role theory of sex differences and similarities: A current appraisal'. in T Eckes & HM Trautner (ed), *The developmental social psychology of gender*. Erlbaum, Mahwah, New Jersey, pp. 123-174.
- Emslie, C., Fuhrer, R., Hunt, K., Macintyre, S., Shipley, M., & Stansfeld, S., 2002, 'Gender differences in mental health: evidence from three organisations', *Social Science & Medicine*, 54(4), 621-624.
- Epel, E., Lapidus, R., McEwen, B., & Brownell, K., 2001, 'Stress may add bite to appetite in women: a laboratory study of stress-induced cortisol and eating behavior', *Psychoneuroendocrinology*, 26(1), 37-49.
- Faghri, P. D., Mignano, C., Cherniack, M. & Huedo-Medina, T. B., 2015. 'Psychological Health and Overweight and Obesity Among High Stressed Work Environments', *Obesity*, 1(1)
- Fadzil, A., Ariaratnam, S. & Musa, R., 2011, 'Coping Styles and Lifestyle Factors Among Hypertensive and Non-hypertensive Subjects', *Singapore Medical Journal*, 52.
- Felsten, G., 1998, 'Gender and coping: Use of distinct strategies and associations with stress and depression', *Anxiety, Stress & Coping: An International Journal*, 11(4), 289-309.
- Folkman, S., Lazarus, R. S., Dunkel-Schetter, C., DeLongis, A., & Gruen, R. J., 1986. 'Dynamics of a stressful encounter: Cognitive Appraisal, Coping, and Encounter Outcomes'. *Journal of Personality and Social Psychology*, 50, 992-1003.
- Gasparin, D., Netuveli, G., Dias-da-Costa, J. S., Pattussi, M. P., 2009, 'Effect of Psychological Stress on Blood Pressure Increase: A Meta-Analysis of Cohort Studies', *Cad. Saude Publica*, 25(4), 715-726.
- Greenberg, J. S., 1999, *Comprehensive Stress Management 6th Ed*, McGraw-Hill Companies, USA.
- Idaiani, S., Suhardi, K. A. Y., Kristanto, A. Y., 2008, 'Analisis Gejala Gangguan Mental Emosional Penduduk Indonesia', *Majalah Kedokteran Indonesia*, 59(10), 473-479.
- Ikatan Dokter Indonesia, 2017, *Panduan Ketrampilan Klinis bagi Dokter di Fasilitas Kesehatan Primer*, Ikatan Dokter Indonesia, Jakarta.
- Hartono, L. A., 2007, *Stres & Stroke*, Penerbit Kanisius, Yogyakarta.

- Hoeger, W. W. K. & Hoeger, S. A., 2013, *Lifetime Physical Fitness and Wellness: A Personalized Program*, 12th edn, Wadsworth, Belmont.
- Kurnia, N.P., 2015, 'The Impact of Stress at Work on Employee's Psychological Well-being in Jakarta', *iBuss Management*, 3(2), 68-76.
- Lazarus, R. S., 1999, *Stress and emotion: A new synthesis*, Springer Publishing Co, New York.
- Le Fevre, M., Kolt, G. & Matheny, J., 2006, 'Eustress, distress and their interpretation in primary and secondary occupational stress management interventions: which way first?', *Journal of Managerial Psychology*, 21(6), pp. 547-565.
- Lindquist, T. L., Beilin, L. J., Knuiman, M. W., 1997, 'Influence of lifestyle, coping, and job stress on blood pressure in men and women', *Hypertension*, 29:1-7.
- Loxton, N. J., Dawe, S., & Cahill, A., 2011, 'Does negative mood drive the urge to eat? The contribution of negative mood, exposure to food cues and eating style', *Appetite*, 56(2), 368–374.
- Macht, M., 2008, 'How emotions affect eating: A five-way model', *Appetite*, 50(1), 1–11.
- Matud, M. P., 2004, 'Gender Differences in Stress and Coping Style', *Personality and Individual Differences*, 37, 1401-1415.
- McDonough, P. & Walters, W., 2001, 'Gender and health: reassessing patterns and explanations', *Social Science and Medicine*, 52, 547–559.
- Miller, S. M. & Kirsch, N., 1987, 'Sex differences in cognitive coping with stress'. In R. C. Barnett, L. Biener, & G. K. Baruch (Eds.), *Gender and stress*, pp. 278–307.
- Ningsih, V. R., Purba, I. G., Faisya, A. F., 2012, 'Analisis Determinan Kejadian Hipertensi di Puskesmas Merdeka Kota Palembang', *Jurnal Ilmu Kesehatan Masyarakat*, 3(2).
- O'Donnell, K., Badrick, E., Kumari, M. & Steptoe, A., 2008, 'Psychological coping styles and cortisol over the day in healthy older adults', *Psychoneuroendocrinology*, 33(5), 601–611.
- Persson, R., Hansen, A. M., Ohlsson, K., Balogh, I., Nordander, C. & Ørbæk, P., 2008, 'Physiological and psychological reactions to work in men and women with identical job tasks', *European Journal of Applied Physiology*, 105(4), 595–606.
- Rahajeng, E. dan Tuminah, S., 2009, 'Prevalensi Hipertensi dan Determinannya di Indonesia', *Majalah Kedokteran Indonesia*, 59(12), pp. 580–587.
- Roberts, C., Troop, N., Connan, F., Treasure, J. & Campbell, I. C., 2007, 'The Effects of Stress on Body Weight: Biological and Psychological Predictors of Change in BMI', *Obesity*, 15(12), 3045–3055.

- Rosmond, R., 2005, 'Role of stress in the pathogenesis of the metabolic syndrome', *Psychoneuroendocrinology*, 30(1), 1–10.
- Saputri, D. E., 2010, *Hubungan Stres dengan Hipertensi pada Penduduk di Indonesia Tahun 2007 (Analisis Data Riskesdas 2007)*, Fakultas Kesehatan Masyarakat Universitas Indonesia, Depok.
- Sattar, A., Baig, S., Rehman, N., Bashir, B., 2013, 'Factors affecting BMI: Assessment of the effect of sociodemographic factors on BMI in the population of Ghulam Mohammad Abad Faisalabad', *Professional Med J*, 20(6), 956-964.
- Selye, H., 1956, *The Stress of Life*, McGraw-Hill, New York.
- Selye, H., 1987, *Stress without Distress*, Transworld, London.
- Sherwood, A., Dolan, C. A. & Light, K. C., 1990, 'Hemodynamics of blood pressure responses during active and passive coping', *Psychophysiology*, 27(6), 656–668.
- Shimano, C., Hara, M., Nishida, Y., Nanri, H., Otsuka, Y., Nakamura, K., *et al.*, 2015, 'Perceived Stress and Coping Strategies' in Relation to Body Mass Index: Cross-Sectional Study of 12,045 Japanese Men and Women, *PLoS ONE*, 10(2).
- Shin, C., Kim, J., Yi, H., Lee, H., Lee, J., *et al.*, 2005, 'Relationship between trait-anger and sleep disturbances in middle-aged men and women', *J Psychosom Res*, 58, 183-189.
- Spruill, T. M., 2010, 'Chronic Psychosocial Stress and Hypertension', *Curr Hypertens Rep*, 12(1), 10-16.
- Stone, A., Brownell, K., 1994, 'The stress-eating paradox - multiple daily measurements in adult males and females', *Psychol Health*, 9, 425–436.
- Sugianto, Fauzan, Setyani, A., Prihartini, M., 2013, *Pokok Pokok Hasil Riskesdas Provinsi Daerah Istimewa Yogyakarta 2013*, Lembaga Penerbitan Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI, Jakarta.
- Trapp, M., Trapp, E.M., Egger, J.W., Domej, W., Schillaci, G., *et al.*, 2014, 'Impact of Mental and Physical Stress on Blood Pressure and Pulse Pressure under Normobaric versus Hypoxic Conditions', *PLoS ONE* 9(5).
- Tsuno, N., Besset, A., Ritchie, K., 2005, 'Sleep and Depression', *J Clin Psychiatry*, 66, 1254-1269.
- Wardle, J., Chida, Y., Gibson, E. L., Whitaker, K. L. & Steptoe, A., 2010, 'Stress and Adiposity: A Meta-Analysis of Longitudinal Studies', *Obesity*, 19(4), 771–778.
- Wardle, J., Steptoe, A., Oliver, G. & Lipsey, Z., 2000, 'Stress, Dietary Restraint and Food Intake', *Journal of Psychosomatic Research*, 48(2), 195–202.

- WHO Expert Consultation, 2004, ‘Appropriate Body Mass Index for Asian Populations and Its Implications for Policy and Intervention Strategies’, *Lancet*, 363, 157-63.
- Yang, T. C., Matthews, S. A. & Chen, V. Y. J., 2013, ‘Stochastic Variability in Stress, Sleep Duration, and Sleep Quality Across the Distribution of Body Mass Index: Insights from Quantile Regression’, *International Journal of Behavioral Medicine*, 21(2), 282–291.
- Yeresyan, I. & Lahaus, A., 2014, ‘Stress and wellbeing among Turkish and German adolescents living in rural and urban areas’, *Rural and Remote Health*, 14, 2695.