

DAFTAR PUSTAKA

- 5220 CHEMICAL OXYGEN DEMAND (COD) (2017) *Standard Methods for The Examination of Water and Wastewater*. Washington, DC, USA: America Public Health Association. doi: 10.2105/SMWW.2882.103.
- 5560C ORGANIC AND VOLATILE ACIDS (2017) *Standard Methods for The Examination of Water and Wastewater*. Washington, DC, USA: America Public Health Association. doi: 10.2105/SMWW.2882.111.
- Astals, S. *et al.* (2018) 'Characterising and Modelling Free Ammonia and Ammonium Inhibition in Anaerobic Systems', *Water Research*, pp. 54–73. doi: 10.1016/j.watres.2018.06.021.
- de Baere, L. A. *et al.* (1984) 'Influence of high NaCl and NH₄Cl salt levels on methanogenic associations', *Water Research*, 18(5), pp. 543–548. doi: 10.1016/0043-1354(84)90201-X.
- Bergmann, J. C. *et al.* (2018) 'Technological Advancements in 1G Ethanol Production and Recovery of By-Products Based on the Biorefinery Concept', *Advances in Sugarcane Biorefinery: Technologies, Commercialization, Policy Issues and Paradigm Shift for Bioethanol and By-Products*, pp. 73–95. doi: 10.1016/B978-0-12-804534-3.00004-5.
- Chandra, R., Naresh, R. and Rai, V. (2008) 'Melanoidins as major colourant in sugarcane molasses based distillery effluent and its degradation', 99, pp. 4648–4660. doi: 10.1016/j.biortech.2007.09.057.
- Christofoletti, C. A. *et al.* (2013) 'Sugarcane vinasse: Environmental implications of its use', *Waste Management*, 33(12), pp. 2752–2761. doi: 10.1016/j.wasman.2013.09.005.
- Cruz-Salomón, A. *et al.* (2017) 'Biogas production from a native beverage vinasse using a

modified UASB bioreactor', *Fuel*, 198, pp. 170–174. doi: 10.1016/j.fuel.2016.11.046.

Demirel, B. and Scherer, P. (2011) 'Trace element requirements of agricultural biogas digesters during biological conversion of renewable biomass to methane', *Biomass and Bioenergy*, 35(3), pp. 992–998. doi: 10.1016/j.biombioe.2010.12.022.

Deublein, D. and A. S. (2011) *Biogas from Waste and Renewable Resources*. Second. Deggendorf: Wiley-VCH.

Dinsdale, R. M., Hawkes, F. R., Hawkes, D. L. (1996) 'The Mesophilic and Thermophilic Anaerobic Digestion of Coffee Waste Containing Coffee Grounds', *Water Resource*, 30(2), pp. 371–377.

Ferraz, N. *et al.* (2016) 'Thermophilic anaerobic digestion of raw sugarcane vinasse', *Renewable Energy*, 89, pp. 245–252. doi: 10.1016/j.renene.2015.11.064.

Fogler, H. S. (2006) *Elements of Chemical Reaction Engineering*. Third Edit, *Bioprocess Engineering*. Third Edit. Upper Saddle River, N.J: Prentice Hall PTR.

Garber, W. F. *et al.* (2005) 'Thermophilic digestion at the Hyperion Treatment Plant', *Water Environment Research*, 77(5), pp. 950–961.

Goberna, M. *et al.* (2015) 'Start-up strategies in manure-fed biogas reactors : Process parameters and methanogenic communities', *Biomass and Bioenergy*, 5, pp. 46–56. doi: 10.1016/j.biombioe.2015.02.003.

Gomes, V. *et al.* (2016) 'Biomethane production from vinasse in upflow anaerobic sludge blanket reactors inoculated with granular sludge', *Brazilian Journal of Microbiology*. Sociedade Brasileira de Microbiologia, 47(3), pp. 628–639. doi: 10.1016/j.bjm.2016.04.021.

Hendriks, A. T. W. M., Lier, J. B. Van and Kreuk, M. K. De (2018) 'Growth media in anaerobic fermentative processes : The underestimated potential of thermophilic fermentation and anaerobic digestion', *Biotechnology Advances*, 36(1), pp. 1–13. doi: 10.1016/j.biotechadv.2017.08.004.



- Hoarau, J. *et al.* (2018) 'Sugarcane vinasse processing: Toward a status shift from waste to valuable resource. A review', *Journal of Water Process Engineering*, 24(May), pp. 11–25. doi: 10.1016/j.jwpe.2018.05.003.
- Holland, K.T., Knapp, J.S., Shoesmith, J. G. (2003) *Anaerobic Bacteria*. New York: Chapman and Hall.
- Hu, C. *et al.* (2018) 'Modeling the performance of anaerobic digestion reactor by the anaerobic digestion system model (ADSM)', *Biochemical Pharmacology*. doi: 10.1016/j.jece.2018.03.018.
- Ivontianti, W. D. (2016) *Evaluasi Waktu Start Up dan Hydraulic Retention Time pada Proses Peruraian Stillage Secara Anaerobik Menggunakan Reaktor Fixed Bed Kontinyu dengan Zeolit sebagai Media Imobilisasi*. Universitas Gadjah Mada.
- Jawa Pos (2017) 'Pemerintah Pangkas Bauran Bioetanol', 20 December. Available at: <https://www.pressreader.com/indonesia/jawa-pos/20171220/281655370432942>.
- Karki, A. B., Shrestha, J. N. and Bajgain, S. (2005) *Biogas as Renewable Source of Energy in Nepal : Theory and Development*. Kathmandu: BSP-Nepal.
- M.I. Shuler and F. Kargi (1992) *Bioprocess Engineering: Basic Concepts*. Englewood Cliffs: Prentice Hall.
- Marques, C. *et al.* (2015) 'Evaluation of hydrogen and methane production from sugarcane vinasse in an anaerobic fluidized bed reactor', *International Journal of Hydrogen Energy*, 40, pp. 8498–8509. doi: 10.1016/j.ijhydene.2015.04.136.
- Mellyanawaty, M. (2015) *Peningkatan Produksi Biogas dari Stillage dengan Penambahan Kation Fe²⁺ Pada Zeolit sebagai Media Imobilisasi Bakteri Anaerobik*. Universitas Gadjah Mada.
- Moraes, B. S. *et al.* (2014) 'Anaerobic digestion of vinasse from sugarcane biorefineries in Brazil from energy, environmental, and economic perspectives: Profit or expense?', *Applied Energy*. Elsevier Ltd, 113, pp. 825–835. doi: 10.1016/j.apenergy.2013.07.018.



- Mu, Y., Wang, G. and Yu, H. Q. (2006) 'Kinetic modeling of batch hydrogen production process by mixed anaerobic cultures', *Bioresource Technology*, 97(11), pp. 1302–1307. doi: 10.1016/j.biortech.2005.05.014.
- Ordi, O. (2013) *Pengolahan Limbah Cair Hasil Industri Pabrik Spiritus PT. Madubaru PS/PG Madukismo Yogyakarta*.
- Parkin, G. F. and Owen, W. F. (1986) 'Fundamentals of anaerobic digestion of wastewater sludges', *Journal of Environmental Engineering (United States)*, 112(5), pp. 867–920. doi: 10.1061/(ASCE)0733-9372(1986)112:5(867).
- Phukoetphim, N. *et al.* (2017) 'Kinetic models for batch ethanol production from sweet sorghum juice under normal and high gravity fermentations: Logistic and modified Gompertz models', *Journal of Biotechnology*. Elsevier B.V., 243, pp. 69–75. doi: 10.1016/j.jbiotec.2016.12.012.
- Rasit, N. *et al.* (2015) 'Effects of lipid inhibition on biogas production of anaerobic digestion from oily effluents and sludges: An overview', *Renewable and Sustainable Energy Reviews*, 45, pp. 351–358. doi: 10.1016/j.rser.2015.01.066.
- Roger, P. *et al.* (2015) 'Science of the Total Environment Ecotoxicological characterization of sugarcane vinasses when applied to tropical soils ☆', *Science of the Total Environment*, 526, pp. 222–232. doi: 10.1016/j.scitotenv.2015.03.150.
- Romero-Güiza, M. S. *et al.* (2016) 'The role of additives on anaerobic digestion: A review', *Renewable and Sustainable Energy Reviews*, 58, pp. 1486–1499. doi: 10.1016/j.rser.2015.12.094.
- Schmidt, J. E. E. and Ahring, B. K. (1994) 'Extracellular polymers in granular sludge from different upflow anaerobic sludge blanket (UASB) reactors', *Applied Microbiology and Biotechnology*, 42(2–3), pp. 457–462. doi: 10.1007/BF00902757.
- Seadi, T. A. *et al.* (2008) *Biogas Handbook, Igarss 2014*. Esbjerg: University of Southern Denmark Esbjerg. doi: 10.1533/9780857097415.1.85.



- Shi, X. *et al.* (2018) ‘A comparative study of thermophilic and mesophilic anaerobic co-digestion of food waste and wheat straw: Process stability and microbial community structure shifts’, *Waste Management*. doi: 10.1016/j.wasman.2018.02.004.
- Speece, R. E. (2008) *Anaerobic Biotechnology and Odor/Corrosion Control for Municipalities and Industries*. Nashville, Tennessee: Archae Press.
- Tadeu, L. *et al.* (2017) ‘Thermophilic two-phase anaerobic digestion using an innovative fixed-bed reactor for enhanced organic matter removal and bioenergy recovery from sugarcane vinasse’, *Applied Energy*, 189, pp. 480–491. doi: 10.1016/j.apenergy.2016.12.071.
- Tatara, M. *et al.* (2005) ‘High-rate thermophilic methane fermentation on short-chain fatty acids in a down-flow anaerobic packed-bed reactor’, *Bioprocess and Biosystems Engineering*, 27(2), pp. 105–113. doi: 10.1007/s00449-004-0387-8.
- Tatara, M. *et al.* (2008) ‘Methanogenesis from acetate and propionate by thermophilic down-flow anaerobic packed-bed reactor’, *Bioresource Technology*, 99(11), pp. 4786–4795. doi: 10.1016/j.biortech.2007.09.069.
- Ueno, Y. and Tatara, M. (2008) ‘Microbial population in a thermophilic packed-bed reactor for methanogenesis from volatile fatty acids’, *Enzyme and Microbial Technology*, 43(3), pp. 302–308. doi: 10.1016/j.enzmictec.2008.04.007.
- Wachenheim, D. E., Patterson, J. A. and Ladisch, M. R. (2003) ‘Analysis of the logistic function model: Derivation and applications specific to batch cultured microorganisms’, *Bioresource Technology*, 86(2), pp. 157–164. doi: 10.1016/S0960-8524(02)00149-9.
- Walker, M. *et al.* (2009) ‘Potential errors in the quantitative evaluation of biogas production in anaerobic digestion processes’, *Bioresource Technology*, 100(24), pp. 6339–6346. doi: 10.1016/j.biortech.2009.07.018.
- Widhyasih, K. (2016) *Evaluasi Waktu Start Up dan Pengaruh Hydraulic Retention Time*



pada Proses Peruraian Stillage Secara Anaerobik Menggunakan Reaktor Fluidized Bed Kontinyu Dengan Zeolit Sebagai Media Imobilisasi. Universitas Gadjah Mada.

Yenigün, O. and Demirel, B. (2013) ‘Ammonia inhibition in anaerobic digestion: A review’, *Process Biochemistry*. doi: 10.1016/j.procbio.2013.04.012.

Zhang, Q., Hu, J. and Lee, D. J. (2016) ‘Biogas from anaerobic digestion processes: Research updates’, *Renewable Energy*, 98, pp. 108–119. doi: 10.1016/j.renene.2016.02.029.