DAFTAR PUSTAKA

Alattar, M. A. (2012). *Biological Treatment of Leachates of Microaerobic Fermentation*. Portland State University.

Alvarez, L. (2012). *The Role of Black Soldier Fly, Hermetia illucens (L.) (Diptera : Stratiomyidae) in Sustainable Waste Management in Northern Climates*. University of Windsor.

Amazon. (2019). BioPod Plus Advanced Residential Grub Composting System. Retrieved December 30, 2019, from https://www.amazon.com/BioPod-Advanced-Residential-Composting-System

Barnard, D. R., & Geden, C. J. (1993). Influence of larval density and temperature in poultry manure on development of the house fly (Diptera, Muscidae). *Environmental Entomology*, *22*, 971–977.

Barragan-Fonseca, K. B., Dicke, M., & van Loon, J. J. A. (2018). Influence of larval density and dietary nutrient concentration on performance, body protein, and fat contents of black soldier fly larvae (Hermetia illucens). *Entomologia Experimentalis et Applicata*, *9*(166), 761–770.

Bullock, N., Chapin, E., Evans, A., Elder, B., Givens, M., Jeffay, N., Robinson, W. (2013). *The black soldier fly How- to- guide*. Chapel Hill.

Caruso, D., Davic, E., Subamia, W., Talamond, P., & Baras, E. (2013). *Technical Handbook of Domestication and Production of Diptera Black Soldier Fly (BSF) Hermetia illucens, Stratiomyidae*. Bogor: PT Penerbit IPB Press.

Craig, S., & Helfrich, L. (2009). Understanding fish nutrition, feeds, and feeding. *Virginia Tech*, 420–256.

Darmawan, L. (2019). Lalat Tentara Hitam sebagai Satu Solusi Penanganan Sampah. Retrieved January 23, 2020, from https://www.mongabay.co.id/2019/04/17/lalat-tentara-hitam-sebagai-satu-solusi-penanganan-sampah-seperti-apa/

Darmawan, M. (2017). *Biokonversi Limbah Organik Dapur dengan Larva Black Soldier Fly (Hermetia illucens)*. Universitas Gajah Mada.

Diener, S. (2010). *Valorisation of Organic Solid Waste using the Black Soldier Fly, Hermetia illucens, in Low and Middle-Income Countries*. ETH ZURICH.

Diener, S, Zurbrügg, C., Gutiérrez, F. R., Nguyen, D. H., Morel, A., Koottatep, T., & Tockner, K. (2011). Black soldier fly larvae for organic waste treatment – prospects and constraints. *Proceedings of the WasteSafe*, *52*(February), 978–984.

Diener, S, Zurbrugg, C., & Tockner, K. (2009). Conversion of organic material by black soldier fly larvae: establishing optimal feeding rates. *Waste Management & Research*, *27*(6), 603–610.

Diener, S, Zurbrugg, C., & Tockner, K. (2011). Conversion of organic material by black soldier fly larvae: establishing optimal feeding rates. *Waste Management & Research*, *27*(6), 52–60.

Diener, Stefan, Zurbrügg, C., Roa Gutiérrez, F., Hong Nguyen, D., Morel, A., Koottatep, T., & Tockner, K. (2011). Black soldier fly larvae for organic waste treatment – prospects and constraints. In *Proceedings of the WasteSafe 2011* (pp. 52–60). Khulna, Bangladesh.

Dortmans, B., Diener, S., Verstappen, B., & Zurbrü. (2017). *Black Soldier Fly Biowaste Processing*. Dübendorf: Eawag, Sandec.

Fahmi, M. R. (2015). Optimalisasi proses biokonversi dengan menggunakan mini-larva hermetia illucens untuk memenuhi kebutuhan pakan ikan. In *Pros Sem Nas Masy Biodiv Indon* (pp. 139–144). Surakarta: Masyarakat Biodiversitas Indonesia.

Faizah. (2008). *Pengelolaan Sampah Rumah Tangga Berbasis Masyarakat (Studi Kasus*

di Kota Yogyakarta). Universitas Diponegoro.

Gobbi, P., Martinez-Sanchez, A., & Rojo, S. (2013). The effects of larval diet on adult life-history traits of the black soldier fly, Hermetia illucens (Diptera: Stratiomyidae). *European Journal of Entomology*, *110*(3), 461–468.

Hakim, A. R., Prasetya, A., & Petrus, H. T. B. M. (2017). Studi laju umpan pada proses biokonversi limbah pengolahan tuna menggunakan larva Hermetia illucens. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, *12*(2), 181–193.

Hall, D. C., & Gerhardt, R. R. (2002). *Medical and Veterinary Entomology. Flies (Diptera)*. San Diego: Academic Press.

Hasibuan, R. (2016). Analisis dampak limbah atau sampah rumah tangga terhadap pencemaran lingkungan hidup. *Jurnal Ilmiah Advokasi*, *4*(1), 42–52.

Hem, S. (2011). *Project Maggot – Bioconversion Research Program in Indonesia Concept of New Food Resources Results and Applications*. *Bioconversion Indonesia*. Jakarta.

Hendra, Y. (2016). The Comparison Between Waste Management System in Indonesia and South Korea: 5 Aspects of Waste Management Analysed. *Aspirasi*, *7*(1), 77–91.

Holmes, L. A., Vanlaerhoven, S. L., & Tomberlin, J. K. (2012). Relative humidity effects on the life history of Hermetia illucens (Diptera: Stratiomyidae). *Environmental Entomology*, *41*(4), 971–978.

Kasam, I. (2011). Analisis resiko lingkungan pada tempat pembuangan akhir (tpa) sampah (studi kasus: tpa piyungan bantul). *Jurnal Sains &Teknologi Lingkungan*, *3*(1), 019–030.

Katayane, F. A., Bagau, B., Wolayan, F. R., & Imbar, M. R. (2014). Produksi dan kandungan protein maggot (hermetia illucens) dengan menggunakan media tumbuh berbeda. *ZOOTEC*, *34*, 27–36.

Kenis, M., Bouwassi, B., Boafo, H., Devic, E., Han, R., Koko, G., Fitches, E. (2018). Small-Scale Fly Larvae Production for Animal Feed. In *Edible Insects in Sustainable Food Systems*. Berlin: Springer International Publishing.

KLHK. (2018). Penyusunan Permen LHK tentang Pengurangan Kantong Belanja Plastik (KBP).

Kuryntseva, P., Galitskaya, P., & Selivanovskaya, S. (2016). Changes in the ecological properties of organic wastes during their biological treatment. *Waste Management*, *58*, 90–97.

Leong, S. Y., Kutty, S. R. M., Tan, C. K., & Tey, L. H. (2015). Comparative study on the effect of organic waste on lauric acid produced by hermetia illucens larvae via bioconversion. *Journal of Engineering Science and Technology*, 52–63.

Leong, Siew Yoong, Kutty, S. R. M., Malakahmad, A., & Tan, C. K. (2016). Feasibility study of biodiesel production using lipids of Hermetia illucens larva fed with organic waste. *Waste Management*, *47*, 84–90.

Makkar, H. P. S., Tran, G., Heuzé, V., & Ankers, P. (2014). State-of-the-art on use of insects as animal feed. *Animal Feed Science and Technology*, *197*, 1–33.

Meneguz, M., Gasco, L., & Tomberlin, J. K. (2018). Impact of pH and feeding system on black soldier fly (Hermetia illucens, L; Diptera: Stratiomyidae) larval development. *PLoS ONE*, 1–24.

Mentari, P. D. (2018). *Karakteristik Dekomposisi Sampah Organik Pasar Tradisional Menggunakan Larva Black Soldier Fly*. Institut Pertanian Bogor.

Monita, L. (2017). *Biokonversi Sampah Organik Menggunakan Larva Black Soldier Fly (Hermetia illucens) dan Em4 Dalam Rangka Menunjang Pengelolaan Sampah Berkelanjuta*. Institut Pertanian Bogor.

Muhayyat, M. S., Yuliansyah, A. T., & Prasetya, A. (2016). Pengaruh jenis limbah dan

rasio umpan pada biokonversi limbah domestik menggunakan larva black soldier fly (Hermetia illucens), *10*(1), 23–29.

Mutafela, R. N. (2015). *High Value Organic Waste Treatment via Black Soldier Fly Bioconversion (Onsite Pilot Study)*. Royal Institute of Technology.

Nugroho, W. T. (2016). Pengaruh model serat pada bahan fiberglass terhadap kekuatan, ketangguhan, dan kekerasan material. *Jurnal Ilmiah Inovasi*, *15*(1), 27–32.

Nyakeri, E. M., Ogola, H. J., Ayieko, M. A., & Amimo, F. A. (2017). An open system for farming black soldier fly larvae as a source of proteins for smallscale poultry and fish production. *Journal of Insects as Food and Feed*, *3*(1), 51–56.

Park, H. H. (2016). *Black Soldier Fly Larvae Manual*. University of Massachusetts Amherst, Amherst.

Parra Paz, A. S., Carrejo, N. S., & Gómez Rodríguez, C. H. (2015). Effects of larval density and feeding rates on the bioconversion of vegetable waste using black soldier fly larvae Hermetia illucens (l.), (Diptera: stratiomyidae). *Waste and Biomass Valorization*, *6*(6), 1059–1065.

Pepi, A. A. (2015). *Density-dependent survival in the larval stage of an invasive insect: dispersal vs. Predation*. University of Massachusetts Amherst, Amherst.

Popa, R., & Green, T. R. (2012). Using black soldier fly larvae for processing organic leachates. *Journal of Economic Entomology*, *105*(2), 374–378.

Rachmawati, Buchori, D., Hidayat, P., Hem, S., & Fahmi, M. R. (2010). Perkembangan dan kandungan nutrisi larva Hermetia illucens (Linnaeus) (Diptera: Stratiomyidae) pada bungkil kelapa sawit. *Jurnal Entomologi Indonesia*, *7*(1), 28–41.

Rambet, V., Umboh, J. F., Tulung, Y. L. R., & Kowel, Y. H. S. (2015). Kecernaan protein dan energi ransum broiler yang menggunakan tepung maggot (Hermetia illucens) sebagai pengganti tepung ikan. *ZOOTEC*, *35*(2), 13.

Ramli, N., Haryodi, R. A., & Dinata, D. . (2005). Evaluasi kualitas nutrien dedak gandum hasil olahan enzim yang diproduksi aspergillus niger dan trichoderma viride pada ransum ayam broiler. *Media Peternakan*, *28*(3), 124–129.

Renčo, M., Sasanelli, N., & Kováčik, P. (2011). The effect of soil compost treatments on potato cyst nematodes Globodera rostochiensis and Globodera pallida. *Helminthologia*, *48*, 184–194.

Ritika, P., Satyawatiand, S., & Rajendra, P. (2015). Study on occurrence of black soldier fly larvae in composting of kitchen waste. *Int. J. Res. Biosciences International Journal of Research in Biosciences*, *4*(4), 38–45.

Sastro, Y. (2016). *Teknologi Pengomposan Limbah Organik Kota Menggunakan Black Soldier Fly*. Jakarta: BPTP.

Sheppard, D. Craig, Tomberlin, J. K., Joyce, J. A., Kiser, B. C., & Sumner, S. M. (2002). Rearing Methods for the Black Soldier Fly (Diptera: Stratiomyidae). *Journal of Medical Entomology*, *4*(39), 695–698.

Sheppard, D C, Newton, G. L., Thompson, S. A., & Savage, S. (1994). A value-added manure management-system using the black soldier fly. *Bioresource Technology*, *50*(3), 275–279.

Sheth, J. N., & Sisodia, R. S. (2012). *The 4 A's of marketing: Creating value for customer, company and society*. *The 4 A's of Marketing: Creating Value for Customer, Company and Society*.

Shumo, M., Khamis, F. M., Tanga, C. M., Fiaboe, K. K. M., Subramanian, S., Ekesi, S., … Borgemeister, C. (2019). Influence of temperature on selected life-history traits of black soldier fly (Hermetia illucens) reared on two common urban organic waste streams in Kenya. *Animals*, *9*(79), 1–24.

Smidt, E., Meissl, K., Tintner, J., & Binner, E. (2009). *Resource recovery by composting*

materials, techniques, quality assessment. New York: Nova Science Publishers, Inc.

Smith, A., & Hursepuny, A. (2015). Isolasi dan identifikasi jenis jamur pada ubi kayu (manihot esculenta crants.) dalam proses pembuatan ubi kayu hitam secara tradisional oleh masyarakat banda. *BIOPENDIX: Jurnal Biologi, Pendidikan Dan Terapan*, *1*(2), 171–175.

Surendra, K. C., Olivier, R., Tomberlin, J. K., Jha, R., & Khanal, S. K. (2016). Bioconversion of organic wastes into biodiesel and animal feed via insect farming. *Renewable Energy*, *98*, 197–202.

Tchobanoglous, G., Theisen, H., & Vigil, S. A. (1993). *Integrated Solid Waste Management : Engineering Principles and Management Issues*. New York: McGraw-Hill.

Tomberlin, Jeffery K., Adler, P. H., & Myers, H. M. (2009). Development of the black soldier fly (diptera: stratiomyidae) in relation to temperature. *Environmental Entomology*, *38*(1), 930–934.

Tomberlin, Jeffery K., & Sheppard, D. C. (2002). Factors influencing mating and oviposition of black soldier flies (diptera: stratiomyidae) in a colony. *Journal of Entomological Science*, *37*(4), 345–352.

Tomberlin, Jeffery K., Sheppard, D. C., & Joyce, J. A. (2006). Selected life-history traits of black soldier flies (Diptera: Stratiomyidae) reared on three artificial diets. *Annals of the Entomological Society of America*, *95*(3), 379–386.

Tomberlin, Jeffrey Keith. (2001). *Biological, behavioral, and toxicological studies on the black soldier fly (diptera: stratiomyidae)*. The University of Georgia.

Trivana, L., & Pradhana, A. Y. (2017). Optimalisasi waktu pengomposan dan kualitas pupuk kandang dari kotoran kambing dan debu sabut kelapa dengan bioaktivator PROMI dan Orgadec. *Jurnal Sain Veteriner*, *35*(1), 136–144.

Yuwono, A. S., & Mentari, P. D. (2018). *Black Soldier Fly (BSF) Penggunaan Larva (Maggot) Dalam Pengolahan Limbah Organik*. Bogor: SEAMEO BIOTROP.

Zhang, J., Huang, L., He, J., Tomberlin, J. K., Li, J., Lei, C., Yu, Z. (2010). An artificial light source influences mating and oviposition of black soldier flies, Hermetia illucens. *Journal of Insect Science*, *10*(202), 1–7.

Zheng, L., Li, Q., Zhang, J., & Yu, Z. (2012). Double the biodiesel yield: rearing black soldier fly larvae, hermetia illucens, on solid residual fraction of restaurant waste after grease extraction for biodiesel production. *Renewable Energy*, *41*, 75–79.

Zhu, F. X., Wang, W. P., Hong, C. L., Feng, M. G., Xue, Z. Y., Chen, X. Y., Yu, M. (2012). Rapid production of maggots as feed supplement and organic fertilizer by the two-stage composting of pig manure. *Bioresource Technology*, *116*, 485–491.