

DAFTAR PUSTAKA

- Abe, T., Ogura, H., Kushimoto, S., Shiraishi, A., Sugiyama, T., Deshpande, G.A., Uchida, M., Nagat, I., 2019. Variations in infections sites and mortality rates among patients in intensive care units with severe sepsis and septic shock in Japan. *Journal of Intensive Care*, 7(28), pp. 1-9.
- Ahmed, M. A. S. & Mohammed, S. A., 2018. Neutrophyl-to-lymphocyte ratio as a prognostic marker in critically-ill septic patients. *Research and Opinion in Anesthesia and Intensive Care*, Volume 5, pp. 279-286.
- Annam, V., Maleedhu, P., Bhaskar, M. V. & Venugopal, L., 2016. Evaluation of Serum Procalcitonin Levels and Sequential Organ Failure Assessment Score in Assessing the Severity and Outcome of Sepsis. *International Journal of Scientific Study*, 3(10), pp. 48-51.
- Arif, S. K., Rukka, A. B. S. & Sitti Wahyuni, 2017. Comparison of Neutrophils-lymphocytes Ratio and Procalcitonin Parameters in Sepsis Patient Treated in Intensive Care Unit Dr. Wahidin Hospital, Makassar, Indonesia. *J. Med. Sci*, Volume 17, pp. 17-21.
- Ayala, A., Herndon, C. & Lehman, D., 1996. Differential induction of apoptosis in lymphoid tissue during sepsis: variation in onset, frequency and nature of the mediators. *Blood*, 87(10), pp. 4261-4275.
- Chandra, A., Enkhbaatar, P., Nakano, Y., Traber, LD., Traber, D.L., 2006. Sepsis: Emerging role of nitric oxide and selectins. *CLINICS*, 61(1), pp. 71-6.
- Dahlan, M. S., 2018. *Langkah-langkah Membuat Proposal Penelitian Bidang Kedokteran dan Kesehatan*. 2 ed. Jakarta: CV Sagung Seto.
- de Jager, C. P., Wever, P. C., Gemen, E. F. & Kusters, R., 2012. The Neutrophyl-Lymphocyte Count ratio in Patients with Community-Acquired Pneumonia. *PLOS ONE*, 7(10).
- Finfer, S. & Machado, F. R., 2016. The Global Epidemiology of Sepsis. Does It Matter That We Know So Little?. *ATS Journals*, Volume 193, pp. 228-230.
- Fleischmann, C., Scherag, A. & Adhikari, N. K., 2016. Assessment of Global Incidence and Mortality of Hospital-treated Sepsis. Current Estimates and Limitations. *American Journal of Respiratory and Critical Care Medicine*, Volume 193(3), pp. 259-72.

- Fujishima, S., 2016. Organ dysfunction as a new standard for defining sepsis. *Inflammation and Regeneration*, 36(24), pp. 1-6.
- Gul, F., Arslantas, M. K., Cinel, I. & Kumar, A., 2017. Changing Definitions of Sepsis. *Turk J Anesthesiol Reanim*, Volume 45, pp. 129-38.
- Gürağaç, A. & Demirer, Z., 2016. The neutrophyl-to-lymphocyte ratio in clinical practice. *Can Urol Assoc J*, 10(3-4), pp. 141-142.
- Guyton, A. C. & Hall, E. J., 2006. *Buku Ajar Fisiologi Kedokteran*. 11 ed. Jakarta: EGC.
- Heldens, M., Schout, M., Hammond, N.E., Bass, F., Delaney, A., Finfer, S., 2018. Sepsis incidence and mortality are underestimated in Australian intensive care unit administrative data. *MJA*, Volume 6, pp. 255-260.
- Hotchkiss, R., Swanson, P. & Freeman, B., 1999. Apoptotic cell death in patients with sepsis, shock and multiple organ dysfunction. *Crit Care Med*, 27(7), pp. 1230-51.
- Jilma, B., Blann, A., Pernerstorfer, T. & Stohlawetz, P., 1999. Regulation of adhesion molecules during human endotoxaemia. *Amer J Resp Crit*, Volume 159, pp. 857-863.
- Kaml, G. J. & Davis, K. A., 2016. Surgical critical care for the patient with sepsis and multiple organ dysfunction. *Anesthesiology Clin*, Volume 34, pp. 681-96.
- Kim, H. R., G, B. R. & Lee, M. K., 2008. Effect of bacteria and yeast on WBC counting in three automated hematology counters. *Ann Hematol*, Volume 87, pp. 557-562.
- Lee, H., 2013. Procalcitonin as abiomarker of infectious diseases. *Korean J Intern Med*, Volume 28, pp. 285-91.
- Lie, K. C., Lau, C.Y., Chau, N.V., West, T.E., Limmathurotsakul, D., 2018. Utility of SOFA score, management, and outcomes of sepsis in Southeast Asia: a multinational multicenter prospective observational study. *Journal of Intensive Care*, 6(9), pp. 1-8.
- McSweeney, D., 2015. Identifying Acute Organ Dysfunction as a Marker of Severe Sepsis. *Master of Science in Nursing Student Scholarship*, p. 69.
- Meisner, M., 2014. Update on Procalcitonin Measurements. *Ann Lab Med*, Volume 34, pp. 262-73.
- Meisner, M., Lohs, T., Huettemann, E., Schmidt, J., Hueller, M., Reinhart, K., 2001. The plasma elimination rate and urinary secretion of procalcitonin in patients with

normal and impaired renal function. *European Journal of Anesthesiology*, Volume 18, pp. 79-87.

Nijsten MW., Olinsa, P., The, TH., de Vries, E.G., Koops, H., 2000. Procalcitonin behaves as a fast responding acute phase protein in vivo and in vitro. *Crit Care Med*, 28(2), pp. 458-61.

Nugroho, A., Suwarman & Nawawi, A. M., 2013. Hubungan antara rasio Neutrofil-Limfosit dan Skor Sequential Organ Failure Assessment pada Pasien yang Dirawat di Ruang Intensif Care Unit. *Jurnal Anestesi Perioperatif*, 1(3), pp. 189-196.

Okashah, A. S., El-Sawy, M. M., Beshay, B. N. & Abd El-Raouf, A., 2014. Ratio of Neutrophyl to Lymphocyte Counts as a Simple Marker for Sepsis and Severe Sepsis in Intensive Care Unit. *ROAIC*, Volume 2, pp. 39-46.

Pierrakos, C. & Vincent, J.-L., 2010. Sepsis biomarkers: a review. *Pierrakos and Vincent Critical Care*, Volume 14, pp. 1-15.

Reinhart, K., Bauer, M., Riedemann, N. C. & Hartog, C. S., 2012. New Approaches to Sepsis: Molecular Diagnostics and Biomarkers. *Clinical Microbiology Reviews*, 25(4), pp. 609-634.

Rello Jordi, Valenzuela-Sanchez, F., Ruiz-Rodriguez, M. & Moyano, S., 2017. Sepsis: A Review Of Advances in Management. *Adv Ther*, Volume 34, pp. 2393-2411.

Rhee, C., Jones, T.M., Hamad, Y., Pande, A., Varoh, J., Brien, C.O., Anderson, D.J., Warren, D.K., Dantes, R.B., 2019. Prevalence Underlying Causes and Preventability of Sepsis-Associated Mortality in US Acute Care Hospitals. *Critical Care Medicine*, Volume 2, pp. 1-14.

Sakr, Y., Jaschinski, U., Wittebole, X., Szakmany, T., Lipman, J., Namendy-Silva, S., Martia-Loeches, I., 2018. Sepsis in Intensive care Unit Patients: Worldwide Data From the Intensive Care over Nations Audit. *Open Forum Infectious Disease*, pp. 1-9.

Sarwono, J., 2006. *Metode Penelitian Kuantitatif dan Kualitatif*. Yogyakarta: Graha Ilmu.

Sastroasmoro, S. & Ismael, S., 2014. *dasar-dasar Metodologi Penelitian Klinis*. 5 ed. Jakarta: Sagung Seto.

Savran, Y., Mengi, T., Yilmaz, B., Tokur, M.E., Ergan, B., Yaka, E., Comert, B., 2018. Can Neutrophyl-Lymphocyte Ratio Predict Disease Severity and Mortality in Sepsis and Septic Shock Patients?. *Acta Medica Mediterranea*, Volume 34, pp. 877-81.

Schuetz, P., Birkhahn, R., Sherwin, R., Jones, A.E., Singer, A., Kline, J.A., Runyon, M.S. 2017. Serial Procalcitonin Predicts Mortality in Severe Sepsis Patients: Results from the Multicenter Procalcitonin Monitoring Sepsis (MOSES) Study. *Critical Care Medicine Journal*, 45(5), pp. 781-789.

Shiferaw, B., Bekele, E., Kumar, K., Boutin, A., Frieri, M., 2016. The Role of Procalcitonin as a Biomarker in Sepsis. *J Infect Dis Epidemiol*, 2(1), pp. 1-4.

Singer, M., Deutschman, C. S., Seymour, C. W. & Shankar-Hari, M., 2016. The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*, Volume 315, pp. 801-10.

Torio, C. M. & Andrews, R. M., 2013. National inpatient hospital cots: the most expensive conditions by payer, 2011.. *Statistical Brief #160. Healthcare Cot and Utilization Project (HCUP) Statistical Briefs*.

Velissaris, D., Pantzaris, N.-D., Bountouris, P. & Gogos, C., 2018. Correlations between neutrophyl-to-lymphocyte ratio and severity scores upon hospital admission. A series of 50 patients. *ROM. J. INTERN. MED*, 0(0), pp. 1-10.

Vijayan, A. L., Ravindran, S. & Saikant, R., 2017. Procalcitonin: a promising diagnostic marker for sepsis and antibiotic therapy. *Journal of Intensive Care*, 5(51).

Vincent, J.-L., 2016. The Clinical Challenge of Sepsis Identification and Monitoring. *PLoS Med*, Volume 13(5).

Vincent, J.-L., Rello, J., Marshall, J., Silva, E., Anzueto, A., Martrin, C.D., Moreno, R., Lipman, J., 2009. International Study of the Prevalence and Outcomes of Infection in Intensive Care Units. *JAMA*, 302(21), pp. 2323-2329.

Whicher, J., Bienvenu, J. & Monneret, G., 2001. Procalcitonin as an acute phase marker. *Ann Clin Biochem*, Volume 38, pp. 483-93.

Zahorec, R., 2001. Ratio of neutrophyl to lymphocyte counts- rapid and simple parameter of systemic parameter of systemic inflammation and stress in critically ill. *BRATISL LEK LISTY*, 102(1), pp. 5-14.