

DAFTAR PUSTAKA

- Abbas, Q., Jamil, M.T., Jafri, L., Haque, A.U. & Khetpal, V. 2016. Hyperlactetemia and Its trends in critically ill children admitted in pediatric intensive care unit of a developing country. *J Ayub Med Coll*, 28(4): 660–3.
- Alsuheel, A.M. & Shati, A.A. 2014. Factors predicting mortality in pediatric intensive care unit in a tertiary care center southwest region, Saudi Arabia. *J Med Med Sci*, 5(5): 113–20.
- Astu, G.L., Nurnaningsih, N. & Wibowo, T. 2016. Skor pelod sebagai faktor prediktor kematian pada pasien anak dengan syok septik di RSUP Dr Sardjito. *Electronic theses and dissertation Universitas Gajah Mada*.
- Bai, Z., Zhu, X., Li, M., Hua, J., Li, Y. & Pan, J. 2014. Effectiveness of predicting in-hospital mortality in critically ill children by assessing blood lactate levels at admission. *BMC Pediatr*, 14(1): 1–9. BMC Pediatrics.
- Balazs, G., Szima, S. & Elek, N. 2017. Pediatric Sepsis : clinical considerations. *J. Child Sci.*, 1(January): e59-75.
- Bramantyo, T.B., Martuti, S. & Salimo, H. 2018. Perbandingan prediktor mortalitas skor PRISM III dan PELOD 2 pada anak sakit kritis non bedah. *Sari Pediatri*, 19(5): 284–9.
- Ciarka, A., De Backer, D. & Vincent, J.L. 2000. Lactic acidosis in the critically ill. *Acta Clinica Belgica*, 55(6): 295–9.
- Dahlan, M.S. 2018. Analisis penelitian diagnostik. In *Penelitian diagnostik, validitas dan reliabilitas*. Jakarta: Epidemiologi Indonesia: 20–23.
- Dewi, R. & Fatimatuzzuhroh, F. 2019. Profil Pasien sakit kritis yang dirawat di pediatric intensive care unit Rumah Sakit Cipto Mangunkusumo berdasar sistem skoring Pediatric Logistic Organ Dysfunction-2. *Sari Pediatri*, 21(1): 37.
- El-Nawawy, A., Mohsen, A.A., Abdel-Malik, M. & Taman, S.O. 2017. Performance of the pediatric logistic organ dysfunction (PELOD) and (PELOD-2) scores in a pediatric intensive care unit of a developing country. *Eur J Pediatr*, 176(7): 849–55.
- Fujishima, S. 2016. Organ dysfunction as a new standard for defining sepsis. *Inflammation and Regeneration*, 36(24): 1–6.
- Gonçalves, J.-P.P., Severo, M., Rocha, C., Jardim, J., Mota, T. & Ribeiro, A. 2015. Performance of PRISM III and PELOD-2 scores in a pediatric intensive care unit. *Eur. J. Pediatr.*: 1–6.
- El Hamshary, A.A.E., El Sherbini, S.A., Elgebaly, H.A.F. & Amin, S.A. 2017. Prevalence of multiple organ dysfunction in the pediatric intensive care unit: Pediatric Risk of Mortality III versus Pediatric Logistic Organ Dysfunction scores for mortality prediction. *Rev Bras Ter Intensiva*, 29(2): 206–12.

- Honna, L., Triratna, S., Triwani & Theodorus. 2010. Use of pediatric logistic organ dysfunction (PELOD) in determining prognostic among PICU patients. *Paediatr Indones*, 50(6): 347–50.
- Lan, W.Y. 2014. *Risk factors for death in pediatric intensive care unit of a tertiary children's hospital in Guangzhou city*.
- Latief, A., Hadinegoro, S.R.S., Chairulfatah, A., Pudjiadi, A.H., Malisie, R.F. & Alam, A. 2016. Diagnosis dan tata laksana sepsis pada anak. In *Konsensus IDAI*. 1–47.
- Latief, A., Pudjiadi, A.H., Kushartono, H. & Malisie, R.F. 2016. Pelayanan emergensi, rawat intermediet dan rawat intensif anak. In *Buku Panduan IDAI*. 1–56.
- Leteurtre, S., Duhamel, A., Deken, V., Lacroix, J. & Leclerc, F. 2015. Daily estimation of the severity of organ dysfunctions in critically ill children by using the PELOD-2 score. *Crit. Care*, 19: 324–30.
- Leteurtre, S., Duhamel, A., Salleron, J., Grandbastien, B., Lacroix, J. & Leclerc, F. 2013. Pelod-2 An Update of the PELOD score. *Crit Care Med*, 41(7): 1761–73.
- Marcin, J.P. & Pollack, M.M. 2007. Review of the acuity scoring systems for the pediatric intensive care unit and their use in quality improvement. *J Intensive Care Med*, 22(3): 131–40.
- Matics, T.J. & Sanchez-Pinto, L.N. 2017. Adaptation and validation of a pediatric sequential organ failure assessment score and evaluation of the Sepsis-3 definitions in critically ill children. *JAMA Pediatr*, 171(10): 1–9.
- Nichol, A.D., Egi, M., Pettila, V., Bellomo, R., French, C. & Hart, G. 2010. Relative hyperlactatemia and hospital mortality in critically ill patients: a retrospective multi-centre study. *Crit Care*, 14(1): 1–9.
- Patki, V., Antin, J. & Khare, S. 2017. Persistent hyperlactatemia as the predictor of poor outcome in critically ill children: a single-center, prospective, observational cohort study. *J Pediatr Intensive Care*, 06(03): 152–8.
- Patriawati, K.A., Nurnaningsih, N. & Suryantoro, P. 2014. Serial blood lactate levels as a prognostic factor for sepsis mortality. *Pediatr Indones*, 54(3): 168–73.
- Qureshi, A.U., Ali, A.S. & Ahmad, T.M. 2007. Comparison of three prognostic scores (PRISM, PELOD and PIM 2) at pediatric intensive care unit under Pakistani circumstances. *J Ayub Med Coll*, 19(2): 49–53.
- Rusmawatiningsih, D. & Nurnaningsih, N. 2016. Mortality rates in pediatric septic shock. *Paediatr Indones*, 56(5): 304–10.
- Sari, D.S.P., Saputra, I., Triratna, S. & Saleh, M.I. 2017. The pediatric index of mortality 3 score to predict mortality in a pediatric intensive care unit in Palembang, South Sumatera, Indonesia. *Pediatr Indones*, 57(3): 164–70.

- Shapiro, N.I., Howell, M.D., Talmor, D., Nathanson, L.A., Lisbon, A., Wolfe, R.E. & Weiss, J.W. 2005. Serum lactate as a predictor of mortality in emergency department patients with infection. *Ann Emerg Med*, 45(5): 524–8.
- Siddiqui, N.U.R., Ashraf, Z., Jurair, H. & Haque, A. 2015. Mortality patterns among critically ill children in a Pediatric Intensive Care Unit of a developing country. *Indian J Crit Care Med*, 19(3): 147–50.
- Souza, D.C., Brandão, M.B. & Piva, J.P. 2018. From the international pediatric sepsis conference 2005 to the sepsis-3 consensus. *Rev Bras Ter Intensiva Brasileira de Terapia Intensiva*, 30(1): 1–5.
- Suari, N.M.R., Latief, A. & Pudjiadi, A.H. 2018. Validitas skor PELOD 2 pada anak dengan sepsis di RSUPN Cipto Mangunkusumo. In *10th PICU NICU Updates - Integrated Respiratory Support Summit in Critically Ill Newborn Infants & Childrens*. 42.
- Susianawati, V., Suryantoro, P. & Naning, R. 2014. Prognostic predictor at pediatrics intensive care unit (PICU) with pediatric risk of mortality III (PRISM III) scores. *J Med Sci*, 46(2): 71–7.
- Wulandari, A., Martuti, S. & Kaswadi, P. 2017. Perkembangan diagnosis sepsis pada anak. *Sari Pediatri*, 19(4): 237–44.