



## DAFTAR PUSTAKA

- Ades, A.E., dan Kazantzis, G., 1988. Lung cancer in a non-ferrous smelter: the role of cadmium. *British journal of industrial medicine.* 45(7), 435–442. <https://doi.org/10.1136/oem.45.7.435>
- Alberg, A.J., Brock, M.V., Samet, J.M., 2005. Epidemiology of lung cancer: looking to the future. *J Clin Oncol* ;23(14):3175–3185
- Alberg, A.J., Ford, J.G., Samet, J.M., 2007. Epidemiology of lung cancer: ACCP evidence-based clinical practice guidelines. *Chest*, 132:29–55
- Alves, Mattos., 2011. Current indications for the use of albumin in the treatment of cirrhosis, *Annals of Hepatology* 10 (Suppl.1): S15-S20.
- Ambrogi, V., Pompeo, E., Elia, S., Pistolese, G.R., Mineo, T.C., 2003. The impact of cardiovascular comorbidity on the outcome of surgery for stage I and II non-small-cell lung cancer. *European journal of cardio-thoracic surgery.* 23:811–817.
- Amin, Zulkifli., 2014. Kanker Paru, Buku Ajar Ilmu Penyakit Dalam. Edisi Keenam. Bab 34: Onkologi Medik Khusus. Jakarta. Interna Publishing
- Andersen, A., Berge, S.R., Engeland, A., & Norseth, T., 1996. Exposure to nickel compounds and smoking in relation to incidence of lung and nasal cancer among nickel refinery workers. *Occupational and environmental medicine*, 53(10), 708–713.
- Attfield, M.D., Schleiff, P.L., Lubin, H., Blair, A., Stewart, P.A., Vermeulen, R., Coble, J.B., Silverman, D.T., 2012. The Diesel Exhaust in Miners study: a cohort mortality study with emphasis on lung cancer. *Journal of the National Cancer Institute*, 104(11), 869–883.
- Babson, A.L., Winnick, T., 1954. Protein transfer in tumor-bearing rats. *Cancer Res*; 14: 606-611
- Bailey, Wilson., Amos, C.I., Pinney, S.M., 2004. A major lung cancer susceptibility locus maps to chromosome 6p23–25. *Am J Human Genet* ;75(3):460–474.
- Barber, Ross., Fearon, K.C., 1999. Changes in nutritional, functional, and inflammatory markers in advanced pancreatic cancer. *Nutr Cancer*; 35: 106–110
- Beate, Pesch., Benjamin, Kendzia., Per, Gustavsson., Karl, Heinz Jöckel, 2012. Cigarette smoking and lung cancer – relative risk estimates for the major histological types from a pooled analysis of casecontrol studies, *Int J Cancer*. 131(5): 1210–1219
- Bernardi, M., Ricci, C.S., Zaccherini, G., 2014. Role of human albumin in the management of complications of liver cirrhosis. *J Clin Exp Hepatol* 4(4):302–11.
- Birk, Thomas., Mundt, Kenneth., Linda, D., Luippold, R.S., Miksche, Leopold., Steinmann, S.H., et al., 2006. Lung cancer mortality in the German chromate industry, *journal of Occupational and Environmental Medicine*: Volume 48 - Issue 4 - p 426-433



- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R.L., Torre, L.A., Jemal, A., 2018. Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. CA: A Cancer Journal for Clinicians. 68:394–424.
- Bromen, K., Pohlabeln, H., Jahn, I., Ahrens, W., Jöckel, K.H., 2000. Aggregation of lung cancer in families: results from a population-based case-control study in Germany, Am J Epidemiol. 152(6):497-505.
- Buzby, G.P., Mullen, J.L., Matthews, D.C., Hobbs, C.L., Rosato, E.F., 1980. Prognostic nutritional index in gastrointestinal surgery. Am. J. Surg. 139, 160–167.
- Ceze, N., Thibault, G., Goujon, G., 2011. Pre-treatment lymphopenia as a prognostic biomarker in colorectal cancer patients receiving chemotherapy. Cancer Chemotherapy and Pharmacology, 68:1305–1313.
- Chih, Kuo., 2012. Concomitant Active Tuberculosis Prolongs Survival in Non-Small Cell Lung Cancer: A Study in a TuberculosisEndemic Country, Plosone
- Christina, S.H., Tom, K.G., William, Standring., Steinar, Tretli., 2017. Lung cancer prevalence associated with radon exposure in Norwegian homes
- Delves, P., 2018. Overview of the Immune, The Merck Manual Professional Version.
- Deme, D., Telekes, A., 2018. Prognostic importance of albumin in oncology. Orv Hetil, 159:96-106.
- Dermot, O'Callaghan., Dearbhaile, O'Donnell., Finbarr, O'Connell., Kenneth, O'Byrne., 2010. The Role of Inflammation in the Pathogenesis of Non-small Cell Lung Cancer, Journal of Thoracic Oncology, Volume 5, Issue 12, Pages 2024-2036
- Deschamps, F., Moulin, J.J., Wild, P., *et al.*, 1995. Mortality study among workers producing chromate pigments in France. Int. Arch Occup Environ Health 67, 147-152
- Dominguez, C., Tsang, KY., Palena, C., 2016. Short term EGFR blockade enhances immune-mediated cytotoxicity of EGFR mutant lung cancer cells: Rationale for combination therapies. Cell Death Dis, 29:1-13.
- Elizabeth, R., Tang, Andrew, M., Schreiner, Bradley., 2014. Advances in lung adenocarcinoma classification: a summary of the new international multidisciplinary classification system (IASLC/ATS/ERS), J Thorac Dis 2014;6(S5): S489-S501
- Enterline, P.E., Henderson, V.L., Marsh, G.M., 1987. Exposure to arsenic and respiratory cancer. A reanalysis. American Journal of Epidemiology, 125(6):929-938. DOI: 10.1093/oxfordjournals.aje.a114631.
- Ewa, Gawełek., Bogna, Drozdowska., Anna, Fuchs., 2017. Radon As A Risk Factor of Lung Cancer, Przegl Epidemiol 71(1): 90-98
- Fanali, G., Masi, A., Trezza, V., Marino, M., Fasano, M., Ascenzi, P., 2012. Human serum albumin: from bench to bedside. Mol Aspects Med; 33: 209-290
- Fearon, K.C., Falconer, J.S., Slater, C., McMillan, D.C., Ross, J.A., Preston, T., 1998. Albumin synthesis rates are not decreased in hypoalbuminemic cachectic cancer patients with an ongoing acute-phase protein response. Ann



- Surg 227: 249-254
- Ferlay, J., Shin, H.R., Bray, F., 2010. Estimates of worldwide burden of cancer in 2008: GLOBOCAN 2008. *Int J Cancer*, 127:2893-917
- Fleck, A., Raines, G., Hawker, F., Trotter, J., Wallace, P.I., Ledingham, I.M., Calman, K.C., 2004. Increased vascular permeability: a major cause of hypoalbuminaemia in disease and injury.
- Fruchtenicht, A.V.G., Poziomyck, A.K., Kabke, G.B., Loss, S.H., Antoniazzi, J.L., Steemburgo, T., Moreira, L.F., 2015. Nutritional risk assessment in critically ill cancer patients: systematic review. *Rev. Bras. Ter. Intensiva*.
- Galon, J., Anne, C., Fatima, S.C., 2006. Type, density, and location of immune cells within human colorectal tumors predict clinical outcome. *Science* 313: 1960-1963.
- Garshick, E., Laden, F., Hart, J.E., Davis, M.E., Eisen, E.A., & Smith, T.J., 2012. Lung cancer and elemental carbon exposure in trucking industry workers. *Environmental health perspectives*, 120(9), 1301–1306.
- Gina, Lee., Tonya, Walser., Steven, Dubinett., 2009. Chronic Inflammation, Chronic Obstructive Pulmonary Disease, and Lung Cancer, *Current Opinion in Pulmonary Medicine*. 15(4):303–307
- Gomes, M., Teixeira, A.L., Coelho, A., Araújo, A., Medeiros, R., 2014. The role of inflammation in lung cancer., *Adv Exp Med Biol*. 816:1-23.
- Goran, Krstić., 2017. Radon versus other lung cancer risk factors: How accurate are the attribution estimates? *Journal of The Air & Waste Management Association*, vol. 67, no. 3, 261–266
- Gupta, D., Lis, C.G., 2010. Pretreatment serum albumin as a predictor of cancer survival: A systematic review of the epidemiological literature. *Nutr J*; 9:69. doi: 10.1186/1475-2891-9-69 PMID: 21176210
- Hammond, E.C., Irving, S., Herbert, S., 1979. Asbestos exposure, cigarette smoking and death rates, *The New York Academy of Science*.
- Hatlen,Peter., Bjørn, H., Arnulf, Langhammer., Sven, M.C., Tore Amundsen., 2011. Prolonged Survival in Patients with Lung Cancer with Diabetes Mellitus, *Journal of Thoracic Oncology*
- Hespanhol, V., Queiroga, H., Magalhaes, A., Santos, A.R., Coelho, M., Marques, A., 1995. Survival predictors in advanced non-small cell lung cancer. 13:253–267
- Hoffmann, T.K., Dworacki, G., Tsukihiro T., 2002. Spontaneous apoptosis of circulating T lymphocytes in patients with head and neck cancer and its clinical importance. *Clinical Cancer Research*, 8:2553–2562.
- Hudoyo, Achmad., Wibawanto, Agung., Lutfi, Aida., Rima, Ana., Andika, C.P., Ratnawati, Anita., et al., 2017. Kanker Paru, PNPK Kemenkes RI
- Hulley, Stephen., Cummings, Steven., Browner, Warren., Grady, Deborah., and Newman, Thomas., 2013. *Designing Clinical Research*, Lippincott Williams and Wilkins.
- Hwang, S.J., Cheng, L.S., Lozano, G., Amos, C.I., Gu, X., Strong, L.C., 2003. Lung cancer risk in germline p53 mutation carriers: association between an inherited cancer predisposition, cigarette smoking, and cancer risk. *Hum Genet Aug;113(3):238–243.*



- Inal, Ali., Kaplan, Ali., Mehmet, K., Zuhat, U., Faruk, K., Isikdogan, A., 2013. Is diabetes mellitus a negative prognostic factor for the treatment of advanced non-small-cell lung cancer? *Pulmonology Journal*
- International Agency for Research on Cancer, 1998. Man-Made Mineral Fibres and Radon. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol. 43. Lyon, France: World Health Organization (WHO), Lyon, France.
- Iwasaki, A., Shirakusa, T., Okabayashi, K., Inutsuka, K., Yoneda, S., Yamamoto, S., Shiraisi, T., 2006. Lung cancer surgery in patients with liver cirrhosis. *Ann Thorac Surg.* 82(3): 1027-1032.
- Iwata, T., 2007. Long-Term Outcome of Surgical Treatment for Non-Small Cell Lung Cancer with Comorbid Liver Cirrhosis, *Ann Thorac Surg* 2007;84:1810 -7
- Järup, L., Bellander, T., Hogstedt, C., & Spång, G., 1998. Mortality and cancer incidence in Swedish battery workers exposed to cadmium and nickel. *Occupational and environmental medicine*, 55(11), 755–759.
- Jian-hui, C., Iskandar, E.A., Cai, S., Chen, C., Wu, H., Xu, J., He, Y., 2016. Significance of Onodera's prognostic nutritional index in patients with colorectal cancer: a large cohort study in a single Chinese institution. *Tumor Biol.* 37, 3277–3283
- Kanda, M., Fuji, T., Kodera, Y., Nagai, S., Takeda, S., Nakao, A., 2011. Nutritional predictors of postoperative outcome in pancreatic cancer. *Br J Surg* 98:268–274
- Kementerian Kesehatan Republik Indonesia, 2019. Hari kanker sedunia 2019. Disadur dari <https://www.depkes.go.id/article/view/19020100003/hari-kanker-sedunia-2019.html>. 28 Januari 2020.
- Khuder, S.A., 2001. Effect of cigarette smoking on major histological types of lung cancer: a meta-analysis, *Lung Cancer*. 31(2-3):139-48
- Kishi, T., Matsuo, Y., Ueki, N., Iizuka, Y., Nakamura, A., Sakanaka, K., et al., 2015. Pretreatment modified glasgow prognostic score predicts clinical outcomes after stereotactic body radiation therapy for early-Stage non-Small cell lung cancer, *Int. J. Radiat. Oncol. Biol. Phys.* 92 (2015) 619–626
- Kobayashi, M., Fitz, L., Ryan, M., Hewick, R. M., Clark, S. C., Chan, S., et al., 1989. Identification and purification of natural killer cell stimulatory factor (NKSF), a cytokine with multiple biologic effects on human lymphocytes. *The Journal of experimental medicine*, 170(3), 827–845
- Kovarik, M., Hronek, Z., 2014. Clinically relevant determinants of body composition, function and nutritional status as mortality predictors in lung cancer patients, *Lung Cancer* 84 1–6,
- Kratz, F., 2008. Albumin as a drug carrier: design of prodrugs, drug conjugates and nanoparticles. *J Control Release*; 132: 171-183
- Kravchenko, J., Berry, M., Arbeev, K., Kim-Lyerly, H., Yashin, A., Akushevich, I., 2015. Cardiovascular comorbidities and survival of lung cancer patients: medicare data-based analysis. *Lung Cancer*. 88(1):85–93.
- Krewski, D., Jerrett, M., Burnett, R.T., Ma, R., Hughes, E., Shi, Y., et al., 2009. Extended follow-up and spatial analysis of the American Cancer Society



- study linking particulate air pollution and mortality, *Res Rep Health Eff Inst.* (140):5-114; discussion 115-36
- Kumar, M.S., Hancock, D.C., Molina-Arcas, M., Steckel, M., East, P., Diefenbacher, M., *et al.*, 2013. The GATA2 transcriptional network is requisite for RAS oncogene-driven non-small cell lung cancer
- Kurishima, K., Watanabe, H., Ishikawa, H., Satoh, H., & Hizawa, N., 2017. Survival of patients with lung cancer and diabetes mellitus. *Molecular and Clinical Oncology.* 6(6): 907–910.
- Kutluk Cenik, B., Sun, H., & Gerber, D.E., 2013. Impact of renal function on treatment options and outcomes in advanced non-small cell lung cancer. *Lung cancer (Amsterdam, Netherlands)*, 80(3), 326–332.
- Kwak, E.L., Bang, Y.J., Camidge, D.R., 2010. Anaplastic lymphoma kinase inhibition in non-small-cell lung cancer. *N Engl J Med* 363:1693–1703
- Laden, F., Schwartz, J., Speizer, F.E., & Dockery, D.W., 2006. Reduction in fine particulate air pollution and mortality: Extended follow-up of the Harvard Six Cities study. *American journal of respiratory and critical care medicine*, 173(6), 667–672. <https://doi.org/10.1164/rccm.200503-443OC>
- Lee-Feldstein, A., 1986. Cumulative exposure to arsenic and its relationship to respiratory cancer among copper smelter employees
- Lewis, Wesselius., David, W.H., Lois, Wahl., Sarah, Sherard., Sarah, A Taylor., and Nabih, Abdou., 1985. Lymphocyte Subsets in Lung Cancer. *American Thoracic Society*. Anaheim, California.
- Li, D., Yuan, X., Liu, J., Li, C., Li, W., 2018. Prognostic value of prognostic nutritional index in lung cancer: A Meta analysis. *J Thorac Dis*, 10:5298–5307.
- Liu, Y., Steenland, K., Rong, Y., Hnizdo, E., Huang, X., Zhang, H., Shi, T., Sun, Y., Wu, T., & Chen, W., 2013. Exposure-response analysis and risk assessment for lung cancer in relationship to silica exposure: a 44-year cohort study of 34,018 workers. *American journal of epidemiology*, 178(9), 1424–1433.
- Loomis, D., Huang, W., & Chen, G., 2014. The International Agency for Research on Cancer (IARC) evaluation of the carcinogenicity of outdoor air pollution: focus on China. *Chinese journal of cancer*, 33(4), 189–196.
- Lu, M.S., Chen, M.F., Lin, C.C., Tseng, Y.H., Huang, Y.K., Liu, H.P., & Tsai, Y.H., 2017. Is chronic kidney disease an adverse factor in lung cancer clinical outcome? A propensity score matching study. *Thoracic cancer*, 8(2), 106–113
- Lubin, J.H., Boice J.D., Jr., 1997. Lung Cancer Risk From Residential Radon: Meta-analysis of Eight Epidemiologic Studies. *J Natl Cancer Inst.* 1997 Jan 1;89(1):49-57
- Markar, S.R., Mackenzie, H., Mikhail, S., 2017. Surgical resection of hepatic metastases from gastric cancer: outcomes from national series in England. *Gastric Cancer*, 20:379–386.
- Markowits, S.B., Levin, S.M., Miller, A., 2013. Asbestos, Asbestosis, Smoking, and Lung Cancer, ATS journal
- Mcdonnell, W., Nishino-Ishikawa, N., Petersen, F. *et al.*, 2000. Relationships of mortality with the fine and coarse fractions of long-term ambient pm<sub>10</sub>



- concentrations in nonsmokers. *J expo sci environ epidemiol* 10, 427–436.
- McMillan, D.C., 2009. Systemic inflammation, nutritional status and survival in patients with cancer. *Curr Opin Clin Nutr Metab Care*; 12: 223-226
- Monirul, Islam., Xiaqing, Jiang., Trisari, Anggondowati., Ge, Lin., and Apar Kishor Ganti, 2015. Comorbidity and Survival in Lung Cancer Patients, Published OnlineFirst
- Mori, S., Usami, N., Fukumoto, K., Mizuno, T., Kuroda, H., Sakakura, N., *et al.*, 2015. The Significance of the Prognostic Nutritional Index in Patients with Completely Resected Non-Small Cell Lung Cancer. *PloS One* 10, e0136897.
- Muers, M.F., Shevlin, P., Brown, J., 1996. Prognosis in lung cancer: Physicians' opinions compared with outcome and a predictive model. 51:894–902. PMID: 8984699
- Na, S., Sung, J., Chang, J., Kim, S., Lee, H., Park, Y., *et al*, 2011. Chronic Kidney Disease in Cancer Patients: An Independent Predictor of Cancer-Specific Mortality. *Am J Nephrol*. 33:121-130.
- National Comprehensive Cancer Network (NCCN), 2018. Non-Small Cell Lung Cancer (Version 4.2018).  
[https://www.nccn.org/professionals/physician\\_gls/](https://www.nccn.org/professionals/physician_gls/)
- Newcomer, R.J., Wilkinson, A.M., Lawton, M.P., 1996. Focus on managed care and quality assurance: Integrating acute and chronic care. New York: Springer, p:1-36.
- Nozoe, T., Kimura, Y., Ishida, M., Saeki, H., Korenaga, D., Sugimachi, K., 2002. Correlation of pre-operative nutritional condition with post-operative complications in surgical treatment for oesophageal carcinoma. *Eur J Surg Oncol* 28:396–400.
- Nurdjanah, Siti., 2014. Sirosis Hati. Buku Ajar Ilmu Penyakit Dalam. Edisi Keenam. Bab 24: Hepatologi. Jakarta. Interna Publishing
- Onodera, T., Goseki, N., Kosaki, G., 1984. Prognostic nutritional index in gastrointestinal surgery of malnourished cancer patients. *Nihon Geka Gakkai zasshi* 85:1001–1005
- Osugi, J., Muto, S., Matsumura, Y., Higuchi, M., Suzuki, H., Gotoh, M., 2016. Prognostic impact of the high-sensitivity modified Glasgow prognostic score in patients with resectable non-small cell lung cancer, *J. Cancer Res. Ther.* 12 945 pdf/nscl.pdf. Diakses 26 April 2018
- Pengyuan, Liu., Haris, G., Vikis, Daolong Wang., Yan, Lu., 2008. Familial Aggregation of Common Sequence Variants on 15q24-25.1 in Lung Cancer, *J Natl Cancer Inst* 2008;100: 1326 – 1330
- Poinen-Rughooputh, S., Rughooputh, MS., Guo, Y. *et al.*, 2016. Occupational exposure to silica dust and risk of lung cancer: an updated meta-analysis of epidemiological studies. *BMC Public Health* 16, 1137.
- Raaschou, N., Zorana, J.A., Rob, B., Evangelia, S., Massimo, S., Gudrun, W., *et al.*, 2013. Air pollution and lung cancer incidence in 17 European cohorts: prospective analyses from the European Study of Cohorts for Air Pollution Effects (ESCAPE), *The Lancet Oncology*
- Ravasco, P., Monteiro-Grillo, I., Vidal, P.M., Camilo, M.E., 2004. Cancer: Disease and nutrition are key determinants of patients' quality of life, *Supportive Care*



- in Cancer, 12: 246–252.
- Richards, C.H., Roxburgh, C.S.D., MacMillan, M.R., 2012. The relationships between body composition and the systemic inflammatory response in patients with primary operable colorectal cancer. *PLOS ONE*, 7: 1-8.
- Rochet, N.M., Kottschade, L.A., Grotz, T.E., Porrata, L.F., & Markovic, S.N., 2015. The prognostic role of the preoperative absolute lymphocyte count and absolute monocyte count in patients with resected advanced melanoma. *American journal of clinical oncology*, 38(3), 252–258.
- Rodriguez, R.B., Fuentes, J.M., 2012. Lung cancer in women. *Lung Cancer*, 3:79-89.
- Ruysscher and Reynders, 2016. Tumor infiltrating lymphocytes in lung cancer: a new prognostic parameter, *Journal of Thoracic Disease, Thorac Dis* 2016;8(8): E833-E835
- Salloum, R.G., Smith, T. J., Jensen, G.A., & Lafata, J.E., 2012. Survival among non-small cell lung cancer patients with poor performance status after first line chemotherapy. *Lung cancer (Amsterdam, Netherlands)*, 77(3), 545–549.
- Satoru, Okada., Junichi, Shimada., Satoshi, Teramukai., Daishiro, Kato., Hiroaki, Tsunezuka., Naoko, Miyata., et al., 2017. Risk Stratification According to the Prognostic Nutritional Index for Predicting Postoperative Complications After Lung Cancer Surgery, *Ann Surg Oncol*
- Schlag, P., Fritz, T., Hölting, T., 1988. Prognostic significance of nutritional status in cancer surgery. *Recent Results Cancer Res. Fortschritte Krebsforsch. Progres Dans Rech. Sur Cancer* 108, 154–159.
- Schubauer-Berigan, M.K., Deddens, J.A., Steenland, K., et al., 2008. Adjustment for temporal confounders in a reanalysis of a case-control study of beryllium and lung cancer, *Occupational and Environmental Medicine*;65:379-383.
- Seaton K., 2001. Albumin concentration controls cancer. *J Natl Med Assoc*; 93: 490-493
- Sekine, T., 2007. Association of chronic obstructive pulmonary disease and tumor recurrence in patients with stage IA lung cancer after complete resection, *Ann Thorac Surg.* 84(3):946-50.
- Sellers, T.A., Yang, P., 2002. Familial and genetic influences on risk of lung cancer. In: King, RA., Rotter, JI., Motulsky, AG., editors. *The Genetic Basis of Common Diseases*. Vol. 2<sup>nd</sup> ed.. New York, NY: Oxford University Press; p. 700-712.
- Shah, S., Blanchette, C.M. Kowalkowski, M., Arthur, S.T., Coyle, J.P., Howden R., 2017. Survival associated with chronic obstructive pulmonary disease among elderly patients with non-small cell lung cancer, *Journal of Clinical Oncology*. 35:15\_suppl, e18107-e18107.
- Shaper, A.G., Wannamethee, S.G., Walker, M., 2003. Pipe and cigar smoking and major cardiovascular events, cancer incidence and all-cause mortality in middle-aged British men. *Int J Epidemiol* 32(5):802–808.
- Shaw, A.T., Ou, S.H., Bang, Y.J., 2014. Crizotinib in ROS1-rearranged non-small-cell lung cancer. *N Engl J Med* 371:1963–1971.
- Shaw, A.T., Yeap, B.Y., Mino-Kenudson, M., 2009. Clinical features and outcome of patients with non-small-cell lung cancer who harbor EML4-ALK. *J Clin*



Oncol 27:4247–4253.

- Sheng, Jin., Peng Yang, Yun., Xiang Ma, Yu., Qin, Tao., 2016, Low prognostic nutritional index correlates with worse survival in patient with advanced NSCLC following EGFR-TKIs., PLOS ONE
- Shieh, S.H., Probst, J.C., Sung, F.C., Tsai, W.C., Li, Y.S., Chen, C.Y., 2012. Decreased survival among lung cancer patients with co-morbid tuberculosis and diabetes. *BMC Cancer*. 12: 174.
- Shimizu, Katsuhiko., Okita, Riki., Saisho, Shinsuke., Yukawa, Takuro., 2015. Prognostic nutritional index before adjuvant chemotherapy predicts chemotherapy compliance and survival among patients with non small cell lung cancer., *Therapeutics and Clinical Risk Management* 2015:11 1555-1561
- Shoji, F., Morodomi, Y., Akamine, T., Takamori, S., Katsura, K., Takada, Y., *et al.*, 2016. Predictive impact for postoperative recurrence using the preoperative prognostic nutritional index in pathological stage I non-small cell lung cancer, *Lung Cancer* 98 15–21
- Shweta, Shah., Christopher, Michael Blanchette., Marc, Kowalkowski., Susan, T Arthur., Joseph, P Coyle., Reuben, Howden., 2017. Survival associated with chronic obstructive pulmonary disease among elderly patients with non-small cell lung cancer, DOI: 10.1200/JCO.2017.35.15\_suppl.e18107 *Journal of Clinical Oncology*
- Shwn-Huey, Shieh., Janice, C Probst., Fung-Chang, Sung., Wen-Chen, Tsai., Ya-Shin, Li., and Chih-Yi, Chen., 2012. Decreased survival among lung cancer patients with co-morbid tuberculosis and diabetes, Shieh et al., *BMC Cancer*, 12:174
- Silverman, D.T., Samanic, C.M., Lubin, J.H., Blair, A.E., Stewart, P.A., Vermeulen, R., *et al.*, 2012. The Diesel Exhaust in Miners study: a nested case-control study of lung cancer and diesel exhaust. *Journal of the National Cancer Institute*, 104(11), 855–868. <https://doi.org/10.1093/jnci/djs034>
- Sorahan, T., Lancashire, RJ., 1997. Lung cancer mortality in a cohort of workers employed at a cadmium recovery plant in the United States: an analysis with detailed job histories, *Occupational and Environmental Medicine*;54:194-201.
- Spiro, S.G., 2010. Oxford Textbook Medicine (edisi ke-5th). OUP Oxford.
- Steenland, K., Mannetje, A., Boffetta, P., Stayner, L., 2001. Pooled exposure-response analyses and risk assessment for lung cancer in 10 cohorts of silica-exposed workers: An IARC multicentre study
- Studnicka, Michael., Neuman, Michael., 1994. Peripheral Blood Lymphocyte Subsets and Survival in Small-Cell Lung Cancer, *CHEST Journal*
- Sun, K., Chen, S., Xu, J., Li, G., He, Y., 2014. The prognostic significance of the prognostic nutritional index in cancer: a systematic review and meta-analysis. *J. Cancer Res. Clin. Oncol.* 140, 1537–1549
- Takahashi, Y., Kawamura, M., Hato, T., Harada, H., Matsutani, N., Horio, H., 2016. Neutrophil-lymphocyte ratio as a prognostic marker for lung adenocarcinoma after complete resection, *World J. Surg.* 40 (2016) 365–372
- Tammemagi, C.M., Nesulund-Dudas, C., Simoff, M., Kvale, P., 2003. Impact of



- comorbidity on lung cancer survival. *Int J Cancer.* 103(6):792–802.
- The Health Consequences of involuntary Exposure to Tobacco Smoke: A Report of the surgeon general, 2006. Atlanta (GA): U.S. Department of Health and Human Services, Centers for Disease Control and Prevention
- Thorgeirsson, T.E., Geller, F., Sulem, P., 2008. A variant associated with nicotine dependence, lung cancer and peripheral arterial disease. *Nature* 452(7187):638–642
- Thun, M.J., Carter, B.D., Feskanich, D., 2013. 50-year trends in smoking-related mortality in the United States. *N Engl J Med* 368:351-364
- Torre, Lindsey., Freddie, Bray., Rebecca, Siegel., Jacques, Ferlay., Joanie, Lortet., dan Ahmedin, Jemal., 2015. Global Cancer Statistics, *Ca Cancer J Clin*, 65:87-108
- Vaporciyan, A., Merrill, S.K., Craig, W.S., Ritsuko, K., and Jack A.R., 2010. Therapy for NSCLC In: Kufe DW, Pollock RE, Weichselbaum RR, et al., editors. Holland-Frei Cancer Medicine. 6th edition. Hamilton (ON): BC Decker; 2003.
- Varol, Y., Unlu, M., Kayaalp, I., Ayrancı, A., Dereli, M.S., Guclu, S.Z., 2014. Primary lung cancer coexisting with active pulmonary tuberculosis, *The International Journal of Tuberculosis and Lung Disease*, Volume 18
- Venuta, F., Diso, D., Onorati, I., Anile, M., Mantovani, S., Rendina, E.A. 2016. Lung cancer in elderly patients. *J Thorac Dis*, 8: S908-S914.
- Wei, Y.F., Chen, J.Y., Lee, H.S., Wu, J.T., Hsu, C.K., & Hsu, Y.C., 2018. Association of chronic kidney disease with mortality risk in patients with lung cancer: a nationwide Taiwan population-based cohort study. *BMJ open*, 8(1), e019661.
- Wu, AH., Fontham, E.T., Reynolds, P., Greenberg, R.S., et al., 1996. Family history of cancer and risk of lung cancer among lifetime nonsmoking women in the United States, *Am J Epidemiol.* 143(6):535-42.
- Yiming, Zhou., Zhenling, Cui., Xiao, Zhou., Chang, Chen., Sen, Jiang., Zhongyi, Hu., and Gening, Jiang., 2013. The presence of old pulmonary tuberculosis is an independent prognostic factor for squamous cell lung cancer survival, *Zhou et al., Journal of Cardiothoracic Surgery*, 8:123
- Yotsukura, M., Ohtsuka, T., Kaseda, K., Kamiyama, I., Hayashi, Y., Asamura, H., 2016. Value of the glasgow prognostic score as a prognostic factor in resectable non-Small cell lung cancer, *J. Thorac. Oncol.* 11 (2016) 1311–13
- Yun, Y.H., Lim, M.K., Jung, K.W., Bae, J.M., Park, S.M., Shin, S.A., et al., 2005. Relative and absolute risks of cigarette smoking on major histologic types of lung cancer in Korean men, *Cancer Epidemiol Biomarkers Prev.*;14(9):2125-30
- Yu-Suo, Tong., Juan, Tan., Xi-Lei, Zhou., Ya-Qi, Song., Ying-Jian, Song., 2017. Systemic immune-inflammation index predicting chemoradiation resistance and poor outcome in patients with stage III non-small cell lung cancer, *Tong et al. J Transl Med (2017) 15:221*
- Zhang, X.T., Li, Q.Q., Lu, ZH., Yang, L., Lu, M., Li, J., et al., 2014. Neutrophil count and the inflammation-based glasgow prognostic score predict survival in patients with advanced gastric cancer receiving first-line chemotherapy,



UNIVERSITAS  
GADJAH MADA

**Prognostic Nutritional Index (PNI) Sebagai Faktor Prognosis Mortalitas Pada Adenokarsinoma Paru  
Stadium IV**

SUBROTO, dr. Eko Budiono, SpPD-KP;dr. Sumardi, SpPD-KP

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

vv

Asian Pac J Cancer Prev.15:945–950.

Zhou, J. Zhan., S. Hong., Z. Hu., W. Fang, T., Qin, Y., Ma, Y. Yang., *et al.*, 2015.

Ratio of C-reactive protein/albumin is an inflammatory prognostic score for predicting overall survival of patients with small-cell lung cancer, Sci. Rep. 5 10481