

Daftar Pustaka

Adham, M., Kurniawan, A. N., Muhtadi, A. I., Roezin, A., Hermani, B., Gondhowiardjo, S., Tan, I. B. and Middeldorp, J. M.2012.'Nasopharyngeal carcinoma in Indonesia : epidemiology, incidence, signs, and symtoms at presentation', *Chinese Journal of Cancer* , pp. 185–196.

Al Sarraf, M., Reddy, M.S. 2002. Nasopharyngeal carcinoma. *Curr Treat Options Oncol.* 3: 21-32

American Joint Committee on Cancer. 1997. AJCC cancer staging manual. Edisi ke-5. Philadelphia: Lippincott-Raven. pp. 31-39.

Allavena, P., Sica, A., Solinas, G., Porta, C. and Mantovani, A.2008.'The inflammatory micro-environment in tumor progression: The role of tumor-associated macrophages', *Critical Reviews in Oncology/Hematology*, 66(1), pp. 1–9.

Antono, D., Muyassaroh, M., Satriawan, R. and Sari, R. P.2018.'Cranial nerve disorder on nasopharyngeal cancer patient at Dr.Kariadi Hospital Semarang 2014- 2016', *Bali Medical Journal*, 7(2), p. 346.

Clark, E. J., Connor, S., Taylor, M. A., Madhavan, K. K., Garden, O. J. and Parks, R. W.2007.'Preoperative lymphocyte count as a prognostic factor in resected pancreatic ductal adenocarcinoma', *Hpb journal*. Elsevier Masson SAS, 9(6), pp. 456–460.

Colotta, F., Allavena, P., Sica, A., Garlanda, C. and Mantovani, A.2009. 'Cancer-related inflammation , the seventh hallmark of cancer : links to genetic instability', 30(7), pp. 1073–1081.

Dawson, C. W., Port, R. J. and Young, L. S. 2012.'The role of the EBV-encoded latent membrane proteins LMP1 and LMP2 in the pathogenesis of nasopharyngeal carcinoma (NPC)', *Seminars in Cancer Biology*. Elsevier Ltd, 22(2), pp. 144–153.

Fachiroh, J., Prasetyanti, P. R., Paramita, D. K., Prasetyawati, A. T., Anggrahini, D. W., Haryana, S. M. and Middeldorp, J. M.2008.'Dried-blood sampling for epstein- barr virus immunoglobulin G (IgG) and IgA serology in nasopharyngeal carcinoma screening', *Journal of Clinical Microbiology*, 46(4), pp. 1374–1380.

Farhood, B., Najafi, M., Mortezaee K. 2018.'CD8+ cytotoxic T lymphocytes in cancer immunotherapy : A review'. *J cell Physiol*.pp. 1-13

Finn, O. J.2012.'Immuno-oncology : understanding the function and dysfunction of the immune system in cancer', 23(8), pp. 8–11.

Ganguly, N.K. 2003. Epidemiological and Etiological Factors Associated With Nasopharyngeal Carcinoma. *ICMR Bulletin*.(33)9

Gao, N., Yang, R., Meng, Z. and Wang, W.2018.'The prognostic value of C- reactive protein / albumin ratio in nasopharyngeal carcinoma : a meta-analysis', pp. 1–8.

Goto, W., Kashiwagi, S., Asano, Y., Takada, K., Takahashi, K., Hatano, T., Takashima, T., Tomita, S., Motomura, H., Hirakawa, K. and Ohira, M.2018. 'Predictive value of lymphocyte-to-monocyte ratio in the preoperative setting for progression of patients with breast cancer', *BMC Cancer*. BMC Cancer, 18(1), pp. 1– 9.

Guigay, J., Temam, S., Bourhis, J., Pignon, J. P. and Armand, J. P.2006. 'Nasopharyngeal carcinoma and therapeutic management: The place of chemotherapy', *Annals of Oncology*, 17(10), pp. 304–307.

Guthrie, G. J. K., Charles, K. A., Roxburgh, C. S. D., Horgan, P. G., Mcmillan, D. C. and Clarke, S. J.2013. 'The systemic inflammation-based neutrophil – lymphocyte ratio : Experience in patients with cancer', *Critical Reviews in Oncology/ Hematology*. Elsevier Ireland Ltd, 88(1), pp. 218–230.

Hanahan, D. and Weinberg, R. A. 2011. 'Review Hallmarks of Cancer : The Next Generation', *Cell*. Elsevier Inc., 144(5), pp. 646–674.

Hariwiyanto, B. 2008. 'Ekspresi LMP1 EBV Pada Keberhasilan Terapi Dan Tiga Tahun Ketahanan Hidup Penderita Karsinoma Nasofaring', pp. 1–10.

Huang, D., Song, S. J., Wu, Z. Z., Wu, W., Cui, X. Y., Chen, J. N., Zeng, M. S. and Su, S. C. 2017. 'Epstein-Barr virus-induced VEGF and GM-CSF drive nasopharyngeal carcinoma metastasis via recruitment and activation of macrophages', *Cancer Research*, 77(13), pp. 3591–3604.

Hu K, Anthony TCC, Costantino P, Harrison LB. 2014. Cancer of the nasopharynx: general principles and management. Dalam: Harrison LB, Sessions RB, Kies MS, editor. Head and neck cancer - a multidisciplinary approach. Edisi ke-4. Philadelphia: Lippincott Williams & Wilkins. pp.588-617.

Hutajulu, S. H., Indrasari, S. R., Indrawati, L. P. L., Harijadi, A., Duin, S., Haryana, S. M., Steenbergen, R. D. M., Greijer, A. E. and Middeldorp, J. M.2011. 'Epigenetic markers for early detection of nasopharyngeal carcinoma in a high risk population', *Molecular Cancer*. BioMed Central Ltd, 10(1), p. 48.

Iwahori, K., Shintani, Y., Funaki, S., Yamamoto, Y., Matsumoto, M., Yoshida, T., Morimoto-Okazawa, A., Kawashima, A., Sato, E., Gottschalk, S., Okumura, M., Kumanogoh, A. and Wada, H. (2019) 'Peripheral T cell cytotoxicity predicts T cell function in the tumor microenvironment', *Scientific Reports*, 9(1), pp. 2005–2008.

Jayasurya, A., Bay, B. H., Yap, W. M. and Tan, N. G.2000. 'Lymphocytic infiltration in undifferentiated nasopharyngeal cancer', *Archives of Otolaryngology - Head and Neck Surgery*, 126(11), pp. 1329–1332..

Jeyakumar, A., Brickman, T. M., Jeyakumar, A. and Doerr, T. 2006. 'Review of nasopharyngeal carcinoma', *Ear, Nose and Throat Journal*, 85(3).

Jiang, R., Cai, X. Y., Yang, Z. H., Yan, Y., Zou, X., Guo, L., Sun, R., Luo, D. H., Chen, Q. Y., Huang, P. Y., Xiang, Y. Q., Lu, X., Wang, L., Xia, W. X., Mai, H. Q. and Chen, M. Y. 2015. 'Elevated peripheral blood lymphocyte-to-monocyte ratio predicts a favorable prognosis in the patients with metastatic nasopharyngeal carcinoma', *Chinese Journal of Cancer*. Chinese Journal of Cancer, 34(6), pp. 1–10.

Karlmarm, K., Tacke, F. and Dunay, I. 2012. 'Monocytes in health and disease Minireview', *European Journal of Microbiology and Immunology*, 2(2), pp. 97–102.

Kundu, J. K. and Surh, Y. J. 2008. 'Inflammation: Gearing the journey to cancer', *Mutation Research - Reviews in Mutation Research*, 659(1–2), pp. 15–30..

Lee, A. W. M., Ma, B. B. Y., Ng, W. T. and Chan, A. T. C. 2015. 'Management of nasopharyngeal carcinoma: Current practice and future perspective', *Journal of Clinical Oncology*, 33(29), pp. 3356–3364.

Lee, S. F., Ng, T. Y. and Spika, D. 2019. 'Prognostic value of lymphocyte-monocyte ratio at diagnosis in Hodgkin lymphoma: A meta-analysis', *BMC Cancer*. BMC Cancer, 19(1), pp. 1–12.

Li, J., Jiang, R., Liu, W. S., Liu, Q., Xu, M., Feng, Q. S., Chen, L. Z., Bei, J. X., Chen, M. Y. and Zeng, Y. X. 2013 'A large cohort study reveals the association of elevated peripheral blood lymphocyte-to-monocyte ratio with favorable prognosis in nasopharyngeal carcinoma', *PLoS ONE*, 8(12), pp. 4–13.

Lin, G. N., Peng, J. W., Xiao, J. J., Liu, D. Y. and Xia, Z. J. 2014. 'Prognostic impact of circulating monocytes and lymphocyte-to-monocyte ratio on previously untreated metastatic non-small cell lung cancer patients receiving platinum-based doublet', *Medical Oncology*, 31(7).

Lin, J.C., Wang, W.Y., Chen, K.Y., *et al.* 2004. Quantification of plasma Epstein–Barr virus DNA in patients with advanced nasopharyngeal carcinoma. *N Engl J Med*. 350:2461–2470.

Lissoni, P., Brivio, F., Fumagalli, L., Messina, G., Ghezzi, V., Frontini, L., Giani, L., Vaghi, M., Ardizzoia, A. and Gardani, G. S. 2004. 'Efficacy of cancer chemotherapy in relation to the pretreatment number of lymphocytes in patients with metastatic solid tumors', *International Journal of Biological Markers*, 19(2), pp. 135–140.

Liu, X., Li, M., Zhao, F., Zhu, Y., Luo, Y., Kong, L., Zhu, H., Zhang, Y., Shi, F. and Yu, J. 2017. 'The lymphocyte–monocyte ratio predicts tumor response and survival in patients with locally advanced esophageal cancer who received definitive chemoradiotherapy', *OncoTargets and Therapy*, 10, pp. 871–877.

Lu, A., Li, H., Zheng, Y., Tang, M., Li, J., Wu, H., Zhong, W., Gao, J., Ou, N. and Cai, Y. 2017. 'Prognostic significance of neutrophil to lymphocyte ratio, lymphocyte to monocyte ratio, and platelet to lymphocyte ratio in patients with nasopharyngeal carcinoma', *BioMed Research International*. Hindawi Publishing Corporation.

Ma J, Cao S. 2010. The Epidemiology of Nasopharyngeal Carcinoma. Dalam: Lu JJ, Cooper JS, Lee AWM, editor. Nasopharyngeal Cancer Multidisciplinary Management. Heidelberg: Springer. pp. 1-6.

Malarkey, D. E., Hoenerhoff, M. and Maronpot, R. R. 2013. 'Carcinogenesis : Mechanisms and Manifestations', Haschek and Rousseaux's Handbook of Toxicologic Pathology, Third Edition, pp.107-146.

Mantovani, A., Allavena, P., Sica, A. and Balkwill, F. 2008. 'Cancer-related inflammation', *Nature*, 454, pp. 436–444.

Meng, X., Chang, Q., Liu, Y., Chen, L., Wei, G., Yang, J., Zheng, P., He, F., Wang, W. and Ming, L. (2018) 'Determinant roles of gender and age on SII, PLR, NLR, LMR and

MLR and their reference intervals defining in Henan, China: A posteriori and big-data-based', *Journal of Clinical Laboratory Analysis*, 32(2), pp. 1–8.

Multhoff, G., Molls, M. and Radons, J. 2012. 'Chronic inflammation in cancer development', *Frontiers in Immunology*, 2, pp. 2005–2008.

Ostuni, R., Kratochvill, F., Murray, P. J. and Natoli, G. 2015. 'Macrophages and cancer: From mechanisms to therapeutic implications', *Trends in Immunology*. Elsevier Ltd, 36(4), pp. 229–239.

Ouyang, P. Y., Zhang, L. N., Lan, X. W., Xie, C., Zhang, W. W., Wang, Q. X., Su, Z., Tang, J. and Xie, F. Y. (2015) 'The significant survival advantage of female sex in nasopharyngeal carcinoma: A propensity-matched analysis', *British Journal of Cancer*, 112(9), pp. 1554–1561.

Qamar, S., Talib, W., Saiful, K., Wani, Y. and Rafiq, L. 2016. 'Nasopharyngeal Carcinoma : A 15 Year Study with Respect to Clinicodemography and Survival Analysis', *Indian Journal of Otolaryngology and Head & Neck Surgery*. Springer India, 68(4), pp. 511–521.

Qi, Q., Geng, Y., Sun, M., Wang, P. and Chen, Z. 2015. 'Clinical implications of systemic inflammatory response markers as independent prognostic factors for advanced pancreatic cancer', *Pancreatology*, 15(2), pp. 145–150.

Rahman, S., Budiman, B. J. and Subroto, H. 2015. 'Tinjauan Pustaka Faktor Risiko Non Viral Pada Karsinoma Nasofaring', *Jurnal Kesehatan Andalas.*, 4(3), pp. 988–995.

Ruffell, B., Denardo, D. G., Affara, N. I. and Coussens, L. M. 2010. 'Cytokine & Growth Factor Reviews Lymphocytes in cancer development: Polarization towards pro-tumor immunity', *Cytokine and Growth Factor Reviews*. Elsevier Ltd, 21(1), pp. 3–10.

Sanders, M. E., Willems, S. M. and Ooft, M. L. 2016. 'Prognostic Significance of Tumour-Associated Macrophages in Head and Neck Cancers: a Systematic Literature Review and a Study into their Effects in Nasopharyngeal Carcinoma', pp. 1–35.

Sasaki, A., Iwashita, Y. and Shibata, K. 2006. 'Prognostic value of preoperative peripheral blood monocyte count in patients with hepatocellular carcinoma', pp. 755–764.

Schottenfeld, D. and Beebe-dimmer, J. 2006. 'Chronic Inflammation: A Common and Important Factor in the Pathogenesis of Neoplasia', 56(2), pp. 69–83.

Sierra, J. R., Corso, S., Caione, L., Cepero, V., Conrotto, P., Cignetti, A., Piacibello, W., Kumanogoh, A., Kikutani, H., Comoglio, P. M., Tamagnone, L. and Giordano, S. 2008. 'Tumor angiogenesis and progression are enhanced by Sema4D produced by tumor-associated macrophages', *Journal of Experimental Medicine*, 205(7), pp. 1673–1685.

Su, L., Zhang, M., Zhang, W., Cai, C. and Hong, J. 2017. 'Pretreatment hematologic markers as prognostic factors in patients with nasopharyngeal carcinoma', *Medicine (United States)*, 96(11).

Szkandera, J., Gerger, A., Liegl-Atzwanger, B., Absenger, G., Stotz, M., Friesenbichler, J., Trajanoski, S., Stojakovic, T., Eberhard, K., Leithner, A. and Pichler, M. 2014. 'The lymphocyte/monocyte ratio predicts poor clinical outcome and improves the predictive accuracy in patients with soft tissue sarcomas', *International Journal of Cancer*, 135(2), pp. 362–370.

Takes, R. P., Rinaldo, A., Silver, C. E., Haigentz, M., Woolgar, J. A., Triantafyllou, A., Mondin, V., Paccagnella, D., De Bree, R., Shaha, A. R., Hartl, D. M. and Ferlito, A. 2012. 'Distant metastases from head and neck squamous cell carcinoma. Part I. Basic aspects', *Oral Oncology*. Elsevier Ltd, 48(9), pp. 775–779.

Teng, J. J., Zhang, J., Zhang, T. Y., Zhang, S. and Li, B. S. 2015. 'Prognostic value of peripheral blood lymphocyte-to-monocyte ratio in patients with solid tumors: A meta-analysis', *OncoTargets and Therapy*, 9, pp. 37–47.

Tham, T., Olson, C., Khaymovich, J., Herman, S. W. and Costantino, P. D. 2018. 'The lymphocyte-to-monocyte ratio as a prognostic indicator in head and neck cancer: a systematic review and meta-analysis', *European Archives of Oto-Rhino-Laryngology*. Springer Berlin Heidelberg, 275(7), pp. 1663–1670.

Wei WI, Chua DTT. 2012. Nasopharyngeal carcinoma. Dalam: Watkinson JC & Gilbert RW, editor. *Stell & Maran's textbook of head and neck surgery and oncology*. Edisi ke-5. London: Hodder & Stoughton Ltd. pp. 590-607.

Wei WI, Chua DTT. 2014. Nasopharyngeal Carcinoma. Dalam: Eibling DE & Newlands SD, editor. *Bailey's Head and Neck Surgery Otolaryngology*. Edisi ke-5. Philadelphia: Lippincott Williams & Wilkins. pp. 1875-1897.

Woo JKS, Hasselt CAV. 2008. Nasopharyngeal carcinoma. Dalam: Gleeson M, Browning GG, Burton MJ, John Hibbert, Jones NS, Lund VJ, *et al*, editor. *Scott- Brown's otorhinolaryngology, head and neck surgery*. London: Edward Arnold Ltd, 1(3), pp: 2445-2475

Wilson, C. B., Rowell, E. and Sekimata, M. 2009. 'Epigenetic control of T- helper-cell differentiation', *Nature : Immunology*, 9, pp. 91-105

Xiao, G., Cao, Y., Qiu, X., Wang, W. and Wang, Y. 2013 'Influence of gender and age on the survival of patients with nasopharyngeal carcinoma', *BMC Cancer*. BMC Cancer, 13(1), p. 1.

Xie, S. H., Yu, I. T. S., Tse, L. A., Mang, O. W. K. and Yue, L. 2013 'Sex difference in the incidence of nasopharyngeal carcinoma in Hong Kong 1983-2008: Suggestion of a potential protective role of oestrogen', *European Journal of Cancer*. Elsevier Ltd, 49(1), pp. 150–155.

Yang, S., Zhao, K., Ding, X., Jiang, H. and Lu, H. 2019 'Prognostic Significance of Hematological Markers for Patients with Nasopharyngeal Carcinoma: A Meta-analysis', *Journal of Cancer*, 10(11), pp. 2568–2577.

Yousefi, M. S., Sharifi-Esfahani, M., Pourgholam-Amiji, N., Afshar, M., Sadeghi-Gandomani, H., Otroshi, O. and Salehiniya, H. 2018. 'Esophageal cancer in the world: incidence, mortality and risk factors', *Biomedical Research and Therapy*, 5(7), pp. 2504–2517.

Zhang, G. M., Zhu, Y., Luo, L., Wan, F. N., Zhu, Y. P., Sun, L. J. and Ye, D. W. 2015. 'Preoperative lymphocyte-monocyte and platelet-lymphocyte ratios as predictors of overall survival in patients with bladder cancer undergoing radical cystectomy', *Tumor Biology*, 36(11), pp. 8537–8543.

Zhu, J. yu, Liu, C. cheng, Wang, L., Zhong, M., Tang, H. lin and Wang, H. 2017. 'Peripheral blood lymphocyte-to-monocyte ratio as a prognostic factor in advanced epithelial ovarian cancer: A multicenter retrospective study', *Journal of Cancer*, 8(5), pp. 737–743.