

DAFTAR PUSTAKA

- Abidi K, Khoudri I, Belayachi J, Madani N, Zekraoui A, Zeggwagh AA, dkk. 2008. Eosinopenia is a reliable marker of sepsis on admission to medical intensive care units. *Crit Care* 2008; 12: R59.
- Aguayo-Becerra, O.A., Torres-Garibay, C., et al., 2013. Serum albumin level as a risk factor for mortality in burn patients. *Clinical Science*; 68 (7) : 940 – 945.
- Akuthota, P., Wang, H.B., Spencer, L.A., Weller, P.F., 2008. Immunoregulatory roles of eosinophils: a new look at a familiar cell. *Clin Exp Allergy* 38:1254–1263.
- Angus, D.C., van der Poll, T., 2013. Severe sepsis and septic shock. *N Engl J Med*, 369(9):840-851.
- Angus, D.C., Linde-Zwible, W.T., Lidicker, J., Clermont, G., Carcillo, J., Pinsky, M.R., 2001. Epidemiology of severe sepsis in the Unites States: Analysis of incidence, outcome, and associated costs of care. *Crit. Care Med.* 29, 1303–1310.
- Annane, D., Bellissant, E., Cavaillon, J.M., 2005. Septic shock. *Lancet*. **365**: 63-78.
- Arif, S.K., 2019. Eosinopenia as an indicator for organ dysfunction in sepsis patients. *Crit Shock* 22 : 243 – 248.
- Artero, A., Zaragoza. R., Camarena, J.J., Sancho S., González, R., Nogueira, J.M., 2010. Prognostic factors of mortality in patients with community-acquired bloodstream infection with severe sepsis and septic shock. *J Crit Care.* 25(2):276–81.
- Asdie, R.H., Octavianto, R.A., Pasaribu, F.Z., Wirawan, A.D., Murti, W.W., Suharyanto, et al., 2017. In: Nirwati H, Annisa L, editors. *Kultur Darah, Skor SOFA, dan SAPS II untuk Memprediksi Tingkat Keparahan dan Kematian akibat Sepsis*. Proceedings of Annual Scientific Meeting (ASM) Pokja Mikrobiologi; 2017 April 07; Yogyakarta: Departemen Mikrobiologi Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta
- Bass, D.A., Gonwa, T.A., Szejda, P., Cousart, M.S., DeChatelet, L.R., McCall, C.E. 1980. Eosinopenia of acute infection : production of eosinopenia by chemotactic factors of acute inflammation. *J Clin Invest*, 65:1265-1271.
- Blanchard C, Rothenberg ME, 2009. Biology of the eosinophil. *Adv Immunol* 101:81–121.
- Bone RC, Sprung CL, Sibbald WJ, 1992. Definitions for sepsis and organ failure. *Crit Care Med* ; 20:724-6.

- Bouhemad, B., Nicolas-Robin, A., Arbelot, C., Arthaud, M., Fe'ger, F., Rouby, J.J., 2009. Acute left ventricular dilatation and shock-induced myocardial dysfunction. *Crit Care Med* ; 37:441–447.
- Castle, S.C., Uyemura, K., Fulop, T., Makinodan, T., 2007. Host resistance and immune responses in advanced age. *Clin Geriatr Med*, 23 (3) :463–79.
- Chandler, C.E., Ernst, R.K., 2017. Bacterial lipids : powerful modifiers of the innate immune response. *F1000 Research*, 6(F1000 Faculty rev):1334 (doi : 10.12688/f1000research.11388.1)
- Dacie, J.V., Lewis, S.M., 2001. *Practical Haematology*. Ninth Edition. Edinburgh: Churchill Livingstone.
- Davido, B., Makhoulfi, S., Matt, M., Calin, R., Senard, O., Perronne, C., Dinh, A., Solomon, J., 2017. Changes in eosinophil count during bacterial infection : revisiting an old marker to assess the efficacy of antimicrobial therapy. *Intensive journal of Infectious Disease*, 61: 62 – 66.
- Dellinger, R.P., Levy, M.M., Rhodes, A., Annane, D., Gerlach, H., Opal, S.M. 2012. Surviving sepsis campaign: international guidelines for management of severe sepsis and septic shock. *Intensive care medicine*, 39(2): 165–228.
- Dolin, H.H., Papadimos, T.J., Chen, X., Pan, Z.K., 2018. Characterization of Pathogenic Sepsis Etiologies and Patient Profiles: A Novel Approach to Triage and Treatment. *Microbiology insights*. Volume 12: 1-8.
- Gauer, R.L., 2013. Early Recognition and Management of Sepsis in Adults: The First Six Hours. *Am Fam Physician*. **88(1)**:44-53.
- Giembycz, M.A., Lindsay, M.A., 1999. Pharmacology of the eosinophil. *Pharmacol Rev* 51(2):213–339.
- Gleich, G.J., Loegering, D.A., 1984. Immunobiology of eosinophils. *Annu Rev Immunol* 2:429–459.
- Goldenberg, N.M., Steinberg, B.E., Slutsky, A.S., Lee, W.L., 2011. Broken barriers: a new take on sepsis pathogenesis. *Sci Transl Med* 3:88 ps2.
- He, X.L., Liao, X.L., Xie, Z.C., Han, L., Yang, X.L., Kang, Y., 2016. Pulmonary infection is an independent risk factor for long term mortality and quality of life for sepsis patients. *BioMed Research International*. Vol 2016; 4213712.

- Hermawan, A.G., Sepsis. Dalam : Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M.,Setiati S (eds). Buku Ajar Ilmu Penyakit Dalam, Jilid I, Edisi VI. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, Jakarta, 2014. P692.
- Hogan, S.P., Rosenberg, H.F., Moqbel, R., 2008. Eosinophils: biological properties and role in health and disease. *Clin Exp Allergy* 38(5):709–750.
- Inoue H, Kato R, Fukuyama S, Nonami A, Taniguchi K, Matsumoto K, Nakano T, Tsuda M, Matsumura M, Kubo M, 2005. Spred-1 negatively regulates allergen-induced airway eosinophilia and hyperresponsiveness. *J Exp Med* 2005, 201:73-82.
- Jagdeesh TS, Mishra A, Saxena A, Sharma D. Eosinopenia as a Prognostic Marker in Patients with Peritonitis. *ISRN Infect Dis* [Internet]. 2013;540948(8). Available from: <http://dx.doi.org/10.5402/2013/540948>
- Janeway, C.A. Jr, Travers, P., Walport, M., 2001. *Immunobiology: The Immune System in Health and Disease*. 5th edition. New York: Garland Science; 2001. Principles of innate and adaptive immunity. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK27090/>
- Keputusan Menteri Kesehatan Republik Indonesia, 2017, Pedoman Nasional Pelayanan Kedokteran Tata Laksana Sepsis.
- Khwannimit B. 2007. A somparison of three organ dysfunction scores : MODS, SOFA and LOD for predicting ICU mortality in critically ill patients. *J Med Assoc Thai*; 90 (6) : 1074 – 81.
- Krause, J.R., Boggs, D.R., 2006. Search for eosinopenia in hospitalized patients with normal blood leukocyte concentration. *Am J Hematol*; 24: 55–63.
- Lee, S. H., Hsu, T.C., Lee, M.G., Chao, C.C., Lee, W.C., Lai, C.C., Lee, C.C., 2018. . Nationwide trend of sepsis: A comparison among octogeneranians, elderly, and young adults. *Crit. Care Med*. 46, 926–934.
- Linch, S. N, Danielson, E. T, Kelly, A. M, Tamakawa, R. A, Lee, J. J, Gold, J. A. 2012. Interleukin 5 is protective during sepsis in an eosinofil-independent manner. *Am J Respir Crit Care Med* Vol 186, Iss. 3, pp 246–254, Aug 1.
- Llitjos, J.F., Gassama, A., Charpentier, J., Lambert, J., de Roquetaillade, C., Cariou, A., Chiche, J.D., Mira, J.D., Jamme, M., Pène, F., 2019. Pulmonary infection prime the development of subsequent ICU-acquired pneumonia in septic shock. *Annals of Intensive care*. Volume 9 : 39

- Martin, G. S., Mannino, D.M., Eaton, S., Moss M., 2003. The Epidemiology of Sepsis in the United States from 1979 through 2000. *New engl j med* 348;16; april 1, www.nejm.org.
- Matthews, A.N., Friend, D.S., Zimmerman, N., 1998. Eotaxin is required for the baseline level of tissue eosinophils. *Proc Natl Acad Sci U S A* 95(11):6273–6278.
- Mayr, F.B., Yende, S., Angus, D.C., 2014. Epidemiology of severe sepsis. *Virulence*. Volume 5: 4–11.
- Melo, R.C.N., Dvorak, A.M., Weller, P.F., 2013. Eosinophil ultrastructure. In: Lee JJ, Rosenberg HF (eds) *Eosinophils in health and disease*. Academic Press, Waltham, pp 20–30.
- Merino CA, Martínez FT, Cardemil F, Rodríguez JF. 2012. Absolute eosinophils count as a marker of mortality in patients with *severe sepsis* and *septic shock* in an intensive care unit. *Journal of Critical Care* 27, 394 – 399. Available from: <http://dx.doi.org/10.1016/j.jcrc.2011.10.010>
- Moshage, H.J., Janssen, J., Franssen, J.H., Hafkenscheid, J.C.M., Yap, S.H., 1987. Study of the molecular mechanism of decreased liver synthesis of albumin in inflammation. *J Clin Invest* 79:1635–1641.
- Neves, J.S., Weller, P.F., 2009. Functional extracellular eosinophil granules: novel implications in eosinophil immunobiology. *Curr Opin Immunol* 21:694–699.
- Nizet, V., Rothenberg, M.E., 2008. Mitochondrial missile defense. *Nat Med* 14(9):910–912.
- Norman, D.C., 2016. Clinical features of infection in older adults. *Clin Geriatr Med*. 32 (3) :433–41.
- Polat, G., Ugan, R.A., Cardici, E., Halici, Z., 2017. Sepsis and septic shock: current treatment strategies and new approaches. *The Eurasian Journal of Medicine*. **49**: 53-8.
- Rosenberg, H.F., Dyer, K.D., Foster, P.S., 2013. Eosinophils: changing perspectives in health and disease. *Nat Rev Immunol* 13:9–22.
- Sabin, E.A., Kopf, M.A., Pearce, E.J., 1996. *Schistosoma mansoni* egginduced early IL-4 production is dependent upon IL-5 and eosinophils. *J Exp Med* 184:1871–1878.

- Salgado, D.R., Rocco, J.R., Silva, E., 2010. Modulation of the reninangiotensin-aldosterone system in sepsis: a new therapeutic approach? *Expert Opin Ther Targets*. 14:11–20.
- Sastroasmoro S, Aminullah A, Rukman Y, Munasir Z, 2011. Variabel dan hubungan antar variable. Dalam : *Dasar-dasar metodologi penelitian klinis*. Edisi 4. Jakarta : Sagung Seto ; 298 – 323.
- Shaaban H, Daniel S, Sison R, Slim J, Perez G. Eosinopenia : Is it a good marker of sepsis in comparison to procalcitonin and c-reactive protein levels for patients admitted to a critical care unit in an urban hospital?. *J Crit Care* 2010;25(4):570-5.
- Shamri, R., Xenakis, J.J., Spencer, L.A., 2011. Eosinophils in innate immunity: an evolving story. *Cell Tissue Res* 343(1):57–83.
- Song, J.E., Kim, M.H., Jeong, W.Y., Jung, I.Y., Oh, D.H., Kim Y.C., Kim, E.J., Jeong, S.J., Ku, N.S., Kim, J.M., Choi.J.Y., 2016. Mortality risk factors for patients with septic shock after implementation of Surviving Sepsis Campaign Bundles. *Infect Chemotherapy* 48 (3); 199 – 208.
- Spencer, L.A., Weller, P.F., 2010. Eosinophils and Th2 immunity: contemporary insights. *Immunol Cell Biol* 88:250–256.
- Spencer LA, Bonjour K, Melo RCN, Weller PF. 2014. Eosinophil secretion of granule-derived cytokines. *Front Immunol* 5:496. doi: 10.3389/fimmu.2014.00496
- Sturgess, D.J., Marwick, T.H., Joyce, C., Jenkins, C., Jones, M., Masci, P., Stewart, D., Venkatesh, B., 2010. Prediction of hospital outcome in septic shock: a prospective comparison of tissue Doppler and cardiac biomarkers. *Crit Care*; 14:R44.
- Sun, J.K., Sun, F., Wang, X., Yuan, S.T., Zheng, S.Y., Mu, X.W., 2015. Risk factors and prognosis of hypoalbuminemia in surgical septic patients. *PeerJ* volume 3 : e1267; DOI 10.7717/peerj.1267.
- Singer, M., Deutschman, C., S., Seymour, C., W., Shankar-Hari, M., Annane, D., Bauer, M., et al., 2016. The third international consensus definitions for sepsis and septic shock (Sepsis-3). *J Am Med Assoc* ,315:801–810.
- Takatsu, K., Nakajima, H. 2008. IL-5 and eosinophilia. *Current Opinion in Immunology*, 20:288–294.
- Teplinsky, A., Elishmereni, M., Katz, H.R., Levi-Schaffer, F., 2013. Eosinophil-mast cell interactions. In: Lee JJ, Rosenberg HF (eds) *Eosinophils in health and disease*. Academic Press, Waltham, pp 361–367.

- Vincent J.L. Moreno R., Takala S.J., Wilatts A., De Mendonça H., Bruining C.K., Reinhart P.M., Suter L., Thijs G. 1996. The SOFA (Sepsis related Organ Failure Assessment) score to describe organ dysfunction/failure On behalf of the Working Group on Sepsis Related Problems of the European Society of Intensive Care Medicine. *Intensive Care Med.* 22:707 – 710. Received : 18 January 1996 Accepted : 19 April 1996.
- Wakioka T, Sasaki A, Kato R, Shouda T, Matsumoto A, Miyoshi K, Tsuneoka M, Komiya S, Baron R, Yoshimura A, 2001. Spry is a Sprouty-related suppressor of Ras signalling. *Nature* 412:647-651.
- Wardlaw, A.J., 1994. Eosinophils in the 1990s: new perspectives on their role in health and disease. *Postgrad Med J* 70:536–552.
- Weller, P.F., 2013. Eosinophil structure and cell surface receptors. In: Lee JJ, Rosenberg HF (eds) *Eosinophils in health and disease*. Academic Press, Waltham, pp 19–20.
- Wu, A., Hinds, C.J., Thiernemann, C., 2004. High-density lipoproteins in sepsis and septic shock: metabolism, actions, and therapeutic applications. *Shock*; 21: 210–21.
- Ynosencio, T., Smith, A., Endicott-Yazdani, T., Gardner, R., Tsai-Nguyen, G., Mora, A., 2015. Co-morbidities in sepsis and sepsis related deaths. *Crit Care Med*, Vol. 43 ; 12.
- Yousefi, S., Gold, J.A., Andina, N., 2008. Catapult-like release of mitochondrial DNA by eosinophils contributes to antibacterial defense. *Nat Med* 14(9):949–953.
- Zampieri, F.G., Jacob, V., Barbeiro, H.V., 2015. Influence of body mass index on inflammatory profile at admission in critically ill septic patients. *Int J Inflam*; 2015: 1–6.
- Zhang, Q., Raoof, M., Chen, Y., 2010. Circulating mitochondrial DAMPs cause inflammatory responses to injury. *Nature* 464:104-7.
- Zhou, Q., Wang, M., Li, S., Zhang, J., Ma, Q., Ding, Y., Ge, H., Shen, N., Zheng, Y., Sun, Y., 2018. Impact of body mass index in survival of medical patients with sepsis : a prospective cohort study in a university hospital in China. *BMJ Open*, 8 : e021979.
- Zhu, X., Zimmerman, N., 2013. Eosinophil chemotaxis. In: Lee JJ, Rosenberg HF (eds) *Eosinophils in health and disease*. Academic Press, Waltham, pp 121–131