

## DAFTAR PUSTAKA

- Abbas, A., Lichtman, A. & Pillai, S. 2012. IgE-Dependent Immun Responses and Allergic Disease. In *Cellular and Molecular Immunology*. Philadelphia, USA: Elsevier Saunders: 246–247.
- Al-Ahmad, M. 2015. Combined Allergic Rhinitis and Asthma Syndrome. *World Allergy Organization*. <https://www.worldallergy.org/education-and-programs/education/allergic-disease-resource-center/professionals/combined-allergic-rhinitis-and-asthma-syndrome> 13 Juni 2019.
- Alm, B., Goksör, E., Thengilsdottir, H., Pettersson, R., Möllborg, P. & Norvenius G, *et al.* 2011. Early protective and risk factors for allergic rhinitis at age 4½ yr. *Pediatr Allergy Immunol*, 22: 398–404.
- Andersson, J.A., Uddman, R. & Cardell, L. 2000. Carbon monoxide is endogenously produced in the human nose and paranasal sinuses. *J Allergy Clin Immunol.*: 269–273.
- Andersson, J.A., Uddman, R. & Cardell, L.O. 2002. Increased carbon monoxide levels in the nasal airways of subjects with a history of seasonal allergic rhinitis and in patients with upper respiratory tract infection. *Clin Exp All*, 31: 224–227.
- Asher, I., Beasley, R. & Strachan, D. 1993. *ISAAC (International study of asthma and allergies in childhood) Manual Book*. 2nd ed. Auckland.
- Asher, M.I., Montefort, S., Björkstén, B., Lai, C.K.W., Strachan, D.P. & Weiland, S.K. *et al.* 2006. Worldwide time trends in the prevalence of symptoms of asthma, allergic rhinoconjunctivitis, and eczema in childhood: ISAAC Phases One and Three repeat multicountry cross-sectional surveys. *Lancet*, 368: 733–743.
- Babusikova, E., Jesenak, M., Durdik, P., Dobrota, D. & Banovcin, P. 2008. Exhaled carbon monoxide as a new marker of respiratory diseases in children. *J Physiol Pharmacol*, 59 Suppl 6: 9–17.
- Barr, J.G., Al-reefy, H., Fox, A.T. & Hopkins, C. 2014. Allergic rhinitis in children. *Br Med J*, 4153(1 July 2014): 1–8.
- Bousquet, J., Khaltaev, N., Cruz, A.A., Denburg, J., Fokken, W.J., Togias, A. & *et al.* 2008. Allergic Rhinitis and its Impact on Asthma (ARIA). *Allergy*, 63((Suppl. 86)): 8–160.
- Bousquet, J., Schunemann, H., Samolinski, B., Demoly, P., Bachert, C. & Sch, H.J. 2012. Allergic Rhinitis and its Impact on Asthma (ARIA): Achievements in 10 years and future needs. *J Allergy Clin Immunol*, 130(5): 1049–1062.
- Bro, J.L., Bachert, C., Bosnic-anticevich, S., Brignardello-petersen, R., Cruz, A.A. &

- Cuello-garcia, Carlos A, *et al.* 2016. Allergic Rhinitis and its Impact on Asthma (ARIA) guidelines — 2016 revision. *J Allergy Clin Immunol*, 140(4): 950–958.
- Cara, G. Di, Carelli, A., Latini, A., Panfili, E., Bizzarri, I., Ciprandi, G., Buttafava, S., Frati, F. & Verrotti, A. 2015. Severity of allergic rhinitis and asthma development in children. *WAO journal*, 8(13): 6–8.
- Castro-Rodriguez, J.A., Saglani, S., Rodriguez-Martinez, C.E., Oyarzun, M.A., Fleming, L. & Bush, A. 2018. The relationship between inflammation and remodeling in childhood asthma: A systematic review. *Pediatr Pulmonol*, 53(6): 824–835.
- Chow, S. & Liu, J. 2004. Design and Analysis of Clinical Trials: Concepts and Methodologies. In *Sample Size Determination*. New York: John Wiley and Sons Ltd.
- Dahlan, M. 2014. Aksis Empat: Analitik Komparatif (Multiaksial. Statistik Diagnostik). In *Pintu Gerbang Memahami Statistik, Metodologi, dan Epidemiologi*. Jakarta: Sagung Seto: 109–212.
- GINA. 2018. Global Strategy for Asthma Management and Prevention. *Global Strategy for Asthma Management and Prevention*: 32. [https://ginasthma.org/wp-content/uploads/2018/04/wms-GINA-2018-report-tracked\\_v1.3.pdf](https://ginasthma.org/wp-content/uploads/2018/04/wms-GINA-2018-report-tracked_v1.3.pdf).
- Grover, R.S. & Kumar, R. 2008. Exhaled carbon monoxide levels: As a marker of clinical severity and control of asthma. *J Asthma*, 45(8): 677–680.
- Hendryx, M., Gurka, M., Ahern, M., Putman, H., Hendryx, M. & Gurka, Matthew, *et al.* 2012. *Childhood Asthma in Rural-Urban Areas*. Virginia: West Virginia Rural Health Research Center.
- Holgate, S.T. & Polosa, R. 2006. The mechanisms, diagnosis, and management of severe asthma in adults. *The Lancet*, 368(9537): 780–793. <http://www.ncbi.nlm.nih.gov/pubmed/16935689> 7 Juli 2019.
- Jeffery, P.K. & Haahtela, T. 2006. Allergic rhinitis and asthma : inflammation in a one-airway condition. *BMC Pulm Med*, 6((Suppl 1)): 1–12.
- Jenkins MA, Clarke JR, Carlin JB, Robertson CF, Hopper JL, Dalton MF, *et al.* 1996. Validation of questionnaire and bronchial hyperresponsiveness against respiratory physician assessment in the diagnosis of asthma. *Int J Epidemiol*, 25: 609–16.
- Jesenak, M., Banovcin, P., Havlicekova, Z., Dobrota, D. & Babusikova, E. 2014. Factors influencing the levels of exhaled carbon monoxide in asthmatic children. *J Asthma*, 51(9): 900–906.
- Jie, Y., Isa, Z., Jie, X., Ju, Z.L. & Ismail, N.H. 2014. *Urban vs. Rural factors That Affect Adult Asthma*. Vol 226. D. M. Whitacre, ed. New York: Springer Science+Business Media.
- Kartasmita, C.B., Supriyatno, B., Wahyudin, B., Makmuri & Nataprawira, H. 2015.

- Buku Ajar Respirologi Anak*. Pertama. Jakarta: UKK Respirologi Ikatan Dokter Anak Indonesia.
- Kemenkes RI. 2017. *Laporan Nasional RISKESDAS 2017*.
- Kemenkes RI. 2018. *Laporan Nasional RISKESDAS 2018*.
- Kurlandsky, L.E. 2013. Elevated carboxyhemoglobin in active asthma and allergic rhinitis as measured by pulse CO-oximetry. *Pediatr Allergy Immunol*, 26(1): 35–37.
- Kuruvilla, M.E., Vanijcharoenkarn, K., Shih, J.A. & Lee, F.E. 2019. Epidemiology and risk factors for asthma. *Respiratory Medicine*, 149(January): 16–22. <https://doi.org/10.1016/j.rmed.2019.01.014>.
- Kushnir, N., Kaliner, M. & Scarupa, M. 2015. In-Depth Review of Allergic Rhinitis. *World Allergy Organization*.
- Lai, C.K.W., Beasley, R., Crane, J., Foliaki, S., Shah, J. & Weiland, S, *et al*. 2009. Global variation in the prevalence and severity of asthma symptoms : Phase Three of the International Study of Asthma and Allergies in Childhood ( ISAAC ). *Thorax*, 64: 476–483.
- Lim, S., Groneberg, D., Fischer, A., Oates, T., Caramori, G., Mattos, W., Adcock, I., Barnes, P.J. & Chung, K.F. 2000. Expression of heme oxygenase isoenzymes 1 and 2 in normal and asthmatic airways: Effect of inhaled corticosteroids. *Am J Respir Crit Care Med*, 162(5): 1912–1918.
- Lloyd, C.M. & Robinson, D.S. 2007. Allergen-induced airway remodelling. *Eur Respir J*, 29(5): 1020–32.
- Machin, D., Campbell, M.J., Tan, SB & Tan, SH. 2009. *Sample Size Tables for Clinical Studies*. 3 ed. West Sussex, UK: Wiley-Blackwell, A John Wiley&Sons, Ltd, Publication.
- Mills, T.P. & Commins, S. 2018. Increasing prevalence of asthma and allergic rhinitis and the role of environmental factors. *UpToDate*. <https://www.uptodate.com/contents/increasing-prevalence-of-asthma-and-allergic-rhinitis-and-the-role-of-environmental-factors> 20 Juni 2019.
- National Asthma Education and Prevention Program. 2007. *Section 2, Definition, Pathophysiology and Pathogenesis of Asthma, and Natural History of Asthma*. Bethesda: National Heart, Lung, and Blood Institute (US). <https://www.ncbi.nlm.nih.gov/books/NBK7223/> 7 Juli 2019.
- Nunes, C., Pereira, A.M. & Morais-Almeida, M. 2017. Asthma costs and social impact. *Asthma Res Pract*, 3(1): 1–11.
- Ohara, Y., Ohara, T., Ohrai, T., Morikawa, T., Asamura, T., Sasaki, H. & Arai, H. 2012. Exhaled carbon monoxide levels in preschool-age children with episodic asthma. *Pediatr Int*, 54(2): 227–232.

- Ohara, Y., Ohru, T., Yasuda, H., Morikawa, T., He, M., Sasaki, H., Ohara, Y. & Yamaya, M. 2006. Exhaled carbon monoxide levels in school-age children with episodic asthma. *Pediatr Pulmonol*, 41(5): 470–474.
- Pawankar, R. 2014. Allergic diseases and asthma : a global public health concern and a call to action. *World Allergy Organ J*, 7: 12.
- Pawankar, R. 2010. Allergic Rhinitis and Asthma - the link The Global Burden of Asthma. In *WAO International Scientific Conference*. Dubai, UEA: 1–33.
- Rahajoe, N., Kartasasmita, C.B., Supriyatno, B. & Setyanto, D.B. 2016. *Pedoman Nasional Asma Anak*. ke-2. Jakarta: UKK Respirologi Ikatan Dokter Anak Indonesia.
- Ryter, S.W. 2013. Carbon Monoxide as an Exhaled Biomarker of Pulmonary Diseases. *Volatile Biomarkers*: 211–229.
- Setia, M.S. 2016. Methodology Series Module 2: Case-control Studies. *Indian J Dermatol*, 61(2): 146–151.
- Shaoqing, Y., Ruxin, Z., Yingjian, C., Jianqiu, C., Yanshen, W. & Genhong, L. 2011. A meta-analysis of the association of exhaled carbon monoxide on asthma and allergic rhinitis. *Clinic Rev Allerg Immunol*, 41(1): 67–75.
- Uasuf, C.G., Wilson, N.M., James, A., Barnes, P.J., Jatakanon, A. & Kharitonov, S.A. 1999. Exhaled carbon monoxide in childhood asthma. *J Pediatr*, 135(5): 569–574.
- WHO Europe. 2007. Prevalence of Asthma and Allergies in Children. *ENHIS*, Fact Sheet(3.1): 1–3.
- Yamaya, M., Hosoda, M., Ishizuka, S., Monma, M., Matsui, T. & Suzuki, T., *et al.* 2001. Relation between exhaled carbon monoxide levels and clinical severity of asthma. *Clin Exp Allergy*, 31(3): 417–422.
- Yunus, F., Antaria, R., Rasmin, M., Mangunegoro, H., Jusuf, A. & Bachtar, A. 2003. Asthma prevalence among high school students in East Jakarta, 2001, based on ISAAC questionnaire. *Med J Indones*, 12(3): 178–185. <http://mji.ui.ac.id/journal/index.php/mji/article/view/103> 7 Juli 2019.
- Yunus, F., Rasmin, M. & Sutoyo, D.K. 2011. Prevalensi Asma Pada Siswa Usia 13-14 Tahun Berdasarkan Kuesioner ISAAC di Jakarta. *J Respir Indo*, 31(4): 176–180.
- Zhang, J., Yao, X., Adcock, I.M., Sun, Y., Huang, M. & Yu, R. *et al.* 2010. Exhaled carbon monoxide in asthmatics: a meta-analysis. *Respir Res*, 11(1): 1–10.