

DAFTAR PUSTAKA

- Akboga, M.K., Ugur, C., Murat, Y., Cagri, Y., Samet, Y., Osman, T., Ozcan, O., Serkan, T., Dursun, A. 2016. Platelet to lymphocyte ratio as a novel indicator of inflammation is correlated with the severity of metabolic syndrome: A single center large-scale study. *Platelets*; 27(2): 178-183.
- Asdie, A. 2000. Patogenesis dan terapi diabetes mellitus tipe 2. *Medika*. Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta.
- Astin, J., Shapiro S., Eisenberg, D., Forys, K., 2003. Mind-Body Medicine: State of the Science, Implication for Practice, American Board of Family Practice. *J A Board Fam Practice*; 16(2):131 - 47.
- Bjorntorp, P. 1991. Visceral fat accumulation: the missing link between psychosocial factors and cardiovascular disease?. *J Intern Med*; 230: 195-201.
- Brown, DW., Giles, WH., Croft, JB 2001. White blood cell count: an independent predictor of coronary heart disease mortality among a national cohort. *J Clin Epidemiol*; 54:316–22.
- Chung, F.M., Tsai, J.C., Chang D.M., Shin, S.J., Lee, Y.J. 2005. Peripheral total and differential leukocyte count in diabetic nephropathy: the relationship of plasma leptin to leukocytosis. *Diabetes Care*; 28(7):1710-7.
- Dharma, A. D. 2006. Pengaruh latihan pasrah diri terhadap kontrol gula darah pada penderita diabetes melitus tipe 2 dengan gejala depresi. *Post Graduate Thesis*. Yogyakarta: Universitas Gadjah Mada.
- Dossey, L. 1997. The return of prayer. *Alternative therapies in health and Medicine*. 3: 113-20.
- Facchini, FS., Hua, N., Abbasi, F., Reaven, GM. 2001. Insulin Resistance as a Predictor of Age-Related Diseases. *Clin Endocri Metabol*; 86: 3574-78.
- Festa, A., D’Agostino, R., Howard, G., Mykkanen, L., Tracy, R.P., Haffner, S.M. 2000. Inflammation and microalbuminuria in nondiabetic and type 2 diabetic subjects: the Insulin Resistance Atherosclerosis Study. *Kidney Int*; 58:17-19.
- G., Jacek, TN., Andrzej, L., Mariusz, Gašior., Lech, P. 2015. Platelet-to-lymphocyte ratio is a marker of poor prognosis in patients with diabetes mellitus and ST-elevation myocardial infarction. *Biomarkers in medicine*; 199-207.
- Gasparyan, A.Y., Ayvazyan, L., Mikhailidis, D.P., Kitas, G.D. 2011. Mean Platelet Volume: A Link Between Thrombosis and Inflammation?. *Current pharmaceutical design*. 17. 47-58.
- Gruden, G., Cavallo-Perin, P., Bazzan, M., Stella, S., Vuolo, A., Pagano, G. 1994. PAI-1 and factor VII activity are higher in IDDM patients with microalbuminuria. *Diabetes Care*; 43:426–9
- Grundy, S.M., Brewer Jr, H.B., Cleeman, J.I., John, B. 2004. Definition of metabolic syndrome: report of the National Heart, Lung, and Blood Institute/American Heart Association Conference on Scientific Issues Related to Definition. *Circulation*. 25.
- Hidayat, N. 2008. Pengaruh latihan pasrah diri terhadap kualitas hidup pada penderita diabetes melitus tipe 2 dengan gejala depresi. *Post Graduate*

- Thesis*. Yogyakarta: Universitas Gadjah Mada.,
- Jablon, S.L., Naliboff, B.D., Gilmore, S.L. 1997. Effects of relaxation training on glucose tolerance and diabetic control in type II diabetes. *Appl. Psychophysiol Biofeedback*. 22 (3), 155-169.
- Jastreboff, AM., Sinha, R., Lacadie, C., Small, DM., Sherwin, RS., Potenza, MN. 2013. Neural Correlates of Stress- and Food Cue-Induced Food Craving in Obesity. *Association with insulin levels*; 36: 394-402.
- Knobler, H., Savion, N., Shenkman, B., Kotev-Emeth, S., Varon, D. 1998. Shear-induced platelet adhesion and aggregation on subendothelium are increased in diabetic patients. *Thrombosis Research*. 90(4): 181-190.
- Kurnianingrum, N.M.A. 2015. Pengaruh kombinasi Latihan Pasrah Diri dan Fluoxetin dibandingkan dengan Fluoxetin Tunggal terhadap perubahan kadar Endothelin-1 : Studi Pada Penderita Diabetes Mellitus Tipe 2 dengan simtom depresi. *Post Graduate Thesis*. Yogyakarta: Universitas Gadjah Mada.
- Kusbandono, S. 2014. Pengaruh Kombinasi LPD dan Fluoxetine dibandingkan dengan Fluoxetine tunggal terhadap Perubahan Kadar High C-Reactive Protein: Studi pada Penderita DM Tipe 2 dengan Simtom Depresi. *Post Graduate Thesis*. Yogyakarta: Universitas Gadjah Mada.
- Lameshow, S., Hosmer, D.W., Klar, J., Lwanga, S.K. 1990. *Adequacy of sample size in health*. World Health Organization. Massachusetts.
- Langer, H.F., Gawaz., Meinrad. 2008. Platelet-vessel wall interactions in atherosclerotic disease. *J Tromb Haem*; 99/3: 457-645.
- Lee, J., Kim, L., Na, Se., Youn., Young., Shin., Cheung. 2018. Reference values of neutrophil-lymphocyte ratio, lymphocyte-monocyte ratio, platelet-lymphocyte ratio, and mean platelet volume in healthy adults in South Korea. *Medicine*. e11138.
- Liu, WY., Lin, SG., Wang, LR., Fang, CC., Lin, YQ., Braddock, M. 2016. Platelet-to-Lymphocyte Ratio A Novel Prognostic Factor for Prediction of 90-day Outcomes in Critically Ill Patients With Diabetic Ketoacidosis. *Medicine* ;95(4).
- Maldiyono, B., Moeschlichan, M.Z., Budiman, I., S.H. 1995. Perkiraan Besar Sample. Dalam: S. Sastroasmoro., S Ismael, (Ed). *Dasar-Dasar Metodologi Penelitian Klinis*. Binarupa Aksara. Jakarta.
- Mooy, J.M., De-Vries, H., Grootenhuis, P.A., Bouter, L.M., Heine, R.J. 2000. Major stressful life events in relation to prevalence of undetected type 2 diabetes: the Hoorn Study. *Diabetes Care*; 23: 197-201.
- Moulton, C.D., Pickup, J.C., Ismail, K. 2015. The link between depression and diabetes: The search for shared mechanisms. *The lancet. Diabetes & endocrinology*; 3:134-5.
- Nakanishi, N., Yoshida, H., Matsuo, Y., Suzuki, K., Tatara, K. 2002. White blood-cell count and the risk of impaired fasting glucose or type II diabetes in middle aged Japanese men. *Diabetologia*; 45:42-8.
- Nakata, M., Yada, T., Soejima, N., Maruyama, I. 1999. Leptin promote aggregation of human platelets via the long form of its receptor. *Diabetes*; 48:426-9.
- Ni, Alexander. 2016. Reference Values of Neutrophil-Lymphocyte Ratio, Platelet-

- Lymphocyte Ratio and Mean Platelet Volume in Healthy Adults in North Central Nigeria. *J Blood & Lymph*; 6: 2165-2169.
- Novianto, D. 2006. Pengaruh latihan pasrah diri terhadap kontrol tekanan darah penderita diabetes melitus tipe 2 dengan hipertensi dan gejala depresi *Post Graduate Thesis*. Yogyakarta: Gadjah Mada University.
- Pastucha, D., Filipcikova, R., Cajka, V., Horakova, D., Radova, L., Reich, P., Sovova, E. 2012. Effect of yoga exercise on metabolic and homeostatic parameters of insulin resistance. *Acta Medica Martiniana*; 12(1):35-40.
- Perkumpulan Endokrinologi Indonesia. 2015. Konsensus pengelolaan dan pencegahan diabetes melitus tipe 2 di indonesia. Jakarta: PB. PERKENI. p. 1-62.
- Rice, BI. 2001. Mind Body Interventions. *American diabetes Association*; 14(4): 213-217.
- Ridker, P.M., Hennekens, C.H., Roitman, B., Stampfer, M.J., Allen, J. 1998. Plasma concentration of soluble intercellular adhesion molecule-1 and risk of future myocardial infarction in apparently healthy man. *Lancet*; 351:8-9.
- Ross, R. 1999. Atherosclerosis: an inflammatory disease. *N Engl J Med*; 340:15-26
- Rudiansyah, M. 2008. Pengaruh Latihan Pasrah Diri terhadap kadar C-reactive protein pada penderita diabetes mellitus tipe 2 dengan gejala depresi. *Post Graduate Thesis*. Yogyakarta: Universitas Gadjah Mada.
- Saboor, M. 2012. New Horizons in Platelets Flow Cytometry. *Malaysian Journal of Medical Sciences* 20(2):62-6
- Sari, W. 2016. Pengaruh kombinasi Latihan Pasrah Diri dan Fluoxetin dibandingkan dengan Fluoxetin tunggal terhadap perubahan kadar *high sensitivity c-reactive protein* : studi pada penderita diabetes mellitus tipe 2 dengan simtom depresi. *Post Graduate Thesis*. Yogyakarta: Universitas Gadjah Mada.
- Shaikh, M.A., Bhanuprakash. 2017. Study Of Platelet-To-Lymphocyte Ratio In Patients With Metabolic Syndrome. *J Evid Based Med Healthc*; 4(22): 1254-1259.
- Sherwood, L. 2014. Human Physiology: from Cells to Systems. Edisi ke-9. Belmont, CA: Brooks Cole. hlm. 405-12.
- Siswanto, A., Siregar, A.K., Asdie, A. H. 2016. Treating Depression in diabetic patients: Latihan pasrah diri (LPD) revisited. *Acta Interna The Journal of Internal Medicine*; 6:43-55.
- Siswanto, A., Siregar, A. K. 2016. An Update on the Treatment of Depression in Diabetic Patients: Introducing “Latihan Pasrah Diri (LPD)”. *33rd World Congress of Internal Medicine*. Nusa Dua, Bali, Indonesia.
- Soelistijo, SA., Novida, H., Rudijanto, A., Soewondo, P., Suastika, K., Manaf, A., Sanusi, H., Lindarto, D., Shahab, A., Pramono, B., Langi, YA., Purnamasari, D., Soetedjo, N. N., Saraswati, M. R., Dwipayana, M. P., Yuwono, A., Sasiarini, L., Sugiarto, Sucipto, KW., Zufry, H. 2015. *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*, Jakarta, PB. PERKENI.
- Steyer, T.E. 2001. Complementary and alternative medicine: a primer. *Family*

- practice management*; 8(3):37-42
- Suromo, L.B. 2006 C-Reaktif Protein, Petanda Inflamasi Untuk Menilai Risiko Penyakit Kardiovaskuler. Dalam: Tjahjati MI, Rahmawati B. Eds. Seminar Petanda Penyakit Kardiovaskuler Sebagai "Point of Care Test (POCT)". HKKI Cab. Semarang.
- Therlund, G. M., Dahlquist, G., Hansson, K., Ivarsson, S. A., Ludvigsson, J., Sjöblad, S., Hägglöf, B. 1995. Psychological Stress and the Onset of IDDM in Children: A case-control study. *Diabetes Care*; 18: 1323-1329.
- Tortora, G. J., Derrickson, B. H. 2014. Principles of anatomy and physiology. New York, Wiley.
- Vojarova B., Weyer C., Lindsay R.S., Pratley R.E., Bogardus C., Tataranni P.A. 2002. High white blood cell count is associated with a worsening of insulin sensitivity and predicts the development of type 2 diabetes. *Diabetes*; 51:45.
- Weijenberg, MP., Feskens, EJ., Kromhout, D. 2004. White blood cell count and the risk of tolerance. *Diabetes Care*; 27: 491-6.
- Widodo, T. 2008. Pengaruh Latihan Pasrah Diri Terhadap Angka Leukosit Pada Penderita Diabetes Melitus Tipe 2 Dengan Gejala Depresi. *Post Graduate Thesis*. Yogyakarta: Universitas Gadjah Mada.
- Wu, Lishan., Zou., Shan., Wang., Cantian., Tan., Xuerui., Yu., Min. 2019. Neutrophil-to-lymphocyte and platelet-to-lymphocyte ratio in Chinese Han population from Chaoshan region in South China. *BMC Cardiovascular Disorders*; 97:1186-1192.
- Yoda, K., Inaba, M., Hamamoto, K., Yoda, M., Tsuda, A., Mori, K., Yamada, S., Emoto, M., Koyama, H. & Imanishi, Y. 2014. Association Between Glycemic Control and Morning Blood Pressure Surge With Vascular Endothelial Dysfunction in Type 2 Diabetic Patients. *Diabetes Care*; 37: 644-650.
- Zalai, D.M., Novak, M. 2008. Depressive disorders in patients with chronic kidney disease. *Primary Psychiatry*; 15, 66-72.
- Zalaquett, C.P., Mcgraw, A. 2000. *Clinician's Complete Reference to Complementary / Alternative Medicine*. Mosby. New York. 114-29.